

References

1. *Adelstein R.S and Elsenberg E.,(1980) :*

Regulation and kinetics of action myosin A.T.P. interaction,
Annu. Rev. Biochem., 49 = 921 - 6.

2. *Adelstein S.J, and Vallee B.L, (1961) :*

Copper metabolism in man. N.Eng.J.Med.;265 : 892 - 9410.

3. *Alger L.A. and Pupkin. M.J.(1984) :*

Etiology of preterm premature rupture of membranes, Clinical
Obstet. and Gynecol.; Vol.29 : 112 - 124.

4. *Al - zaid N.S.,Bou - Resli M.N.and Goldspin X G.,(1980) :*

Bursting Pressure and collagen content of fetal membranes and
their relation to premature rupture of membranes, Br.J.Obstet. Gynec.87 : 227 - 233.

5. *Andrews J.and Mc- Garry J.M.,(1972) :*

A community Study of Smoking in pregnancy. Journal of
Obstet.and Gynecol.of British common Wealth, vol.79: 115 -
117.

6. *Armstrong W.D., Singer L. and Makowski E.L., (1970) :*

placental transference of fluoride and calcium. Am.J. Obstet. Gynecol. 107 : 432 - 438.

7. *Artal R., Sokol J.R. and Newman M., (1976) :*

The mechanical properties of prematurely and non prematurely ruptured membranes. Methods and preliminary results. Am.J. Obstet. Gynecol. 125 : 655 - 663.

8. *Aral R., Burgeson R. and Fernandez F.J., (1979) :*

Fetal and maternal copper levels in patients at term with and without Premature rupture of membranes, Obstet. Gynecol., Vol 53 : 608-610.

9. *Baird D., (1962) :*

Environmental and obstetrical factors in prematurity with special reference to the experience in Aberdeen. Bull WH.O; 26 : 291 - 298.

10. *Beisel W.R, Perkarek R.S and Wannemacher R.W., (1976) :*

Homeostatic mechanisms affecting plasma zinc levels in health and disease volume I, zinc and copper. New York, San Francisco, London: Academic Press Inc; 87-93.

11. Bennett P.R., Rose M.P., Elder M.G. and Myatt L., (1987):

preterm labour. Bacterial cell products stimulate prostaglandin E production of amnion. Abstract of 24th. British Congress of Obstetrics and Gynaecology, April, 222 - 236.

12. Benson B.J., Kiesel W. and Hanahan D.J., (1973):

Calcium binding and other characteristics of bovine factor II and its action intermediates. Biochim. Biophys. Acta., 329 : 81 - 86.

13. Bergman B., (1970) :

The zinc concentration in heart and soft tissues of the rat. Acta odontol Scand, 28 : 425 - 31.

14. Berfenstam R., (1952) :

Studies on Blood zinc : A clinical and experimental investigation into zinc content of plasma and blood corpuscles with special reference to infancy. Acta paediat, 41 : 389 - 394.

15. Blondel B., Le Coutour X., Kaminski M., (1990) :

Prediction of preterm delivery : It is substantially improved by routine vaginal examination. Am.J.Obstet.Gynecol.; 162 : 1042 - 1048.

16. Bobitt J.R. and ledger W.R., (1977) :

Un recognised amnionitis and prematurity a preliminary report.
J.Reprod.Med., 19 : 8 - 12.

17. Bogden I.D, Thind I.S., kemp F.w and Caterini H., (1978) :

Plasma concentration of calcium, chromium, copper,iron,
magnesium and zinc in maternal and cord Blood and their
relationship to low birth weight.J.Lab.Clin. Med; 92 : 455 - 462.

18. Bohoum c., (1962) :

Clinical chim. Acta 7., 811 - 817.

19. Borglin A. and Heuken skjold c., (1967) :

Studies on serum copper in pregnancy,Acta Obstet.Gynecl,
Scand.; 46 : 119 - 125.

20. Boyd J.D., Boyd C.A.R., Hamilton W.J., (1962) :

Observation on the vascular stracture of the human
syncytiotrophoblast. Zellforsh, Mikvosk.Anat.88:57-70.

21. Bourne G.L., (1960) :

The microscolic anatomy of the human ad chorion. Am.
J.Obstet. Gynec.; 79 : 1070 - 1076.

22. Brody S. and Frenket D.A., (1953) :

Marginol insetion of the cord and premature Labour. Am.J. Obstet. Gynec. 65 : 1305 - 7.

23. Burch R.E and Sullivan J.F., (1976) :

Clinical and nutritional aspects of zinc deficiency and Excess. The Medical clinics of North America; 60 : 675 - 85.

24. Burgos H., Hsil L. and Faulk W.P., (1982) :

Plasminogen binding by human amnio. chorion. A possible factor in premature rupture of membranes. Am.J. Obstet. Gynecol. 143 : 958 -961.

25. Cartis S.N., Edelstone D.L and Mueller Heubach E., (1979) :

Pharmacological inhibition of preterm labour. Am .J.of Obstet. and Gynecol., 133,557 - 578.

26. Castle W.M., (1977) :

Statistics in small does 2nd ed. Edinburg, London, New York : Churchill Livingstone; 57 - 70.

27. Chamberlain G., (1984) :

Epidemiology and aetiology of preterm baby. clinics in Obstetric and Gynaecology Vol II n 2, august.

28. Cederquist L.L., zervoudakis I.A., Ewool E.c and Litwin S.D., (1979):

The relationship between prematruely ruptured membranes and fetal immunoglobulin production. Am.J. Obstet. Gynecol; 134 : 784 - 788.

29. Comar C.L. and Bronner.F., (1962) :

Mineral metabolism volum II,part B,Academic press, New- York and London, p 371 , 443.

30. Cook R.E., (1969) :

The pathophysiology of body fluids in tesext book of pediatrics. Nerlson,V.E., and Mc May R.J.WB.Saunders Comp. philadelphia, London;205 - 212.

31. Cooperman N.R., Kasin M.and Rajachekaraiah K.R., (1980) :

Clinical significance of amniotic fluid,amniotic membrane and endometrial biopsy cultures at the same time of cessarian section. Am.J.Obstet, Gynecol;137 : 536 - 541.

32. Cope J., Lancasts P. and Stevener L., (1973) :

Smoking in pregnanay. Medical Journal of Australia Vol.I,P 73 - 77.

33. Cotozios G.C., (1976) :

Trce substances. Environ. Health.Quoted from Under Wood E.J. (Ed) trace elements in human and animal nutrtrtion 3red ed., New York, Acad.Press,1 - 2.

34. Creasy P.K., Gummer B.A and Liggins G.C., (1980) :

System for predicting spontaneous preterm birth, Obstet. Gyneccol., 50 : 45 - 53.

35. Cox. S.M.,Mac donald P.C and Casey ML., (1988) :

Decidual activation is synchronus with spontaneous parturition and with bacterial endotoxin. Proc.Soc. Gynecol Invest; 35 : 89 Abstact.

36. Cunning ham G.F.;Mac Donald P.C and Gant N.F.(edit)(1923) :

preterm labour and prematune ruptur of membranes.In : Williams Obstitrics, 19th edition,Printce Hall,Inter national Inc. New York,p - P 748 -755.

37. *Daling J.R. and Emanuel C., (1977) :*

Induced abortion and subsequent outcome of pregnancy. A matched cohort study, Lancet, Vol II, 170, P 772 - 780.

38. *Daniel Mishell J.R. and Paul Brenner F., (1988) :*

Management of common problems in obstetrics and gynecology.

39. *Davis E.J.T., (1972) :* *h*

The clinical significance of the essential biological metals, First published. William Heinemann, London : 4,5,6 + 19 + 48.

40. *Dawson E.B., Clark R.R. and McGanity W.J., (1969) :*

Plasma vitamins and trace metal changes during teenage pregnancy. Am.J.obstet.and Gynecol;104 : 453 - 957.

41. *Drayton M.R. and Skidmore, R., (1987) :*

Ductus arteriosus Blood flow during first 48 hours of life. Arch Dis.child, 62 : 1030 - 1043.

42. *Dykes F.D., Lazzara A. and Ahmann P., (1985) :*

Intraventricular haemorrhage, a prospective evaluation of etio-Pathogenesis. Pediatrics 75 : 714 - 719.

43. Dyson D.C., Crites y M and Ray D., (1989) :

Prevention of preterm birth in high risk patients. the role of education and provider contact versus home uterine monitoring. Am.J.obstet.Gynecol;161 : 808 - 812.

44. Ellison R.C., Peckham G.R and Lang.P., (1984) :

Evaluation of preterm infant for patent ductus arteriosus. pediatric, 71 : 364 - 372.

45. Evaldson G., Lagrelius A. and Winiarski J., (1980) :

premature rupture of membranes. Acta. obstet. Gynecol. Scand; 54 : 343.

46. Evans C.W., (1973) :

Copper homeostasis in the mammalian system, phys. Rev., 33 : 535 - 539.

47. Evans G.W., (1976) :

Zinc absorption and transport. In : Prasad AS, Oberleas D (Eds) trace elements in human health and disease Volume I, zinc and copper, New York, San Francisco, London : Academic press; 181 : 7.

48. F.A.O / W.H.O. Expert group. (1962) :

Calcium requirment W.H.O. Technical report series, No 230,
P.42 W.H.O, Geneva, Quated from Paterson, C.R. (1978) :
calcium requirment in man post grad. Med.J., 54 : 244-8.

49. Farrell P.M.and Avery M.E., (1975) :

State of hyaline membrane disease. Am, Rev. Respir. Dis III:657-
663.

50. Fitzgerald F., (1978) : *h*

Trace elements. West J. Med., 128 : 223 - 232.

51. Fremandez F.J. and Kahan H.L., (1971) :

Determination of serum magnesium; Clinical chemistry, News
Letter; 3 : 230 - 232.

52. Fernando Arias. (edit) ., (1993) :

preterm labour. In Practical Guide to High Risk pregnancy and
delivery, 2 ed edition, Mosby year Book, London p - p 71 - 99.

53. Flink E B., (1976) :

Clinical manifestation of acut magnesium deficiency in man In :
Cantin M, Seeling MS (Eds) Magnesium in health and disease.
proceedings of the 2nd international sym- posium on
Magnesium, New york, london: SP Medical and Scientific Book;
865 - 82.

54. Forbes R M., (1960) :

Nutritional interaction of zinc, calcium, Fedration proc., 19 : 643
- 647.

55. Fox H. and Jacobson H., (1968) :

Innervation of the amnion. Am. J. Obstet. Gynec. 102 : 6 - 8.

56. Franz K.B., (1985) :

Magnesium intake during pregnancy, Am.J.College Nutril., Vol
130 : P 200 - 205.

57. Freidman S., (1969) :

Serum copper level as index of placental function. J. Obstet.
Gynecol., 33 : 189 - 193.

58. Fredrick.J.and Anderson A.B.M., (1976) :

Factors associated with preterm birth.J. Obstet. Gynecol.,83 :
342 - 350.

59. Fu - Y.H. (1989) :

Serum copper level and pathogenic changes in the fetal
membranes in cases of premature rupture of membranes. chung
- Hua - Fu - Chan - Ko - Tsa - chih,24(5) 1,276 - 8,317 English
abstract.

60. Ganong W.F., (1985) :

Review of medical physiology, 12th ed.Lange Medical
publications, Califarnia, Librairie du Liban, Beirut, p 40 - 41.

61. Gillibrand P.N., (1967) :

Premature rupture of membranes and prematurity.J. Obstet.
Gynecol Br. Common Wealth; 74 : 678 - 682.

62. Girous E.L.,Schechter P.J.,and Schoun J., (1976) :

Diminished albumin binding of zinc in serum pregnant women.
Clin. Sci.Mole.Med.; 51 : 545 - 9.

63. Goal R and Misra P.K., (1982) :

Plasma copper in fetal malnutrition. *Acta, Paediatric Scand*; 71 : 921 - 925.

64. Grays anatomy (1950) :

Second edition, Embryology of fetal membranes.

65. Gones R.A., Cumins M. and Davis P., (1979) :

Infant of very low birth weight. *lancet*, 1 : 1332 - 1339.

66. Gonik B. and Creasy R., (1986) :

Preterm labour diagnosis and management. *Am. J. Obstet. Gynecol.*, 154 : 3 - 110.

67. Goodlin R.L, Quaife M.A and Dirksen J.A., (1981) :

The significance, diagnosis and treatment of maternal Hypovolemia as associated with fetal / maternal illness *Semin perinatol*; 5 : 163 - 166.

68. Gross J. Highbereger J. and Johnson wint B., (1980) :

Mode of action and ragulation of tissue collagenases, Chichester, England; 11 : 25 - 28 (Quted from Vadillo Ortega etal.) (1990).

69. *Guzick D.s., and winnk., (1985) :*

The association of chorioamnionitis with preterm labour obstet.
Gynecol; 65 : 11 - 15.

70. *Halsted J.A., (1973) :*

Zinc deficiency and congenital malformations. lancet; 1 : 1323 -
1325.

71. *Hall M.and Car_Hill.R., (1982) :*

The impact of sex ratio on the onset and management of labour.
Br. Med.J;285:406-408.

72. *Hambidge K.M, Uldner K.H and walravems P.A., (1975) :* 4

Zinc acrodermatitis entropathia and congenital malformations,
Lancet; 1;577.

73. *Hambige K.M. and Droegemuller W., (1974) :* 7

Changes of plasma and hair concentrtrion of zinc,
copper,chromium and manganese during pregnancy. Obstet.
Gynecol. 44 : 666 - 672.

74. *Hamilton W.J., BoydJ.D and Mossman. H.W., (1972) :*

Human Embriology. Heffer Cambridge,P350 - 370.

75. Harper AE., (1973) :

Recomened dietary allawances. Nutr.Rev;31:393-6.

76. Harper A., (1973) :

Review of phsiological chemistry, Chapter 19, 13th edition,
printed in Lebanon; 427 -430.

77. Hansen B.H., (1987) :

Catabolism and turn over of collagens :Collagenase Metheds
Enzymol ; 144 :140 -142.

78. Hatjis C.G.and Swaen M., (1988) :

Systemic tocolysis for premature labour is associated with an
increased incidence of pulmonary Oedema in the presence of
maternal infection .Am.J.Obstet.Gynecol. ,159:723-728.

79. HenKin RI., (1976) :

Trace metal in endocrinology .Medicat clinics of North
America;60 : 779 - 782.

80. Henkin R.I., (1971) :

Newer aspects of copper and zinc metabolism In: Newer trace elements in nutrition .Ed. Metz W and Cornatzer w.E., volz, chapter 5, New York Press: 255-258.

81. Henkin RL ; Marshall J.R. and Merret S., (1971) :

Maternal fetal metabolism of copper and zinc at term. Am. J. Obstet. Gynecol. 110 : 131, 139.

82. Heson M.A., Katz M. and Creasy RK., (1982) :

Evaluation of a preterm birth prevention Program. Preliminary report. Obstet Gynecol; 59 : 452 - 461.

83. Hertig A.T., (1962) :

The placenta some new Knowledge about an old organ Obstet. Gynecol; 20 : 859 - 865.

84. Hertig A.T., Rock J., Adams E.C, Mulligan W.J., (1941) :

Pereimplantation stages of the human ovum. Contrib. Embryol., 35 : 199 - 217.

85. Heuserskjold C.and Hedenstedt L., (1962) :

Serum copper determination in normal pregnancy. Acta. Obstet. Gynecol. Scand.; 41 : 41 - 48.

86. Hewitt B.G.and Newnham J.P., (1988) :

A review of the obstetric and medical complications leading to the delivery of infants of very low birth weight. Med J.Aust., 149 : 234 - 242.

87. Hibbard B.M; (edit)(1988) :

Preterm labour In : principles of Obstetrics, first edition, Butterworths, London, p - p . 585 - 93.

88. Hibbard B.M., (1987) :

The aetiology of preterm labour. Br. Med.J.,294 : 594 - 595.

89. Hoffman H.J.and Bakketeig L.S., (1984) :

Risk factors associated with occurrence of preterm birth. Clinical. Obstetrics and Gynecology, Vol. 27,n3 september.,

90. Hoffman W.S., (1966) :

The biochemistry of clinical Medicine.3rd, year Book, Medical publishers, Chicago. p - p 563 - 580.

91. Hurley L.S., (1981) :

Magnesium deficiency in pregnancy and its effects on the fetus.

Magnesium Bull; 3 : 202 - 8.

92. Hutechin P., and kessner DM., (1964) :

Neomatal tetany Diagnostic aid to hyperparathyradism in the mother. Ann. Intern. Med.;61 : 1109 - 1115.

93. Iams D.J., Johnson F.F. and O'shaughnessy R.W., (1987) :

A pros pective random trial of home uterine monitoring in pregnancies at increased risk of preterm labour. Am. J.Obstet. Gynecol., 157 : 638 - 643.

94. Illsday R. and Thompson B., (1977) :

Prevention of handicap through antenatal care in : Anderson A.BM., Beard R., Brudnoll J.M.and Dunan P.M.: Preterm labour, Proceedings of the 5th study group of the Royol College of Obstetricians and Gynecologists, London,62.;133 - 137.

95. *Iams J.D., Clapp D.H., Contox D.H., Whitehuist R. and O'shaughnessy R.W., (1987) :*

Does extraamniotic infection cause preterm labour : Gas liquid chromatography studies of amniotic fluid in amnionitis, preterm labour and normal control. *Obstet. Gynecol.* 70 : 365 - 375.

96. *Ianes J.D., Stilson R and Johnson F.J., (1990) :*

Symptoms that precede preterm labour and preterm premature rupture of membranes. *Am.J Obstet.Gynecol*;162: 486-490.

97. *Jamson S., (1976) :*

Effect of zinc deficiency in human reproduction. *Acta. Med. Scand*; 593 : 5 - 20.

98. *Jenkin D.M., Fran ce V.M. and Hsi B.L., (1973) :*

Degenerative changes and detection of plasminogen fetal membranes that rupture prematurely. *Br.J. obstet. Gynecol.*, 90 : 841 - 860.

99. *Jenkins DM., Mulho lland V. and OneielM., (1986) :*

Prostaglandin and plasminogen in human fetal membrane rupture. Abstract of the 24th British congress of Obstetrics and Gynecology. April, 220 : 553 - 570.

100. Johnston F.D., Bearel R.J., Boyd T.E. and Mearthy T.C., (1976) :

Cervical diameter after suction termination of pregnancy.
Br.Med.J., 1 : 68 - 83.

101. Jose villar and John T.Repke (1990) :

Calcium supplementation during pregnancy may reduce preterm delivery in high risk population. Am.J. Obstet. Gynecol; 163 : 1124 - 31.

102. Kaminiski M.R., Rumeau R.C and Schwort Z.D., (1978) :

Alcohol consumption in pregnant women and outcome of pregnancy. Alcoholism and experimental Research. 2 : 155 - 170
(Quoted from Naeye, 1982).

103. Kanayama N., Terao T., Kawashima Y., Horiuchi.Kand, Fujimoto. D., (1985):

Collagen types in normal and premature ruptured amniotic membranes. Am.J. Obst. Gynec; 153 : 899 - 430.

104. Kass E.H., (1970) :

Pregnancy, pyelonephritis and prematurity. Clin.Obstet. Gynecol;
13 : 239 - 242.

105. KaTz M.,Goodyear K.and Creasy R.K., (1990) :

Early signs and symptoms of preterm labour. Am.J.Obset.
Gynecol; 162 : 1150 - 1153.

106. Katz M., Newman R.B and Gill P.J., (1986) :

Assessment of uterin activity in ambalutory patient at high risk
of preterm laboour.Am.J. Obstet.Gynecol; 154: 44 - 47.

107. Keirse M.J.N., Rush.R.W., Anderson A.B.M. and Turnbull A.C.,(1978):

Risk of preterm delirey in patient with previous pre-
term delirery and abortion. Br.J. Obstet. Gynceol., 85 : 81 - 84.

108. Kelin R.and Hoddow J.E., (1968) :

Trace elements in health and disease practioner; 201 : 314 -
320.

109. Kidroni G., yagels.,Menczel J.and Ron N.(1989) :

Studies of nomal and prematruely ruptured membranes. J
perinat.Med.;17(6) : 433 - 438.

110. Kilholma P. and Groonroos M., (1989) :

The role of calcium, copper, zinc and iron in preterm delivery and premature rupture of fetal membranes. J. Obstet. Gynecol. Invest; 171 : 194 - 201.

111. King J.F, Grant A., Keirse M.J. and Chalaners I., (1988) :

Betamimetics in preterm labour : An over view of the randomized control trials. Br.J. Obstet. Gynecol; 95 : 211 - 222.

112. Klebanoff M.A, Shiono P.H. and Rhoads O.G., (1990) :

Outcome of pregnancy in a national sample of resident physicians. N. Engl. J. Med; 323 : 1040 - 1045.

113. Knox I.C. and Hoerne J.K., (1950) :

The role of infection in premature rupture of the membranes. Am. J. Obstet. Gynec. 59 : 90 - 93.

114. Koller O. and Eikhom S.N., (1977) :

Late sequelae of induced abortion in primigravida. Acta. Obstet. Gynecol. Scand; 56 : 311 - 7.

115. Krauses A.N., Klain D.B and Auld P.A.M., (1975) :

Chronic pulmonary insufficiency of prematurity. pediatrics;
55:55-61.

116. Kulorich M.V and Gluck L., (1979) :

The lung profile in complicated pregnanay. Am.J Obstet.
Gynecol; 135 : 64 : 76.

117. Kurzel R.B., (1991) :

Serum magnesium levels in preg nancy and preterm labour.
Am.J. perinatal,Mor; 8(2) : 119 - 27.

118. Lamont R.F and Fisk. N., (1993) :

The role of infection in the pathogenesis of preterm labour In :
Progress In Obstet and Gynecol., edited by Studd J., Vol X,
Churchill Livingstone,New yark, p - p 135 - 153.

119. Launer L.J., Villar J.and Kestler E., (1990) :

The effect of maternal work on fetal growth and duration of
pregnancy. Aprospective study. Br.J. Obstet. Gynoecol; 97 : 62
- 70.

120. Laurance and Benett P.N., (1985) :

Smoking in pregnancy. fifth edition, Clinical pharma cology,
Churchill Livingstone; p - p 312-320.

121. Lavery J.P.and Miller. c.E., (1981) :

Effect of prostaglandine and human seminal fluid on human
chorioamniotic membranes JAMA 245 : 2425 - 7.

122. Lauweryn S.J., Bemat R., Lerut A.and Detournery G., (1973) :

Intrauterine pneumonia An experimental. Biol. Neonate; 22 : 301
- 318.

123. Ledger WE., (1978) :

Bacterial infection complicating pregnancy.Clin. Obstet. Gynecol;
21 : 455 - 463.

124. Lee G.R., C.E Cartwright and M.M wintrob., (1968) :

Hemebiosynthesis in copper deficient swine. proc. soc. Exptl.
Biol.Med.127 : 977 - 980.

125. Leinhan J.J., (1984) :

Relationship of ante partum pelvic examination to premature
rupture of membranes. Obstet. Gynecol; 83 : 33 -7.

126. Leven M and Dubowitz v. (1982) :

Low birth weight babies : Longterm follow up. Br.J. of. Hospital
Medicine, 28 : 487 - 492.

127. Levenok J., Cox k. and Roaik M.L., (1986) :

Cervical dilatation and prematurity revisited. Obstet. Gynecol; 68
: 434 - 438.

128. Lipper F., Lee K.S., Gartner L.M. and Grellong B., (1981) :

Determination of neurobehavioral outcome in low birth weight
infant. Pediatrics, 67 : 502 - 506.

129. Luck J. and Koren E., (1979) :

Mechanism of liquifaction of human ejaculate II. Role of
collagenase like peptidase and seminal protinase. J.Reprod. Fertil.
56 : 501 - 505.

130. Ludwig Spatling and Gabriele Spatling., (1988) :

Magnesium supplementation in pregnancy. A double blind study.
Br.J.of Obstet. and Gynecol.; 45, p-p. 120 - 125.

131. Main D M, Richardson D. and Gabbe S.G., (1987) :

Prospective evaluation of risk scoring system for predicting preterm delivery in black inner city women. *obstet. Gynecol*; 69 : 61 - 66.

132. Mamelle N, Lauman B. and Lazar p., (1984) :

Prematurity and occupational activity during pregnancy. *Am.J. Epidemiol*; 114 : 309 - 311.

133. Martin D.W., Mayer P.A. and Rodwell V.W., (1981) :

Harper's review of biochemistry, 18th ed. Lange Medical publications. California, Librairie du Liban, Beirut, p 555 - 558.

134. Mason K.E., (1979) :

A conspectus of research on copper metabolism and requirements of man. *J.Nutr*; 109 : 211 - 214.

135. Mayer MB., (1978) :

How does maternal smoking affect birth weight and maternal weight gain? evidence from the Ontario perinatal mortality study. *Am.J. obstet. Gynecol* vol. 131, p 882 - 843.

136. *Mc Clure Brown. J.C., (1977) :*

In post graduate obstetricals and gynecology Bulter Worths and Co (publisher) L,t,d 4th ed. Chapter, 23 poga 405 - 409.

137. *Mead R.B., (1980) :*

Management of the patient with premature rupture of the membranes Clin. Perinatol;7 : 243 - 247.

138. *Melingos,s., Messinis I. and Diakomanolis D., (1978) :*

Influence of meteorological factors on premature rupture of the fetal membranes.Lancet; 11 : 435 - 437.

139. *Ment L.R., Duncan C.C. and Ehrenkranz R.A., (1984) :*

Intraventricular hemorrhage in preterm neoates : Timing and cerbral blood flow changes.J.pediat., 104 : 419 - 422.

140. *Michiell D.R., (1979) :*

Current status of contraceptive steroids and intrauterine device .J . Clin. Obstet and Gynecol; 17 : 35 - 42.

**141. Mich oels W.H, Montgomery C.,Karo J., Temple J. and Ager J.,
(1986) :**

Ultra sound differentiation of the competent from in- competent
cervix : prevention of preterm labour. Am.J.Obstet.
Gynecol.,145,3 : 537.

142. Milles.J.m., Hill GB. and welt S.I., (1980) :

Bacterial colonisation of amniotic fluid in the presence of
ruptured membranes. Am.J.obstet. Gynecol; 137 : 451 - 458.

143. Moghissi K.S., (1981) :

Risks and benefits of nutritional supplement. during pregnancy.
obstet. Gynecol; 58 : 68 - 78.

144. Moore K.L., (1973) :

The developing Human. Clinically oriented Embryology.
philadelphia, Saunders, 367 - 398.

145. Morales WJ, Angel JL and O'Brien W.F., (1988) :

The use of antenatal vitamin K in the prevention of early
intraventricular hemorrhage. Am.J.obstet. Gynecol; 159 : 774 -
779.

146. Morgan J.P. and Morgan K.C., (1984) :

Calcium and cardiovascular Function. Am.J. Med., 5 : 33 - 45.

147. Muller. Heuback E. and Guzick D.S., (1989) :

Evaluation of risk scoring in preterm birth. prevention study of indigent patients. Am.J.obstet. Gynecol;vol. 160,p 829 - 37.

148. Mull J.W. and Bill A.H., (1934) :

Variation in serum calcium and phosphorus during pregnancy of normal variations. Am.J. obstet. and Gynecol; 27 : 510 - 512.

149. Naeye R.L., (1969) :

Coitus and associated amniotic fluid infection.N.Engl. J.Med; 301 : 1198 - 2205.

150. Naey R.L., Dyle L.W. and Pepperei P.R.J., (1980) :

Premature ruptuse of membranes. Med.J.Aust, 1:209-214.

151. Naeye RL. and peters E.C., (1980) :

Causes and consequences of premature rupture of membranes. Lancet.I : 193 - 194.

152. Naeye R.L and Rossc., (1982) :

Coitus and chorio-amnionitis a prospective study early.Human.
Der 6 : 91 - 93.

153. Neggers Y.H., Cutter G.R.and Acton R.T., (1990) :

Apositive association between maternal serum zinc conc.
entration and birth weight. Am.J.Clin. Nut; 51:678-84.

154. Nelson W., (1979) :

Text book of pediatrics, 11th. ed tion, Chapter two,
Philadel.phia, London,Toronto,W.B Sounders; 114 - 118.

155. Nordin Q.E.S., (1976) :

Calcium, phosphate and magnesium metobolism,In : Clinical
physiology and diagnostic pro cedures, Edinburg, London, New
york : churchill livingstone; 256 - 8.

156. O'Dell B.L., (1976) :

Biochimstry of copper.Medical clinics of Noth America; 60 : 687
- 672.

157. O'Herlihy C. and Turner M., (1991) :

Prelabour spontaneous rupture of membranes. In : Progress In obstetric and Gynecology., edited, by Studd.J., Vol II, Churchill Livingstone, New York; p - p 99 - 108.

158. O'Leary P., Na.Na Know, Pootrakul S. and Pompat Kull M., (1969) :

Zinc metabolism during pregnancy. Clin.chem; 11,251,256.

159. Paisi A.E. and Vallee B.L., (1979) :

Isolation of zinc macroglobulin from human serum. Biochem ; 9 : 2421 - 6.

160. Parker M.M., Humoller F.L. and Mahler D., (1967) :

Determination of copper and zinc in biological material. Clin. Chem.; 13 : 40 - 48.

161. Papiernik E., (1984) :

Prediction of preterm labour. Clin Obstet. Gynecol; 11 : 315 - 319.

162. Pauniet L., Girardin E., Briosch P.A. and Beguin F., (1985) :

Extra. and intra cellular magnesium and electrolyte concentration during pregnancy and at birth : Fetomaternal relationship. J. Am. College. Nutrill; 4 : 319 - 328.

163. Pearson H.A., (1967) :

Life span of the fetal red blood cell. J. Pediatr; 70 : 166 - 173.

164. Pearce J.M., (1985) :

Management of preterm labour. Studd. J. Management of labour, 48 : 115 - 118.

165. Percival R. and Brew O., (1980) :

Manual of obstetrics, 14th ed. EIB: and Charchill Livingstone
Chapter 4, page 484 - 488.

166. Phang J.M., Berman M., Finerman G.A., Neer R.M., Rosenberg L.E., and Hahn T.J., (1969) :

Dietary perturbation of calcium metabolism in normal man
compartmental analysis. The J. of Clin. invest., 48 : 67 - 72.

167. Pitkin M.D and Gebhardt B.A., (1977) :

Serum Calcium concentration in human pregnancy. Am.J. Obstet. Gynecol.; 127 : 775 - 778.

168. Polishuk W.Z., Kohane S. and Perani O.A., (1962) :

The physical properties of the fetal membranes. Obst. Gynec; 20 : 204 - 10.

169. Perma K. and Neelakumair. S., (1980) :

Serum copper and zinc in pregnancy. Ind.J.Med. Res.; 71 : 547 - 553.

170. Reynolds.J.E.S., Preasad A.B. and Martin Dole., (1988) :

Extra-pharmacopoeia, 28th ed., vol I, London, The pharmaceutical press; 625 - 629.

171. Ricci J.M., Hariharan S. and Helfgott A., (1991) :

Oral tocolysis with magnesium chloride. randomized controlled prospective clinical trial. Am.J. Obstet. Gynecol.; 165 : 603 - 10.

172. Rick W., Martain M.D., Kenneth G., Perry J. and wayne Hess M.D., (1992):

Oral magnesium and prevention of preterm labour in a high risk group of patient. Am. J. Obstet. Gynecol; 166 : 144 - 7.

173. Romerro R., Oyarzum E. and Mazor M., (1989) :

Meta analysis of the relation ship between asymptomatic bacteriur a and preterm delivery, Low birth weight Obstet. Gynecol.;73:576-580.

174. Romerro R., Quintero R., Oyarzum E., Hobbins J.C., King Y., Mazor M. and sabo V., (1980) :

Intra amniotic infection and onset of labour in preterm pre.mature rupture of membranes. Am. J. Obstet. Gynec.; 159 : 661 - 3.

175. Rush R.W, (1982) :

Effect of changes in protein and calorie inatke during pregnancy on the growth of human fetus In : Enkin M., chalmers J., eds. Effectivness and satisfaction in antenatal care, Clinics in developmental seues, London., 323 - 333.

176. Rush R.w, Darey D.A and segal M.L., (1978) :

The effect of preterm delivery on perinatal mortality. Br. J.Obstet.Gynecol. ; 85 : 806 - 810.

177. Rush R.w Meirse M.J.N.C.and Howat P., (1976) :

Contribution of preterm delivery to perinatal mortality. Br,Med. J.; 2 : 965 - 965.

178. Schenker J.G., Jungreies E and Polishuk W.Z., (1967) :

Seum copper levels in normal and pathological pregnan.cies. Am. J. Obstet. Gynecol.; 105 : 933 - 940.

179. Schlievert P., Larsen B.and Johnson W., (1975) :

Bacterial growth inhibition by amniotic Fluid. Am. J. Obstet. Gynecol.; 122 : 804 - 815.

180. Schroeder H.A.and Nason A.P., (1976) :

Trace elements analysis in clinical chemistry.; 17 : 461 - 74.

181. Schroedes H.A.,Nason A.P.Tipton I.H and,Balass J.J.,(1967):

Essential trace metals in man, zinc, relation to envi-ronmental cadmium. J.Chron.Dis; 20 : 179 - 210.

182. Scott D.A and Frisher A.M., (1938) :

The insulin and zinc content of normal and diabetic pancreas.
J.Clin. Invest., 17 : 725 - 729.

183. Sikorsi R., Juskiewicz T. and paszkowski T., (1990) :

Women with Premature rupture of membranes at term. Obstet.
Gynecol.; 76 : 675 - 7.

184. Smith SE. and Lorson E.J., (1940) :

Biol. Chem. 163 : 29. Quted by Davis I J.T. The clinical
significance. of the essential biological metals, ed. I, 1972. willam
Heineman London p-p 443 -447.

185. Spatling L., (1985) :

Magnesium deficiency in pregnancy. J. Am. colleg. Natri; 4 :
320 - 326.

186. Spencer H, Lewin J and sanchson J., (1966) : η

Intestinal absortion of zinc in patients with carcinoma of
prostate. Cancer. Res.; 767 : 312 - 316.

187. Stoyan I and Dokumo V., (1968) :

Serum copper and pregnancy. Am. J. Obstet. Gynec.; 101 : 217
- 225.

188. Swanson C.A., King J.C., (1987) :

Zinc and pregnancy outcome. Am. J. clin. Nutr.; 46 : 763 - 7.

189. Tappozada M.K., Sallam N.A. and Gaafar A.A., (1970) :

Role of repeated Stretching in the mechanism of timely rupture of the membranes. Am. J. Obstet. Gynecol.; 108 : 243 - 249.

190. Theresa O.Scholl, Mary L.H., Jaan I.S, Richard L.F. and chor. San K., (1993) :

Low zinc intake during pregnancy : Its association with preterm and very preterm delivery. Am.J. Epidemiol; 137 : 1115 - 24.

191. Thomsen A.C., Morup L. and Hansen K.B., (1987) :

Antibiotic elimination of group B streptococcus in urine in prevention of preterm labour. Lancet; 1 : 591 - 593.

192. Tucker H.F. and Salmon, W.D., (1955) :

Parakeratosis as zinc deficiency disease. in the pregnancy. Proc Soc. Exp. Biol. Med.; 88 : 623 - 630.

193. *Turnbull A.C., (1977) :*

Etiology of preterm labour proceedings of the 5th study group of Royal College. of Obstetricians and Gynaecologists, London : Royal College of Obstetricians and Gynaecologists; 82 : 432 - 439.

194. *Under wood E.J., (1977) :*

Trace elements in human and animal nutrition, 4th ed, New York : Academic Press.; 1,8,246,250.

195. *Vadello Ortega F., Gonzale Z., Avila G., villaneuva - Diazc. and Duran A.A., (1991) :*

Human amniotic fluid modulation of collagenase production in cultured fibroblast. Am. J. Obstet. Gynecol. 164 : 664 - 2.

196. *Vallee B.L., (1959) :*

Biochemistry, physiology and pathology of zinc physiology. Revs., 39 : 443 - 455.

197. *Vallee B.L. and Gibson J.G., (1948) :*

The zinc content of normal whole Blood, plasma, leucocytes and erythrocytes. J. Biol chem.; 147:445-449.

198. *Van Campen D.R.and Scafie P.V., (1967) :*

zinc interference with copper absorption in rate.J. Nutr.; 19 :
473 - 476.

199. *Varley H., Gowenlock A.H.and Bell M., (1980) :*

Practical clinical biochemistry, 5th edition, Chapter 26, volume one,
London, William Heinemann Medical Books , 927 -939.

200. *Villar M.D., John T.and Repke M.D., (1990) :*

Calcium supplementation duuing during pregnancy may reduce
preterm delivery in high risk population. Am.J. Obstet. Gynecol.;
1124 - 31.

201. *Weekes A.R.L and Flynn M.J., (1975) :*

Engagement of the fetal head in primigravidas and its
relationship to duration of gestation and time of onset of labour.
Br.J.obstet. GYnecol.; 82 : 7 - 9.

202. *Widdowson E.M,Mecance R.A.and Spray C.M., (1951) :*

The chemical composition of the human body.Clin. Sci. 10 : 113
- 116.

203. Wideman G.L., Baird G.H. and Bolding O.T., (1964) :

Ascorbic acid deficiency and premature rupture of fetal membranes. Am.J.obstet. Gynecol; 88 : 592 - 5.

204. Wislocki G.B and Dempsey E.W., (1955) :

Electron microscopy of human placenta, Anat.Rec.; 82 : 123 - 33.

205. Witter F.R., (1983) :

The influence of moon on deliveries. Am.J. obstet. Gynecol.; 145 : 637 - 639.

206. Wright I.S., (1962) :

The nomenclature of Blood clotting factors. Thromb. Diath. Haemorrh.; 7 : 381 - 384.

207. Workes W.E.C. and valleda B.L., (1950) :

An outline of magnesium metabolism in man. New Eng.J.Med.259 : 431 - 75.

208. World Health Organisation., (1977) :

Recomended definition terminology and formula for statistical tables related to the perinatal peroid and use of new certificate for cause of perinatal death. Acta. obstet. Gynecol. Scand.; 56 : 277 - 280.

209. Wynn R.M.and Hellman L.M., (1967) :

Morphologic studies of the ruptured amnion. Am.J. Obstet.Gyneco. 99 : 359 - 363.

210. Zaijman J.D., Wilkinson A.R.and keeling J.W., (1982) :

Spontaneous premature rupture of the membranes : bacteriology, histology and neonatal outcome. J. Obstet. Gynecol., 2 : 155 - 160.