




(1) Von Graefe, A., (1957)

Über die iridectomie bei glaukom und über den glaucomatosen process.

Graefe's Arch. clin. Exp. Ophthalmol., 3 : 456. Cited in Hoskins, H.D. and Kass, M., Becker-Shaffer's diagnosis and therapy of the glaucomas, 6th ed., The C.V. Mosby Co., St. Louis, 1988.

(2) Curran, E.J., (1920)

New operation for glaucoma involving a new principle in the aetiology and treatment of chronic primary glaucoma.

Arch. Ophthalmol., 49 : 131.

(3) Khuri, C.H., (1973)

Argon laser iridectomies.

Am.J. Ophthalmol., 76 : 490-493.

(4) Abraham, R.K. and Miller, G.L., (1975)

Outpatient argon laser iridectomy for angle-closure glaucoma : a two year study.

Trans. Am. Acad. Ophthalmol. & Otolaryngol., 79 : 529-538.

(5) Quigley, H.A., (1981)

Long term follow up of laser iridotomy.

Ophthalmology, 88 : 218-224.

(6) Harrad, R.A. ; Stannard, K.P. and Shilling, J.S., (1985)

Argon laser iridectomy.

Br. J. Ophthalmol., 69 : 368-372.

(7) Belcher, C.D., (1984)

Laser iridectomy. In : Belcher, C.D.; Thomas, J.V. and Simms, R.J., Photocoagulation in glaucoma and anterior segment disease, Williams & Wilkins, Baltimore.

(8) Tocher, A., (1908)

Cited in : Duke-Elder, S., System of ophthalmology, vol. II, The C.V. Mosby Co., St. Louis, P. 167-187, 1969.

(9) Fleischhaber, (1955)

Cited in : Duke-Elder, S., System of ophthalmology, vol. II, The C.V. Mosby Co., St. Louis, P. 167-187, 1969.

(10) Brownlee, (1912)

Cited in : Duke-Elder, S., System of ophthalmology, vol. II, The C.V. Mosby Co., St. Louis, P. 167-187, 1969.

(11) Vogt, (1922)

Cited in : Duke-Elder, S., System of ophthalmology, vol. II, The C.V. Mosby Co., St. Louis, P. 167-187, 1969.

(12) Fuchus, (1885)

Cited in : Duke-Elder, S., System of ophthalmology, vol. II, The C.V. Mosby Co., St. Louis, P. 167-187, 1969.

(13) Duke-Elder, S., (1969)

System of ophthalmology, vol. II , The C.V. Mosby Co., St. Louis, P. 167-187, 1969.

(14) Warwick, R., (1976)

Eugene Wolff's anatomy of the eye and orbit, 7th ed., H.K. Lewis & Co. Ltd., London.

- (15) Snell, R.S. and Lemp, M. A., (1989)**
 Clinical anatomy of the eye, Blackwell scientific publications,
 Boston.
- (16) Gorin, G. and Posner, A., (1967)**
 Slit lamp gonioscopy, 3 rd ed., The Williams & Wilkins Co.,
 Baltimore.
- (17) Hoskins, H.D. and Kass, M., (1988)**
 Becker-Shaffer's diagnosis and therapy of the glaucomas, 6 th
 ed., The C.V. Mosby Co., St. Louis.
- (18) Shaffer, R.N., (1962)**
 Steroscopic manual of gonioscopy, The The C.V. Mosby
 Co., St. Louis. Cited in Hoskins, H.D. and Kass, M.,
 Becker-Shaffer's diagnosis and therapy of the glaucomas, 6 th
 ed., The C.V. Mosby Co., St. Louis.
- (19) Van Herick, W.; Shaffer, R.N. and Schwartz, A., (1969)**
 Estimation of width of angle of anterior chamber : incidence
 and significance of the narrow angle.
 Am. J. Ophthalmol., 68 : 626-630.
- (20) Mapstone, R., (1981)**
 The fellow eye.
 Br. J. Ophthalmol., 65 : 410.
- (21) Shaffer, R.N., (1960)**
 Gonioscopy, Ophthalmoscopy and perimetry.
 Trans. Am. Acad. Ophthalmol., 64 : 112.

(22) Mapstone, R., (1986)

Pathological physiology of primary closed angle glaucoma.

In : Cairns, J.E., glaucoma vol. I, Grune & Startton, Ltd.,
London, P. 311-327.

(23) Lowe, R.F., (1972)

Primary angle-closure glaucoma : inheritance and
environment.

Br. J. Ophthalmol., 56 : 13.

(24) Lowe, R.F., (1969)

Causes of shallow chamber in primary angle-closure
glaucoma : ultrasonic biometry of normal and angle-closure
glaucoma eye.

Am. J. Ophthalmol., 67: 87.

(25) Lee, D.A. : Brubaker, R.F. and Ilstrup. D.M., (1984)

Anterior chamber dimensions in patients with narrow angles
and angle-closure glaucoma.

Arch. Ophthalmol., 102 : 46.

(26) Tomlinson, A. and Leighton, D.A., (1973)

Ocular dimensions in the heredity of angle-closure glaucoma.

Br. J. Ophthalmol., 57 : 475.

(27) Yanoff, M. and Fine, B.S., (1975)

Ocular pathology, A text and atlas, Harper & Row
publications inc., New York, P. 494.

(28) Lowe, R.F. and Clark, B.A.J., (1973)

Radius of curvature of the anterior lens surface.

Br. J. Ophthalmol., 57 : 471.

(29) Hoskins, H.D., (1981)

Definition, classification and management of the glaucoma suspect. In : Transactions of the New Orleans Academy of Ophthalmology : symposium on glaucoma.

The C.V. Mosby Co., St. Louis.

(30) Watrasiewicz, B.M., (1986)

Laser Doppler measurements, Butterworths, London,
P. 12-15.

(31) Moster, M.R. et al (1986)

Laser iridectomy, A controlled study comparing Argon and neodymium YAG.

Ophthalmology., 93 : 20-24.

(32) Halliday, D. and Resnick, R., (1980)

Physics, 3rd ed., Part 2, John Wiley & sons, New York,
P. 777-782.

(33) Vassiliadis, A., (1989)

Laser sources and ocular effect. In : L'Esperance, F.A.,
Ophthalmic lasers, Vol. I, The C.V. Mosby Co., St. Louis. P.
33-60.

(34) Anderson, J. D. Jr., (1976)

Gasdynamic lasers : An introduction, Academic press,
New York, P. 1-9.

(35) Mainster, M. A., (1985)

Ophthalmic laser therapy : Principles, technology and techniques. In : Transactions of the New Orleans Academy of Ophthalmology : symposium on the laser in ophthalmology and glaucoma update, The C.V. Mosby Co., St. Louis.

(36) L'Esperance, F.A., (1989)

Disease response. In : L'Esperance, F.A., ophthalmic lasers, vol. I. The C.V. Mosby Co., St. Louis P. 159-195.

(37) Phillips, C.I., (1986)

Angle-closure glaucoma diagnosis and therapy. In : Cairns, J.E., glaucoma, vol. II. Grune, & Stratton, London.

(38) Mainster, M.A., (1970)

Destructive light adaptation.
Ann. Ophthalmol., 2 : 44.

(39) Priebe, L.A.; Cain, C.P. and Welch, A.J., (1975)

Temperature rise required for the production of minimal lesions in the *Macaca mulatta* retina.
Am. J. Ophthalmol., 79 : 405.

(40) Bringruber , R., (1980)

Thermal modeling in biological tissues. In : Hillenkanp, F.; Pratesi, R. and Sacchi, C.A., lasers in biology and medicine, Plenum publishing corporation, New York, Cited in ref. 35.

(41) Mainster, M.A. et al, (1983)

Laser Photodisruptors : damage mechanisms, instrument design and safety.
ophthalmology, 90 : 973.

(42) Benedek, G.B., (1971)

Theory of transparency of the eye.
Appl. Opt., 10 : 459, cited in ref. 35.

(43) Ritch. R., (1982)

Argon laser treatment for medically unresponsive attacks of angle-closure glaucoma.
Am J. Ophthalmol., 94 : 197-204.

(44) Simmons, R.J. ; Belcher, C.D. and Dallow, R.L., (1985)

Primary angle-closure glaucoma. In : Duane, T.D. and Jaeger, E.A., Clinical ophthalmology, vol. 3, Harper & Row publishers, Philadelphia, chapter 53.

(45) Mc Govern, R.A., (1986)

Secondary closed angle glaucoma with pupillary block..
In : Cairns, J. E., glaucoma, vol. II, Grune & Stratton, London, P. 481-504.

(46) Gieser, D.K. and Wilensky, J. T., (1984)

Laser iridectomy in the management of chronic angle-closure glaucoma.
Am. J. Ophthalmol., 98 : 446-450.

(47) Lowe, R.F., (1962)

Acuté angle-closure glaucoma, the second eye : an analysis of
200 cases.

Br. J. Ophthalmol., 46 : 641-650.

(48) Phillips, C.I., (1972)

Aetiology of angle-clsure glaucoma,

Br. J. Ophthalmol., 56 : 248-253.

(49) Mapstone, R., (1979)

One gonioscopic fallacy.

Br. J. Ophthalmol., 63 : 221-224.

(50) Chandler, P.A. and Simmons, R.J., (1965)

Anterior chamber deepening for gonioscopy at the time of
surgery.

Arch. Ophthalmol., 74 : 177-190

(51) Ritch. R. and Solomon, I.S., (1989)

Laser treatment of glaucoma. In : L'Esperance, F.A.,

Ophthalmic lasers, vol. II, The C.V. Mosby Co., St. Louis,

P. 650-748.

(52) Zimmerman, T.J., (1984)

Pearls in glaucoma management.

Ann. Ophthalmol., 16 : 507-509.

(53) Pollack, I.P., (1971)

Chronic angle-closure glaucoma : diagnosis and treatment in
patients with angles that appear open.

Arch. Ophthalmol., 85 : 676.

- (54) Rivera, A.H. : Brown, R.H. and Anderson, D.R., (1985)**

Laser iridotomy vs surgical iridectomy : have the indications changed?

Arch. Ophthalmol., 103: 1350-1354.

- (55) Chandler, P.A., (1952)**

Narrow angle glaucoma.

Arch. Ophthalmol., 47 : 695-716.

- (56) Spaeth, G.L., (1981)**

Primary angle-closure glaucoma : methodology of diagnosis and management. In : Transactions of the New Orleans Academy of Ophthalmology, symposium on glaucoma.

The C.V. Mosby Co., St. Louis P. 203-219.

- (57) Barkan, O., (1954)**

Iridectomy in narrow angle glaucoma.

Am. J. Ophthalmol., 37 : 504-519.

- (58) Wilensky, M.C., (1977)**

Current concepts in primary angle-closure glaucoma.

Ann. Ophthalmol., 9 : 963-972.

- (59) Lowe, R.F., (1966)**

The natural history and principles of treatment of primary angle-closure glaucoma.

Am. J. Ophthalmol., 61 : 642-651.

- (60) Nagasubramanian, S., (1986)**

Laser treatment of the glaucomas. In : Cairns, J.E., glaucoma, vol.I, Grune, & Stratton, London, P. 191-209.

- (62) **Yamamoto, T. : Shirato, S. and Kitazawa, Y., (1982)**

Argon laser iridotomy in angle-closure glaucoma :
a comparison of two methods.

Jpn. J. Ophthalmol., 26: 387-396

- (63) **Yassur, Y. et al, (1986)**

Iridotomy with red krypton laser.

Br. J. Ophthalmol., 70 : 295-297.

- (64) **Podos, M. et al., (1979)**

Continuous wave argon laser iridectomy in angle-closure
glaucoma.

Am. J. Ophthalmol., 88 : 836-842.

- (65) **Choplin, N.T. and Bene, C.H., (1983)**

Cystoid macular edema following laser iridectomy.

Ann. Ophthalmol., 15 : 172-173.

- (66) **Beckman, H. and Sugar, H.S., (1973)**

Laser iridectomy therapy of glaucoma.

Arch. Ophthalmol., 90 : 453.

- (67) **Bass, M.S. et al, (1979)**

Single treatment laser iridotomy.

Br. J. Ophthalmol., 63: 29-30.

- (68) **Go, F.J. et al, (1984)**

Argon laser iridotomy and surgical iridectomy in treatment of
primary angle-closure glaucoma.

Jpn. J. Ophthalmol., 28 : 36-46.

- (69) **Floman, N.; Berson, D. and Landau, L., (1977)**
Peripheral iridectomy in closed angle glaucoma, late complications.
Br. J. Ophthalmol., 61: 101-104
- (70) **L'Esperance, F.A., (1989)**
Ophthalmic lasers, 3 rd ed., The C.V. Mosby Co., St. Louis.
- (71) **Abraham, R.K., (1976)**
procedure for out-patient argon laser iridectomies for angle-closure glaucoma.
Int. Ophthalmol. Clin., 16: 1, Cited in ref. 44.
- (72) **Ritch, R., (1983)**
Techniques of argon laser iridectomy and iridoplasty, Paloalto, California, Coherent medical.
- (73) **Ingram, R.M. and Ennis, J.R., (1983)**
Acute glaucoma : results of treatment by bilateral simultaneous iridectomy, now without admission to hospital.
Br. J. Ophthalmol., 67 : 367-371.
- (74) **Gelber, E.C. and Anderson, D.R., (1976)**
Surgical decisions in chronic angle-closure glaucoma.
Arch. Ophthalmol., 94: 1481-1484.
- (75) **Godel, V. ; Stein, R. and Feiler-Ofy, V., (1968)**
Angle-closure glaucoma, following peripheral iridectomy and mydriasis.
Am. J. Ophthalmol., 65 : 555-560.

(76) Murphy, M. and Spaeth, G.L., (1974)

Iridectomy in primary angle-closure glaucoma : Classification and differential diagnosis of glaucoma with narrowness of the angle.

Arch. Ophthalmol., 91 : 114.

(77) Playfair, T.J. and Watson, P. G., (1979)

Management of acute primary angle-closure glaucoma: a long term follow up of the results of peripheral iridectomy used as an initial procedure.

Br. J. Ophthalmol., 63 : 17-22.

(78) Ritch, R., (1981)

The treatment of chronic angle-closure glaucoma.

Ann. Ophthalmol., 13 : 21.

(79) Luke, S.K., (1969)

Complications of peripheral iridectomy.

Can. J. Ophthalmol., 4: 346.

(80) Thomas, N.E. and Morse, P.H., (1976)

Anterior segment complications of argon laser therapy.

Ann. Ophthalmol., 8 : 299.

(81) Anderson, D.R., : Foster, R.K. and Lewis, M., (1975)

Laser iridotomy for aphakic pupillary block.

Arch. Ophthalmol., 93 : 343.

(82) Jacobs, I.H. and Krohn, D.L., (1980)

Central anterior chamber depth after laser iridectomy.

Am. J. Ophthalmol., 89 : 865-867.

- (83) **Karmon, G.; Vender, T. and Savir, H., (1982)**
Evaluation of laser iridectomy in angle closure glaucoma.
Br. J. Ophthalmol., 66 : 471-473.
- (84) **Sachs, S.W. and Schwartz, B., (1984)**
Enlargement of laser iridotomies over time.
Br. J. Ophthalmol., 68 : 570-573.
- (85) **Stetz, D.; Smith, H. Jr. and Ritch, R., (1983)**
A simplified technique for laser iridectomy in blue irides.
Am. J. Ophthalmol., 96 : 249-251.
- (86) **L'Esperance, F.A. and James, W.A., (1975)**
Argon laser photocoagulation of iris abnormalities.
Trans. Am. Acad. Ophthalmol. Otolaryngol., 79 : 321.
- (87) **Schwartz, L.W. et al, (1978)**
Argon laser iridectomy in the treatment of patients with
primary angle-closure glaucoma or pupillary block glaucoma :
a clinicopathologic study.
Ophthalmology, 85 : 294.
- (88) **Yassur, Y. et al, (1979)**
Laser iridotomy in closed angle glaucoma.
Arch. Ophthalmol., 97 : 1920-1921.
- (89) **Wise, J.B.; Munnerlyn, C.R. and Erickson, P.J., (1986)**
A high efficiency laser iridotomy-sphincterotomy lens.
Am. J. Ophthalmol., 101 : 546 -553.

(90) Wise, J.B., (1985)

Iris sphincterotomy, iridotomy and synechiotomy by linear incision with the argon laser.

Ophthalmol., 92 : 461-465.

(91) Spaeth, G.L., (1971)

The normal development of the human anterior chamber angle : a new system of descriptive grading.

Trans. Ophthalmol. Soc. U.K., 91 : 709.

(92) Abraham, R.K. and Munnerlyn, C., (1979)

Laser iridotomy : improved methodology with a new iridotomy lens.

Ophthalmology, 86 : 126.

(93) Abraham, R.K., (1981)

protocol of single session argon laser iridectomy for angle-closure glaucoma.

Int. Ophthalmol. Clin., 21 : 145-166, cited in ref.7.

(94) Fleck, B.W., (1990)

How large must an iridotomy be ?

Br. J. Ophthalmol., 74 : 583-588.

(95) Beckman, H. et al, (1971)

Laser iridectomies.

Am. J. Ophthalmol., 72 : 393.

(96) Yamamoto, T.; Shirato, S. and Kitazawa, Y., (1985)

Treatment of primary angle-closure glaucoma by argon laser iridotomy : a long term follow up.

Jpn. J. Ophthalmol., 29 : 1-12.

(97) Levene, R., (1984)

Lasers and glaucoma.

Ann. Ophthalmol., 16 : 520-521.

(98) Krupin, T. et al, (1978)

The long term effects of iridectomy for primary angle-closure glaucoma.

Am. J. Ophthalmol., 86 : 506.

(99) Ahmad, N., (1980)

Transcorneal peripheral iridectomy.

Ophthalmic surgery, 11 : 124-127.

(100) Pollack, I.P., (1980)

Use of argon laser energy to produce iridectomies.

Ophthalmic surgery, 11 : 506-515.

(101) Synder, W.B.; Vaiser, A. and Hutton, W., (1975)

Laser iridectomy

Trans. Am. Acad. Ophthalmol. Otolaryngol., 79 : 215.

(102) Hong, C.; Kitazawa, Y. and Tanishima, T., (1983)

Influence of argon laser treatment of glaucoma on corneal endothelium.

Jpn. J. Ophthalmol., 27 : 567-574.

(103) Robin, A.L. and Pollack, I.P., (1984)

A comparison of neodymium YAG and argon laser iridectomies.

Ophthalmology, 91 : 1011-1016.

(104) Krupin, T. et al. (1985)

Acute intraocular pressure response to argon laser iridotomy.

Ophthalmology, 92 : 922-926.

(105) Unger, W.G. ; Cole, D.F. and Bass, M.S., (1977)

prostaglandin and neurogenically mediated ocular response to
laser irradiation of the rabbit iris.

Exp. Eye Res., 25: 209-220, cited in ref. 104.

(106) Pollack, I.P. and Patz, A., (1976)

Argon laser iridectomy. An experimental and clinical study.

Ophthalmology, 7 : 22, cited in ref. 7.

(107) Pollack, I.P., (1985)

Discussion on acute intraocular pressure response to argon
laser iridotomy.

Ophthalmology, 92 : 922-926.

(108) Hotchkiss, M.L. et al, (1984)

Nonsteroidal anti-inflammatory agents after argon laser
trabeculoplasty : a trial with flurbiprofen and indomethacin.

Ophthalmology, 91 : 969-974.

(109) Shin, D.H., (1982)

Argon laser iris photocoagulation.

Am. J. Ophthalmol., 93 : 348-350.

(110) Hodes, B.L.; Bentivegna, J.F. and Weyes, N.J., (1982)

hyphaema complicating laser iridotomy.

Arch. Ophthalmol., 100 : 924.

- (111) Robin, A.I. and Pollack, I.P., (1982)**

Argon laser peripheral iridectomies in the treatment of primary angle-closure glaucoma : long term follow up.

Arch. Ophthalmol., 100 : 919-923.

- (112) Maltzman, B.A. and Agin, M., (1988)**

Argon peripheral iridotomy and cataract formation.

Ann. Ophthalmol., 20 : 28-30.

- (113) Thoming, C.; Buskrik, E.M.V. and Samples, J.R., (1987)**

The corneal endothelium after laser therapy for glaucoma

Am. J. Ophthalmol., 103 : 518-522.

- (114) Smith, J. and Whitted, P., (1984).**

Corneal endothelial changes after argon laser iridotomy.

Am. J. Ophthalmol., 98 : 153-156.

- (115) Forbes, M. and Becker, B., (1964)**

Iridectomy in advanced angle-closure glaucoma.

Am. J. Ophthalmol., 57 : 57.

- (116) Asfour, O.M., (1982)**

Study of peripheral iridectomy in treatment of primary narrow angle glaucoma.

M.D. Thesis, Benha faculty of medicine, Zagazig university.

- (117) McAllister, J.A. et al, (1984)**

Laser peripheral iridectomy comparing Q-switched neodymium YAG with argon.

Trans. Ophthalmol., Soc. U. K., 104 : 67-69.

(118) Willimas, D.J. and Gills, J.P., (1968)

Results of 233 peripheral iridectomies for narrow-angle glaucoma.

Am. J. Ophthalmol., 65 : 548-552.

(119) Go, F.J. and Kitazawa, Y., (1981)

Complications of peripheral iridectomy in primary angle closure glaucoma.

Jpn. J. Ophthalmol., 25 : 222-228.

(121) Horie, T.; Kitazawa, Y. and Nose, H., (1975)

Visual field changes in primary angle closure glaucoma.

Jpn. J. Ophthalmol., 19 : 108-115

(121) Playfair, T.J. and Watson, P.G., (1979)

Management of chronic or intermittent primary angle-closure glaucoma : a long term follow up of the results of peripheral iridectomy used as an initial procedure.

Br. J. Ophthalmol., 63 : 23-28.

(122) Minning, C.A., Jr., (1983)

The use of green-only argon laser for iridotomy in blue eyed patients.

Am. J. Ophthalmol., 96 : 114-115.

(123) Pollack, I.P., (1979)

Use of argon laser energy to produce iridotomies.

Trans. Am. J. Ophthalmol. Soc., 77 : 674-706.