




REFERENCES

References

- * Abdel Fattah , N. S. and El Desoki , M.M. (1990)
Eye infection and contact lenses during lens wear.
Bull. Ophthalmol . Soc . Egypt . 83 : 437 - 439 .
- * Abdel Rehim , M. H. (1978)
Problems of soft contact lenses .
Bull . Ophthalmol . Soc . Egypt . 71 : 205 - 211
- * Abdel Rehim , M. H. (1979)
Continuous wear of soft contact lenses for aphakia
Bull . Ophthalmol . Soc . Egypt . 72 : 137 - 140
- * Abdel Rehim, M.H. and EL Sammaa , H. (1985)
Management of G.P.C associated with soft contact lens wear.
Bull. Ophthalmol. Soc. Egypt., 78 : 393.
- * Abdel Rehim , M. H. and Samy , M. (1988)
Effect of different types of contact lenses on fungal flora of the healthy eyes .
Bull . Ophthalmol . Soc . Egypt . 81 : 595 - 599
- * Abdel Rehim , M. H. Samy , M. and Ismail , Z. (1990)
Giant papillary conjunctivitis in contact lens wearers , new trends in pathogenesis and management .
Bull . Ophthalmol . Soc . Egypt . 83 : 441 - 445
- * Abdel Wahab , H. Glal , E. and K. hayyal , E. (1989)
Study of the incidence of giant papillary conjunctivitis with different contact lenses
Bull . Ophthalmol . Soc . Egypt . 82 : 405 - 407
- * Abelson, M.B.; Soter, N.A.; Simon, M.A.; Dahlman, J. and Allansmith, M.R. (1977).
Histamin in human tears.
Am. J. Ophthalmol., 83 : 417.

- *Adams, A.D. (1979).
The morphology of human conjunctival mucus.
Arch. Ophthalmol., 97 : 730-734.
- *Adams, G.G.W.; Dilly, P.N. and Kirkness, G.M. (1988).
Monitoring ocular disease by impression cytology.
Eye 2 : 506-516.
- ✓ *Allansmith, M.R.; Hahn, G.S. and Simon, M.A. (1976).
Tissue tear and serum IgE concentration in vernal conjunctivitis.
Am. J. Ophthalmol. 81 : 506.
- ✓ *Allansmith, M.R.; korb, D.R.; Greiner, J.V.; Henriquez, A.S.; Simon, M.A. and Finnemore, V.M. (1977).
Giant papillary conjunctivitis in contact lens wearers.
Am. J. Ophthalmol. 83 No 5 : 697-708.
- ✓ *Allansmith, M.R.; korb, D.R. and Greiner, J.V. (1978).
Giant papillary conjunctivitis induced by hard or soft contact lens wear.
Trans. Am. Acad. Ophthalmol. Otolaryngol 85 : 766.
- ✓ *Allansmith, M.R.; Baird, R.S. and Greiner J.V. (1979 a).
Number and type of inflammatory cells in conjunctiva of asymptomatic contact lens wearers.
Am. J. Ophthalmol. 87 : 171.
- ✓ *Allansmith, M.R.; Baird, R.S. and Greiner J.V. (1979 b).
vernal conjunctivitis and contact lens-associated giant papillary conjunctivitis. compared and contrasted.
Am. J. Ophthalmol. 87 : 544.
- ✓ *Allansmith, M.R. and Baird, R.S. (1981 a).
percentage of degranulated Mast cells in vernal conjunctivitis and giant papillary conjunctivitis associated with contact lens wear.
A.m. J. Ophthalmol. 91 : 71.

- *Allansmith, M.R.; Baird, R.S. and Greiner J.V. (1981 b).
Density of goblet cells in vernal conjunctivitis and contact lens-induced giant papillary conjunctivitis.
Arch. Ophthalmol. 99 : 884.
- ✓*Allansmith, M.R. (1987)
pathology and treatment of giant papillary conjunctivitis.
The U.S. perspective. Clin. Ther. 9 (5) : 443.
- ✓*Allansmith, M.R. and Ross R.N. (1988).
Giant papillary conjunctivitis.
Inter. Ophthalmol. Clin. 28 (4) : 309.
- *Attia, H. and Osman, L. (1982).
Complications of soft contact lenses.
Bull. Ophthalmol. Soc. Egypt 75 : 41.
- ✓*Bailey, W.R. (1972).
preservatives for contact lens solutions.
Contact lens Soc. Am. J. 5 (3) : 33-39.
- ✓*Bailey, I.L. and Careney, I.G. (1973).
Corneal changes from hydrophilic contact lenses.
Am. J. optom. 50 : 299-304.
- ✓*Ballow, M.; Donshik, P.C. and Mendelson, L. (1985).
Complement proteins and C3 anaphylatoxin in the tears of patients with conjunctivitis.
J. Allergy. Clin. Immunol. 76 (3) : 473.
- ✓*Ballow, M.; Donshik, P.C.; Rapaez, P. and Samartino, L. (1987).
Tear lactoferrin levels in patients with external inflammatory ocular diseases.
Invest. Ophthalmol. Vis. Sci. 28 (3) : 543.
- ✓*Bernstein, H.N. (1973).
Fungal growth into a bionite hydrophilic contact lens.
Arch. Ophthalmol.; 5 : 317-322.

- ✓*Bier, N. and lowther, G.E. (1979).

Contact lens correction; P.16 Butterworth, London and Boston.

- ✓*Binder, P.S.; Rasmusson, D.M. and Gordon, M. (1981).

Keratoconjunctivitis and soft contact lens solutions.
Arch. Ophthalmol.; 99 : 87-90.

- *Blodi, B. and Tabara, K.F. (1988).

Goblet cell population among patients with inactive trachoma.

Abstracts of the ninth Afro-Asian Congress of Ophthalmology. 22-26 february 1988 Cairo, Egypt.

- *Bourne, L.D. (1982).

Exfoliative cytology. In : Bancroft, J.D. and Stevens, A. : (ed) :Theory and practice of histological techniques. ed.2 New York, Churchill Livingstone, 1982; pp : 428-429.

- ✓*Buckley, R.J. (1987).

pathology and treatment of Giant papillary conjunctivitis, the British perspective.

Clin. Ther. 9 (5) : 451

- ✓* Butrus , S. I. and Klutz, S.A. (1978).

he adherence of pseudomonas to soft contact lenses
Ophthalmol. , 94 : 1311 - 1321

- ✓*Childress, C.M. and Nemeth, S. (1988).

Areview of contact lens-induced giant papillary conjunctivitis.

J.Ophthalmic. Nurs. Technol. 7 (1) : 12.

- ✓*Culbertson, W.W. and Ostler, H.B. (1981).

The Floppy eyelid syndrome.

Am. J. Ophthalmol. 92 : 568.

✓*Dabezies, O.H. (1973).

Accessory contact lens solutions. In new Orbeans Academy of Ophthalmology.

Symposium on Contact lenses, St, Louis, The C.V. Mosby Co.

✓*Dahlman, C.H.; Boruchoff, S.A. and Mobilia E.F. (1973).

Complications in use of soft contact lenses in corneal diseases.

Arch. Ophthalmol. 90 : 367.

*Dark, A.J.; Durrant, T.E.; Mc Ginty, F. and shortland, J.R. (1974).

Tarsal conjunctiva of the upper eyelid.

Am. J. of Ophthalmol. April. vol 77 (4) : 555-564.

*Dawson, C.R. (1984)

Pathogenesis and control of blinding trachoma.

In : Duane , T. D . and jaeger, E.A. (ed.) :Clinical ophthalmology .

Philadelphia, Harper and Row . Vol .5, ch. 60 .

*Dilly, P.N. and Mackie, I.A. (1981).

Surface changes in the aneathetic conjunctiva in man, with special refrence to the production of mucus from a nongoblet-cells source.

British J. of Ophthalmol. 65, 833-842.

✓*Donshik, P.C. and Ballow, M. (1983).

Tear immunoglobulins in giant papillary conjunctivitis induced by contact lenses.

Am. J. Ophthalmol. 96 : 460.

✓*Donshik, P.C.; Ballow, M.; Luistro, A. and Samartino, L. (1984).

Treatment of contact lens induced giant papillary conjunctivitis.

CLAO. J. 10 : 346.

✓ Duke-Elder, S. (1965).

"Disease of outer eye conjunctiva" in system of Ophthalmology, vol. 8. pt. 1, St. Louis, C.V. Mosby Co. , P : 99.

✓ *Duke-Elder. (1978).

practice of refraction; 9th edition; Churchill Livingston. Edinburgh, London and New York.

✓ *Duran, J.A.; Refojo, M.F.; Gibson, I.K. and kenyon, K.R. (1987).

Pseudomonas attachment to new hydrogell contact lenses.

Arch. Ophthalmol. 105 : 106-109.

✓ *Dvorak, H.F.; Mihm, M.; Dvorak, A.M.; Jonson, R.; Manseau, E.; Morgan, E. and Calvin, R. (1974).

Morphology of delayed type hypersensitivity reactions in man.

J. Immunol. 81 : 111. quoted from Allansmith, M.R.; korb, D.R.; Griener, J.V.; Heneriquez, A.S.; Simon, M.A. and Finnemore, V.M. "Giant papillary conjunctivitis in contact lens wearers" Am. J. Ophthalmol. (1983) 96 : 460.

*Egbert, P.R.; Lauber, S. and Maurice, D.M. (1977).

A simple conjunctival biopsy.

Am. J. Ophthalmol. 84 : 798-801.

* El Shewy , T. Kinawy , B., Anis , H. and Gamil , K. (1990) .

Detection of conjuunctival squamous metaplasia in dry eye disorders by impression cytology .

Bull . Ophthalmol . Soc . Egypt .83 : 49 - 55

✓ * Eyada, K. (1988).

giant papillary conjunctivitis , serious problem of modern contact lenses

Bull. Ophthalmol . Soc . Egypt . 81 : 23 - 28

- ✓ *Farkas, P.; Kassalov, T.W. and Farkas, B. (1986).

Clinical management and control of giant papillary conjunctivitis.

J. Am. Optom. Assoc. 57 (3) : 197.

- *Farris, R.L. (1986) :

The dry eye : its mechanism and therapy, with evidence that contact lens is a cause.

The CLAO j.; 12 : 234-246.

- ✓ *Fowler, S.A.; Griener, J.V. and Allansmith, M.R. (1979).

Soft contact lenses from patients with giant papillary conjunctivitis.

Am. J. Ophthalmol 88 : 1056.

- ✓ *Fowler, S.A. and Allansmith, M.R. (1980).

The surface of the continuously worn contact lenses.

Arch. Ophthalmol. 98 : 1233-1236.

- ✓ *Galentine, P.G. and Cohen, E.J. (1984).

Corneal ulcers associated with contact lens wear.

Arch. Ophthalmol. 102 : 891-894.

- ✓ *Gasset, A.R.; Ramer, R.M. and Katzin, D. (1975).

Hydrogen peroxide sterilization of hydrophilic contact lenses.

Arch. Ophthalmol. 93 : 412-415.

- ✓ *Gasset, A.R. (1976).

Lensopathies : evaluation of spot formation and other abnormalities in soft contact lenses.

Quoted from current concepts in Ophthalmol.; edited by Kaufman and Zimmerman; P. 206-215 Mosby, St. Louis.

- ✓ *Gasset, A.R.; Lobo, L. and Haude, W.I. (1977).

Permanent wear of soft contact lenses in aphakic eyes.

Am. J. Ophthalmol.; 83 : 115-120.

- ✓ *Gasson; A.P. (1980).
Soft lens fitting.
Quoted from, contact lenses; edited by Stone and phillips;
vol 11; Butterworth, London and Boston.
- *Gill, G.W.; Frost, J.K. and Miller, K.A. (1974).
A new formula for a half-oxidized hematoxylin solution
that neither overstains nor requires differentiation.
Acta. Cytologica., 18 : 300-311.
- ✓ *Goldon, B.; Fingerman, L.H. and Allen, H.F. (1971).
Pseudomonas corneal ulcers in contact lens wearers.
Arch. Ophthalmol.; 85 : 543-547.
- *Greiner, J.V.; Covington, H.I. and Allansmith, M.R. (1977).
Surface morphology of the human upper tarsal
conjunctiva.
Am. J. Ophthalmol. June, 83 : 892-905.
- *Greiner, J.V.; Covington, H.I. and Allansmith, M.R. (1978 a).
Surface morphology of giant papillary conjunctivitis in
contact lens wearars.
Am. J. Ophthalmol. 85 : 242.
- *Greiner, J.V.; Covington, H.I. and Allansmith, M.R. (1978 b).
Conjunctiva in asymptomatic contact lens wearers.
Am. J. Ophthalmol. 86 : 403.
- *Greiner, J.V.; Kenyon, K.R.; Heneriquez, A.S.; Korb, D.R.;
weidman, T.A. and Allansmith, M.R. (1980).
Mucus secretory vesicles in conjunctival epithelial cells
of wearers of contact lenses.
Arch. Ophthalmol. vol 98 : 1843-1846.
- *Greiner, J.V.; Heneriquez, A.S.; Covington, H.I.; Weidman, T.A.
and Allansmith, M.R. (1981).
Goblet cells of the human conjunctiva.
Arch. Ophthalmol. vol 99 : 2190-2197.

*Greiner, J.V. (1988).

papillary conjunctivitis induced by an epithelialized corneal foreign body.

Ophthalmologica. 196 (2) : 82.

*Ham, A. W. and Cormack, D. H . (1979)

Epithelial tissue . In : Histology. ed . 8, Philadelphia and Toronto, J. B. Lippincott Company ; ch.7 : pp 204

* Harban , Lai , B.K. ,Ahluwalia, A.K. , Khuramr , D.O. And Aggar wal , A. (1990).

Serum and tear immunoglobuline in bacterial , fungal and viral corneal ulcersl

Acta . Ophthalmologica , 68 , 71 - 74 .

*Hardstein, J. (1979).

Basics of contact lenses, 3rd edition, American. Academy of Ophthalmogy.

*Hatchell, D.L. and Sommer, A., (1984).

Detection of ocular surface abnormalities in experimental vitamin A deficiency.

Arch. Ophthalmol., 102 : 1389-1393.

* Hegazy , M. A., (1978).

Contact lens in aphakia .

Bull . Ophthalmol . Soc, . Egypt . 71 : 199 - 204

* Hegazy , M. A. ,(1979)

History of contact lens in Egypt

J. Jap . contact lens . Soc . 21:3

*Heneriquez, A.S. and Allansmith, M.R. (1979)

Russell Bodies in contact lens associated giant papillary conjunctivitis.

Arch. Ophthalmol. 97 : 473.

*Hirji, N.K.; Scott, J. and sabell, A.G. (1985).

Conjunctival cytology in hard and soft contact lens wearers.

Ophthalmol. Physiol. Opt 5 : 333-335.

- *Kirkness, C.M.; Adams, G.G.W.; Dilly, P.N. and Lee, J.P. (1988).
Botulinum toxin A-induced protective ptosis in corneal disease.
Ophthalmology, 95 : 473-480.
- ✓*Korb, D.R.; Mathea, R.; Allansmith, M.D.; Jack, V. and Greiner, P.D. (1980).
Prevalance of conjunctival changes in wearers of hard contact lenses.
Am. J. Ophthalmol. 90 : 336-341.
- ✓*Korb, D.R. (1981).
Meibomian gland dysfunction and contact lens intolerance.
JAOA. 51 : 105. Quoted from Farkas, P.; Kassalow, T.W. and Farkas, B. "clinical mangement and control of giant papillary conjunctivitis". *J.Am. Optom. Assoc.* (1986). 56 : 197.
- ✓*Korb, D.R.; Greiner, J.V.; Finnemore, V.M. and Allansmith, M.R. (1983).
Biomicroscopy of papillae associated with wearing of soft contact lenses.
British J. 67 : 733.
- ✓*Korb, D.R. (1984).
"Lenses complications and their treatment". presented at the annual meeting of the American Academy of optometry.
Quoted from farkas, P.; Kassalow, T.W. and farkas, B. "clinical mangement and control of giant papillary conjunctivitis" *J. Am. Optom. Assoc.* (1986). 56 : 197.
- ✓*Kreznoski, J. (1976).
Care of soft contact lenses. an update, Contact Lens Forum. 1 (2) : 63-69.

✓*Lowther, G.E. (1982).

Historical development of contact lens; contact lenses procedure and techniques P. 1-9. Butterworth, London, Boston.

✓*Mandell, R.B. (1965).

"Contact lens practice" Springfield, Charles, C.Tomas. P : 288.

Quoted from Allansmith M.R.; Korb, D.R.; Greiner J.V; Heneriquez, A.S.; Simmon, M.A. and Finnemore, V.M. (1977). "Giant papillary conjunctivitis in contact lens wearers". Am. J. Ophthalmol. 83 (5):697-708.

✓*Mandell, R.B. (1981 a).

Historical development of contact lens, contact lens practice, Thomas, C.C.; publisher, Springfield, Illinois U.S.A. page 5-10.

✓*Mandell, R.B. (1981 b).

Gas permeable lens material, contact lens practice, Thomas, C.C.; publisher, Springfield, Illinois U.S.A. page 281-282 , 285-286.

✓*Mandell, R.B. (1982).

Corneal physiology and permeable materials. contact lens J.; 10 : 9-15.

Quoted from : Contact lenses in Ophthalmology; edited by wilson M.S. and Mills, A.W.; Butterworth, London and Boston (1988).

✓*Meisler, D.M.; Zaret, C.R. and stock, E.L. (1981).

Trants dots and limbal inflammation associated with soft contact lens wear.

Am. J. Ophthalmol. 89 : 66.

✓*Menon, J.A. (1977).

Soft contact lenses. what choice is there.

Trans. Ophthalmol. Soc. U.K.; 97 : 138.

- ✓*Millodot, M. (1975).
Effect of hard lenses on corneal sensitivity and thickness.
Acta. Ophthalmol. (K B H); 53 : 576-583.
- ✓*Molinari, J.F. (1981).
The clinical mangement of giant papillary conjunctivitis.
Am. J. Optom-Physiol. Opt. 58 (10) : 886.
- ✓*Moore, M.B.; Mecculley, J.P.; Luckenbach, M. and Gelender, H. (1985).
Acanthamoeba keratitis associated with soft contact lenses.
Am. J. Ophthalmol. 100 : 396-403.
- ✓*Moore, M.B.; James, P. and Mecculley, J.P. (1987).
Acanthamoeba keratitis. A growing problem in soft and hard contact lens wearers.
Ophthalmology, 94 (12) : 1654-1661.
- ✓*Morgan, J.F. (1975).
Evaluation of a cleaning agent for hydrophillic contact lenses. Canad. J. Ophthalmol.
Quoted from : Contact Lenses; edited by stone and phillips; Butterworth, London and Boston (1980).
- ✓* Mostafa , A. M.; Hegazy , M. , Elyan , S. A. and Elatrebi, T. M. (1990)
Eye infection in contact lense wearers in Egypt
Bull . Ophthalmol . Soc . Egypt . 83 : 111 - 117 .
- *Nelson, J.D.; Havener, V.R. and cameron, J.D. (1983).
Cellulose acetate impression of the ocular surface-dry eye state.
Arch. Ophthalmol., 101 : 1869-1872.
- *Nelson, J.D. and Wright, J.C. (1984).
Conjunctival goblet cell densities in ocular surface disease.
Arch. Ophthalmol. july 1984 102 : 1049-1051.

- *Ormerod, L.D. and Smith, R.E. (1986).
Contact lens-associated microbial keratitis.
Arch. Ophthalmol. 104 : 79-83.
- *Palmer, E.; Ferry, A.P. and Safir, A. (1975).
Fungal invasion of a soft contact lens.
Arch. Ophthalmol. 93 : 278-280.
- *Papanicolaou, G.N. (1942).
A new procedure for staining vaginal smears.
Science, 95 : 438-439.
- *Ralph, R.A. (1975).
Conjunctival goblet cell density in normal subjects and in dry eye syndroms.
Invest. Ophthalmol. Vis. Sci.; 14 : 299-302.
- *Richmond, P.P. (1980).
Giant papillary conjunctivitis.
J. Am. Optom. Assoc. 51 (3) : 252.
- *Robin, J.B.; Regis-Pacheco, L.F.; May, W.N.; Schanzlin, D.J. and Smith, R.F. (1987).
Giant papillary conjunctivitis associated with an extruded scleral buckle.
Case report. Arch. Ophthalmol. 105 (5) : 619.
- *Roper, P.D.T. (1974).
The eye and its disorders. 2nd edition. Oxford, London, Edinburgh, Melbourne; 266.
- *Rosenthal, P. (1986).
Rigid superpermeable contact lenses.
Transactions of the british contact lens association annual clinical conference; 88-90.

✓*Ruben, M. (1975).

Preservatives of contact lens solutions.

Contact lens practice; visual, therapeutic and prosthetic.

Bailliere, Tindall, London. P : 147.

✓*Ruben, M.; Brown, N.; Lobascher, D.; Chaston, J. and Morris, J. (1976).

Clinical manifestations secondary to soft contact lens wear.

Br. J. Ophthalmol.; 60 : 529

✓*Sabell, A.G. (1984).

A text book for practitioner and student 2^{ed} P 1-25 Fd

Stone, J. and Phillips A.J., Butterworth, London, Boston.

*Saini, J.S.; Rajwanshi, A. and Dhar, S. (1990).

Clinicopathological correlation of hard contact lens related changes in tarsal conjunctiva by impression cytology.

Acta. Ophthalmol. 68 : 65-70.

✓*Schwietzer, N.M.J. (1967).

A fluorescein coloured polygonal pattern in human cornea.

Arch. Ophthalmol.; 117 : 598.

✓*Scott, M.; Mac Rae, M.D.; Mamoru Matsuda, M.D.; Steve Shellans, B.S.; Larry, F. and Rich, M.D. (1986).

The effect of hard and soft contact lenses on the corneal endothelium.

Am. J. Ophthalmol. 102 : 50-57.

*Shigeru, K.; Kiorpes, T.C.; Friend, J. and Thoft, R.A. (1983).

Goblet cell density in ocular surface disease, a better indicator than tear mucin.

Arch. Ophthalmol. Aug (1983) vol 101 : 1284-1287.

- ✓ *Slusher M.M.; Myrvik, Q.N.; Lewis, J.C. and Cristiana, A.G. (1987).
Extended wear lenses; biofilm and bacterial adhesion.
Arch. Ophthalmol. 105 : 110-115.
- ✓ *Spring, T.F. (1974).
Reaction to hydrophilic lenses. Med. J. Aust. 1 : 499.
Quoted from : Allansmith, M.R.; Korb, D.R.; Greiner, J.R.; Heneriquez, A.S.; simon, M.A. and Finnemore, V.M.
"Giant papillary conjunctivitis in contact lens wearers".
Am. J. Ophthalmol. (1977) 83:697.
- ✓ *Srinivasan, B.D.; Jakohiec, F.A.; Iwamoto, T. and Devoe, A.G. (1979).
Giant papillary conjunctivitis with ocular prosthesis.
Arch. Ophthalmol. 97 : 892.
- ✓ *Stein, H.A. and Slatt, B.J. (1984).
Gas permeable lens material, Fitting guid for rigid and soft contact lenses, Apractional approach 2nd. The C.V. Mosby Co. St. Louis, Toronto. Page 231-273.
- ✓ *Stenson, S. (1982).
Focal giant papillary conjunctivitis from retained contact lenses.
Ann. Ophthalmol. 14 (9) : 881.
- ✓ *Stewart-Jones, J.H.; Hopkins, G.A. and phillips, A.J. (1980).
Drugs and solutions in contact lens practice and related microbiology.
Quoted from : contact lens. Edited by Stons and Phillips 1980 vol. 1; Butterworth, London and Boston.

*Takakusaki, I. (1969).

Fine structure of the human palpebral conjunctiva with special reference to the pathological changes in vernal conjunctivitis. Arch. Histol. Jpn; 30 : 247-282.

Quoted from Dark, A.J.; Durrant, T.E.; McGinty, F. and Shortland, J.R. "Tarsal conjunctiva of the upper eyelid" Am. J. of Ophthalmol. April 1974, 77 (4) : 555-564.

*Tierny, D.W. (1985).

Ophthalmic Disodium Cromoglycate.
J.Am. Optom. Assoc.; 56 (12) : 928.

*Tseng, S.C.G. (1985).

Staging of conjunctival squamous metaplasia by impression cytology.

Ophthalmology, 92 : 728-733.

*Tseng, S.C.G.; Maumenee, A.E.; Stark, W.J.; Maumenee, I.H.;

Jensen, A.D.; Green, W.R. and Kenyon, K.R. (1985).

Topical retinoid treatment for various dry eye disorders.

Ophthalmology, 92 : 717-727.

*Udell, I.J. and Meisler, D.M. (1986).

Giant papillary conjunctivitis.

Int. Ophthalmol. clin., 26 (1) : 35.

*Virchow, H. (1910).

Handbuch der Augenheilkunde, ed2. Leipzig, Wengemann, 1910, vol 1, P 431.

Quoted from Nelson, J.D. and Jacqueline C.W. "Conjunctival goblet cell densities in ocular surface diseases". Arch. Ophthalmol. (1984) vol 102 : 1049.

✓ *Waksman, B.H. (1960).

"A comparative histopathological study of delayed reactions". In Wolstenholme, G.E.W. and O'Connor, M. (eds) : Ciba Foundation Symposium on Cellular Aspects

- of Immunity. Boston, Little Brown and Co. (1960) P. 280.
Quoted from : Allansmith, M.A. and Korb, D.R.; Greiner, J.V.; Heneriquez, A.S.; Simon, M.A. and Finnemore, V.M.
"Giant papillary conjunctivitis in contact lens wearers".
Am. J. Ophthalmol. (1977) 83:697
- ✓ *Weinberg, R.J. (1977).
Deep corneal vascularization caused by aphakic soft contact lens wear.
Am. J. Ophthalmol.; 90 : 121-122.
- ✓ *Weissman, B.A.; Mondino, P.J. and Pettit, T.H. (1984).
Corneal ulcers associated with extended-wear soft contact lenses.
Am. J. Ophthalmol.; 97 : 476-481.
- Whitcher, J. P. (1987).
Chlamydial diseases. In : Smolin, G. and Thoft, R. A. (ed.): The cornea , scientific foundations and clinical practice .
ed. 2. Boston /Toronto, little, Brown and Company .
1987; ch. 5: pp. 285-296.
- ✓ *Wille, H. and Molgaard, I.L. (1984).
Giant papillary conjunctivitis in connection with corneoscleral nylon knots.
Acta. Ophthalmol. (copenh). 62 (1) : 75.
- *Willis, R.M.; Folberg, R.; Krachmer, J.H. and Holland, E.J. (1987).
The treatment of aqueous-deficient dry eye with removable punctal plugs. A clinical and impression cytology study.
Ophthalmology, 94 : 514-518.
- *Wittpen, J.R.; Tseng, S.C.G. and Sommer, A. (1986).
Detection of early xerophthalmia by impression cytology.
Arch. Ophthalmol., 104 : 237-239.

*Wright, P. and Mackie, I.A. (1977).

Mucus in the healthy and diseased eye.

Trans. Ophthalmol. Soc. U.K.; 97 : 1-7.

Quoted from : Daily, P.N. and Mackie, I.A. "Surface changes in the anaesthetic conjunctiva in man, with special reference to the production of mucus from a non goblet-cell source" British, J. Ophthalmol. (1981), 65 :833-842.

✓*Wright, P. and Mackie, I.A. (1982).

Preservative - related problems in soft contact lens wearers.

Trans. Ophthalmol. Soc. U.K.; 102 : 3-6.