

REFERENCES

References

- Acker DB, Sacks BP and Friedman EA (1985)** : Risk factors for shoulder dystocia .Obstet . Gynecol., 66 : 762.
- Adam PAJ, Teramok J, Raiha N, Gitlin D and Schwartz R (1969)** : Human fetal insulin metabolism early in gestation. Responses to acute elevation of the fetal glucose concentration and placental transfer of human insulin. Diabetes, 18: 409.
- Afifi MA, Abdel-Razik M, Idris A, El Nashar A and Zaki H (1992)** : Maternal zinc status and its relation to fetal growth . Benha Med . J ., 9(1) : 111.
- Afifi MA, Abdel- Razik M, Idris A, El Nashar A and Asef A (1993)** : Zinc status in newborn and placenta and its relation to birth weight . Egypt . J. Med. Lab. Sci., 2 (3) : 151.
- Allen E (1939)** : Large infant. Am . J. Obstet. Gynecol., 38:382.
- Althabe O and Labarrere C (1985)** : Chronic villitis of unknown etiology and IUGR infants of normal and low ponderal indexes. Placenta, 6:369.
- Altman DG and Hythen FE (1989)** : Intra - uterine growth retardation : Let's be clear about it . Br. J. Obstet. Gynaecol., 96 : 1127.
- Arias F (1977)** : The diagnosis and managment of IUGR. Obstet . Gynaecol., 49:293.

- Arduini D, Rizzo G, Romanini C, et al. (1987)** : Fetal blood flow velocity waveforms as predictors of growth retardation. *Obstet. Gynecol.*, 70 : 7.
- Ashton IK, Zapf J, Einschenk I and Mac Kenzie IZ (1985)** : Insulin - like growth factors I and II in human fetal placenta and relation - ship to gestational age and fetal size during mid - pregnancy. *Acta Endocrinologica*, 10 : 558.
- Aubry RH , Beydown S, Cabalium MT, et al. (1977)** : Fetal growth retardation. In: *Perinatal medicine, Managment of high risk fetuses and neonates*, p.172.
- Babson SG, Behrman RE and Lessel R(1970)** : Fetal growth live born birthweight for gestational age of white middle class infants. *Ped.*, 45 : 397.
- Baghdassarian A and Borgaonkar DS (1975)** : Testicular function in XYY men. *John Hopk . Med . J.*, 136: 15.
- Bala RM, Lopatka J, Leung A, Mc Coy E and Mc Arthur RG (1981)** : Serum immuno-reactive somatomedin levels in normal adults, pregnant women at term, children at various ages and children with constitutionally delayed growth. *J. Clinic. Endocrinol. Metab.*, 52 (3) : 508.
- Barr GD , Allen CM and Shine Field HR (1972)** : Height and weight of 7.500 children of three skin colours. *Ped. multiphasic program: Report no. 3. Am. J. Dis. child*, 127 : 866.

- Beischer NA, Evans JH and Townsend L (1969)** : Studies in prolonged pregnancy. Am. J. Obstet. Gynecol., 103 : 476.
- Beischer W (1983)** : Proinsulin and C-peptide in humans In : Hormones in normal and abnormal human tissues, vol.3, (eds.) Fotherby K and Pol S, Berlin : Walter De Gruyter p. p. 1- 43.
- Bell Sc, Patel S, Hales MW, et al. (1985)** : Immunochemical detection and characterization of pregnancy - associated endometrial $\alpha 1$, and $\alpha 2$ globulins secreted by the human endometrium. J. Reprod. Fertil., 74: 261.
- Bennett A, Wilson DM, Liu F, et al. (1983)** : Levels of IGF-I and II in human cord blood. J. Clin. Endocrinol. Metab., 57: 609.
- Bierman EL and Hirsch J (1981)** : Obesity . In : Text book of Endocrinology 6th edition, (ed.) William RH, WB Saunders CO, Philadelphia, London, Toronto. p. 907.
- Billewicz WZ and Thompson AM (1970)** : Body weight in parous women . Br. J. Soc. Prev. Med., 24:97.
- Bohn H and Kraus W (1980)** : Isolierung and Charakterisierung eines neuen plazentaspezifischen proteins (PP 12). Archives of Endocrinology (English abstract), 229:279 .
- Boivin A, Vendrely R and Vendrely C (1948)** : Cellular changes during fetal growth. C.R. Acad. Sci., 226:1061. Quoted from Am. J. obstet. Gynecol., 1971., p.435.

- Boyd ME, Usher RH and Mclean FM (1983)** : Fetal macrosomia, prediction, risk, proposed managment. Obstet. Gynecol., 61:715.
- Bracero LA, Baxi LV, et al. (1985)** : Use of ultrasonography in antenatal diagnosis of LGA infants in diabetic gravid patients. Am. J. Obstet. Gynecol., 152 : 43.
- Brene C, Wibell L and Lindmark G (1985)** : Ten years experience of insulin treatment in gestational diabetes. Acta Ped. Scand., 320 :85.
- Brenner W, Edelman D and Handricks C (1976)** : A standard of fetal growth for the U.S.A. Am. J. Obstet. Gynecol., 126:555.
- Browne JC, Mc C and Dixon G (1980)** : In : Brown's antenatal care, 11th edition, Edinburgh, Churchill; Livingstone.
- Brown HL, Miller JJ, Gabert HA, et al. (1987)** : Ultrasonic recognition of the SGA fetus. Obstet. Gynecol., 69:631.
- Bulmer MG (1970)** : The biology of twining in man. Oxford, Clarendon Press. Quoted from Growth and its disorders, (eds.) David W and Smith MD, W.B Saunders Comp, Philadelphia, London, Toronto, 1977, p.4.
- Burke G, Stuart B, Crowley P, et al. (1990)** : Is intra-uterine growth retardation with normal umbilical artery blood flow a benign condition ? Br. Med. J., 300 : 1044.

- Burrin JM, Paterson JL, Sharp PS and Yeo TH (1987) :**
Monoclonal and polyclonal antibodies compared for radioimmunoassay of somatomedin - C in patients with acromegaly or hypopituitarism. *Clinical. Chemistry*, 33:1593.
- Campbell S and Thomas A (1977) :** Ultrasonic measurements of the fetal head - to - abdominal circumference ratio in the assessment of growth retardation . *Br. J. Obstet. Gynaecol.*, 84: 165.
- Caufriez A, Frankenne F, Hennen G and Copinschi G (1993):**
Regulation of maternal IGF - 1 by placental GH in normal and abnormal human pregnancies. *Am. J. Physiol.*, 265 (4pt 1) : E572.
- Cawley RH, Mckeown T and Recard RG (1954) :** Parental stature and birth weight . *Am . J. Hum. Genet.*, 6:448.
- Chamberlain R and Davey A (1975) :** Physical growth in twins, postmature and small for date children . *Arch. Dis . Child*, 50:437.
- Chandra RK (1975) :** Fetal malnutrition and postnatal immuno-competance . *Am. J. Dis. Child*, 129 : 450.
- Clapp JF, Szato HH, Larrow R, et al. (1980) :** Umbilical blood flow response to embolization of the uterine circulation. *Am. J. Obstet. Gynecol.*, 138 : 60.

- Cnattingius S, et al. (1984)** : Smoking, maternal age and fetal growth . Obstet. Gynecol., 66:449.
- Cousins L, Dattel B, Hallingsworth D, Halbert D, and Zettner A (1985)** : Screening for carbohydrate intolerance in pregnancy. A comparison of two tests and reassessment of a common approach. Am . J. Obstet. Gynecol., 153 : 381.
- Crystal RA and Guidice LC (1991)** : IGFBP profiles in human fetal cord sera : ontogeny during gestation and differences in newborns with IUGR and LGA newborns. In : Modern concepts of insulin- like growth factors, (ed.) Spencer EM, NewYork : Elsevier, p.395.
- Danforth DN (1988)** : Dystocia due to abnormal feto-pelvic relation. In : Current Obstetric and Gynecologic diagnosis and treatment. Large medical publication, LOSAHOS, California, p.690.
- De Chiara TM, Efstratiadis A and Robertson EJ (1990)**: A growth deficiency phenotype in heterozygous mice carrying an IGF-II gene disrupted by targeting. Nature, 345:78.
- Delhanty PJ, Hill DJ, Shimasaki S and Han VK (1993)**: Insulin-like growth factor binding protein-4, -5 and -6 mRNAs in the human fetus: Localization to sites of growth and differentiation ? Growth - Regul., 3(1) : 8.

- Dempster J, Mires GJ, Patel N, et al. (1989)** : Umbilical artery velocity waveforms: Poor association with SGA babies. Br. J. Obstet. Gynaecol., 96: 692.
- D' Ercole AJ (1991)** : The insulin-like growth factors and fetal growth. In: Modern concepts of insulin-like growth factors, (ed) Spencer EM, New York : Elsevier, p.9.
- D'Ercole AJ, Wilson DF and Underwood LE (1980)** : Changes in the circulating form of serum somatomedin-C during fetal life. J. Clin. Endocrinal. Metab., 51: 674.
- Diakoku NH, Johnson JWC and Graf C (1979)**: Patterns of IUGR. Obstet. Gynecol., 54:211.
- Divon MY, Chamberlain PF, Sipos L, et al. (1986)**: Identification of the SGA fetus with the use of gestational age-independent indexes of fetal growth. Am. J. Obstet., Gynecol., 155: 1197.
- Divon MY, Guidetti DA, Braverman JJ, et al. (1988)** : Intra-uterine growth retardation- A prospective study of the diagnostic value of real-time sonography combined with umbilical artery flow velocimetry. Obstet., Gynecol., 72:611.
- Donald I (1979)** : In: Practical problems, 5th edition, Liody-Luke, London, chapter. 1, p, p1,114.
- Ducey J, Schulman H, Farmakides G, et al. (1978)**: A classification of hypertension in pregnancy based on Doppler velocimerty. Am. J. Obstet., Gynecol., 157: 680.

Economides DL, Proudler A and Nicolaidis KH (1989):

Plasma insulin in appropriate and SGA fetuses. Am. J. Obstet. Gynecol., 160 : 1091.

Elgin RE, Busby WH and Clemmons DR (1987): An insulin-like growth factor binding protein enhances the biologic response to IGF-I. Proceedings of the National Academy of Science of the USA, 81 : 3254.

Elliot JP, Garite TJ, Freeman RK, Mcquown DS and Patal JM (1982): Ultrasonic prediction of fetal macrosomia in diabetes. Obstet., Gynecol., 60 : 159.

Estman NJ and Jackson E (1968) : Weight relationship in pregnancy. The bearing of maternal weight gain and pre-pregnancy weight on birth weight in full term pregnancies. Obstet., Gynecol., Surv., 22: 1003.

Evans MI, Mukherjee AB, Schulman JD , et al. (1983): Animal models of IUGR. Obstet., Gynecol., Surv., 38: 183.

Fant M, Salafia C, Baxter RC, et al. (1993) : Circulating levels of IGFS and IGF binding proteins in human cord serum: Relationships to Intra-uterine growth. Regul., Pept., 48 (1-2) : 29.

Fisher GH and Yates F (1943) : Test of Significance based on the normal distribution : Statistical tables For biological, agriculture and medical research, 2nd edition, (eds.) Oliver and Boyd, Edinburgh.

- Fitzharding PM and Steven EM (1972):** The small for date infant : Later growth patterns. *Ped.*, 49 : 671.
- Fleischer A, Schulman H, Farmakides G, et al. (1985):** Umbilical artery velocity waveforms and IUGR. *Am. J. Obstet., Gynecol.*, 151 : 502.
- Foley TPJ , De Philip R, Perricelli A and Miller A (1980) :** Low somatomedin activity in cord serum from infants with IUGR. *J. Paediat.*, 95: 605.
- Fowden AL (1980) :** Effect of arginine and glucose on the release of insulin in the sheep fetus. *J. Endocrinol.*, 87 : 113.
- Freinkel N (1980):** Banting lecture 1980 of pregnancy and progeny . *Diabetes* , 29 : 1023.
- Freinkel N and Metzger BE (1979):** Pregnancy as a tissue culture experience: The critical implications of maternal metabolism for fetal development. *Ciba Foundation Symposium*, 63:3.
- Funk B, Kessler U, Eisenmenger W, et al. (1992) :** The expression of IGFBPS is tissue specific during human fetal life and early infancy. *Acta Endocrinol.*, 127: 107.
- Galbraith RS, Karchman EJ, Piercy WC, et al. (1979) :** The clinical prediction of IUGR. *Am. J. Obstet. Gynecol.*, 133:281 .
- Garn SM and Rohmann CG (1962):** X-linked inheritance of developmental timing in man. *Nature*, 196:695 .

- Giles WB, Trudinger BJ, Baird PJ (1985)** : Fetal umbilical artery flow velocity waveforms and placental resistance: Pathological correlation. *Br. J. Obstet. Gynaecol.*, 92:31 .
- Gluckman PD (1986)**: Quoted from *Bailliere's Clinical Obstet. Gynecol.*, June 1991, 5(2):333 .
- Gluckman PD, Johnson-Barrett JJ, Butler JH, et al. (1983)**: Studies of IGF-I and II by specific radioligand assays in umbilical cord blood. *Clinical Endocrinol.*, 19:405 .
- Gluckman PD and Liggins G (1984)** : Regulation of fetal growth. In: *Fetal physiology and medicine*. Quoted from *Neonatal-Perinatal medicine*, 4th edition, (eds.) Fanaroff A and Martin RJ, C.V. Mosby Comp, Toronto, 1987, p.76 .
- Golde SH (1989)** : Definition of fetal growth: Normal and abnormal. In: *Intra-uterine growth retardation: A practical approach*, (eds.) Gross TL and Sokol RJ, Chicago, Yearbook Medical Publishers, Inc., p. 1.
- Goldenberg RL, Cutter GR, Hoffman HJ, et al. (1989)** : Intra-uterine growth retardation: Standards for diagnosis. *Am. J. Obstet. Gynecol.*, 161:271 .
- Golditch IM and Kirkman K (1978)** : The large fetus management and outcome. *Obstet. Gynecol.*, 52:26 .
- Grasso S, Saporito N, Messina A and Reitano G (1968)** : Serum insulin response to glucose and amino acids in the premature infant. *Lancet*, 2:755 .

- Gruenwald P (1967)** : Growth of the human fetus. Adv. Reprod. Physiol., 2:279 .
- Gruenwald P (1975)** : The supply line of the fetus; definitions relating to fetal growth. In: The placenta and its maternal supply line, (ed) Gruenwald P, Lancaster: MTP., p.p:1-17 .
- Guidice LC, Milkowski DA, Lamson G, et al. (1991)** : Insulin-like growth factor binding proteins in human endometrium: Steroid-dependant mRNA expression and protein synthesis. J. Clin. Endocrinol. Metab., 72:779 .
- Hadlock FP, Deter RL , Harrist RB, et al. (1983)** : A date - independent predictor of IUGR : Femur length/ abdominal circumference ratio. Am. J. Radiol., 141 : 979.
- Hadlock FP, Harrist RB, Sharman RS, et al. (1985)** : Estimation of fetal weight with the use of head, body, and femur measurements. A prospective study. Am.J.Obstet. Gynecol., 151 :333.
- Hakala. TH, Koistinen RA , Salonen RK, et al. (1993)** : Elevated second-trimester amniotic fluid concentration of IGFBP-1 in fetal growth retardation. Am.J.Obstet. Gynecol., 169 (1) : 35.
- Han VKM, Hill D J and Strain AJ, et al. (1987a)** : Identification of somatomedin/ insulin-like growth factor immunoreactive cells in the human fetus. Pediatr. Res., 22 : 245.

Han VKM, D'Ercole AJ and Lund PR (1987b) : Central localization of somatomedin (IGF) messenger RNA in the human fetus. *Science*, 236: 193.

Han VKM, Lund PK, Lee DC, D'Ercole AJ (1988) : Expression of somatomedin/ insulin-like growth factor messenger ribonucleic acids in the human fetus: Identification, characterization, and tissue distribution. *J. Clin. Endocrinol. Metab.*, 66 : 442.

Hediger ML, Vasilenko P, Ances IG, Smith W and Salmon RW (1989) : *Ann. Hum. Biol.*, 16 (4): 335.

Hibbard BM (1988) : Shoulder dystocia and growth acceleration. Quoted from principle of obstetrics, 1st edition, Butterworths and Cowell Ltd, Ipswich, p,p 113,554.

Hill DE (1978) : Effects of insulin on Fetal growth. *Seminars in perinatology.*, 2 :319.

Hill DJ (1990) : Relative abundance and molecular size of immunoreactive insulin- like growth factors I and II in human fetal tissues. *Early. Hum. Dev.*, 21: 49.

Hill DJ, Clemmons DR, Wilson S, et al.(1989) : Immunological distribution of one form of insulin-like growth factor (IGF)-binding protein and IGF peptides in human fetal tissues. *J.Mol. Endocrinol.*, 2:31.

Hill WC, Pelle DG, Kitzmiller JL and Spencer EM (1989):

Insulin-like growth factors in fetal macrosomia with and without maternal diabetes. *Horm. Res.*, 32(5-6) : 178.

Hill DJ, Clemmons DR (1992) : Similar distribution of insulin-

like growth factor binding proteins- 1, -2,- 3 in human fetal tissues. *Growth Factors*, 6:315.

Hobbins JC , Berkowitz RL and Grannum PAT (1978):

Diagnosis and antepartum management of IUGR. *J.Reprod. Med.*, 21:319.

Hopwood HG (1982) : Shoulder dystocia: Fifteen years

experience in a community hospital. *Am. J. Obstet. Gynecol.*, 144: 162.

Horger ED, Miller MC and Conner ED (1975) : Relation of

large birth weight to maternal diabetes mellitus. *Obstet. Gynecol.*,45:150.

Howell RJS, Perry LA, Choglay NS, et al. (1985): Placental

protein 12 (PP12): A new test for the prediction of the SGA infant. *Br. J. Obstet.Gynaecol.*, 92: 1141.

Howell RJS, Economides D, Teisner B, et al. (1989) :

Placental protein 12 and 14 in pre-eclampsia. *Acta Obstetrica. Gynecologica. Scandinavica*, 68: 237.

Ismail H,Fahmy K, Afifi MA, Allam J, Saad S and Mansour

A (1992) : Ultrasonic fetal thigh circumference, area and volume in various stages of normal pregnancy. 7 th Zagazig Annual Conference on: Update in Obstetrics and Gynecology, April, 1992.

- Iwashita M, Kobayashi M, Matsuo A, et al. (1992) :** Feto-maternal interaction of IGF- I and its binding proteins in fetal growth. *Early. Hum. Dev.*, 29 (1-3): 187.
- James F, Clapp MD, Eleanor L and Capeless MD (1990) :** Effect of endurance exercise during pregnancy on fetal weight. *Am. J. Obstet. Gynecol.*, 163: 1805.
- Jones KL and Smith DW (1973) :** Recognition of the fetal alcohol syndrome in early infancy. *Lancet*, 2: 999.
- Jones KL and Chernoff GF (1978) :** Drugs and chemicals, associated with IUGR . *J. Reprod. Med.*, 21:365.
- Josimovich JP (1971) :** In: *Endocrinology of pregnancy*, (eds.) Fuchs F and Klopper A, Harper and Row, New York, p.184.
- Kearny K, Vigneron N, Frischman P and Johnson JWC (1978):** Fetal weight estimation by ultrasonographic measurement of abdominal circumference. *Am. J. Obstet. Gynecol.*, 51: 156.
- Keirse MJNC (1981) :** Aetiology of IUGR. In : *Fetal growth Retardation*, (eds.) Van Assche FA and Robertson WB, Edinburgh; Churchill, Livingstone, p.37.
- Keirse MJNC (1984) :** Epidemiology and aetiology of growth retarded baby. *Clinics in Obstet. Gynecol.*, 11 : No.2.
- Khatree MHD, Gamsu HR, Rudd O and Stud JWW (1982) :** Features predictive of brachial plexus injury during labour. *South Africa Med. J.*, 61:232.

- Khong TY, DeWolf F, Robertson W B, et al. (1986) :**
Inadequate maternal control to placentation in pregnancies complicated by pre-eclampsia and SGA infants. Br. J. Obstet. Gynaecol., 93:1049.
- Kitzmler JL, Male JC, Gin GD, Newman RB and Scheerer L (1987) :**Measurement of fetal shoulder width with computerized tomography in diabetic women. Obstet. Gynecol., 70 : 941.
- KLebe JG, Esperson T and Allen J (1986) :** Diabetes mellitus and pregnancy. A seven years material of pregnant diabetics, where control during pregnancy was based on a centralized ambulant regime. Acta Obstet. Gynecol. Scand., 65;235.
- Kleigman R and Gross T (1985) :** Perinatal problems of the obese mothers and their infants. Obstet. Gynecol., 66:299.
- Krogman WM (1972) :** Child growth. Ann. Arbor, University of Michigan. Press, (1972). Quoted from Growth and its disorders, (eds.) David W and Smith M D, W.B. Saunders Comp, Philadelphia, London, Toronto, 1977.
- Kubota T, Kamada S, Taguchi M and Asto T (1992) :**
Determination of IGF-2 in feto-maternal circulation during human pregnancy. Acta Endocrinol. Copenh., 127(4) : 359.

- Lassarre C, Hardouin S, Daffos F, et al. (1991)** : Serum insulin- like growth factors and insulin- like growth factor binding proteins in the human fetus. Relationships with growth in normal subjects and in subjects with IUGR. *Pediatr. Res.*, 29 (3):219.
- Lecken EL, Jenkine JH, Pomerants GH and Klein L (1987)**: Abnormal glucose screening tests in pregnancy: A risk factor for fetal macrosomia. *Obstet. Gynecol.*, 69:570.
- Lee M and Yeh M(1986)**: Fetal microcirculation of abnormal human placenta: Scanning electron microscopy of placental vascular casts form SGA fetus. *Am. J. Obstet. Gynecol.*, 154:1133.
- Leveno JJ, Quirk JG, Cunningham FG, Nelson SD, Rigoberto SR., Toafanian A and Deploma RT (1984)**: Prolonged pregnancy: Observations concerning the causes of fetal distress. *Am.J. Obstet. Gynecol.*, 150:465.
- Liggins G (1984)** : Regulation of fetal growth. In: *Fetal physiology and medicine*. Quoted from *Neonatal-Perinatal Medicine*, 4th edition, (eds.) Fanaroff A and Martin RJ, C.V. Mosby Comp, Toronto, 1987, p.76.
- Lin CC (1979-1981)** : Incidence of SGA infant among the preterm deliveries. Chicago lying-in hospital. Quoted from *Obstet. Gynecol. Annual*. 1985, Vol. 14.(eds.) Ralph M and Wynn MD, Appleton-Century-Crofts, Norwalk, Connecticut.

Lin CC and Evans MI (1984) : Introduction to IUGR. In : IUGR, Pathophysiology and Clinical Management, (eds.) Lin CC and Evans MI, NewYork, McGrowHill, p,p 1,164,179,315.

Little D and Campbell S (1982) : Ultrasonographic evaluation of IUGR. Radiol. Clinic. North Am., 20: 335.

Liu JP, Baker J, Perkins AS, et al. (1993) : Mice Carrying null mutations of the genes encoding IGF-1 and type I IGF receptor. Cell, 75:59.

Lubchenco LO, Hansman C, Dressler M and Boyd E (1963): Intra-uterine growth as estimated from live born birth data at 24 to 42 weeks of gestation. Ped., 32:793. Quoted from Willocks, 1978.

Manning FA, Hill LM and Platt LD(1981) :Qualitative amniotic fluid volume determination by ultrasound : Antepartum detction of IUGR. Am. J. Obstet. Gynecol., 139:154.

Mannig FA and Hohler C (1991) : IUGR: Diagnosis, prognostication, and management based on ultrasound methods. In: The Principles and Practices of Ultrasonography in Obstet and Gynecol, 4th ed, (eds.) Fleischer AC, Romero R, Mannig FA, et al., Norwalk, CT, Appleton and Lange, p.331.

Miller HC and Hassanein K (1973) : Fetal malnutrition in white newborn infants: Maternal factors. *Ped.*, 52: 504.

Milner RDG (1979) : Amino acids and beta cell growth in structure and function. In: *The diabetic pregnancy : A perinatal prospective*, (eds.) Merkatz IR and Adam PAJ, NewYork: Grune and Stratton, p.145.

Modesto - Caballero C, Rodriguez AGJ, Aranguren DG, etal. (1993) : C- peptide in cord blood from macrosomatic and low birth weight for gestational age newborns. *An. Esp. Pediatr*, 39(1):29.

Mondanlou HD, Komatsu G, Dorchester W, Freeman RK and Bosu SK (1982) : Large for gestational age neonates. Anthropometric reasons for shoulder dystocia. *Obstet. Gynecol.*, 60: 414.

Myerscough PR (1979) : Shoulder dystocia. In: *Munro kerr's operative obstetrics*, Ninth edition, (ed.) Cassell C, Macmillan Publishers Ltd, NewYork, p.172.

Naeye RL, Blanch W and Paul C (1973) : Effects of maternal nutrition on the human fetus. *Ped.*, 52: 494.

Neligan GA (1965) : Gestational age, size and maturity. In: *Clinics in developmental medicine*, (eds.) Dawkins M and MacGregoor, London, Heinemann, 19:28. Quoted from Thompson et al., 1968.

- Neufeld ND, Scott M and Kaplan SA (1980)** : Ontogeny of the mammalian receptor. *Develop. Biology*, 78:151.
- Neufeld ND and Corbo L (1982)** : Increased fetal insulin receptors and changes in membrane fluidity and lipid composition. *Am. J. Physiology*, 243:E246.
- Nissley P and Lopacynski W(1991)** : Insulin- like growth factor receptors. *Growth Factors*, 5:29.
- Niswander KP, Singer J, Westphal M and Weiss W(1969)**: Weight gain during pregnancy and pre-pregnancy weight. Association with birth weight of term gestation. *Obstet. Gynecol.*, 33:482.
- Pannier EM, Irwin JC and Guidice LC (1994)** : Insulin-like growth factor- binding proteins in the human fetus: Tissue-specific protein secretion, immunologic characterization, and gene expression. *Am. J.Obstet. Gynecol.*, 171:746.
- Parks DG and Zeil HK (1978)** : Macrosomia a proposed indication for primary caesarean section. *Obstet. Gynecol.*, 52:404.
- Pauerstein CJ (1987)** : Shoulder dystocia. In: *Clinical Obstetrics*, Quoted from Benedetti TJ, p,p:871-882 and Poor Obstetric Outcome. In: *Clinical Obstetrics*, Quoted from Dicke JM, p,p:431-433, First edition, John Wiley and Sons, NewYork.

- Phelan JP, Smith CV, Broussard P, et al. (1987)** : Fluid volume assessment with the four- quadrant technique at 36-42 weeks gestation. J. Reprod. Med., 32:540.
- Polani PE (1974)** : Chromosomal and Other genetic influences on birth weight variation. In size at birth. Amesterdam, Ciba Foundation Symposium, ASP., 27:127.
- Pontonier G, Grand Jean H, Fournie A, et al. (1988)** : Intra-uterine growth retardation and disability. Clin. Obstet.Gynecol., 2:No.1.
- Potter E (1965)** : Bilateral absence of ureters and kidneys, a report of 50 cases. Obstet. Gynecol., 25:3.
- Queenan JT, Kubarish SF, Cook LN, et al. (1976)** : Diagnostic ultrasound for detection of IUGR. Am. J. Obstet. Gynecol., 124:865.
- Rayburn W, Sander C and Compton A (1989)** : Histologic examination of the placenta in the growth- retarded fetus. Am. J. Perinatol., 6:58.
- Rechler MM and Nissley SP(1985)** : The nature and regulation of the receptors for insulin-like growth factors. Annual Review of Physiology, 47:425.
- Reece EA, Wiznitzer A, Le E, et al. (1994)** : The relation between human fetal growth and fetal blood levels of IGF -I and II, their binding proteins, and receptors. Obstet. Gynecol., 84(1):88.

- Rewer PJ, Simmons EA, Reitman GW, et al. (1987)** : Intra-uterine growth retardation: Prediction of perinatal distress by Doppler Ultrasound. *Lancet*, 2:415.
- Ritvos O, Ranta T, Jalkanen J, et al. (1988)** : Insulin- like growth factor binding protein from human decidua inhibits the binding and biological action of IGF-I in cultured choriocarcinoma cells. *Endocrinology*, 122:2150.
- Rochelson BL , Shulman H, Fleisher A, et al. (1987)** : The clinical significance of Doppler umbilical artery velocimetry in the SGA fetus. *Am. J. Obstet Gynecol.*, 156:1273.
- Rosenberg K, Grant JM, Tweedh I, et al. (1982)** : Measurement of fundal height as a screening test for fetal growth retardation. *Br. J. Obstet. Gynaecol.*, 89:444.
- Rubbin A (1964)** : Manangement of shoulder dystocia. *J.A.M.A.*, 189:835.
- Rush D(1982)** : Effects of changes in protein and calorie intake during pregnancy on the growth of the human fetus. In: Effectivness and Satisfication in Ante-natal Care. Clinics in developmental medicine, (eds.) Enkin M and Chalmers I, London- Heinemann, p,p.81,92.
- Rutanen EM, Menabawey M, Isaka K, et al. (1986)** : Synthesis of placental protein 12 by decidua from early pregnancy. *J. Clin.Endocrinol. Metab.*, 63: 675.

- Sabbagha RE(1978)** : Intra-uterine growth retardation. Antenatal diagnosis by ultrasound. *Obstet. Gynecol.*, 52:252.
- Sack RA (1969)** : The Large Infant. *Am. J. Obstet. Gynecol.*, 104:195.
- Salardi S, Orsini LF, Cacciari E, et al. (1991)** : Growth hormone, insulin- like growth factor I, insulin and C-peptide during human fetal life : In utero- study. *Clin.Endocrinol. Oxf.*, 34(3): 187.
- Seeds JW (1984)** : Impaired fetal growth: Definition and clinical diagnosis. *Obstet.Gynecol.*, 64:303.
- Shimasaki S and Ling N(1991)** : Identification and molecular characterization of IGFBPS (IGFBP-1,-2,-3,-4-,5 and -6). *Prog. Growth Factor. Res.*, 3:243.
- Shi Wu Wen MS, Robert L and Goldenberg MD(1988):** Smoking during pregnancy and fetal Weigth. *Am .J. Obstet. Gynecol.*, 1990, p.53.
- Simpson JW, Lowless RW and Mitchell AC (1975)** : Responsibility of the obstetrician to the fetus. The influence of pre-pregnany weight and pregnancy weight gain on birth weight. *Obstet. Gynecol.*, 75:481.
- Singer JE, Westphal M and Niswander K (1968)** : Relationship of weight gain during pregnancy to birth weight and infant growth and development in the first year of life. *Obstet. Gynecol.*, 31:417.

- Smith DW, Harvey MAS and Rogers JE (1970)** : Linear growth during infancy In: Growth and its disorders, (eds.) David W and Smith MD, WB Saunders Comp, Philadelphia, London, Toronto, p.77.
- Spellacy WN, Miller MS, Winegar A and Peterson PQ (1985)**: Macrosomia- Maternal characteristics and infant complications. Obstet. Gynecol., 66:158.
- Standberg Nordqvist AC, Stahlbom PA, Lake M and Sara VR (1992)** : Characterization of two cDNAs encoding insulin-like growth factor 1 in the human fetal brain. Brain. Res. Mol. Brain.Res., 12 (1-3):275.
- Stanley KP, Fraser RB, Milner M and Bruce C (1992)** : Cord insulin and C-peptide distribution in an unselected population. Br. J. Obstet. Gynaecol., 99(6):512.
- Stein Z, Susser M, Saenger G and Marolla F (1972)** : Nutrition and mental performance. Science, 178:708.
- Stein Z, Susser M and Rush D (1978)** : Prenatal nutrition and birth weight: Experiments and quasi- experiments in the past decade. J. Reprod. Med., 21:287.
- Stevenson DK, Cohen RS and Kerner JA (1982)** :Macrosomia, causes and consequences. J. Ped., 100: 515.
- Suikkari AM, Koiristo VA, Koistinen R, et al. (1989)** : Dose-response characteristics for suppression of low molecular weight plasma insulin- like growth factor binding protein by insulin. J. Clin. Endocrinol. Metab., 68:135.

Tallarigo L, Giampietro O, Penno G, et al. (1986) : Relation of glucose tolerance to complications of pregnancy in non-diabetic women. Engl.J.Med., 315:989.

Tambyraja RL and Ratnam SS (1980) : Factors contributing to the reduction of perinatal mortality from pre-term birth in singapore . Proceeding of the 7 th European congress of perinatal medicine , (eds.) Ballabriga A and Gallart A, Barcelona, Spain, p. 152.

Tambyraja RL and Ratnam SS (1981) : Risk approach in perinatal care. In proceedings of first national conference on prospective in perinatal medicine, Malaysia, University Kabangsaan.

Tanner JM (1974) : Variability of growth and maturity in newborn infants. In : Origins of behaviour : The effect of the infant on its care giver, (eds.) Lewis M and Rosenblum L, John Wiley and Sons, Inc, NewYork .

Tanner JM, Healy MJR and Lockhart RD (1956) : Aberdeen growth study I. The prediction of adult body measurements from measurements taken each year from birth to 5 years. Arch. Dis. Child, 31:372.

Taylor AM, Dunger DB, Preece MA, et al. (1990) : The growth hormone independent IGF-1 binding protein BP-28 is associated with serum IGF-1 inhibitory bioactivity in adolescent insulin-dependent diabetes. Clin. Endocrinol (Oxf) ., 32:229.

- Thompson AM, Billewicz WZ and Hytten FE (1968a)** : The assessment of fetal growth .Br. J. Obstet. Gynaecol., 75:903.
- Thompson AM, Billewicz WZ and Hytten FE (1968b)** : The assessment of fetal growth. Br.J. Obstet . Gynaecol. Common W., 75:903.
- Thorsson AV and Hintz RL (1977)** : Insulin receptors in the newborn: An increase in affinity and number. N.Eng. J. Med., 297:908.
- Trudinger BJ, Giles WB, and Cook CM (1985)** : Velocity waveforms in the maternal uteroplacental and fetal umbilical placental circulations. Am.J. Obstet. Gynecol., 152:155.
- Unterman T, Lascon R, Gotway MB, et al. (1990)**: Circulating levels of IGFBP-I and hepatic mRNA are increased in the SGA fetal rat. Endocrinology, 127 : 2035.
- Ullrich A, Gray A, Tam AW, et al. (1986)** : Insulin - like growth factor I receptor primary structure : Comparison with insulin receptor suggests structural determinants that define functional specificity. EMBO. J., 5: 2503.
- Van den brande JL, Ducaju MVL and Visser HKA (1974)** : Primary somatomedin deficiency. Arch. Dis. Child, 40:297.

- Van VKM, D'Ercole AJ and Lund PK (1987)*** : Cellular localization of somatomedin (insulin-like growth factor) messenger RNA in the human fetus. *Science*, 236:193.
- Verhaeghe J, Van Bree R, Van Herck E, et al. (1993)*** : C-peptide, insulin -like growth factors I and II, and insulin-like growth factor binding protein-1 in umbilical cord serum : Correlations with birth weight. *Am .J. Obstet . Gynecol.*, 169 (1) : 89.
- Vinzileos AM, Lodeiro JG, Feinstein SJ, et al. (1986)*** : Value of fetal ponderal index in predicting growth retardation. *Obstet, Gynecol.*, 67:584.
- Von- Dorsche HH, Falt K, Madsen O, et al. (1991)*** : Detection of proinsulin, C-peptide, insulin- A- chain, and glicentin in pancreatic islet cells of early human fetogenesis. *Acta Histochem.*, 9(1): 39.
- Vorherr H (1975)*** : Placental insufficiency in relation to post term pregnancy and fetal postmaturity. *Am. J. Obstet. Gynecol.*, 123:67.
- Vorherr H (1975)*** : Factors influencing fetal growth. *Am. J. Obstet. Gynecol.*, 142 :577.
- Walker WH, Fitzpatrick SL, Barrera - Saldana HA, et al. (1991)***: The human placental lactogen genes : Struture, function, evolution and transcriptional regulation . *Endocr .Rev.*, 12:316.

- Wang HS, Lee CL and Chard T (1993)** : Levels of IGF-1 and IGFBP-1 in pregnancy with preterm delivery. Br.J. Obstet. Gynecol., 100(5): 472.
- Wang HS, Lim J, English J, Irvine L and Chard T (1991)** : The concentration of IGF-1 and IGFBP-1 in human umbilical cord serum at delivery: Relation to fetal weight . J. Endocrinol., 129:459.
- Whittaker PG, Stewart MO, Taylor A, et al. (1990)** : Insulin-like growth factor-1 and its binding protein 1 during normal and diabetic pregnancies. Obstet. Gynecol., 76(2):223.
- Winick M (1969)** : Abnormal growth. Am.J. Obstet. Gynecol., 1971, 109:166.
- Winick M and Noble A (1965)** : Quantitative changes in DNA, RNA and protein during prenatal and postnatal growth in the rat. Devel. Biol., 12:451.
- Winick M, Cascia A and Noble A (1967)** : Human placental growth. Ped., 39:248.
- Winter J (1977)** : University of Manitoba .Personal communication. Quoted from Growth and its disorders (eds.) David W and Smith MD, WB Saunders Comp, London, Toronto, 1977.
- Wladimiroff JW, Bloemsa CA and Walenburg HCS (1987)** : Ultrasonic diagnosis of the large for date infant. Obstet. Gynecol., 52:285.

Yagel S, Zacut D, Igelstein S, et al. (1987) : In utero ponderal index as a prognostic factor in the evaluation of IUGR. Am.J.Obstet. Gynecol., 157:415.

Yamasaki A, Morikawa H, Ueda Y and Mochizuki M (1989) : Circulating forms of IGF -1 / Somatomedin C in fetal life: Relation ship between changes in its binding proteins and growth delay during intra- uterine and postnatal periods. Nippon- Naibumpi- Gakkai- Zasshi., 65(3): 137.