

REFERENCES

A

- Achiron R., and Zakut H.; (1986)** : Fetal hemothorax complicating amniocentesis : Antenatal sonographic diagnosis. Acta Obstet Gynecol Scand., 65 : 869.
- Adamson, I.Y., King, G.M.; (1984)** : Sex related differences in cellular composition and surfactant synthesis of developing fetal rat lungs. Am. Rev. Respir. Dis., 129 : 1130.
- Ahmed. M.M., Mostafa A.A., Khatab S., El-Didy H., Zayed M., El Abassy A.F., and Mostafa S.; (1988)** : Correlation of ultrasonic epiphyseal centers and fetal lung maturity. J. Egypt Med. Assoc., 71 : 871.
- Avery M.E., and Mead J.; (1959)** : Surface properties in relation to atelectasis and hyaline membrane disease. Am. J. Dis. Child., 97 : 514.

B

- Barkai G., Modam M., Goldman B., Lusky A., Brish M., and Mashiach S.; (1985)**: Determination of amniotic fluid microvesicometry at body temperature : A predictor of fetal lung maturity. Obstet Gynecol., 65 : 573.
- Benson M.S., Waldroup L.D., Kurtz A.B., Rose J.L., Rifkin M.D., and Goldberg B.B.; (1983)** : Ultrasonic tissue characterization of fetal lung, liver and placenta for purpose of assessing fetal maturity. J. Ultrasound Med., 2 : 489.
- Bernstine R.L.; (1969)** : Safety studies with ultrasonic doppler technique : A clinical follow up of patients and tissue culture study. Obstet Gynecol., 34 : 707.
- Bevis D.C.A.; (1952)** : Antenatal prediction of hemolytic disease of the newborn. Lancet., 1 : 395.
- Biezenski J.I., Pomerance W. and Goodman J.; (1968)** : Studies on the origin of amniotic fluid lipids. Am. J. Obstet Gynecol., 102 : 853.
- Birnholz J.G. and Farrell E.E.; (1985)** : Fetal lung development : Compressibility as a measure of maturity. Radiology., 157 : 495.

- Borelli M.J., Frezzell L.A., and Dunn F.; (1986)** : Ultrasonically induced morphological changes in the mammalian neonatal spinal cord. *Ultrasound Med. Biol.*, 12 : 285.
- Borer, RC, Gluck, L, Freeman, RK and Kulovich; (1971)** : Prenatal prediction of respiratory distress syndrome. *Pediat Res.*, 5 : 655.
- Bree R.L.; (1978)** : Sonographic identification of fetal vernix in amniotic fluid. *J. Clin Ultrasound*, 6 : 269.
- Brener H.W., Seisler E.P. and Barlow J.; (1972)** : Fetal cardiac tamponade : A complication of amniocentesis. *Obstet Gynecol.*, 40 : 599.
- Broome D.L., Wilson M.G., Weiss B. and Kellogg B.; (1979)** : Needle puncture of fetus : A complication of second trimester amniocentesis. *Am. J. Obstet Gynecol.*, 126 : 247.
- Brulfert A., Ciaravino V., Miller M.W.; (1984)** : Lack of ultrasound effect on in vitro human lymphocyte sister chromatid exchange. *Ultrasound Med. Biol.*, 10 (3) : 309.
- Buhi W.C. and Spellacy W.N.; (1975)** : Effect of blood or meconium on the determination of the amniotic fluid lecithin/sphingomyelin ratio. *Am. J. Obstet Gynecol.*, 121 : 321.
- Burnett R.C. and Anderson W.R.; (1968)** : The hazards of amniocentesis. Quoted from : Cook L.N., Shott R.J. and Andrews B.F. (1974) : Fetal complications of diagnostic amniocentesis : A review and report of a case with pneumothorax. *Pediatrics.*, 53 : 421.

©

- Calvalieri R.L., Beck J.C., Brand L., Mitzer W., London W.T., and Johnson J.W.C; (1981)** : The relationship of amniotic fluid fluorescence polarization to neonatal lung function. *Am. J. Obstet Gynecol.*, 141 : 652.
- Carstensen E.L.; (1987)** : Acoustic cavitation and the safety of diagnostic ultrasound. *Ultrasound Med. Biol.*, 13 : 597.
- Cartwright R.A., McKinnery P.A. and Hopton P.A.; (1984)** : Ultrasound examinations in pregnancy and childhood. *Lancet II* : 999.
- Cast M.J. and Ott W.; (1983)** : Failure of ultrasonic placental grading to predict severe respiratory distress in a neonate. *Am. J. Obstet Gynecol.*, 146 : 464.

- Cayea P.D., Grant D.C., Doubilet P.M. and Jones T.B.; (1985) :**
Prediction of fetal lung maturity : Inaccuracy of study using conventional ultrasound instruments. Radiology, 155 : 473.
- Chinn D.H., Bolding D.B., Calien P.W., Cross B.H. and Filly R.A.; (1983) :** Ultrasonographic identification of fetal lower extremity epiphyseal ossification centers. Radiology, 147 : 815.
- Clair M.R., Rosenberg E., Tempking D., Andreotti R.F. and Bowie J.D.; (1983) :** Placental grading in the complicated or high risk pregnancy. J. Ultrasound Med., 2 : 297.
- Clements J.A.; (1957) :** Surface tension of lung extracts. Quoted from : Cunningham FG, MacDonald PC and Gant NF (1989) : Williams obstetrics eighteenth edition. Appelton & Lange. Norwalk. Connecticut. PP 106.
- Clements J.A., Platker A.C.G., Tierney D.F., Hobel C.J., Creasy R.K., Margolis A.J., Thibeault D.W., Tooley W.H. and Oh W.; (1972):** Assessment of the risk of RDS by a rapid test for surfactant in amniotic fluid. Quoted from : Cunningham FG, MacDonald PC and Gant NF (1989) : Williams obstetrics eighteenth edition. Appelton & Lange. Norwalk. Connecticut. pp 107.
- Cook L.N., Shott R.J. and Andrews B.F.; (1974) :** Fetal complication of diagnostic amniocentesis : A review and report of a case with pneumothorax. Pediatrics, 53 : 421.
- Cross H.E. and Maumenee A.E.; (1972) :** Ocular trauma during amniocentesis. N Eng. J. Med., 287 : 993.
- Cruz AC, Buhi W.W., Birk S.A. and Spellacy W.N.; (1976) :** RDS with mature L/S ratio, diabetes mellitus and low Apgar scores. Am. J. Obstet Gynecol., 126 : 78.

D

- Dodgson J., Martin J., Boswell J., Goodall H.B. and Smith R.; (1987) :** Probable amniotic fluid embolism precipitated by amniocentesis and treated by exchange trasnfusion. Br. Med. J., 294 : 1322.
- Donald I.R., Freeman R.K., Goebelsmann U, Chan W.H. and Nakamura R.M.; (1973) :** Clinical experience with the amniotic fluid licithin-sphingomyelin ratio. Antental prediction of fetal pulmonary maturity. Am. J. Obset Gynecol., 115 : 547.

**Downes J.J., Vidyasagar, D., Morrow G.M.; (1970) : RDS of newborn in
fants (new clinical scoring system). Clin. Pediatr., 9 : 325.**

E

**Epley S.L., Hanson J.W. and Gruikshank D.P.; (1979) : Fetal injury
with midtrimester diagnostic amniocentesis. Obstet Gynecol., 53 :
77.**

F

**Farrell, P.M., Avery, M.E., (1975) : State of art : Hyaline membrane
disease. Am. Rev. Respir. Dis., 111 : 657-688.**

**Filly R.A. and Golbus M.S. (1982) : Ultrasonography of the normal and
pathologic fetal skeleton. Radiol Clin. North Am., 20 : 311.**

**Fisher C.C., Garrett W. and Kossof G.; (1976) : Placental aging
monitored by grey scale echography. Am. J. Obstet Gynecol., 124 :
483.**

**Fry F.J., Erdrann W.A. and Johnson L.K. (1977) : Ultrasonic toxicity
study. Ultrasound Med. Biol., 3 : 351.**

G

**Galle P.C. and Meis P.J.; (1982) : Complications of amniocentesis. A
review. J. Reprod Med., 27 : 149.**

**Garite T.J., Tabusaki K.K., Moberg L.J., White T., Itano M., and
Freeman R.K.; (1983) : A new rapid slide agglutination test for
amniotic fluid phosphatidylglycerol : Laboratory and clinical
correlation. Am. J. Obstet Gynecol., 147 : 681.**

**Gentilli P., Trasimeni A., and Giorlandino C.; (1984) : Fetal ossification
centers as predictors of gestational age in normal and abnormal
pregnancies. J Ultrasound Med., 3 : 193.**

**Gluck L., Motoyama E.K., Smits H.L. and Kulovich M.V.; (1967) : The
biochemical developent of surface activity in mammalian lung, the
surface active phospholipids, the separation and distribution of
surface active lecithin in the lung of the developing rabbit fetus.
Pediatr Res., 1: 237.**

**Gluck L., Landowne R.A. and Kulovich M.V.; (1970) : Biochemical
development of surface activity in mammalian lung structural changes**

in lung lecithin during development of the rabbit fetus and newborn. *Pediatr Res.*, 4 : 352.

Gluck L., Kulovich M.V., Borer R.C., Brenenr P.H., Anderson G.G. and Spellacy W.N.; (1971) : Diagnosis of the respiratory distress syndrome by amniocentesis. *Am. J. Obstet Gynecol.*, 109 : 440.

Gluck L., Kulovich M.V., Eidelman A.I., Cordero L. and Khazion A.G.; (1972) : Biochemical development of surface activity in mammalian lung : IV. pulmonary lecithin synthesis in the human fetus and newborn and etiology of the respiratory distress syndrome. *Pediatr Res.*, 6 : 81.

Gluck L., Kulovich M.V., Borer R.C. and Keidel W.N.; (1974) : The interpretation and significance of the L/S ratio in amniotic fluid. *Am. J. Obstet Gynecol.*, 120 : 142.

Golde S.H., Petrucha R., Meade K.W. and Platte L.D.; (1982) : Fetal lung maturity : By the use of ultrasound. *Am. J. Obstet Gynecol.*, 142 : 445.

Goldstein I., Lockwood C.J., Belanger K., and Hobbins J.; (1988) : Ultrasonographic assessment of gestational age with the distal femoral and proximal tibial ossification centers in the third trimester. *Am. J. Obstet Gynecol.*, 158 : 127.

Goldstein I., Lockwood C.J. and Hobbins J.C.; (1987) : Ultrasound assessment of fetal intestinal development in the evaluation of gestational age. *Obstet Gynecol.*, 70 : 682.

Goldstein I., Reece E.A, O'Connor T.Z. and Hobbins J.C.; (1989) : Estimating gestational age in the term pregnancy with a model based on multiple indices of fetal maturity. *Am. J. Obstet Gynecol.*, 161 : 1235.

Goldstein P., Gershenson D. and Hobbins J.C.; (1976) : Fetal biparietal diameter as a predictor of mature lecithin : sphingomyelin ratio. *Obstet Gynecol.*, 48 : 667.

Goodlin R.C. and Clewell W.H.; (1974) : Sudden fetal death following diagnostic amniocentesis. *Am. J. Obstet Gynecol.*, 118 : 285.

Grannum P.A.T., Berkowitz R.L. and Hobbins J.C.; (1979) : The ultrasonic changes in the maturing placenta and their relation to fetal pulmonic maturity. *Am. J. Obstet Gynecol.*, 133 : 915.

Gross T.L., Wolfson R.V. and Kuhnert P.M.; (1985) : Sonographically detected free floating particles in amniotic fluid predict a mature lecithin sphingomyelin ratio. J. Clin. Ultrasound, 13 : 405.



Hadlock F.P.; (1988) : Sonographic prediction of fetal lung maturity. In : Ultrasonography in Obstetrics and Gynecology, Callen PW (ed) : W.B. Saunders Company Philadelphia. pp 333.

Hadlock F.P.; (1990) : Sonographic estimation of fetal age and weight. Radiologic Clinics of North America., 28 : 39.

Hadlock F.P., Irwin J.F., Roecker E., Shah Y.P., Deter R.L. and Rossavik I.K.; (1985) : Ultrasound prediction of fetal lung maturity. Radiology., 155 : 469.

Hallman M., Arjomaa P., Hoppu K., Teramo K. and Akino T.; (1989) : Surfactant proteins in the diagnosis of fetal lung maturity : The 35 Kd protein and phospholipids in complicated pregnancy. Am. J. Obstet Gynecol., 161 : 965.

Hallman M., Arjomaa R., Mizumoto M. and Akino T.; (1988) : Surfactant proteins in diagnosis of fetal lung maturity, predictive accuracy of the 35 KD protein , the L/S ratio, and phosphatidylglycerol. Am J Obstet Gynecol., 158:531.

Hallman M. Kulovich MV, Kirkpatrick E, Sugarman RG and Gluck L (1976) : Phosphatidylinositol and phosphatidylglycerol in amniotic fluid: Indices of lung maturity. Am J Obstet Gynecol., 125:613.

Hamilton P.R. Hauschild D., Broekhuizen F.F. and Beck R.M.; (1984): Comparison of L/S ratio, fluorescence polarization and phosphatidylglycerol in the amniotic fluid in the prediction of respiratory distress syndrome. Obstet Gynecol., 63:52.

Harman C.R., Manning F.A., Stearas E. and Morrison I.; (1982) : The correlation of ultrasonic placental grading and fetal pulmonary maturation in five hundred sixty three pregnancies.. Am. J. Obstet Gynecol., 143 : 941.

Harvery D., Parkinson C.E. and Campbell S. (1975) : Risk of RDS. Lancet., I : 42 .

Hayashi R.H., Berry J.L. and Castillo S.; (1981) : Use of ultrasound biparietal diameter in timing of repeat cesarean section. *Obstet Gynecol.*, 57 : 325.

Hellman L.M., Duffus G.M., Donald I. and Sunden B.; (1970) : Safety of diagnostic ultrasound in obstetrics. *Lancet.*, I : 1133.

Henry G., Wexler P. and Robinson A.; (1976) : Rh immune globulin after amniocentesis for genetic diagnosis. *Obstet Gynecol.*, 48 : 557.

Hocheim H.; (1903) : Quoted from : Cunningham FG, MacDonald PC and Gant NF (1989) : *Williams obstetrics* eighteenth edition. Appelton & Lange. Norwalk. Connecticut. pp 106.

I

Iohn, J.M., Thomson, P.D.; (1984) : Surfactant function in Respiratory distress syndrome. *J. Pediatr.*, 102 : 443.

J

James, D.K., Chiswick, M.L., Harkes, N.; (1984) : Maternal diabetes and neonatal respiratory distress. *Am. J. Anat.*, 132 : 61.

K

Kazzi G.M., Gross T.L., Rosen M.G. and Jaatout-Kazzi N.Y.; (1984) : The relationship of placental grade, fetal lung maturity, and neonatal outcome in normal and complicated pregnancies. *Am. J. Obstet Gynecol.*, 148 : 54.

Kazzi G.M., Gross T.L. Sokol R.J. and Kazzi S.N.J. (1985) : Non invasive prediction of hyaline membrane disease : An optimized classification of sonographic placental maturation. *Am. J. Obstet Gynecol.*, 152 : 213.

Kinnier-Wilson I.M. and Waterhouse J.A.H. (1984) : Obstetric ultrasound and childhood malignancies. *Lancet.*, II : 997.

Klaus M.H.; Clements J.A. and Havel R.H.; (1961) : Composition of surface active material isolated from beef lung. *Proc Natl Acad Sci, USA* 47 : 185. Quoted from : Cunningham FG, MacDonald PC and Gant NF (1989) : *Williams obstetrics* eighteenth edition. Appelton & Lange. Norwalk. Connecticut. pp 106.

Lyons E.A., Dyke C.; Toms M. and Cheang N.; (1988) : In utero exposure to diagnostic ultrasound : A 6 year follow up. Radiology, 166 : 687.



MacIntosh I.J.C., Brown R.C. and Coakley W.T.; (1975) : Ultrasound and in vitro chromosome aberrationns. Br. J. Radiol., 48 : 230.

MacIntosh I.J.G., and Davey D.A.; (1970) : Chromosome aberrationns induced by ultrasonic fetal pulse detector. Br. Med. J. 4 : 92.

Mahony B.S.; (1990) : The extremities. In : Ryan J.D., (ed) ; Diagnostic ultrasound of fetal anomalies : Text and Atlas. Year book medical publishers Inc. Chicago. pp 78.

Mahony B.S., Bowie J.D., Killam A.P., Kay III and Cooper C.; (1986) : Epiphyseal ossification centers in the assessment of fetal maturity sonographic correlation with the amniocentesis lung profile. Radiology, 159 : 521.

Martin A.O.; (1987) : Biologic effects. In : Sabbagha R.F. (ed) : Diagnostic ultrasound Applied to obstetrics and gynecology. 2nd edition. JB Lippincott Company, Philadelphia. pp 33-45.

McClain R.M., Haor R.M. and saltzman M.B.; (1972) : Teratogenic study of rats exposed to ultrasound. Am. J. Obstet Gynecol., 114 : 39.

McLeary R.D. and Kuhns L.R.; (1983) : Sonographic evaluation of the distal femoral epiphyseal ossification center. J. Ultrasound Med., 2 : 436.

Menashe M., Finci Z., Milwidsky A. and Mayer M.; (1987) : Amniotic fluid proteases activity, protease inhibitory activity and fetal lung maturity. Am. J. Perinatol., 4 : 68.

Merin S, and Beyth Y.; (1980) : Uniocular congenital blindness as a complication of midtrimester amniocentesis. Am. J. Ophthamol., 89 : 299.

Msenees TO, Miller JD, and Holly LE (1930) : Amniography. Preliminary report , Am, J Roentgenol 24 : 363. Quoted from Iffy L and Charles D (eds) : Operative perinatology. MacMillan Publishing Company, New York. 1984.

Mikko, H., Louis G.; (1982) : Respiratory distress syndrome up date .
Pediat. Clinic North. America., 29 : 5 .

Morris S.E.; (1984) : Ultrasound : a predictor of fetal lung maturity. Med.
ultrasound., 8 : 1.

N

Nelson G.H.; (1969) : Amniotic fluid phospholipid patterns in normal and
abnormal pregnancies. Am. J. Obstet Gynecol., 105 : 1072.

Nelson G.H.; (1972) : Relationship between amniotic fluid lecithin
concentration and RDS. Am. J. Obstet Gynecol., 78 : 1098.

©

O'Brien J.R., W.D.; (1991) : Ultrasound bioeffects related to obstetric
sonography. In : Fleisher A.C, Romer R, Manning F.A., Jeanty P. and
James A.E (eds) : The principles and practice of ultrasonography in
obstetrics and gynecology 4th edition. Prentice-Hall international
Inc., Connecticut. pp 15.

O'Rahilly R. and Gardner E.; (1972) : The initial appearance of
ossification in staged human embryos. Am. J. Anat., 134 : 291.

P

Parulekar S.G.; (1983) : Ultrasonographic demonstration of floating
particles in amniotic fluid. J. Ultrasound Med., 2 : 107.

Petrucha R.A., Golde S.H. and Platt L.D. (1982) : Real-time ultrasound
of the placenta in assessment of fetal pulmonary maturity. Am. J.
Obstet Gynecol., 142 : 463.

Petrucha R.A., Golde S.H. and Platt L.D.; (1982) : The use of ultrasound
in the prediction of fetal pulmonary maturity. Obstet Gynecol., 144 :
931.

Petrucha R.A. and Platt L.D.; (1982) : Relationship of placental grade to
gestational age. Am. J. Obstet Gynecol., 144 : 733.

Q

Quinlan R.W and Cruz A.C.; (1982) : Ultrasonic placental grading and
fetal pulmonary maturity. Am. J. Obstet Gynecol., 142 : 110.

Quinlan R.W., Crua A.C., Buhi W.C. and Nartin M.; (1982) : Incidence of grade III changes in the placenta in correlation to fetal pulmonary maturity. Am. J. Obstet Gynecol., 144 : 468.

R

Ragozzino M.W., Hill L.M., Breckle R., Ellefson R.D. and Smith R.C.; (1983) : The relationship of placental grade by ultrasound to markers of fetal lung maturity. Radiology, 148 : 805.

Reece E.A., Assimakopoulos E., Zheng X.Z., Hagay 2 and Hobbins J.C.; (1990) : The safety of obstetric ultrasonography : Concern for the fetus. Obstet Gynecol., 76 : 139.

Reece E.A., Gabrielli S., Degennaro N. and Hobbins J.C.; (1989) : Dating through pregnancy : A measure of growing up. Obstet Gynecol survery, 44 : 544.

Roberton, N.R.C.; (1981) : Radiological diagnosis of RDS in : Edward N(ed) (1981) : A manual of neonatal intensive care pp., 90 : 122.

Romero r., Pupkin M., Ovarzu E., Avila C and Moretti M.; (1991) : Amniocentesis. In : Fleischer A.C. Romero R., Manning F.A., Jeanty P. and James A.E. (eds) : The principles and practice of ultrasonography in obstetrics and gynecology. 4th edition. Prentice-Hall international Inc., Connecticut. pp 439.

Rosan, R.C.; (1975) : Hyaline membran disease and a related spectrum of neonatal pneumopathology, in Rosenberg H.S., Bolande, R. (eds); perspective in pediatric pathology. Vol. 2. chicago, gear Book, PP 15-60.

Ryan C.T., Ivy R. and Pearson J.W.; (1972) : Fetal bleeding as a major hazard of amniocentesis. Obstet Gynecol., 40 : 702.

S

Saad, SA., Fadel, HE., Fahmy, K., Nelson, GH., Moustafa M. and Davis HC.; (1987) : The reliability and clinical use of a rapid phosphatidylglycerol assay in normal and diabetic pregnancies. Am. J. Obstet Gynecol., 157 : 1516.

Salman F., Quetel T.; (1985) : Sonographic scoring of fetal pulmonary maturity. (Suppl.) ultrasound Med., 5 : 145.

Scarpelli E.M.; (1967) : The lung, tracheal fluid and lipid metabolism of the fetus. *Pediatrics.*, 40 : 951 .

Slah Y.G. and Graham D.; (1986) : Relationship of placental grade to fetal pulmonary maturity and respiratory distress syndrome. *Am.. J. Perinatol.*, 3 : 53.

Shelley S.A. Balis J.U., Paciga J.E., Knuppel R.A., Ruffole E.H. and Bouis P.J. J.R.; (1982) : Surfactant apoproteins in human amniotic fluid : an enzyme-linked immunosorbant assay for the prenatal assessment of lung maturity. *Am. J. Obstet Gynecol.*, 144 : 224.

Shinitzk, M, Goldfisher A and Bruck A (1976) : A new method for assessment of fetal lung maturity. *Br. J. Obstet Gynecol.*, 83 : 838.

Spirt B.A., Kagan E.H. and Rozanske R.M.; (1978) : Sonolucent areas in the placenta : Sonographic and pathologic correlation. *Am.. J. Roentgenol.*, 131 : 961.

Stahlman M.T.; (1981) : Acute respiratory disorders in the newborn, in Avery, G.B (ed) : pathophysiology and managment of the newborn. Phila delphia. J.B. Lippincott. pp 78.

Strassner H.T., Platt L.D. Whittle M., Hill L.M., Yen S., Manning F.A. & Golde S.H.; (1979) : Amniotic fluid phosphatidylglycerol and real-time ultrasonic cephalometry. *Am J Obstet Gynecol.*, 135 : 804.

T

Tabsh K.M.A., (1983) : Correlation of real-time ultrasonic placental grading with amniotic fluid lecithin/sphingomyelin ratio. *Am. J. Obstet Gynecol.*, 154 : 504.

Tabsh K.M.A.; (1984) : Correlation of ultrasonic epiphyseal centers and the lecithin/sphingomyelin ratio. *Obstet Gynecol.*, 64 : 92.

Thieme G.A., Banjavic R.A. and Johnson M.L.; (1983) : Sonographic identification of fetal lung maturation in the fetal lamb. *Invest Radiol* 18 : 18. Quoted from : *Ultrasonography in obstetrics and gynecology*, Callen R.W., (ed) (1988) : WB Saunders Company, Philadelphia. pp 334.

Towers C.V. and Garite T.J.; (1989) : Evaluation of the new Amniostat-FLM test for the detection of phosphatidylglycerol in contaminated fluids. *Am. J. Obstet Gynecol.*, 160 : 298.

V

Von Neergard K.; (1929) : Neue auffassungen uber einen grundbegriff der atemmechanik die retraktionskraft der lunge abhängig von der oberflächenspannung in den alveolen. Z Ges Expt Med., 66 : 373.
Quoted from : Cunningham FG, MacDonald PC and Gant NF (1989): Williams obstetrics eigtheenth edition. Appelton & Lange. Norwalk. Connecticut. PP 107.

W

Weiner S.A. and Weinstein L. (1987) : Fetal pulmonary maturity and antenatal diagnosis of respiratory distress syndrome. Obstet Gynecol, 42 : 75.

Wells P.N.T.; (1987) : The safety of diagnostic ultrasound. Report of a British Institute of Radiology Working Group. Br J. Radiol 20 (supp 1. : 1-43.

Whitefield C.R. and Sproule W.B.; (1974) : Fetal lung maturation. Br. J. Hospital Medicine., 12 : 678.

Whittle M.J.; (1984) : Lung maturation. Clinics in Obstet Gynecol., II : 364.

Williams A.E. and Stallworthy J.A.; (1952) : A simple method of internal tocography. Lancet., I : 330.

Winsberg F.; (1973) : Echogenic changes with placental aging. J. Clin. Ultrasound, 1 : 52.

Woodward B. and Warwick R.; (1970) : How safe is diagnostic sonar Br. J. Radiol 43 : 719.

Y

Young P.E., Matson M.R. and Jones O.W.; (1977) : Fetal exanguination and other vascular injuries from midtrimester genetic amniocentesis. Am. J. Obstet Gynecol., 129 : 21.

Z

Zilianti M. and Fernandez S.; (1983) : Correlation of ultrasonic images of fetal intestine with gestational age and fetal maturity. Obstet Gynecol., 62 : 569.