

REFERENCES

REFERENCES

Abd-El Malek, Y. and Ishac, Y.Z. (1968) :

Evaluation of methods used in counting Azotobacter.

J. appl. Bact., 31: 267-275.

Abd-El Malek, Y. and Risk, S.G.R. (1966):

Microbial and nitrogen changes in sharaqi soils.

J. Microbiol., U.R.R. 1 : 47-56.

Ahmed, M.K. and Casida, J.E. (1958) :

Metabolism of some organophosphorus insecticides by microorganisms.

J.Economic. Entomology, 51 (1): 59-63.

Alexander, M. (1969) :

Microbial degradation and biological effects of pesticides in soil.

Soil biology, Res. of Res., UNESCO, Paris, PP. 209-240.

Aly, M. I.; Bakry, N.; Kishk, F. and El-sebae, A.H. (1980) :

Carbaryl adsorption on calcium-bentonite and soils.

Soil science society of America Journal, 44 (6) : 1213-1215.

Anan'eva, N.D and Sokolov, M.S.(1979) :

Assessing the influence of pesticides on the soil microflora and the availability of bound compounds for soil microorganisms.

Byulleten, vesoyuznogo Nauchno-Issledovatel skogo Instituta Sel, Skakhoz-yaistvennoi Mikrobiologii, 32-24.

Anderson, J.P.E. and Lichtenstein, E.P. (1972):

Effect of various soil fungi and insecticides on the capacity of *Mucor alternas* to degrade DDT.

Canadian Journal of Microbiology, 18 : 553-560.

Ashworth, M.R.F. (1969):

Thinlayer chromatography,

A laboratory hand book ,

Edited by (Egonstahl). Translated by M.R.E. Ashworth .

Azad, M.I and Khan, A.A (1968) :

Studies upon the reduction of nitrogen losses through denitrification from paddy soil by the application of pesticide.

W.pakistan, J.Agric. Research, 6 : 128.

Azad, M. I. and Saleem M. (1976) :

Effect of Folidol and Metasyston on some microbiological processes in soil 3.

Nitrogen fixing capacity of soil and soil microbial population.

Agriculture Pakistan 27 (2) : 165-172.

References

Azcon, R. and Barea, J.M. (1975) :

Thin layer chromatography

Plant soil, 43 (3) : 609-619.

Balasubramanian A. and Nilakantan, G. (1976) :

Effect of Aldicarb on the growth and indole acetic acid production by *Rhizobium japonicum* and *Azotobacter chroococcum*.

Mahras agricultural journal, 63 (4) 265-267.

Barik, S., Munnecke, D.M. (1982) :

Enzymatic hydrolysis of concentrated Diazinon in soil.

Bulletion of environmental contamination and texicology, 29 (2): 235-239.

Bartha, R.; Lanzihatta, R.P. and Pramer, D. (1967) :

Stability and effects of some pesticides in soil.

Appl. Microbiol., 15 : 67-75.

Bergy's Mannal (1984) :

Systematic bacteriology.

Ed.: Senath, P.H.A.; Mair, N.S.; Sharpe, M.E. and HoH, J.G.

(8 th ed.). The Williams & Wilkins comp., Baltimore, London.

Black. C.A.; Evans D.D.; white, J.L ; Clark, F.E. and Ensminger, L.E. (1965) :

In methods of soil analysis. Chemical and Microbiological properties.

Amer. Soc. of Agron., Inc., Madison, wisconsin USA.

References

Bollag, J.M. and Henninger, N.M. (1976) :

Influence of pesticides on denitrification in soil and with an isolated bacterium.
J. Environ. Qual., 5 : 15-18.

Bollag, J.M. and E.J. Kurek (1980) :

Nitrite and Nitrous oxide accumulation during denitrification in the presence of pesticides derivatives.

Applied and Environmental Microbiology, 39 (4); 845-849.

Bollag, J.M. and Nash, C.L. (1970) :

Effect of chemical structure of Phenyl urea and Anilines on the denitrification process.

Bull. Environ. Contam. Toxicol, 12 : 241-248.

Bollen, W.B.; Morriosen, H.E. and Crowell, H.H (1954b) :

Effect of the field and laboratory treatments with BHC and DDT on nitrogen transformation and soil respiration

J.Econ. Ent., 47 : 302.

Buchana, A.G. (1977) :

The response of *Az chroococcum* to oxygen. Superoxide-mediated effects.

Can. J. Microbiol., 11 : 1548.

References

Chandra, P. (1967) :

Effect of two chlorinated insecticides on soil microflora and nitrification process as influenced by different soil temperature and textures.

Progress in soils Biology Friedr, Vieweg and Sohn, Braunschweig, 320-330

(C.F. Soils and fert. 30 : 4234).

Chiaro, G.D.E. (1953) :

The effect of Chlordane on the soil microflora.

Agric. Ital., 53 : 347-359

(C.F. Soil and Fert., 18 : 1152).

Cochran, W.G. (1950) :

Estimation on bacterial densities by means of the most probable number Biometrics

6 : 102-116.

Cory, R.A. (1965) :

Laboratroy tests with Bidrin insecticides.

J. Econ. Entomol., 58 : 112-114.

De. S. K. and Srivastava, C.M., (1985) :

Effect of lindane on certain chemical and microbiological soil properties under different soil moisture conditions.

Indian Journal of agricultural chemistry, 18 (1) : 133-139.

References

Difco Manual (1972) :

Difco manual of dehydrated culture-media and reagents 9th ed. : 32

Difco laboratories, Detroit, Michigan, U.S.A.

Eisenhardt. A.R. (1975) :

Influence of the insecticide Phoxim on symbiotic and non-symbiotic nitrogen fixation determined by the acetylene reduction method. Tidsskrift for planteavl, 79 (2) : 264-258.

El-Beit, I.O.D.; Wheelock, J.V. and Cotton, D.E. (1981) :

Pesticides-microbial interaction in the soil.

International J. of enviromental studies, 16 (3-4) : 171-172.

El-Hoseiny, M.; Ouda A.E. and Haroun, B.M. (1985):

Effect of certain pesticides on the growth and potency of nitrogen fixation by certain *Azotobacter* species.

Egypt, J. Microbial. 20 (2) : 217-230.

Eliasson, L; Stromquist, L. M. and Tillberg, E. (1975) :

Reliability method for indole-3- acetic acid determination in crude plant extracts
Physiol. plant 56 : 16-19.

El-Shanshoury, A. R.R. and El-Sayed, M.A. (1988) :

Interaction between Terbutryn and soil microorganisms; pouplation changes and biosynthesis of indole-3-acetic acid.

Arab-GulF.J. Scient., Res., Agric, Biol., Sci., B6 (2): 246-253.

References

Emam, N. F. (1973) :

Studies on denitrifying bacteria.

M.Sc. thesis, Fac. Agric., Cairo univ., Cairo, Egypt.

Endo, T.T.; Kusaka, N. T and Sakai, M. (1982) :

Effect of the insecticide Cartap hydrochloride on soil microflora

J.pesticide science, 7 (1) : 1-7.

Forrest, Margaret, lord, K.A.; Walker, N. and Woodville, H.C. (1981) :

Influence of soil treatments on the bacterial degradation of Diazinon and other organophosphorus insecticides.

Enviromental pollution, Series A.

Gomah, A.M.; Abde- Latif, M.A. and Elbasuony, E.N. (1976) :

Effect of systemic insecticides on the growth of different plants and soil microorganisms.

Alexandria Journal of agricultural research, 23 (3), 443-452.

Gray, P.H.H. (1956) :

Effect of hexachlorocyclohexane on certain soil bacteria.

Vie Cong. Int Sic., Soil., Kopp. C.15, 17.

(C.F. Soil and Fert. 19 : 495).

Gunner, H.B. and Zuckerman, B.H. (1968) :

Degredation of Diazinon by synergistic microbial action.

Nature, London, 217 : 1183-1184.

References

Haider, K. and G.Jagnow (1975) :

Abbau Von C¹⁴, H³ and Cl³⁶ markiertem γ -Hexachlorocyclohexan. durch anaerobe Bodenmikroorganismen.

Archives of Microbiology, 104-113.

Hamed, A.S. (1965) :

Effect of insecticides, fungicides, and herbicides on soil microflora. M.Sc. Thesis, Faculty of Agric. Ain shams University.

Hamed, A.S. (1980) :

Influences of Nuvacron and Dipterex on nitrogen fixers, nitrifying bacteria and cellulose decomposers in the rhizosphere of vicia faba infested with *Fusarium oxysporium* and *Rhizoctonia solani*.

Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene, 135 (7): 623-629.

Harris, C.R. and Lichtenstein, E.P. (1961) :

Factors affecting the volatilization of insecticidal residues from soils.

J. Econ. Entomol., 54 : 1038-1045.

Hata, Y. and Akashi, K. (1980) :

Effect of soil colloids on adsorption of Piperophos by soils.

J. Pesticide science, 5 (1) : 23-27.

Hata, Y. and Isozaki (1980) :

References

The influence of soil properties on the adsorption and phytotoxicity of
Piperophos.

J. Pesticide Science, 5 (1) : 23 - 27

Hauke, R.T. (1957) :

The effect of insecticide BHC on the soil microflora.

(C.F. Soil and Fert., 21; 175)

Helling, C.S.; Kearney, P.C. and Alexander, M.(1971) :

Behaviour of pesticides in soils.

Adv. Agron. 23 :147-240.

Henninger, N.M and Bollag, J.M. (1976) :

Effect of chemicals used as nitrification inhibitors on the denitrification process.

Can. J.Microbiol., 22 : 668-672.

Heritage, A.D. and I.C. Macrae (1977) :

Degradation of Lindane by cell-free preparations of *Clostridium sphenoides*.

Appl. Environ. Microbiol. 34 (2) : 222-224.

Holtkamp, S. (1980) :

Effect of herb 50 W (propylamind on the vitamin C content in lettuce

Nachrichtenblatt des deutschen pflanzenschulzdienstes, 32 (9) : 133-138.

References

Ishac, Y.Z.; Selim, A. A.; Ramadan, E.M. and Amara, M.A.T

(1984) :

Effect of some insecticides on the biological activity of *Azotobacter chroococcum*

A 36. I. Ammonia and amino nitrogen contents and nitrogen fixing efficiency .

Budapest, Hungary; Akademiai, Kiado, 251-267

Jacobs. M.B. (1958) :

The chemical analysis of food and food products .

D. Van. Nostrand Co., Inc. New York. P. 34.

Jagnow, G.; Heinemeyer, O.; Iwan, J.; Domsch, K.H. and Anderson, J.P.E.

(1981).

Effects of Thidiazuron on selected microbiological processes and rotational crops.

Zeitschrift fur pflanzenkrankheiten und pflanzenschutz, 88 (7) : 413-421.

Jena, P.K. and Rao, V.R. (1987) :

Nitrogen fixation as influenced by pesticides and rice straw in paddy soils.

J.Agric. Sci., 108 (3) : 635-638.

Jensen, H.L. (1957) :

Decomposition of chlorosubstituted aliphatic acid by soil bacteria Canadian Journal of Microbiology, 3: 151-164.

Jensen, V. (1968) :

The plate count technique.

The ecology of soil bacteria, ed. Gray, T.R.G. and D. Parkinson,

Liverpool Univ. Press.

References

Jhala, A. C; Shah, A. H.; and Patel, Z.P. (1988) :

Residues of Carbaryl and Lindane in Pointed gourd (*Trichosanthes dioica*) and its soil.

Indian J. Agric. Sci., 58 (5); 418-419.

Johnen, B. C. and Drdw, E.A.(1977) :

Ecological effects of pesticides on soil microorganisms.

Soil Sci., 123 : 319-324.

Kamisak, S. and larsen, P. (1977) :

Improvement of Indole α -pyrene fluorescence method for quantative determination of indogenous indole-3-acetic acid in lettuce seedlings.

Plant Cell Phsiol. 18 : 595-602.

Kan, M.S. (1988).

A method for the analysis of secondary carbamate pesticide.

Pak. J. Sci., Ind. Res. 3 : 167-170.

Kandasmy, D.; Marimuthu, T.; Oblisami, G.; Rajukkannu, K. and Raghurai, R. (1977) :

A correlation between the dissipation of insecticides and rhizosphere microflora of *Abelmoschus esulentus* (L.) Moench.

Zentralblatt für Bakteriologie, parasitenkunde, Infektionskrankheiten und Hygien, 132 (4) ; 340-344.

References

Kandasmy, D.; Oblisami, G.; Krishnamoorthi, K.K.; and T.R. Subrmaniam (1975):

A study on the relationship between the dissipation of insecticides and rhizosphere microflora of paddy.

Madras Agricultural journal 62 (4) : 203-207.

Kasting, R. and Woodward, J.C. (1951) :

Persistence and toxicity of Parathion when added to soil.

Sci. Agric., 31: 133.

Kaufman, D.D. and Kearney, P.C. (1965) :

Microbial degradation of isopropyl N-3-chlorophenyl carbamate and 2-chloroethyl-N-3- Chlorophenly carbamate.

Applied Microbiology, 13 : 443.

Kaufman, D.D. and Blake, J. (1973) :

Microbial degradation of several Acetamide, Aceylanilide Carbamate, Toluidine and Urea pesticides.

Soil Boil. and Bioch. 5 : 297.

Kearney, P.C.; Nash, R.G. and Isensec, A.R. (1969).

Persistence of pesticides residues in soils.

ed. Miller and G.G., Berg.

Chemical fallout. Current research on persistent pesticides.

References

Kim, Jang Eok and Hong, Jong UCK, (1985) :

The adsorption of N-methyl carbamate insecticides on soils.

Han' guk Nonghwa Hakhoechi, 28 (3) : 124-130.

Kishan, S.; sinha, A.P. and Agnihotri, V.P. (1981) :

Role of *Azotobacter* in sugar cane culture and the effect of pesticides on its population in soil. Associative N₂-Fixation.

Boca Raton, Florida, USA. CRC Press, Inc., 103-108.

Kengt. E. and Bruinsma, J. (1973) :

A rapid, sensitive and accurate determination of indolyl acetic acid Phytochemistry, 12 : 753-756.

Konard, J.G.; Armstrong, D.E. and chesters, G.(1967) :

Insecticidal activity of Carbamate cholines terase inhibitors.

J. Agric. Food. Chem., 2 : 864-870.

Kumar, K.; Agrowal, R.A. and Gour, A.C. (1985):

Systemic granular insecticides and rhizosphere microflora of cotton J.Entomol Res.

(New Delhi) 8 (2) : 180 -192.

Lacob, M.; Matel, I.; Voica, E. and Vladu, S. (1981) :

Influence of some control treatement aganist *Grapholiths molesta* Busch., on the quantity and quality of peach fruits, on the irrigated sands of bank of the river Jiu.

Analele Institutului de cercetari pentru protectia plantelor 16 : 385-394.

References

Lichtenstein, E.P. and Schulz, K.R. (1964) :

The effect of moisture and microorganisms on the persistence and metabolism of some organophosphorus insecticides in soils with special emphasis on Parathion.

J.Economic Entomology, 57 (5) : 618-627.

Lin, S.H.; Funke, B.R. and schulz, K.R. (1972) :

Effect of some organophosphate and carbamate insecticides on nitrification and legume growth.

Plant and soil, 37 : 489.

Magu, S.P. and Bhowmik, S. (1984) :

Effect of 2-methyl-4 chlorophenoxybutyric acid (MCPB) and Disyston on legume-Rhizobium sysbiosis and rhizosphere microflora.

Zentralblatt fur Mikrobiologie, 139 (8) : 633-641.

Mahmoud, S.A.Z.; Taha, S.M. and Hamed, A.S. (1970) :

Effect of some pesticides on symbiotic nitrogen fixers.

The 2nd Confr. of Microbiol., Cairo, 98.

Mahmoud, S.A.Z. ; Taha, S.M.; Adel-Hafez, M.A. and Hamed.A.S. (1972) :

Effect of some pecticides on rhizosphere microflora of cotton plants.I. Insecticides and Fungicides.

Egypt J. Microbiol., 7 : 39.

References

Makawi, A.A.M.; Abdel-Nasser, M. and Abdel-Moneim, A.A. (1979).

Quantitative effects of some pesticides on certain physiological groups of microorganisms contributing to soil fertility.

Zentralblatt fur Bakteriologie. Parasitenkunde, Infektionskrankheiten und Hygiene.
134 (3) : 223-228.

Markham, R. (1942) :

Asteam distillation apparatus suitable for micro-kjeldahal analysis Biochem. J. 36 :
790.

Maslennikova, V.G.; Shtal'Berg, M.V. and Bersh, N.B. (1979) :

The decomposition of Izofos-3-in soil and in cultures of microorganisms.
Byulleten Vsesoyuznogo Nauchno-Issledovatel' skogo Instituta Sel'
skokhozyaistvennoi Mikrobiologii, 32 : 36-38.

Mathur, S.P.; Belanger, A.; Hamilton, H.A. and Khan, S.U. (1980).

Influence on microflora and persistence of field-applied Disulfoten, Permethrin and
Prometryne in an organic soil.
Pedobiologia, 20 (4), 237-242.

Mazur, A. (1946) :

An enzyme in animal tissue capable of hydrolysing the phosphorusfluorine bond of
alkyl-fluorophosphates.
J.Boil. Chem., 164 :271.

Mendoza, M.C. (1975) :

References

The effects of five insecticides on the growth of *Azotobacter chroococcum* and *Rhizobium trifolii*.

Anales del Institute Nacional de investigaciones Agrarids 2 : 21-35.

Menn, J.J.; Bain, J.B.M.; Adelson, R.J. and Patchelder, G.G. (1980) :

Degredation of N-(mercaptomethyl) phthalimide-S(0.0 dimethyl phosphorodithioate) "Imidan" in soil .

J. Econ Entomol., 58 : 875-878.

Menn. J.J.; Potchott, G.G., and Batchelder, G.H., (1960) :

The persistence of Trithion and organophosphorus insecticides in soil J.Econ. Ent., 53; 1080.

Moawad, H.; Zohdy, L.I; El-Din, S.M. S.B. and El-Din, H.G

(1979) :

Changes in certain biological and chemical properties urea treated soil as affected by pesticides application.

Egypt. J. Microbiol., 14 (1-2) : 29-36.

Mousdale, D.M.A; Butcher, D.N., and Powell, R.G. (1978) :

Spectrophotofluorimetric methods of determining indole-3-acetic acid.

PP. 27-39. In : Hillmen, J.R. (ed.) : Insolation of plant growth substances

Cambridge, combridge Univ. Press.

References

Nain, L.R.; Rana, R.S. and Verma, S.K. (1984) :

Effect of some insecticides on free living nitrogen fixers and denitri- fying bacteria.

Journal of the Indian society of soil science, 32 (2) : 669-672 .

Narsale, R.N., More, B.B., and Patil, P.L., (1984) :

Effects of *Azotobacter* with a fungicide and insecticides on cotton *Gossypium hirsutum*.

J. Maharashtra Agric. Univ, 9 (1) : 79-80

Naumann, K. (1958) :

The effect of high concentrations of Parathion on soil micorflora of soil at different moisture levels.

(C.F. Soil and Fert. 21 : 380)

Naumann, K. (1959) :

The effect of pesticides on the soil microflora.

(C.F. Soil and Fert. 23 : 215).

Naumann, K. (1970) :

Dynamics of the soil microflora following application of insecticides. II. Reaction of soil bacteria belonging to different physiological groups to field applications of Methyl parathion.

Zentble Bakt. Parasitkde Abt., 124.

References

Nishihar, T. (1962) :

The search for chemical agents which efficiently inhibit nitrification in soil and studies on its utilization in agricultural practice.

Bull. Fac. Agric. Kagoshima Univ., 12 :107-158.

Norris, J. R. and Chapman, M. (1968) :

Classification of *Azotobacter*

ed. : Gibbs, B. M. and D.A., shapton (1968), p. 19-27

Identification methods for microbiologists.

Part B. Acedamic Press , London.

Nowinska. J. (1979) :

Effect of mechanical composition dynamics of disappearance of Polfos and Gardona in the soil.

Roczniki Nauk Rolniczych, 9 (2) : 65-76.

Oblisami, G.; Baloraman, K.; Natarajan, T. and Kulandaivelu,R. (1977) :

Effect of organophosphorous insecticides on soil microflora, nodulation and yield of groundnut.

Madras Agricultural Journal 64 (6) : 375-378.

Oblisami, G.; Natarajan, T. and Bagyaraj, D. T. (1979) :

Effect of Carbofuran on certain microbiological and chemical properties of red soil.

Mysore J. Agricultural Sciences, 13 (2) : 187-190.

References

Ohisa, N.; Yamaguchi, M. (1980) :

Clostridium species and Gamma BHC degradation in paddy soil.

Soil. Boil. Biochem., 11 (6) : 645-650.

Ou, L.T; Davidson, I.M. and Rothwell, D.F. (1978) :

Response on soil microflora to high 2,4-D applications.

Soil Biol . Biochem., 10 : 443-446.

Peeters, J.F.; Van Rossen, A.R.; Heremans, K.A. and

Delcambe, L. (1975) :

Influence of pesticides on the presence and activity of nitrogenase in

Azotobacter vinelandii.

Journal of Agricultural and food Chemistry, 23 (3) : 404-406.

Phelps, R.H. and Sequeirg, L. (1968) :

Auxin biosynthesis in a host-parasite complex.

In : Biochemistry and physiology of plant growth substances. pp.,

197- 212.

Plummer, T.V. (1971) :

An introduction to practical biochemistry. Second ed.

Mc Grow-H.U book Company (Uk) limited , Press, London.

Podojil, M. and Sevcik. V. (1960)

Isolation of Gibberellic acid on Ion Exchange Resins

Fol. Microbiol., 5 : 192

References

Poi, S.C. and Ghosh, G. (1986) :

Effect of some fungicides and insecticides on *Rhizobium* and *Azotobacter*.
Environ. Ecol., 4 (3) : 503-505.

Polyakova, A.V.; Baskunov, B.P. and Golovleva L.A., (1984) :

The effect of Methoxychlor on soil microflora and its transformation by
microorganisms.
Mikrobiologiya, 53 (3) : 442-449.

Rahal, A.G.M. (1979) :

Behaviour of some insecticides in soil and plant.
PH.D. Fac. Agric. Cairo Univ. Cairo, Egypt.

Rahman, A. and Matthews, L.J. (1979) :

Effect of soil organic matter on the phytotoxicity of thirteen
S-triazine herbicides.
Weed Science, 27 (2) : 158-161.

Rajogopal, B.S; Soudamini,P. and Sethunathan, N. (1986) Accelerated

degradation of Carbaryl and Carbofuran phenol.
Bull. Environ. Contam. Toxicol., 36 (6) : 837-832.

Ramadan, E.M. and Zidan, Z.H. (1975 a) :

Influence of certain organophosphorus insecticides on soil microflora .I. Total
microbial flora, actinomycetes, fungi, yeasts and cellulose decomposers.
Annals of Agric. Science, Fac. of Agric., Ain shams Univ. Cairo, 20 (2): 57.

References

Ramadan , E.M. and Z.H. Zidan (1975b) :

Influence of certain organophosphorus insecticides on soil microflora.

II. Non symbiotic nitrogen fixers and nitrifying bacteria.

Annals of Agric. Science, Fac. of Agric., Ain shams Univ. Cairo, 20 (2): 65.

Ramadan, E.M ;Ishac,Y.Z.; Selim, A.A. and Amara, M.A.T.

(1984) :

Effect of some insecticides on the biological activity of *Azotobacter chroococcum*

A36, I. Ammonia and amino nitrogen contents and nitrogen fixing efficiency. II.

Growth rate and sugar consumption. M.BC. Thesis, Fac. of Agric, Ain shams

Univ. Shoubra El-khemima Cairo, Egypt.

Richards, L.A. (1954):

Diagnosis and Improvement of Saline and Alkaline soils

Ed. U.S.A., Dept. Agriculture, Agric. Hand book 60 : 17-133.

Richard, B.; Lanzilotta, R.P. and David, P. (1987) :

Stability and effects of some pesticides in soil.

Appl. Microbiol, 15 : 67-69.

Rodell, S.; Funke, B.R., and Sculz, J.T. (1977) :

Effects of insecticides on acetylene reduction by *Azotobacter vinelandii* and soybean nodules.

Plant and Soil, 47 (2) : 375-381.

References

Sayed Ahmed, M.M. (1969) :

The biosynthesis of amino acids by microorganisms.

M.Sc. thesis, Fac. of Science, Cairo Univ., Cairo, Egypt.

Selim, R.G., El Mokadim. S.A.M. (1970) :

Effect of Dieldrin and Lindane on the growth and nodulation of *V. faba*.

Plant and Soil, 33 : 225-229.

Sengupta, P.K; Chakrabarti, A. and Banerjee, S.K. (1988) :

Carbaryl toxicity in germinating seeds of *Vigna sinensis* effect of gibberellic acid supplementation.

Curr. Sci, 57 (8) : 415-417.

Sethunathan, N. and MacRae, I.C. (1969) :

Degradation of Benzene hexachloride by soil bacterium.

Can. J.Microbiol., 15 : 1349-1354.

Sethunathan, N. and Yoshida, T. (1969) :

Fate of Diazinon in submerged soil. Accumulation of hydrolysis product

J.Agric. Food Chem., 17:1192-1194.

Sethunathan, N. and Yoshida, T. (1973) :

Parathion degradation in submerged rice soils in the Philippines.

J. Agric. and Food Chem., 21 : 504 :

Shanimov, K.I and Isin, M.M. (1977) :

References

The effect of insecticides on apple tree development.

Khimiya vsel' skom khozyaistve, 15 (5) : 61-63.

Siddaramappa, R.; Rajaram, K.P and Sethunathan, N. (1973) :

Degredation of Parathion bacteria isolated from flooded soil.

Applied Microbiol., 26 : 846.

Sinha, A.P. and Singh, A., (1979) :

Effect of Indar soil microflora and their nitrification and ammoni- fication activities.

Proceeding of the Indian national Science acedemy, 45 (3) : 255-260.

Sivaswamy S.N. and Mahadevan, A., (1986) :

Effect of stable Bleaching powder on soil microorganisms and seed germination.

Acta Botanica indica, 14 (1): 116-119.

Smelt. J. H; Dekker, A. and Leistra, M. (1979) :

Effect of soil moisture condition on the conversion rate of Oxamyl. Netherlands

Journal of Agricultural science , 27 (3) : 191-198.

Smith , N.R.; Daawson, J.T. and Wenzel, M.E (1945) :

The effect of certain herbicides on soil microorganisms.

Proc. Soil Sci., Soc., Amer., 10 : 197.

Smith, N.R. and Wenzel, M.E., (1947) :

Soil microorganisms are affected by some of the new insecticides.

References

Proc. Soil Sci., Soc., Amer., 12 : 227.

Stoessl, A. and Venis, M.A. (1970) :

Determination of submicroorganism levels of indol-3-acetic acid.

A new, highly specific method.

Anal. Biochem., 34 : 344-351.

Swaminathum, R. and Sullia, S.B. (1969) :

Influence of the pesticide Malathion on grown curr.

Sci., 38 : 282-284.

Thangovelu, k. (1985) :

Insecticides on nitrogen fixing bacteria in cotton *Gossypium barbadense* rhizosphere.

Pesticides, 18 (10) : 48-409.

Tirol, A. C; Santiago, S.T. and Watannabe, I. (1981) :

Effect of the insecticide Carbofuran on microbial activities in flooded soil.

J.Pesticide Science, 6 (1) : 83-89.

Tu, C.M. (1970) :

Effect of four organophosphorus insecticides on microbial activities in soil.

Appl. Microbiol., 19 : 479-484.

Tu, C.M. (1980) :

References

Influence of pesticides and some of the oxidized analogues on microbial population, nitrification and respiration activities in soil
Bulletin of environmental contamination and toxicology, 24 (1) 13-19.

Tu, C.M. and Miles, J.R.W (1976) :

Interactions between insecticides and soil microbes.
Residues Res., 64 : 17-65.

Tucker, B.V. and Pack, D.E (1972) :

Bux insecticides soil metabolism.
J. Agric. Food. Chem. 20 (2): 412-416.

Van Faossen, H.G. (1974) :

Effect of Fungicide Benomyl on some metabolic processes and on numbers of bacteria and actinomycetes in the soil.
Soil. Biol., Biochem., 6: 131.

Van schreven D.A.;Lindenbergh, D.J. and Korider,H. (1970) :

Effect of several herbicides on bacterial population and activity and persistence of these herbicides in soil.
Plant and Soil, 33 : 513-532.

Venkateswarlu, K. and Sethunathan, N. (1978) :

Degradation of Carbofuran in rice soils as influenced by repeated applications and exposure to aerobic condition following anaerobiosis
Journal of Agricultural and food chemistry, 26 ; 1148-1151.

Verona, D. and Picci, G. (1952) :

References

The effect of systemic insecticides on microflora of soil.

(C.F. Soils and Fert., 16 : 36.)

Visalakshi, A.M.R.; Nair, G.K. and Aiyer, R.S (1979) :

Effect of Phorate on mineralisation of nitrogen a red soil.

Pesticides. 13 (3) : 21-23.

Walker, N.A. (1978) :

soil *Flavobacterium* sp. that degrades Sulphanilamide.

Journal of Applied Bacteriology, 45 : 125-129.

whitney, W.K. (1967) :

Laboratory tests with Dursban and other insecticides in soil

J.Econ. Entomol., 60 : 68-74.

Wilson, J.K and Choudhri, R.S. (1948) :

The effect of Benzen hexachloride on soil organisms.

J. Agric, Res., 77 : 25.

Yasuno, M.; Hirakoso, S.; Sosa, M. and Uchida, M. (1966) :

Inactivation of some organophosphorus insecticides by bacteria in polluted water.

Japan J. Exptl. Med. 35 (h) : 545.

References

Youssif, E.A. (1953) :

Studies on the absorption and assimilation of monoaminodicarboxylic acids by the
redish root slices with particular reference to effect of
2,4-D.

M. Sci. Thesis. Fac. of Science, Bot. Dept., Cairo. Univ. Cairo, Egypt.

References
