

REFERENCES

Abdalla, O.A. (1973):

Studies on the adaptation of barley and shoots to salinity. M.Sc. Thesis, Cairo University, Faculty of Science.

Abdel-Aziz, I.M.; Mahmoud, M.H. and Ashoub, M.A. (1985):

Interactive effects of indole acetic acid (IAA) and salinity on the germination and growth of soybean seedlings. An. Agr. Sci., Fac. Agric., Ain Shams Univ., Cairo Egypt, 30 (2), 1093-1108.

Abd El-Halem, A.K.; Hammad, A.H.K. Sharabash, M.T.M. and Orabi, I.O.A. (1989):

Effect of gamma irradiation and salinity on growth yield and chemical composition of wheat. Egypt. J. Agron., 14, No. (12) PP. 21-33.

Abdel-Mattaleb, M.A.; Omar, M.A. and Dorra, M.D.M. (1984):

Sodium salinity effect on the uptake of phosphorus and nitrogen as fertilizer elements by barley plants using water cultures technique. Agric. Sci., Mansura Univ., 9 (3): 536-539.

Abdel-Salam, A.S. (1970):

Physiological principles of salt tolerance in leguminous plants. El-Felaha, 50 16-28 (Arabic).

Abdou, F.M.; El-Kobbia, T.M.; Hamdi, H. and Moustafa, F.E. (1971):

The effect of high salt concentrations on the growth of barley plants. J. Soil Sci., U.A.K., 11: No. (1), 61-67.

Abo-Hegazi, A.M.T. (1980):

Radiation effects on seed protein content and other characters of the varieties of wheat. Isotops and Rad. Res., 12, (2), 145-149.

Ahmed, M.T.; Hussein, A. and Sattar, A. (1973):

Effect of gamma irradiation and storage on the biochemical and technological properties of some Pakistan wheat varieties. Pak. Sci. Ind. Res., 10 (3-4): 132-136.

Akoplan, P.A. (1957):

Changes in the composition of monosaccharides and disaccharides in Babeliu alopecarpides when growing on saline soils. Dok. Akad. Nauk. Armianskal SSR. 29, (3) 121.

Albo, S.P.A. (1976):

Radiation stimulation of sugar beet seeds. Sementi Elette, 22, 53-57.

Alkawity, A.S.; Mossa, S.H.; Alhadi, F.H. and Abdulkadir, W.D. (1972):

Effect of exposing small seeds to different doses of gamma-rays on growth and formation of plant parts. In First Scientific Conference, Scientific Research Foundation, General and Agricultural Science, Baghdad, Iraq.

Ali, O.M. and Robisky, A.A. (1983):

Effect of seed irradiation with gamma-rays on fodder bean yield subjected to irrigation water with different quality. The Desert Institute Bull. A.R.E. No. 14 (special publication).

Al-Odat, M. (1987):

The influence of preirradiation of seeds on the growth development and yield of barley and wheat plants grown in Syrian Arab Republic. Radiologiya 27 (2): 282-285.

Amer, S. and Hakeem, H.A. (1964):

Studies on the effect of CO-60 gamma radiation on wheat. Rad. Bot., 4, 95-100.

Ananthaswamy, H.W.; Vakil, U.K. and Sreenivasan, A. (1970):

Susceptibility to amylolysis of gamma irradiated wheat. J. food Sci., 35 (6): 792-974.

Andonov, I.T.; Ehrenbergerova, C. and Krc, C. (1983):

Study of economically important 5 characters in mutant material of spring fodder barley. Acta Universitatis Agriculturae, Brno, 31: (53) Wheat. barley and tritical: 3626 (Abst).

Aslam, M.; Huffaker, R.C. and Rains, D.W. (1984):

Early effects of salinity on nitrate assimilation in barley seedling. Plant physiol., 75 (2): 321-325.

Arman, L.A.; Kocheltkova, I.A.; Izmailov, S.P. and Smirov, A.N. (1978):

Changes in amino acids and carbohydrate metabolism in corn seedlings following gamma irradiation of the seeds. Fizid-Biokhim. Raat. 128-34. C.F. Chemical Abst., 91, 170806 h.

Azer, S.A. (1982):

The effect of gamma-rays and micro elements on growth yield and chemical contents of sugar beet. M.Sc. Thesis "Agronomy", Fac. Agric., Ain Shams University.

Azab, A.S.M. (1976):

Some studies of hormonal effects on the germination of seeds of some Egyptian cotton varieties, M.Sc. Thesis, Al Azhar Univ. Fac. of Agriculture.

Azizbekova, Z.S. and Bobaeva, Z.A. (1962):

Carbohydrate metabolism in maize effected by presowing hardening on soil salts of various qualities. Izves Akd. Nauk. Azerbaidzhansk, S.S.R. Ser. Biol., Med. Naak. 6, 3-8.

Bakr, A.M.; Hegazy, A.T.; Ashour, N.I.; El-Fouly, M.M. and Moursy, H.A. (1971):

Induction of salt tolerance in wheat. Beitr. Trop. subtrop. Landwirt. tropen-vetriarenmedizin, Karl Marx-University, 3, 229.

Bair, W.I.; Standard, J.N. and Broce, A.K. (1956):

Relationship between electrolysis and radiation effects on cell metabolism. Intern. Conf. on the peaceful uses of Atomic Energy, Geneva, 1955. Red. 11, 5.292-295, New York United Nations.

Bejaoui, M. (1985):

Interaction between chloride and some phytohormones on soybean (Glycine max) growth. J. Plant Physiol. 120 (2): 25-110 (In Frwita Engl. summ).

Ben-Zoini, A.; Latal, C.. and Vaadia, Y. (1967):

Water and salt stresses, kinetin and protein synthesis in tobacco leaves. Plant Physiol, 42, 361-366.

Bernstein, L. and Hayward, H.E. (1958):

Physiology of salt tolerance. Ann. Rev. Plant physiol., 2, 25.

Bernstein, L. (1959):

Salt tolerance of vegetable crops in the west. Agric. Inform. Bull., 205.

Bernstein, L. (1962):

Salt tolerance of field crops U.S. Dept. Agric., Agr. Infor. Bull., 217.

Bernstein, L. (1974):

Crop growth and salinity in "Drainage for Agriculture J. Van Schifgaorde (ed.) Agron. Monog. 17 Am. Soc. Agron., Madison, WI. PP. 39-54.

Bhattacharya, M.K. (1977):

Reversal of inhibitory effects of gamma irradiated soybean plants through IAA and GA. Trance. BonaRet. Inst., 40: 93-100.

Bigashev, G. and Amonzholova, L. (1976):

Effect of gamma-rays on yield sugar content of poly-podoic sugar beet in relation to growing condition. Turdy Kazhago Instituta Botoniki. 36: 139-141 (C.F. field crop Abst., 22 (3) (1978).

Bohl, B.S. and Akum, B.T. (1983):

Advanced organic chemistry.
New delhi India.

Boyer, J.S. (1964):

Effect of osmotic water stress on metabolic rates of cotton plants with open stamata. Bot. Dep., Duke Univ., Durham, North Carolina.

Boyer, J.S. and Meyer, R.F. (1980):

Osmoregulation in plants during drought. Genetic Engineering of Osmoregulation (D.W. Rains, R.C. Valentine, and A. Hollaender, eds). PP. 199-202. Plenum Press, New York and London.

Bulavin, A.I. (1977):

Effect of presowing gamma irradiation of seeds on yield inhybrid and parental plants of sugar beet. Referativnyi Zhurnal 5.65, 596.

Burton, C.W.; Monosn, W.C.; Hanna, W.W. and Constantin, M.J. (1975):

Silage production and quality of pearlmillet, sorghum, and corn hybride grown from seed exposed to low doses of gamma-rays. Rad. Bot. 15, 33-38.

Chatterton, J.N. and Mekell, C.M. (1969):

Atriplex polycarpa I. Germination and growth as affected by sodium chloride in water cultures. Agron. J. Vol. 101, 448-469.

Chauban, S.V.S.; Kumar, R. and Kinoshita, T. (1984):

Protein and malt quality in some gamma-rays induced high yielding mutants in barley (Horheum. vulgare), J. Fac. of Agr., Hokkodo Univ, 62: 55, wheat, barley and tritical, 2: 214 (Abst).

Chem, D.; Kessler, B. and Monselies, S.P. (1964):

Studies on water regime and nitrogen metabolism of citrus seedlings grown under water stress. Plant Physiol. 39, 379-386.

Chu, T.M.; Aspinall, D. and Paleg, L.G. (1976):

Stress metabolism VII: Salinity and proline accumulation in barley. J. Plant Physiol. 3, 219-28.

Constantin, M.J.; Klobe, W.D. and Shold, L.N. (1976):

Effect of physical and chemical mutagens on survival, growth and seed yield of soybeans. Crop. Sci., 16, 49-52.

Daubenmira, R.F. (1974):

Plants and Envioroment. A Text Book of Plant Autecology. C.F. on Shahin N. (1979).

Dewey, D.R. (1960):

Salt tolerance of twenty five strains of Agropyron. J. 52, 631. C.F. Hassanlen (1975).

Dorgham, E.A. (1991):

Effect of water stress, irradiation and nitrogen fertilization on grain filling, yield and quality of certain wheat cultivars. Ph.D. thesis, Fac. of Agric. Ain Shams Univ. Egypt. 62, 55. wheat, barley and tritical, 2: 214 (Abst).

Downton, W.J.S. (1977):

Photosynthesis salt stressed grape vines. Austr.
Plant Physiol. 4, 103-102.

Dregne, H.L. (1964):

Plant response to fertilizers on a saline soil. N.
Mex. Agric. Exp. Sta, Res. Rpt. 94 (after Agric.
Res. Her. 49 (2): 25.

Dubois, M.; Gilles, K.A.; Hamilton, J.K.; Rebers, P.A. and
Smith, P. (1956):

Colourimetric method for determination of sugar and
related substances. Analyt. Chem., 28, 350.

Eid, S.A.; El-Naggar, H.A.; Abdo, Z.A. and Azer, S.A.
(1983):

Effect of gamma radiation on barley grains and malt
production. Res. Bull. Ain Shams Univ. Fac. Agric.,
No. 1844, P. 22.

El-Bastawesy, F.I. and EL-Masry, R.R. (1971):

Effect of gamma rays on wheat plants Egypt. J. Bot.,
16: 413.

El-Deep, B.A. (1984):

The effect of plant hormones and salinity on some
physiological activities of some plants. M.Sc.
Thesis, Assiut University.

El-Gala, A. and El-Leboudi, A. (1979):

Irrigation with saline water. II-Effect of ion compet-
ition on plant growth and content of alkali elements.
Res. Bull. 536, Fac. Agric., Ain Shams Univ.

El-Kady, M.A. and Sokar, R.A. (1983):

Response of soybean plant to single and combined
treatment of gamma-irradiation, cycocel, and Alar. J.
Agric. Res., Tanta Univ. 2 (2).

El-Leboudi, A. and El-Gala (1970):

Irrigation with saline water. I-Effect of salt concentration, frequency of irrigation and humidity of growth medium on barley plant. Res. Bull 520 Fac. Agric., Ain Shams, Univ.

El-Leboudi, A.; El-Kobbia, T. and Moukhtar, M. (1974):

Phosphate nutrition of plants as affected with application of sodium salts. Agric. Res. Rev., Cairo 52, 76-78.

El-Sayed, S.A.; Raouf, M.S.; Morad, M.M. and Rady, A.H. (1979):

Effect of gamma irradiation on fatty acids of tomatoes seed oil Arab. of Nuclear Sciences and applications 12 (2) P. 361-374.

El-Shahaby, O.A. (1981):

Studies on growth and metabolism of certain plants. Ph. D. Thesis, University of Mansoura, Mansoura, Egypt.

El-Shourbagy, M.N. and Missak, N.L. (1975):

Effect of growing season and salinity on growth, mineral composition and seed lipid characteristics of some *Ricinus communis* L-varieties. Flora, 164, 51-71.

Epstein, E. and Sorger, G.J. (1966):

Role of mineral elements with emphasis on the univalent cation. Ann. Rev. Plant. Physiol., 17, 4776.

Epstein, E. (1972):

Physiological genetics of plant nutrition. In "Mineral nutrition of plants principles and perspectives" Epstein, E. (ed), John Wiley and Sons, New York, PP. 325-344.

Filuld, H. and Calburn, C. (1974):

Effect of gamma radiation on the biochemical storage and bread making properties of wheat. *Cereal Sci.*, 12, 253-257.

Fowler, D.B. and Macqueen, K.F. (1972):

Effect of low doses of gamma radiation on yield and other agronomic characters of spring wheat. *Rad. Bot.* 12, 349-353.

Froier, K. and Gustafson, A. (1944):

The influence of seed size and hulls on X-rays sensitivity in cereals. *Hereditas* 27, 209-219.

Fuji, T. and Matsumura, S. (1958):

Radiosensitivity in plants, I. Determination of ID-go in cultivated plants. *Jap. J. Genet.* 33, 389-397.

Gale, J. (1975):

Water balance and gas exchange of plants under saline environments. (A. Poljokoff-Mayber and J. Gale eds). Springer-Verlag, Berlin, Hedielsberg, New York, ISBN3-546-7193-8.

Gausman, H.W.; Cowley, W.R. and Borton, J.H. (1964):

Reaction of some grasses to artificial salinization, *Agron. J.*, 46, 412.

Genkel, P.A. (1961):

Drought resistance in plants. Methods of recognition and intensification in plant water relationship in arid and semiarid conditions. *Proc. Madrid. Symp.*, (XVI) UNESCO Paris.

Ghandorah, M.O. and Sliman, Z.T. (1988):

Effect of salinity of growth, nodulation and N-fixation of two soybean cultivars. *Ann. Agric. Sci.*, Fac. Agric., Ain Shams. Univ., Cairo, Egypt 33 (1), 201-211.

Gill, K.S. and Singh, O.S. (1985):

Effect of salinity on carbohydrate metabolism during paddy (Oryza sativa) seed germination under salt stress conditions. Indian. J. Exp. Biol. 23, (7): 384-386.

Goranov, A. (1972):

Stem growth, number of leaves and branches depending on gamma-irradiation and post-irradiation pre-sowing, temperature treatments of squash seeds (sofii, Univ., Biol. Fak., 2, 149-161.

Gordan, S.A. and Weber, K.R. (1957):

The radiosensitivity of indolactic acid. Plant physiol., 30, 200.

Gorge, O.K.; Misra, B.C. and Singh, B.D. (1972):

Effect of pre-sowing exposure of seeds to gamma-radiation on the drought resistance behavior of barley plant (Hordium vulgare L.1). Plant and Soil, 36, 39.

Gorham, J.; Hungen, L. and Jones, W. (1981):

Low molecular weight carbohydrates in some salt-stressed plants. J. Physio. Plant 53, 27-33.

Goswami, B.C. (1975):

Studies on the effect of gamma irradiation on barley J. Assam. Sci. Soc. 2, 144-149.

Goyal, A.; Brown, A.D. and Girmier, H. (1987):

Regulation of salt-induced starch degradation in Dunaliella terfiolecta. J. Plant Physiol., 127, (42), 37-96.

Greenway, H. and Osmond, C.B. (1972):

Salt responses of enzymes from species differing, in salt tolerance. Plant physiol., 49, 258-259.

Graver, I.S. and Dhanju, M.S. (1979):

Effect of gamma-radiation on germination of Papaver somniferum and Prhoeas. Indian J. of plant Physiol., 75, 77.

Gunckel, J.E. and Sparrow, A.H. (1971):

Ionizing radiations: biohcmeical, physiological and morphological aspects of their effects on plants. Encyclopedia of plant physiol., 16, 555.

Gupta, G. and Baigai, B.D. (1984):

Influence of different levels of sodium chloride on early seedling, growth of certain barley cultivars (Hordium vulgaris L.). Indian J. of Agric. Res., 18 (18), 40-44.

Hammad, A.H.A.; Abd El-Halem, A.K.; Orabl, O.A. and Hussein, M.M. (1988):

Effect of gamma irradiation and salinity on growth, yield and its components and chemical composition of barley. Egypt. J. Agron., 13, (12), 101-114.

Hamed, A.S.; Khaled, C.M.; Helal, H.M. and Sitohy, M.Z. (1977):

Effect of sodium chloride salinity on the biosynthesis of amino acids of plant seedlings. Annals of Agric., Moshtohor, Egypt. Vol. 8, 177-186.

Harb, R.K.E. (1981):

Studies on mutation induced by gamma radiation and ethylen ethane sulphate in two soybean cultivars. Ph.D. Thesis, Fac. Agric., Cairo Univ.

Hashem, E.A. (1984):

Physiological studies on the effect of salinization on soybean plant. M.Sc. Thesis, Botony Dept., Fac. Sci., Zagazig Univ.

Hassanein, R.A. (1977):

Effect of certain growth regulators on plant growth and development. Ph. D. Thesis, Botany Dept., Faculty of Sci., Ain Shams Univ.

Hassan, H.A.; Ali, S.M. and Abdel-Gawwad, A.I. (1988):

Chemical changes induced by gamma irradiation in soybean seeds: Effect on some oil contents, phospholipids, Fatty acids, Hydrocarbons and Sterols. J. Agric. Sci., Mansoura Univ., 13 (1): 278-286.

Hefni, El-S.H.M.; El-Sayed, Shokr, Kishk, E.T.; Shalaby, A.A. and Hassan, H.K.H. (1984a):

Effect of phosphons and alar on the content of total carbohydrates, proteins and minerals in shoots and grains of barley plants grown under saline conditions 9th International Congress for Statistics Computer Science Social and Demographic research 31-March-5 April 1984 Ain Shams Univ.

Hefni, El-S.H.M.; El-Dehaby, A.; Shalaby, A.A.; Kishk, E.T. and Hassan, H.K.H. (1984b):

Growth regulation in relation to growth and yield improvements of barley plants grown under saline conditions Ninth International Congress for Statistics, Computer Science Social and Demographic research 31-March-5 April 1984: Ain Shams Univ.

Heikal, M.M.D. (1975):

Physiological studies on salinity. I-Effects of saline irrigation on growth and photosynthetic pigments of sunflower and safflower plants. Bull. Fac. Sci., Assuit. Univ., 4, 29-39.

Heikal, M.M.D. (1976):

Physiological studies on salinity:5-Effects of salinity on photosynthetic pigments and nitrogen content and growth of wheat and radish plants. Bull. Fac. Sci., Assuit. Univ., Egypt, 5, 243-256.

Heikal, M.M. and Shaddad, M.A. (1981):

Allevation of osmotic stress on seed germination and seedling growth of cotton pea and wheat by proline. *Phyton* 22, 275-287.

Heikal, M.M.; Shaddad, M.A. and Ahmed, A.M. (1982):

Effect of water stress and gibberillic acid on germination of flux, sesone and Onion seeds, *Biologia Plantarum*, 24, 124-129.

Helal, H.M. (1977):

The effect of NaCl salinity on the growth and content of various nitrogen fractions in barley, wheat and corn seedlings. *Zagazig J. of Agric. Res.*, 1, (1), P. 17-23.

Hinson, K. and Hartwing, E.E. (1977):

Soybean production in the tropic. FAO. Plant production and protection.

Hodyngy, A. (1964):

The relationship between germination in the laboratory and the cultural value of pea seeds. *Noveny-terneles*, 13, 201-212. *C.F. Hort. Abst.* 35 (1) 1965.

Hurkman, W.J.; Fornari, C.B. and Tanaka, C.K. (1989):

A comparison of the effect of salt on polypeptides and granslatable m RNAs in roots of a salt-tolerant and a salt-sensitive cultivar of barley. *Am. Soc. of Plant Physiol.*, 90, (4), 1444-1456.

Hussein, M.H. (1985):

Effect of water stress on organic and amino acid metabolism in the plant. M.Sc. Thesis, Mansoura Univ.

Hutton, E.M. (1971):

Variation in salt response between tropical pasture legumes. *Sabro Newsletter*, 3, 75-81.

Iqbal, J.; Kutacet, M. and Jiracek, V. (1974):

Effect of acute gamma irradiation on the concentration of amino acids and protein nitrogen in Zea mays. Rad., Bot., 14, 165.

Iqbal, J. (1980) .

Effect of acute gamma irradiation development stages and cultivar differences on growth and yield of wheat and sorghum plants, Envi., & Exper. Bot., 20, 219.

Ioneva, Z. and Petrov-Spirdonov, A.E. (1955):

Biometric parameters and osmotic potential of plant organs under conditions of chloride salinity (Div. plant physiol., K.A. Tiniryazer Agric. Acad. Moscow. MSSR). 12 V Tiniryazer S-Kh Akado (3). 120-128.

Iwake, S.; Kawal, M. and Ikemote, S. (1958):

Studies on the salt injury of rice plants Proc. Crop Sci. Soc., 27, No. (1), 77.

Jefferies, R.L.; Rudmic, T. and Dillon, E.M. (1979):

Response of halophytes to high salinities and low water potential. Ibid. 64, 989-994.

Jiracek, V.; Kryzn, K.; Votrula, T. and Kostir, J. (1970):

The effect of chronic gamma-rays on the metabolism of amino acids and sugars in pea and wheat. Rostl. Vyroba, 16, 657-670, field crop., 24, 97.

Jonsson, H.A. and Nilsson, G. (1977):

Tolerance in red fescue to high salt concentration weibullus gras-tips, 20, 29-31.

Joshi, R.K. and Ledaux, L. (1970):

Influence of irradiation and seed moisture on nucleic acid and protein metabolism in barley. Rad. Bot. 10, 437.

Joshi, R.K.; Pandey, D.P. and Baur, B.K. (1971):

On the relation of morpho physiological expression of barley to gamma radiation exposure. Rad. Bot. 11, 335

Joshi, A.J. (1986):

Effect of sea water on amino acid and mineral ion composition in Salicornia brachiata. J. Plant. Physiol., 123, (5), 497-502.

Kahan, R.S. and Poljakofi-Myber, A. (1968):

Effect of substrate salinity on the ability for protein synthesis in pea roots. Plant, Physiol., Ibid., 43, 1115-1119.

Kahan, R.S. (1973):

Increased vegetative and generative plant growth induced by pre-sowing treatment of seeds with small doses of gamma-rays. Experientia, 8, 891-892. (L.E. Nuclear Sci: Abst. 30 (6).

Kang, S. and Jueel, G.K. (1984):

Effect of NaCl salinity on CO₂ assimilation and incorporation of C¹⁴ in various chemical fractions of young spring wheat plants. Zeitschrift fur. Pfeanzenernahrung und Bodenkunde. 147, (5), 565-571. field crop Abst. 38 (10): 617.

Khan, S.S. and Sheikh, K.H. (1977):

Effect of different levels of salinity on seed germination and growth of Capasicum annuum var. longum. Biologia (lohore), 22 (1) 15-26.

Khalil, M.A.; Amer, F. and El-Gabaly, M.M. (1967):

A salinity fertility study on corn and cotton. Soil. Sci. Soc. Proc., 31, 683.

Khatib, J.H. (1965):

Effect of certain salts on the germination of alfalfa and bresen clover seed. M.Sc. Thesis. Tucson, University of Arizona.

Kleinkof, G.E. and Wallace, A. (1974):

Physiological basis for salt tolerance in Tamarix ramossissima. Plant Sci. Lett. 3, 157-163.

Kishk, E.T. (1984):

Effect of gamma ray irradiation on growth yield and chemical composition of sunflower plants grown under saline condition. Desert. Inst. Bull., A.R.E., 34, No. (1-2), 347-354.

Kishk, E.T. and Shalaby, A.A. (1984a):

Some experimental tests of Ethephon "Ethrol" as an agent for improving salt tolerance in some field crops. Desert Inst. Bull., A.R.E., 34, No. (1,2), 355-368.

Kishk, E.T. and Shalaby, A.A. (1984b):

Irradiation of soybean seeds with gamma rays and its effect of yield and chemical composition under saline condition. 9th Interantional Congress for Statistics, Computer Science, Social and Demographic Research, Ain Shams Univ., 167-185.

Kleinkopf, O.E.; Wallace, A. and Hortsock, T.L. (1976):

Salt-tolerant, drought tolerant, potential source of leaf protein. Plant Sci. Lett 7, 313-320.

Koplov, V.A. and Kuzin, A.M. (1964):

The role of dihydroxy-phenols in the mechanism of action of gamma irradiation on plants. Radi. 2, 508.

Korkor, S.A. (1969):

Productivity of soils in relation to contents in soil water table of Nile Delta. Ph.D. Thesis, (Agric) Cairo Univ.

Korkor, S. and Abdel-All, R. (1974):

Effect of total salinity and type of salts on rice crop. Agric. Res. Rev., Cairo 52, 71-78.

Kudret, K. (1987):

Alleviation of salinity stress by plant growth regulators on seed germination. *J. Plant Physiol.*, 128 (112), 179-184.

Kurchore, I.; Yamaguchi, H.; Sander, C. and Nilan, R.A. (1979):

The effect of gamma irradiation on the production and secretion of enzymes, and co enzyme activities in barley seeds. *Environ. Exp. Bot.* 19 (2), 75-84, C.F. Chem. Abst., 90, 1996450.

Kuzin, A.M. (1963):

Theoretical base of the method of presowing irradiation of seeds. In "pre-sowing irradiation of seeds of agricultural crops", PP. 5-12, USSR Acad. Sci., Press, Moscou.

Kuzin, A.M. (1961):

Theoretical foundation for the method of irradiating seeds before sowing. *Radiobiol.*, 1, 598.

Ladiges, Pouline, Y.; Pendope, C.; Foord and Willis, R.G. (1981):

Salinity and water lagging tolerance of some population of *Melaleuca ericifolia*. *Aust. J. Ecol.*, 61, 203-215.

Lagerwerff, J.V. and Eagle, H.E. (1961):

Osmotic and specific effects of excess salt on beans. *Plant Physiol.*, 36, 472-476.

Larik, A.S. and Hum, H.M.I. (1984):

Evaluation of wheat mutations for improved physiological efficiency. wheat information service. 59, 54 wheat, barley and triticale, 1, 3576 (Abstr).

Lashin, M.H. and Atanosiu, T. (1972):

Studies on the effect of salt concentration on the formation of dry matter, uptake of mineral nutrients and mineral composition of cotton plants during the vegetative growth period. Z. Acker und Pflanzenbau, 135, 178-188.

Lauter, D.J. and Munns, D.N. (1987):

Salt sensitive of chickpea during vegetative growth and at different humidities. Aust. J. Plant. Physiol., 14 (2), 171-180.

Lee, Y.P. and Takahas, T. (1966):

An improved colorimetric determination of amino acids with use of ninhydrin. Anal. Biochem., 14, 71-77.

Lanken, H. (1962):

Saline soil under dry land agriculture in South Eastern Saskatchewan (Canada) and possibilities for their improvement. Plant and Soil, 17, 1.

Lipman, C.R.; Davis, A.R. and West, S.S. (1929):

Tolerance of plants for NaCl. Soil. Sci., 22, 303.

Lyles, L. and Fanning, C.D. (1964):

Effects of presoaking moisture tension, and soil salinity on the emergence of grain sorghum. Agron. J., 56, 518-520.

Magstad, O.C.; Ayers, A.D.; Wodieghe, C.H. and Cancer, H.G. (1943):

Effect of salt concentration, kind of salt and climate on plant growth in sand culture. Plant Physiol., 18, 151.

Maliwal, G.L. and Paliwal, K.V. (1967):

Salt tolerance studies on some varieties of wheat (Triticum sativum) and barley (Hordium vulgaris) at germination stage. Indian. J. Ph. Physiol., 10: 26-35

Molle, K.G. (1965):

The influence of seed treatment with gamma-radiation on plant yield. Int. J. Appl. Radiation Isotopes. 16, 397-404.

Marcos, F.J.; Santas, P.D. and Camp, H.D. (1972):

Lethal dose of CO-60 gamma-radiation for seeds of barley. Analis da Escala Superiorde Agriculture lui-zedra ucoroz, 29, 169 field crop: 28: 312 (Abstr).

Maric, M. (1972):

Contribution to the study of moisture content and storage effect on the radiosensitivity of acute-irradiated barley seeds. Zbornik Rodova Poljprivere-dneg Fakultata, Univerzitet Beogradu, 20: 545 field crop 25: 1783 (Abstr.).

Matsumura, S. (1966):

Radiation genetics in wheat. V. Influence of irradiation time and temperature on the genetic effect of ionizing radiation on diploid wheat. Jap. J. Genet., 35, 197.

Maximes, S.E.; Desoky, I.M. and Aly, M.M. (1982):

Effect of saline irrigation water on some fruit species. I. On plant vigor. Seveth International Congress for Statistics, Computer Sci Social and Demogrpahic Resh. 6, 13-36.

Mehta, B.V. and Lasai, R.S. (1958):

Effect of soil salinity on germination of some seeds. J. Soil. Wat. Conserv. India a,b, 168.
(after Soil and Fert. 1959, 22 (3) 1254).

Meiri, A. and Poljakoff-Mayber, A. (1968):

Effect of various salinity regions on growth leaf expansion and transpiration rate of been plants. Soil Sci., 109, 26.

Meyer, B.S.; Anderson, D.B. and Bahning, R.H. (1963):

Introduction to plant physiology. D.Van Nostrand Company (Canada). Ltd.

Mohammed, T.; Sahah, S.A.; Anwar, S.; Hassan, S. and Rahman, K. (1985):

Implication of induced adwarfism on yield and yield components in wheat (Thriticum aestivum, L) Nucleus (Karachi) ISSN. 0029-5698 CODN. NCLEA (Jan-Jun, 1985), 22, 1-2 P. 23-27.

Morad, M.N.; EL-Magali, S.R.; Roushdi, R. and Beshal, R. (1977):

Effect of gamma irradiation on the chemical composition of Egyptian wheat flower. Opes. Radiat. Res. 10, 105-110.

Motar, Y.; Doring, H.W. and Marshrer, H. (1975):

Effect of NaCl and Na₂SO₄ on dry matter production, mineral content and organic compounds of spinach and lettuce: Zeitschrift fur Pflanzenernahrung und Bodenkunde, 3, 295-307.

Nabih, I.A. and Tholooth, T. (1971):

Effect of saline irrigatic on photosynthetic apparatus and yield of sugar beet plants. U.S.R.J. Bot., 14 (2), 221.

Nagiub, M.I. (1963):

Colourimetric estimation of plant polysaccharides. Zeit. Zucker, 16, 15.

Nieman, R.H. (1962):

Some effects of NaCl on growth photosynthesis and rsepiration of twelve crop plants. J. Bot. Gaz., 123, 279-285.

Norlyon, J.D. and Epstein, E. (1975):

Salt stress during the life cycle of cultivars plant Physiol., 56.

Novikov, U.A. (1942):

Investigation into the salt tolerance of cotton. seiyaxi, 5 Taskeut (C.F. Strogonov, 1962).

Nukoya, A.; Masut, M. Inshide, A.; Anogura, T. (1977):

Salt tolerance of green soya-beans. Japans Society Horticultural Science 46, 18-25.

Ogo, T. and Nishikava, S. (1959):

Changes of leaf water content in the saline crops, Proc. Crop. Sci. Soc., 28 (2): 211-212.

Oseledets, N.N. (1959):

The effect of sodium chloride and sodium sulphate on the growth of tobacco seedlings. Kef. Zh. Biol. No. 62339.

Palenzona, D.I. (1960):

Influence of X-ray treatment on wheat species of different ploidy. Atti. Assoc. Gent. Ital, 5, 161 (of Ph. Breed., Abst. 32, 3135.

Palfi, G. and Juhasz, J. (1970):

Increase of the free proline level in water deficit leaves as a reaction to saline or cold root media. Acta Agron. Acad. Sci. Hung, 19, 79-88.

Paliwal, K.V. and Maliwal, G.L. (1972):

Effects of salts on the growth and chemical composition of okra and spong gourd. J. Hort. Sci., 47, 517-529

Parmar, M.T. and Moore, R.P. (1968):

Carbowak 6000, Mannitol and NaCl for simulating drought conditions in germination of corn (Zea mays L.) of strong and weak vigor. Agron. J., 60, 192-195.

Perry, C.A.; Roger, A.L.; Deri, T.R.; Wyse, R.E. and Hall, J. (1987):

The regulation of turgor pressure during sucrose mobilization and saltraccumulation by excised storage root tissue of red beet. (Rotham Sted Exp. Str. Harpenden, Heris. A152 JQ.) Planta (Ber 11 170 (3): 353-361.

Piper, C.S. (1947):

Soil and plant analysis, Adelaid Un.
C.F. in Shehata M.N. (1986) Ecological studies on Natural vegetation of Qalubiya. M.Sc. Thesis. Bot. Dept. Fac. Sci. Zagazig Univ. Benha Branch.

Pitman, M.C.; Mowat, J. and Nair, H. (1971):

Interactions of processes for accumulation of salt and sugar in barley plants. Aust. J. Biol. Sci. 24: 619-631.

Porath, E. and Poljakoff-Mayber, A. (1964):

Effect of salinity on metabolic pathways in pea root tips. Israel Bot., B. 115-121.

Porath, E. and Poljakoff-Mayber, A. (1968):

Effect of salinity in the growth medium on carbohydrate metabolism in pea root tips. Plant Cell physiol., 9, 195-203.

Pregi, F. (1945):

Quantitative organic microanalysis 4th edit., J. & A Churchill, Ltd London.

Preodorazenskoja, E.I. (1959):

The comparative resistance to radiation of different species of cultivated plants. Zurnal (Bot. Jour.) 44, 68-74.

Prisco, J.T. and Leary, J.W. (1970):

Effect of salt and water stresses on protein synthesizing capacity of embryo axis of germinating Phaseolus vulgaris L. Seeds. Rev. Brasil. Biol., 3, 317-321.

Prisco, J.T. (1971):

Polyacrylamide gel electrophoresis of soluble proteins of salt and water stressed embryo-axis of Phaseolus vulgaris L. seeds during germination Science Agron. I: 47-50.

Prisco, J.T. and O'Leary, J.W. (1972):

Enhancement of intact bean leaf senescence by NaCl salinity. Physiol. Plant., 27, 95-100.

Prisco, J.T. and Vierira, F.H. (1976):

Effect of NaCl salinity on nitrogenous compounds and proteases during germination of Vigna sinensis seeds. Physiol. Plant, 36, 317-320.

Prvanov, P. (1980):

Effect of presowing irradiation of seeds with gamma-rays and fast neutrons on productivity and sugar content of sugar beat. Rasteniev" dni Nauki, 17-1-13-19.

Pulich-Warren, M.Jr. (1986):

Variations in leaf soluble amino acids and ammonium content in subtropical sea grasses related to salinity stress. Plant Physiol., 80, (1): 283-286.

Puzakova, A.L.; Batyging, M.F.; Tatyanko, A.K. and Kovshora, N.I. (1979):

Comparative effect of chemical and physical factors on correlation dependence and dynamics of winter wheat physiological and biochemical processes. Fiziol. Biokhim. Kul'Z Rast., 11, (4): 306-311.

Quaster, H. and Baer, M. (1950):

Inhibition of plant growth by irradiation, V: Radiation effects on initiation and completion of growth. Cancer Res., 10: 504.

Raafat, A.M.; El-Kadi, A.M.; Abd El-Halim, A.Y. and Abd El-Rassoul, M.M. (1970):

The effect of acute gamma irradiation (cobalt-60) on wheat plants Res. Bull., 655 Fac. Agric., Ain Shams Univ., Cairo, Egypt.

Rachinska, T.S. and Dzhelopov, K. (1976):

Study of the changes in the protein quantity and quality of winter soft wheat mutant lines. Rastenievdyd. Nauki 13, (18) PP. 3-7.

Rac, N.S.; Johua, D.C.; Misry, D.C. and Ayeng, A.Z. (1978):

Modification of radiation change with strong in seeds irradiation with thermal netrons. Mutat. Res., 8, 28 8288.

Ramagopal, S. (1987):

Salinity stress induced tissue specific proteins in barley seedlings. Plant Physical 84, (2): 324-331.

Rana, O.P.S. and Maherchandani, N. (1982):

Studies on dormancy of cereal seeds as affected by gamma radiation. Indian J. plant Phsyiol., 25, (14): 322-329.

Richard, L.A. (1954):

Diagnosis and improvement of saline and alkali soils. U.S. Dept. Agric., Hand Book.

Richardson, S.G. and Mccorice, K.J. (1986):

Carbon balance and water relations of sorghum (Sorghum bicolor, cultivar BTX, 616) exposed to salt and water stress. Plant Physiol, 79, (4): 1015-1020.

Rodziwiewiez, B. (1982):

Mutation of spring barley after the irradiation of plants in stages of development. 1-Sensitivity of plant of two spring barley varieties irradiated in different stages of organogenesis. Hodowla Roslin, A. Klimatyzacja Nasiennictwo 26: 517, wheat, Barley and tritival I; 2725, (Abstr).

Romani, R.J. (1966):

Biochemical responses of plant systems to large doses of ionizing radiation. Rad. Bot. 6, 87.

Romenokii, N.V.; Chymr, A.D.; Abramova, A.D. and Belostotskaya, R.S. (1963):

Germination and respiration rate of air dried corn seeds irradiation with CO-60 gamma-rays. Izvest. Vysshikh Uchebnykh Zavedenu Pischevaya Takhnal, 4: 17 Biol. 45, 749848, (Abstr.).

Saleh, A.S. and El-Shoney, K. (1974):

Effect of grain irradiation with gamma rays on growth, nitrogen content and yield of wheat plant Egypt. J. Bot. No. 1: 27-33.

Sarin, M.V. and Naryanam, A. (1968a):

Effect of soil salinity on growth regulators on germination and seedling metabolism of wheat. Physical plant, 21, 78-89.

Sarin, M.V. and Narayanan, A. (1968b):

Effect of soil salinity and growth regulators on germination and seedling metabolism of wheat. Physiol. Plant, 21, 201-209.

Schubert, S. and Andne, L.C. (1987):

Sodium ion exclusion, proton release and growth of two different maize cultivars under NaCl salinity. J. Plant Physiol. 26, (2/3), 145-154.

Seita, R.C. and Narang, S. (1985):

Interaction effects of salinity and growth substances on germination of pea (Pisum sativum) seeds. *Phyton* (Horn), 25, (1) 87-91.

Seleman, S.E. (1986):

Productivity of sugar beet as affected by salinity and radiation treatment. M.Sc. Thesis. Fac. Agric., Ain Shams University.

Selim, M.H. and Ahmed, A.S. (1975):

Response of three wheat varieties to salinity. *Agric. Res. Rev.*, 53, 71-77.

Seric, M.R. (1958):

Studying the effect of irradiation independence of biological properties of irradiated seed. *Inter. Conf. Peaceful uses of Atomic Energy*. Vienna, 15, 422.

Shabasey, A.I. (1960):

The effect of salinity and alkalinity on soil productivity with special reference to the diagnosis of saline and alkali soil in Egypt. Ph.D. Thesis (Agric) Cairo Univ. *Agric. Res. Rev.*, 50, N (2) 11-18.

Shadi, A.I.; El-Naggar, H.A. and El-Shahat, N. (1983):

Effect of gamma irradiation on the chemical constituent and the stability of soybean seed oil. *Annal of Agric. Science, Moshtohor* (Egypt), 19 (1), P. 279-295.

Shahin, A.H. (1976):

Response of two wheat species to gamma irradiation in germination. *Annals of Agric. Sci., Moshtohor*, 50.

Shahin, A.H. (1979):

Growth, yield and chemical constituent of some Glycine max (L) varieties as influenced by various levels of salinity "J. Agric. Res., Tanta Univ., 5 (1).

Shalaby, A.A. and Kishk, E.T. (1985):

Application of K^+ and Na^+ salts for increasing of hardness of wheat plant to the saline and calcareous soil conditions of Wadi-suder South Sinai, Desert inst. Bull., ARE. 35, (1-2) 102-119.

Sharabash, M.T.M. (1974):

Effect of seed treatment with gamma radiation on growth yield and protein content of three triticum species Moshtohor, Annals of Agric. Sci., 2.

Sharabash, M.T.M.; El Bastawesy, F.L. and El Masry, R.R. (1973):

Effect of gamma rays on wheat plants Egypt. J. Bot 16, 413-422.

Sharabash, M.T.M.; Shahine, A.A. and Gaweesh, S.M. (1988):

A comparative studies on three Tricticum species as affected by gamma irradiation 4th Conf. Nuc. Sci. & Appl., 11, 484-488.

Sharms, K.D. and Boyes, J.N. (1962):

Some effects of radiation on bock-wheat. Can. J. Bot., 49, 213.

Sheoran, I.S. and Gorg, O.P. (1978):

Effect of salinity on the activities of RNase, DNase and protease during germination and early seedling growth of mung bean. Physiol. Plant 44, (3): 171-174.

Shers, S.M.; Memon, K.S. and Khanzada, A.N. (1975):

Effects of salinity on the growth and mineral uptake in soybean (Glycin max). Park J. Sci. Ind. Res. 17 (4-5), 148.

Shimose, N. (1973):

Physiology of salt injury in crops, X, sci. Rept. Fac. Agr. Okayama Univ., 41, 69.

Shradov, G.G. and Levitskii, A.P. (1984):

Content of protein and lysine in the grain of induced mutants of winter barley. Naachno tekhniches Bullent-en Veseoyuzongo selektaiona genticheskoga in stituta, 1, 33-39, wheat barley and tritical. (Ab) 2:41, 3193.

Sidrok, G.H. and Suess, A. (1973):

Effects of low doses of gamma radiation on the growth and yield of two varieties of tomato. Rad. Bot., 13, 309-314.

Singh, B.B. (1971):

Effect of ionizing radiation on germination and respiratory activity of barley seeds. Madras Agric. J., 57 (10): 518-518 field crop 24: 3349 (Abstr.).

Singh, R.P. and Anderson, R.G. (1975):

Potential for yield and its attributes in dwarf wheat varieties as influenced by nitrogen fertillization. Indian J. Agric. Sci., 45, 17-22.

Singh, A. (1982):

Effect of water stress salinity and alkalinity on seed germination of Sesbania aegyptiaca. Geobios (Jodhpur), 9 (2), 26-65.

Singh, A. (1982):

Practical Plant Physiology. Text Book printed in India, New Delhi-110002.

Sirry, A.R.; Ashour, W.A.; Hegazi, M.F.M. and Ali, M.M. (1980):

Effect of gamma radiation on mould count, reducing sugar and proteolytic activity during storage. Isotopes & Rad. Res., 12: 137-143.

Siyanova, N.S. (1963):

The effect of presowing of gamma irradiation of wheat seeds on photosynthesis. s.b. Asrantskikh Rabot. Kazanka Univ. USSR R. Biol. 46, 77239 (Abstr.).

Sjnj, C.M. and Hrostova, V.V. (1962):

The effect of fast neutrons on the development of the wheat. Radiobiologia, 2, 926.

Skok, J. and Charney, W. (1962):

An examination of stimulating effect of ionizing radiation in plants. Radiation Bot. 2, 281-295.

Smith, L. (1942):

Hereditary suceptibility to x-ray injury in Triticum monocacaim Am. J. Bot., 29, 189-191.

Sparrow, A.H.; Cuany, R.L.; Mksche, J.V. and Schatrer, A.L. (1961):

Some factors affecting the responses of plants to acute and chronic radiation exposures. Rad. Bot. 1, 10-34.

Sparrow, A.H.; Schairer, L.A. and Sparrow, R.G. (1963):

Relationship between nuclear volumes, chromosome number and relative radiosensitivities. Sci., 141, 163.

Sparrow, A.H. (1965):

Plant growth stimulation by ionizing radiation. Tech. Repot. Ser. Inter. Atomic Energy Agency, 54, 12.

Stewart, G.R. and Lee, J.A. (1974):

The role of proline accumulation in halophytes.
Planta, 120, 279-289.

Strogonov, B.P. and Ostapenko, L.A. (1946-a):

Carbohydrate metabolism of cotton under saline conditions. Dok. Akad. Nauk. SSR., 54 (3).

Strogonov, B.P. and Ostapenko, L.A. (1946-b):

Ammonia poisoning in cotton under saline conditions.
Dok. Akad. Nauk, SSR. 54, (4).

Strogonov, B.P. (1962):

Physiological basis of salt tolerance of plants.
(English translation by Israel program for scientific translation.

Strogonov, B.P. (1964):

Physiological basis of salt tolerance of plants. Eng.
Trans. by Poljokoff-Mayber. London.

Strogonov, B.P.; Kabanov, V.V.; Sheviakova, N.I.; Lapina, L.P.; Komezrko, E.I.; Popov, B.A.; Dostonova, P.C.H. and Preshodko, U.S. (1970):

Structure and function of plant cells under saline conditions. U.S.S.R. Acad Sci. PP. 224.

Sullivan, J.H. and Teramura, A.H. (1990):

Field study of the interaction between solar ultraviolet-B-radiation and drought on photo-synthesis and growth in soybean. Soc. Plant Physiol., 92, (1) 141-146 (Abstract).

Sung, J. (1981):

Effect of NaCl salinity on germination of barley cultivars (National changes Hsing Univ. Taichung Tawan, R.O.C). Jagric Assoc. China New Sero (113): 41-47, In Jpn-with Jpn and Engl sumn.

Syndorenkos, I.D. (1962):

The effect of ionizing and ultraviolet radiation on maize seeds. Ukrain. Bot. zhur. 19 (2): 3-14, Biol. Abst., 42: 3173 (Abstr.).

Tavear, V. (1966):

Stimulation effects of low doses of radiation Tech. Rept.. Ser., Inter Atomic Energy Agency. 46-16.

Thomson, J.F.; Towrtellatte, W.W. and Cartter, M.S. (1952):

Some observations on effect of gamma radiation on the biochemistry of the rat thymus. Proc. Soc. Exp. Biol. (N.Y) 80-258.

Torns, S.G. and N.P. Rant, Desai (1975):

Effect of ionizing radiation on seed germination of Passilora species. Curr. Sci. (India) 4, 112-113.

Torres-Bernal, C.; Eingham, F.T. and Oetli, J.J. (1974):

Salt tolerance of mexican wheat. II: Relation to variable NaCl and length of growing season. Soil Soci., Soc. Am. Proc. 38, 777-780.

Tsanov, V.S.R. (1982):

Variation in crude protein content and grain weight induced by treatment of gamma-rays in different wheat variaties. Genetikai. Solektyge, 15 (5): 351-357 Wheat, Barley and Tritical 2: 3635 (Abstr.).

Uhvits, R. (1946):

Effect of osmotic pressure on water absorption and germination of alfalfa seeds, Am. J.Bot. 33, 278-285.

Vaadia, Y. and Waisal, Y. (1967):

Physiological processes as affected by water balance. In irrigation of "Agricultural lands" (R.M. H.M. Haise, T.W., Edminster, eds.

Vasti, S.M. and Jenson, J. (1984):

Radiosensitivity of recurrently irradiated barley population. *Eniv. and Exper. Bot.*, 24, 9.

Virgin, H.I. and Ehrenberger, I. (1953):

Effects of β - and δ rays on the protoplasmic viscosity of Helodea densa cells. *Physiol plantarum*. 6, 159.

Voetberg, G. and Stewart, C.R. (1984):

Steady state proline levels in salt. Shocked barley leaves. *Plant Physiol.*, 76, (3): 567-570.

Walter, F. (1969):

Investigation on radiation biology in cereal species. 3: Difference in radiosensitivity in spring barley. *Soviet Plant Physiol.*, 6, 490-495 (C.F. field crop. Abst. 22 (10). of wheat plant physiol. 16, 373.

Weaver, J.E. and Clement, F.E. (1938):

Plant Ecology. Mc Grow-Book company, Inc. New York and London.

Went, F.W. and Thimann, K.V. (1937):

Phytormones. the Macmilan Company. New York PP. 294.

Wethered, J. and Jennings, S.D.H. (1985):

Major solutes contributing to solute potential of thraustochytrium aurum and thraustochytrium roseum after growth in media different salinities UK., trans B and Mycol No. 6, 85 (3), 439-446.

Wilson, J.R.; Hoydock, K.P. and Robins, M.T. (1970):

Response to salinity in glycine 5-changes in the chemical composition of three Australian species of *G. weightii* (G. Javanica) over a range of salinity stresses. *Aust. J. Exp. Agric. Anim. Hush.* 10: 158-165.

Wood, T.H. (1958):

Cellular radiobiology. Ann. Rev. Nuclear Sci., 8, 343.

Yanev, S. (1986):

Biological and genetic effect of some physical and chemical mutagens on new durum wheat cultivars. Genet. SEL 18 (5), 426-434.

Yankulov, M.K.; Gechev, N. and Kolov, K.H. (1982):

High-protein mutations of winter forage barley induced by radiation and chemical mutation. Genetika Selekt-siya, 15 (4):265-269, Wheat, Barley and Triticum 2, 1306 (Abst.).

Yasseen, B.T.; Jurjess, J.R. and Sofajy, S.A. (1987):

Changes in some growth process induced by NaCl in individual leaves of two barley cultivars. Indian J. Plant Physiol. 30 (1): 1-6.

Younis, A.E. (1960):

Uptake and utilization of L-glutamic acid by radish root slices. Physiol. Plant, 13, 104.

Zhalevitch, V.N. and Koretskaya, T.F. (1959):

Metabolism of pumpkin roots during soil drought fiziol, Rast, 66, 690-700.

Zhukovskaya, N.V.; Dzhaniybekova, L.C.A.; Gaidamakina, L.E. and Lutsenko, E.K. (1972):

Some aspects of metabolic processes in seeds and the effects of salts on these processes. Fiziologia Rastentil, 19 (3): 612.

Zid, E. and Boukhris, M. (1977):

Some aspects of the tolerance of Atriplex halimus L. to NaCl. Reproduction, growth and mineral composition Oecologia Plantarum 12, 351-362.