

REFERENCES

REFERENCES

Allen, R.T. (1953):

New method for relieving post-operative pain following tonsillectomy.

Arch-otol, (57): 86-89.

Anderson, H.A. Rice, B.J. and Cantrell (1975):

Effect of injected Deposteroid on post-tonsillectomy pain.

Arch-otol, (101): 86-88.

Azuma, F. Takada, T. Itoch (1979):

Double blind clinical trial of diclofenac sodium suppositories for pain and inflammation after tonsillectomy.

Jibi Inokoka Rinsho, (72): 63-75.

Beasley, P. (1987):

Anatomy of the pharynx and oesophagus, (245-284).

Scott Brawn, 1987.

Part I. Ed. David wright,

Fifth edition

Broadman, Rames, Patel, Bruce (1988):

Testing the validity of an objective pain scale for infants and children. Anastheiology J., (69): 770-771.

Broadman, Sellman, Gregory, Camilon (1989):

Effect of peritonsillar infiltration on the reduction of
 intraoperative Blood and post-tonsillectomy pain in children.
 Laryngoscope, (99): 578-581.

Brogden, R.N.; Hell, R.C.; Speight (1979):

Naproxen up to date.
 A review of its pharmacological properties and therapeutic
 efficacy and use in rheumatic disease.
 J. Drugs, (18): 241-277.

Bystedet and Nordenram (1985):

Effect of methyl prednisolone on complications after removal
 of impacted third molars.
 Swedish-dental J., (19): 65-67.

Carrick, D.G. (1984):

Salicylates and post-tonsillectomy hemorrhage.
 J. Laryng-otol, (98): 803-805.

Cornedius and Rosse (1985):

Text book of anatomy. (992-994).
 Ed. W. Henry Hollinshead.
 Fourth edition.

Cook, J.H. (1987):

Bupivacaine squirting.

Annals of Royal collage of surgeons of England, 69-4.

Cooper (1984):

five studies for post-surgical dental pain.

American Journal of Medicine, (77): 77-78.

C. Segal (1983):

Adenotonsillectomies on a surgical day clinic Basis.

Laryngoscope, (93): 1205-1208.

Darawski, (1991):

Pain relief after tonsillectomy in adults.

J. Laryngoscope, (16): 345-349.

Davison, M.; Boles, R.G. and Synderman (1952):

Aprolonged local anaesthetic in control of posttonsillectomy pain.

Annals of otol-Rhino-lary, (61): 1046-1047.

Dempster, J. (1988):

Post-tonsillectomy analgesia: The use of benzocaine.

J. laryng-otol, (102): 813-814.

Dommechy, H. and Rasmussen, O.R. (1984):

Diclofenac (voltaren) pain relieving effect after tonsillectomy.
Acta-otol, (98): 185-192.

Elwan, H. (1985):

Introduction to neurology, 15-18.

Freeman, S.R.; Markwell, J.K. (1992):

Sucralfate in alleviating post-tonsillectomy pain
laryngoscope, (102): 1242-1246.

Froom, J. and Boisseau (1979):

Benzylamine oral rinse for sore throat.
Current therapeutic research, 26-856.

Gerald (1976):

Anatomy of the pharynx and oesophagus.
Otolaryngology, (3): 3,4.

Giacomelli, (1983):

Tantum verde nebuliser in post-operative management of
tonsillectomised patients.
Gazetta medica Italiana, (142): 1-6.

Herbert (1973):

Physiological of pain
 Basis of medical practice, (8):(165-166).
 Ed. John & Brobeck.
 Fourth edition.

J. Igoku & A. Shoin (1986):

Text book of medical physiology, (692-601),
 4th edition.

Irwin, (1984):

A comparative study of benzydamine hydrochloride and
 acetylsalicylic acid as analgesic following tonsillectomy.
 J. Internal Medical Research, (12): 216-218.

John, B. (1990):

Physiological basis of medical practice, (1019-1022).
 Ed. B. west 12 th edition.

Kaiser, D.G. and Vangiessen, G.L. (1974):

GLC determination of Ibuprofen in plasma.
 J. pharmacological science, (12): 2992.

Kamel, (1991):

Asynopsis of Algology referred pain and visceral pain.
 Part (1): 120-123.

Keith & Moore (1992):

Clinically oriented anatomy.

834-835. Third edition.

Kotchea, B.; O'leary, G. Bradburn, J. (1991):

Pain relief after tonsillectomy in adults interamuscular diclofenac and papavertum compared.

J. Laryngoscope, (16): 345-349.

Krichnan, A. tolburst, cleaver- CL.Kay. (1985):

Controlled comparison of nalbuphine and morphine for, post-tonsillectomy pain.

Anaesthesia, J. (40): 1178-1181.

Kristensen, S.P. Hein, H.B. Poulsen

Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy.

J. Laryngol-otol, (102): 39-42.

Kristensen and Tveteraas (1986):

The aetiology and pathogenesis of Trismus.

Cl-otolaryng, (11): 106-110.

Lanza, (1979):

The effect of Ibuprofen, Indemethacin, Asprin naproxen and placebo on gasteric mucosa of normal volunteers.
 Agastroscope and photographic study.
 Digestion-disease and science, (24): 823-828.

Lindergren, Sarranivara, Brandrick. (1985):

Comparison of paracetomal and Aminophenazone plus diazepam suppository for anxiety and pain relief after tonsillectomy.
 Acta-Anesthesiol, (29): 679-682.

Mahler, D.L.; Forrest, W.H. Broun. (1976):

Assay of asprin and naproxen analgesia.
 Clinical-pharmacology and therapeutic, (19): 18-23.

Mantgomery (1979):

Surgery of upper respiratony system, (1): 787-490.
 Philadelphia. USA.

McKenna, E.L. (1972):

Distress after tonsillectomy.
 Clinical trial of injected pencillin anaesthetic steroid mixture.
 Transaction of the American Academy of ophthalmological and otolaryng, (25): 109-112.

Moore (1928):

the tonsils and adenoids and their disease.

Ed. William Heineman London.

Murry, W.B.; Yankelouitz, Le-Roux. (1987):

Prevention of post-tonsillectomy pain with analgesic doses of ketamine.

S-Afr-Med-J., (72): 839-842.

Nigam & Rhoin (1991):

The role of bupivacaine in post-tonsillectomy pain.

Laryngoscope, (16): 278-279.

Nadell, J. Bruo, varady (1974):

Effect of naproxen and of aspirin on bleeding time and platelet aggregation.

J. Cl. Pharmacology. (25): 109-112.

Nordbladh, (1991):

Analgesia in Tonsillectomy.

Clinical otolaryngology, (6): 54-58.

Papangelou. (1972):

Hemostasis in tonsillectomy.

A comparison of electro-coagulation and ligation.

Archives of otol, (96): 358-360.

Parker, K.D.; Gibbin and Noyelle (1986):

Syrup formulation for post-tonsillectomy analgesia.

A double blind study comparing Ibuprofen, Aspirin and placebo.

J. Laryngology-otol, (100): 1055-1060.

Penn, S.E. (1952):

Control of post-tonsillectomy pain.

Archives of otolaryngology, (56): 59-60.

Obrien, J.R.E. (1968):

Effect of salicylates on human platelets.

Lancet. i (779-783).

Orzac, E. (1965):

Medical care before and after adenoidectomy and tonsillectomy.

New York, J. of Medicine, (56): 886-887.

Raj, T.B. Wickhan and Lasagna. (1986):

The effect of benzdamine hydrochloride spray on post-tonsillectomy symptoms.

J. Laryng-otol, (100): 303-306.

Rene, G. (1993):

Pain mechanism and management. 30-48.
4th edition London.

Reuter and Montgomery (1964):

Asprin, V. Acetaminophen after tonsillectomy.
A comparative double blind clinical study.
Archives of otol, (80): 214-217.

Ritter, F.N. and Fink (1972):

Electrocoagulation for the control of Bleeding at adeno-
tonsillectomy.
Transactions of American academy of ophthal and otolaryn
76 (1340-1345).

Rob and Smith (1988):

Tonsillectomy by dissection.
Cl-otol, (16): 505-506.

Roy, A.; Delarosa, C. and Vecchino (1976):

Bleeding following tonsillectomy.
A study of electro coagulation and ligation Techniques.
Arch. of otol-Larngology, (102): 9-10.

Ruedy, J. (1973):

Acomparison of the analgesic efficacy of naproxen and acetylsalicyte acid-codeine in patients with pain after dental surgery.

Scandinavian-J. Rheumatology, (2): 60-63.

Runkel, (1972):

Text book of pharmacopia. (230-240).

2nd edition. London.

Saarnivaara, L.; Metsa-ketela, T. Mannisto (1980):

Pain relief and sputumn prostaglandins in adults treated with pethidine, tilidne and indomethacine after tonsillectomy.

Double blind study.

Acta-Anaesthesiology, (24): 79-85.

Saarnivaara (1984):

Comparison of paracetamal and pentozine supp. for pain relief after tonsillectomy.

Acta Anaesthiology, (28): 315-318.

Sacchetti, G.; Ferroti, G.C.; Parinello. (1978):

Kinetics of analgesic response in man.

An example with two non steroidal anti-inflammatory analgesic drugs.

J. of international medical research, (6): 312-316.

Salassa, J.R.; Seamans, Ruff. T. (1988):

Oral dantrolene sodium for tonsillectomy pain
 Cl-otolaryngology, (98): 26-33.

Saunders, W.B. (1992):

Human physiology and mechanism of the diseases.
 357-361.
 Gyton 4th edition.

Schiff, M. (1988):

Chewing gum and tonsillectomy.
 Laryngoscope, (92): 820.

Schmid, F.R. (1976):

Anti-inflammatory drugs and gastero-intestinal bleeding.
 A comparison of Ibuprofen and Asprin.
 J.-Cl-Pharmacology. (16): 418-419.

Schoem, S.R.; Watkins, G.; Kubo, J.J.; Kim. (1993):

Control of early post-operative pain with bupivacaine in adult
 tonsillectomy.
 Arch. otol-Head-neck-surgery, (119): 292-294.

Schouboe, H.H. and Aastrup, J.E. (1976):

Clinical results of cryosurgery in recurrent acute tonsillitis.
 J. Laryn-otol, (90): 795-799.

Selwyn, P. and Giles, D. (1980):

Safe and effective analgesia following dental surgery.

A comparison of Ibuprofen and distalgesic.

British-J-CI-Practice, (6): 84-87.

Serge, (1974):

Book of pharmacopia.

234-238. 2nd edition.

Skjelbred and Lokken (1982):

Post-operative pain and inflammatory reaction reduced by
injection of a cortico-steroid.

European, J. CI-pharmacology, (21): 391-393.

Smith, (1964):

Alleviation of pain and prevention of infection after
tonsillectomy.

Acta-otol, (68): 65-69.

Stage (1988):

Post tonsillectomy hemorrhage and analgesia.

Cl. Otol. 13- P. 201-204.

Stetson, J.B.; Robinson, Wardell (1973):

Analgesic activity of oral naproxen in patients with-ost-operative pain.

Scandinavian J. Rheumat, (2): 50-52.

Strohm, H. (1974):

Acupuncture treatment of post-tonsillectomy pain.

The analgesis effect compared with blind puncture.

J. Lary-otol, (136): 855-856.

Telian, (1986):

The effect of antiboitic therapy on recovery after tonsillectomy in children.

Arch-oto-Laryn-head and neck surgery, (112): 610-615.

Tewary, A.K. (1993):

Steroids and control of post-tonsillectomy pain.

J-Laryngology-(107)-605-606.

Vane, J.R. (1971):

Inhibition of prostaglandin synthesis as a mechanism of action for asprin likee drugs.

Nature new Biology, (23): 232-235.

Van Gool, (1975):

Swelling following third molar removal.

International-J. of oral surgery, (4): 121-124.

Volilaris and J.R.; Tuffin (1989):

Can post-tonsillectomy pain be reduced by topical bupivacaine.

J. Laryn-otol. (103): 592-593.

Walter, and Modell (1982):

Book of pharmacology and therapeutics.

229-236.

First edition.

Weighill, J.S.; Proops, D.W. (1986):

Pain relief following tonsillectomy.

Does sewing of the faucial pillars together help?

J. Laryng-otol, (100): 307-310.

Weligodopola, G.S. (1983):

Comparative study of tonsillectomy performed by Guillotine and dissection methods.

J. Laryng-otol, (97): 605-606.

W. Henry, (1985):

Text book of anatomy,

992-993.

Fourth edition.

Williams & Dyson (1989):

Nasopharynx and oesophagus, 1324-1326.

Grays Anatomy. Thirty seven edition.

William, F. (1991):

Review of medical physiology.

128-130. Fourth edition.

Winter, L.; Bass, E.; Recant, B. (1978):

Analgesic activity of ibuprofen in post-operative oral surgery
pain.

Oral. Surgery 45- (159-160).