

## REFERENCES

- Agroun, G.; Andresson, T; Falf, B.; Hanssan, J.A; Jacobsson, S.; Roesman, H.; Rosengren, A.M.; and Rosengren, E. (1975):  
Urinary excretion of 5 cysteinyl dopa in patients with primary melanoma or metastases, Acta-Dermato-venereol. J. 55:337-341.
- Becker, S.W.; Fitzpatrick, T.B.; and Montgomery, H. (1952):  
Human melanogenesis, cytology and histology of pigment cells (melanodendrocytes). Arch. Dermatol & Syph, 65:511.
- Becker, S.W. and Spencer, M.C. (1962):  
Evaluation of monobenzene JAMA 180:279.
- Bleehen, S.C. (1976):  
The treatment of hypermelanosis with 4 isopropylcatechol. Br. J. Dermatol. 94:687-694.
- Bleehen, S.S. and Ebling, F.I.G. (1986):  
Disorders of skin colour in Rook text book of Dermatology 4th edition, Blackwell Scientific Publication in USA blackwell Mosby book Distributors. Vol. 2, p. 1543-1578.

Breathnach, A.S.; Nazaro-porro, M.; and Passi, S. (1984)  
Azelaic acid Br. J. Dermatol. 111:115-120.

Brown F.C. and Ward, D.N. (1958):

Studies in mammalian tyrosinase I., Chromatography  
on cellulose ion exchange agents. J. Biol., Chem.,  
233:77.

Burchill, S.A.; Marks, J.M.; and Thody, A.J.(1990):

Tyrosinase Synthesis in different skin types and  
the effect of alpha melanocyte stimulating hormone  
and cyclic AMP. J. Invest. Dermatol, 95:558-561.

Burdick, K.H. and Hanover, H.H. (1966):

Photo-toxicity of shalimar perfumes, Arch. Derma-  
tol, 93:424-425.

Burnett, J.B. and Stiel, H. (1969):

Multiple formes of tyrosinase from human melanoma.  
J. Invest. Dermatol., 52:199-203.

Canizares, O. (1958):

Leuko-melanoderma, subsequent to the applications  
of monobenzyl ether of hydroquinone. Arch.  
Dermatol., 77:220.

Commoner, B; Towensend; and Pake, G., (1954):

Free radicals in biological materials, Nature:  
174:689.

Denton, C.R.; Lerner, A.B.; and Fitzpatrick, T.B.,  
(1952):

Inhibition of melanin formation by chemical agents,  
J. Invest. Dermatol., 18:119-135.

Dorsey, C.S. (1960):

Dermatitis and pigmentary reactions to monobenzyl  
ether of hydroquinone. Arch. Dermatol., 81:245.

Esoda, E.C.J., (1963):

Chloasma from oral progestional contraceptives  
Arch. Dermatol, 67:486.

Findlay, G.H.; Morrison, J.G.L.; and Simson, J.W.  
(1975):

Exogenous ochronosis and pigmented colloid millium  
from Hydroquinone bleaching creams. Br. J. Derma-  
tol, 93:613-622.

Fisher, A.A. (1951):

Treatment of chloasma with monobenzyl ether of  
hydroquinone. Arch. Dermatol., 64:645.

Fitzpatrick, T.B. and Szabo, G. (1967):

The melanocyte : Cytology and cytochemistry. J.  
Invest. Dermatol., 32:197.

Frank, E.; Pathak, M.A.; Szabo, G.; and Fitzpatrick, T.B. (1968):

Selective action of mercapto-ethylamines on melanocytes in mammalian skin, Arch. Dermatol. 91:405-477.

Gordan, P.R.; Mansur, C.P.; and Gilchrest, B.A. (1989):

Regulation of human melanocyte growth dendricity and melanization by keratinocyte derived factors. J. Invest. Dermatol., 92:565-571.

Guin, J.D. (1984):

Contact sensitivity to topical corticosteroids. J. Am. Acad. Dermatol. 10:773.

Gunter, K. and Dener, I. (1970):

Depigmentation caused by phenolic detergent germicides, Arch. Dermatol. 102:177-187.

Harber, L. C. (1964):

Baerlogue Dermatitis. a technique for its Deliberate reproduction. Arch. Dermatol. 90:572-576.

Hearing, V.I. and Ekel, T.M. (1975):

Involvement of tyrosinase in melanin formation in murine melanoma. J. Invest. Dermatol. 64:80-83.

Hearing, V.I.; Ekel, T.M.; and Montogue, P.M. (1980):

Tyrosinase isozymic forms of the enzyme. J. Biochem. 13:99-103.

How Show, R.; Kent, G.Z.; and Alan, M. (1985):

Ochronosis like pigmentation from hydroquinone bleaching creams. Arch. Dermatol. 121:105-106.

Hunter, J.A. (1970):

Melanogenesis, ultrastructure and histochemical observations on ultra-violet irradiated human melanocytes. J. Invest. Dermatol. 54:213.

Imokowa, G. and Mishima, Y. (1984):

Functional analysis of tyrosinase isozymes of cultured malignant melanoma cells during the recovery period followed interrupted melanogenesis induced by glyco-sylation inhibitors. J. Invest. Dermatol. 196:201.

Jimbow, K. (1973):

Pathogenesis of neurofibromatosis. J. Invest. Dermatol., 61:300.

Jimbow, K.; Obata, H.; Pathak, M. A.; and Fitzpatrick T. B. (1974):

Mechanism of depigmentation by hydroquinone. J. Invest. Dermatol. 62,441.

Jimbow, K. and Uesugi, T. (1982):

New melanogenesis and photo-biological processes in activation and proliferation of precursor melanocytes after UV exposure, ultra-structural differentiation of precursor melanocytes from langerhans cells, J. Invest. Dermatol. 78:108-115.

Kelly, M. (1973):

Acquired hypomelanosis in a Guyanese Br. J. Dermatol. 92:222-223.

Kligman, A.M. and Willis, I. (1975):

A new formula for depigmentation of human skin Arch. Dermatol. 111:40-48.

Konard, K. and Walff, K. (1973):

Distribution of melanosomes in hyperpigmentation. Arch. Dermatol. 111:40-48.

Kowichi, J.; Hiroko, O.; Pathak, M.A.; and Fitzpatrick, T.B. (1974):

Mechanism of Depigmentation by hydroquinone. J. Invest. Dermatol. 62:436-449.

Lavker, R.M.; Schechter, N. M.; and Lazarus, G.S. (1986):

Effect of topical corticosteroids on human dermis. 115:31, 101-107.

Lee, T. H. & Lerner, A. B. (1956):

Isolation of melanocyte. Stimulating hormone from  
hog pituitary gland. J. Biochem 221:943-959.

Lee, T. H. (1958):

Identification of Alpha and Beta Melanocyte stimu-  
lating hormone in hag post pitutary powder. J.  
Biol. Chem. 233-917-919.

Lerner A. B. and Case, J. D. (1959):

Pigment cell regulatory factors. J. Invest. Derma-  
tol. 32:211.

Lerner, A. B. and Case, J. D. (1967):

Pigment cell regulatory factors. J. Invest.  
Dermatol.; 211-220.

Lerner, A. B.; Fitzpatrick, T. B.; Calkins, E.; and  
Summerson, W. H. (1949):

Mamillian tyrosinase preperation and properties.  
J. Biol. Chem. 178:185.

Lerner, A. B.; Fitzpatrick, T. B.; Calkines, E.; and  
Summerson, W. H. (1950):

Mammilian tyrosinase the relationship of Copper to  
enzymatic activity. J. Biol. Chem. 178:793.

Lerner, A.B.; Schizume, K.; and Bunding, I. (1954):

Mechanism of endocrine control of melanin pigmentation. J. Clinical. Endocrinal. Metabolism. 14:1463-1490.

Lizuka, H.; Adachi, K.; Halprim, K.M.; and Levine, V. (1978):

Cyclic AMP accumulation in psoriatic skin, differential response to histamine, AMP and epinephrine by the uninvolved and involved skin, J. Invest. Dermatol. 70:250-253.

Lizuka, H.; Kajita, S.; and Ohkawara, A. (1985):

Ultra-violet radiation augments Epidermal B-adrenergic adenylate cyclase response. J. Invest. Dermatol. 84:401-403.

Lorincz, A.L. (1950):

Studies on inhibition of melanin formation. J. Invest. Dermatol. 15-425.

Lutfi, R.G.; Fridmanis, M; Msiunas, A.L.; Entrique, O.P.; Jorge, G.A; Mazzini, M. and Niepomniszize, H. (1985):

Association of melasma with thyroid autoimmunity and other thyroidal abnormalities and their relationship to the origin of melasma. J. Clinical, Endocrinal Metab. 68:28-31.

Masson, H.S.; Ingram, D.J.E.; and Allen, B.(1960):

The free radical formation following exposure to ultra-violet. J. Invest. Dermatol. 39:445.

Mcguire, J. and Hendee, J. (1971):

Biochemical basis for depigmentation of skin by phenolic germicides. J. Invest. Dermatol., 57:256-261.

McClean, D.I, and Peter, K. (1986):

Apparent progression of lentigo maligna to invasive melanoma during treatment with topical azelaic acid. Br. J. Dermatol., 114:685-689.

Menon, I.A. and Haberman, H.F. (1977):

Mechanism of actions of melanins. Br. J. Dermatol. 97:109-112.

Miayamoto, M. and Fitzpatrick, T.B. (1957):

Competitive inhibition of mammalian tyrosinase by phenylalanine and its relationship to hair pigmentation in phenyl ketonuria. Nature. 179:199.

Mishima, Y. and Widlans, S. (1967):

Enzymatically active and inactive melanocyte populations and ultra-violet irradiation combined dopa, pre-melanin reaction and electron microscopy. J. Invest. Dermatol. 49:273-281.

Mosher, D.B.; Fitzpatrick, T.B.; Ortonne, J.P.; and  
Hori, Y. (1987):

Disorders of pigmentation in Textbook. Dermatology  
in General Medicine. 3rd. edition. Library of  
Congress. Cataloging in Publication Data. Vol.1 p.  
794-866.

Mosher, D.; Parrish, J.; and Fitzpatrick, T.B. (1977):

Monobenzyl ether of hydroquinone. Br. J. Derma-  
tol., 97:669-679.

Nazzaro-porro, M.; Passi, S.; Balus, L.; and Breathnack,  
A.S. (1979):

Effect of dicarboxylic acids on lentigo maligna.  
J. Invest. Dermatol., 72:296.

Nazzaro-porro, M.; Passi, S.; Zina, G.; and Breathnack,  
A.S. (1982):

Five years observation on the effect of azelaic  
acid on lentigo maligna. J. Invest. Dermatol.,  
78:30.

Neal, S.P. (1985):

Ochronosis like pigmentation from hydroquinone  
bleaching creams, Arch. Dermatol., 121:1239.

Nordlund, J.; Zalfa, A.; Boissy, R.E.; and Rheins, L.A.  
(1989):

Pigment cell Biology. J. Invest. Dermatol. 50:53-  
60.

Norins, A.L. (1962):

Free radical formation in the skin following exposure to ultraviolet light. J. Invest. Dermatol. 39:445.

Papa, C.M. and Kligman, A.M. (1965):

The behaviour of melanocytes in inflammation. J. Invest. Dermatol. 45:465-473.

Patel, R.P.; Okun, M.R.; Edelstein, L.M.; and Cariglia, N. (1974):

Biochemical studies of the peroxidase mediated oxidation of tyrosine to melanin formation of dopachrome. J. Invest. Dermatol. 63:374-377.

Pathak, M.A. and Fellman, J.H. (1960):

Activating and fluorescent wave lengths of furocoumarine (psoralens). Nature, 185:382-383.

Pathak, M.A.; Fitzpatrick, T.B.; and Kraus, E. (1985):

Usefullness of retinoic acid in the treatment of melasma. J. Am. Acad. Dermatol. 15:894-899.

Pawelek, J.M. (1976):

Factors regulating growth and pigmentation of melanoma cells. J. Invest. Dermatol. 66:201-209.

Perez, M.; Sanchez, J.; and Aguilo, F. (1983):

Endocrinologic profile of idiopathic melasma. J. Invest. Dermatol. 81:543-545.

Pipkin, B.F. (1984):

Medical statistics made easy-simple significant test in text book of statistics. Churchill Livingstone P.69.

Pomerantz, S.H. (1966):

The tyrosinase hydroxylase activity of mammalian tyrosinase. J. Biol. Chem. 241:161-168.

Prota, G. (1980):

Recent advances in the chemistry of melanogenesis. J. Invest. Dermatol. 75:122-127.

Prunieras, M. (1969):

Interaction between keratinocytes. J. Invest. Dermatol. 52:1.

Rheins, L.A.; Calteur, A.L.; and Kleier, R.S. (1989):

Alpha melanocyte stimulating hormones modulates contact hypersensitivity responseiveness in mice. J. Invest. Dermatol.

Riley, P.A. (1970):

Mechanism of pigment cell toxicity produced by hydroxy-anisole. J. Pathology., 101:163.

Rosdahl, I. (1979):

Local and systemic effects on the epidermal melanocyte population in ultraviolet irradiated mouse Skin. J. Invest. Dermatol. 73:306-309.

Rosdahl, I. and Rorsman, H. (1983):

An estimate of melanocyte mass in humans. J. Invest. Dermatol. 81:278-281.

Rosdahl, I. and Szabo, G.J. (1978):

Mitotic activity of epidermal melanocytes in ultraviolet irradiation mouse skin. J. Invest. Dermatol. 70:143-148.

Ruhman, A.G. and Berliner, D.L. (1965):

Effect of steroids on growth of mouse fibroblast in vitro. J. Endocrinology. 76:916-927.

Sanchez, N.P.; Pathak, M.A.; Sato, S.; Fitzpatrick, T.B.; Sanchez, J.i.; Boston, M.I.; and Juan, S. (1981):

Melasma a clinical, light microscopic, ultra structural and immuno fluorescent study. J. Am. Acad. Dermatol. 4:698-710.

Saunders, T.S.; Fitzpatrick, T.B.; Brunet, P.; and Seijj, M. (1958):

Chloro-quin and changes in hair colour experimental and clinical studies abstract. Nineteenth Annual Meeting Soc. J. Invest. Dermatol., 30:110.

Seal, P.; Riley, P.A.; Inman, D.R. (1969):

Basal cell encroachment into the dermis caused by applications of hydroxy anisole. J. Invest. Dermatol., 52:264-267.

Selmanowitz, V.J and Krivo, J.M. (1975):

Pigmentary demarcation lines. Br. J. Dermatol. 93:371.

Smith, A. G.; Shuster, A. G.; Thody, A.; and Peberdy, M. (1977):

Chloasma oral contraceptive and plasma immunoreactive betamelanocyte stimulating hormone. J. Invest. Dermatol. 68:169-170.

Spencer, M.C. (1965):

Topical use of hydroquinone as a depigmenting agent JAMA 194:117-119.

Starrico, R.J. and Pinkus, H. (1957):

Quantitative and Qualitative data in the pigment cells of adult human epidermis. J. Invest. Dermatol. 28:33.

Stieiner, U.; Rosdahl, I.; Augustsson, A.; and Bertil, K. (1989):

UVB irradiation induces melanocyte increase in both exposed and shielded area of skin. J. Invest. Dermatol. 92:561-567.

- Tomita, Y.; Torinuki, W.; and Tagomi, H. (1988):  
Stimulation of human melanocytes by vit D3 possibly mediates skin pigmentation after sun exposure.  
J. Invest. Dermatol. 90:882-884.
- Upton, G. U.; Lerner, a.B.; and Lande, S. (1966):  
Pituitary peptides, resolution by gel filtration.  
J. Biol. Chem. 241:5585-5589.
- Van Woert, H.; Prasad, K.; and Borgo, D. (1967):  
Studies of substantia nigra pigment in human subject. J. Neuro-Chemistry 14:707.
- Wind Horst, D.B. (1968):  
Chediak. Higashi syndrome. J. Invest. Dermatol. 50:9.
- Wray, R.E.; Contreras, S.M.; Guerero, I.; and Roswell, A.A. (1962):  
Long term administration of Norethindrone in fertility control JAMA 180:355-358.
- Zaynoun, S.T. (1977):  
Berloque Dermatitis Br.J. Dermatol. 7:111.
- Zaynoun, S.T.; Johnson, B. E.; and Frain, B.W. (1977):  
A study of oil of bergamot and its importance as a photo-toxic agent. Br. J. Dermatol. 96:475-482.