

REFERENCES

REFERENCES

(A)

- Albrektsson, T. and Jacobsson, M. (1987): Bone-metal interface in osseointegration. J. Prosthet. Dent., 57: 597.
- Amler, M. H. (1990): Hard tissue replacement (HTR) polymer as an implant material. J. Biomed. Mat. Res., 24: 1079-1089.
- Amstutz, H. C., Kilgus, D., Kabo, J.M. and Dorey, F. (1988): Porous surface replacement of the hip with chamfered cylinder component. Arch. Ortho.Trauma. Surg., 107: 73.
- Anderson, J. M. (1988): Perspectives on in vivo testing of biomaterials, prostheses and artificial organs. J. Am. Coll. Toxicol., 7: 469-479.
- Apley, G. and Solomon, L. (1993): Apley's system of orthopaedics and fractures, implant materials. ELBS. pp. 255-258.

(B)

- Betts, F. and Yau, A. (1989): Graphite furnace atomic absorption spectrometric determination of chromium, nickel, cobalt, molybdenum and manganese in tissues containing particles of a cobalt-chrome alloy. Anal. Chem., 61: 1235.

- Bjursten, L. M., Ericson, L. E., Lausmaa, J., Mattson, L., Rolander, U., Rosander, L., Thomsen, P. and Kasemo, B. (1987): A new method for ultrastructural studies of intact tissue-titanium interface. Soc. Biomat. 13th Annual meeting New York, June, 2-6.
- Black, J., Sherk, H., Rostoker, W.R. and Galante, J.O. (1990): Metallosis associated with a stable titanium alloy femoral prosthesis. J. Bone. Joint Surg., 72 A: 126.
- Bloch, B. and Hostings, G.W. (1972): Plastic materials in surgery. Chales- Thomas, Spring field. pp. 55-81.
- Bonfiglio, M. (1972): Immunologic response to bone grafts. Clinic. Ortho., 87: 19-27.
- Bouet, T., Schmitt, M., Desuzinges, C. and Eloy, R. (1991): Quantitative in vivo studies of hyperaemia in the course of the tissue response to biomaterial implantation. J. Biomed. Mat. Res., 24: 1439-1461.
- Brown, and Creuss, (1982): Bone and cartilage transplantation in Ortho. Poediatric Surg., 64A(2): pp 270-279.
- Brown, S. A. and Simpson, J. (1979): Electrochemical dissolution of metallic implants prior to histologic sectioning. J. Biomed. Mat. Res., 13: 337.

- Buchloz, H. W. and Heinert, K. (1990): Long term results of cemented arthroplasty. *Ortho. Clinic. North. Am.*, 19: 611.
- Bundy, K.J., Leudeman, R. and Cooper, K. (1986): Factors affecting metal ion release from porous implant materials. *Trans. Ortho. Res. Soc.*, 11: 101.
- Burchardt, H. (1987): Biological bone transplantation. *Ortho. Clinic. North Am.*, 18(2).
- Burchardt, H., Glowezewskie, F. P. and Enneking, W. F. (1977): Allogenic segmental fibular transplants in azathioprine immunosuppressed dogs. *J. Bone Joint Surg.*, 59A: 881.
- Burwell, R. G. (1964): Studies in transplantation of bone the fresh composite homograft-autograft of cancellous bone. An analysis of factors leading top osteogenesis in marrow transplant and marrow containing bone graft. *J. of Bone and Joint Surg.*, 64B> 110.
- Burnwell, R. G. (1969): The fate of bone grafts. In: *Recent advances in orthopoeidics*. Apley, A. G. and Churchill LTD, London, Vol.I: pp.115-209.
- Burstein, A. H. and Wright, T. M. (1983): *Musculoskeletal biomechanics* In: *Surgery of muscloskeletal system*. Everts, Churchill Livingstone, New York, Edinburgh, London and Melourne , Vol. I: pp. 1275-1279.

(C)

Campbell, P. and Kossovsky, N. (1988): Bone resorption by human Periprosthetic macrophages. Trans. 16th Annual Meeting of the Society of Biomaterials. Cited from Clinic. Ortho. and Related Res., 276, March 1992).

Charnley, J. (1979): Low friction arthroplasty of the hip. Berlin, Springer-Verlag. Bone and Joint Surg.

Chacha, (1983): Vascularized bone grafts. International Orthopaedics (sicot), 8: 17-138.

Chiroff, R.T., White, E.W., Weber, J.N., and Roy, D.M. (1975): Tissue ingrowth of replamineform implants. J. Biomed. Mater. Res. 6: 29.

Christel, P. S. (1992): Biocompatibility of surgical-grade dense polycrystalline alumina. Clin. Orthop. Rel. Res. 282: 10-18.

Christel, P., Meunier, A., Heller, M., Torre, J.P. and Peille, C.N. (1992): Biocomp. of alumina. Clinical Ortho. and Related Res., 282: 10-18.

Coleman, R. F. (1974): Concentration of implant corrosion products in the body. J. of Bone and Joint Surgery, 55B: 422.

Collier, J. P., Thomas, D. E. and Bauer, W. (1992): Results of implant retrieval from postmortem specimens in patients with well-functioning long-term total hip replacement. Clinic. Ortho. and Related Res. 274: 97-112.

Collins, D. H. J. (1953): Surgical wound infection. Pathol. Bacterial, 65: 109.

Cooke, F. W., Lunceford, E. M. and McDermott, M. K. (1987): Strength and structure of a carbon fiber reinforced commercial PMMA bone cement. Society for biomaterials 17th Annual Meeting, New York. Cited from Clinic. Ortho. and Related Res., 276: 20.

(D)

De Bruijn, J. D., Klein, C. P. A. T., De Groot, K. and Van Blitter Swijk, C. A. (1992): The ultrastructure of bone-hydroxyapatite interface in vitro. J. of Biomed. Mat. Res. 26: 1365-1382.

Dee, R. and Pugh, J. (1988): Properties of orthopaedic materials. p. 140-143. Printed from principles of ortho. practice. Properties of musculoskeletal tissues and biomaterials.

De Lange, G. L., De Putter, C. and Dewijs, F. L. J. A. (1990): Histological and ultrastructural appearance of hydroxyapatite -bone interface. J. of Biomed. Mat. Res. 24: 829-845.

Dorlot, J. M. (1992): Long term in vivo behaviour of alumina components of THP. Clinic. Ortho.. 282: 47.

(E)

Evans, E. M., Freeman, M. A. R, Miller, A. J. and Vernon-Roberts, B. (1974): Sensitivity as a cause of bone necrosis and loosening of the prosthesis in total joint replacement. J. Bone joint surg. 56B: 626.

(F)

Freeman, M. A. R, Bardley, G. W. and Revell, P. A. (1982): Observations upon the interface between bone and polymethylmethacrylate cement. J. of Bone and Joint Surg.,vol. 164B: 489-493.

Freeman, M.A.R. and Tennant, R. (1992): The scientific basis of cement versus cementless fixation. Clinic. Ortho. and Related Res. 276: 19-25.

Frauzzu, E. J. and Schmitt, (1971): Biodegradable Polymers and their durability. Clinic. Ortho. 90: 185.

Fujita, Y., Yamamuro, T., Nakamura, T., Ohtsuk, C. and Kokubo, T. (1991): The bonding behavior of calcite to bone. J. Biomed. Mat. Res., 25: 991-1003.

Funk-Bentane, J. L. (1974): Biomat. Med. Det. Artif. Org.

(G)

Garret, R., Wilksch, J., and Vernon-Robert B. (1983): Effects of cobalt-chrome alloy wear particles on the morphology, viability and phagocytic activity of murine macrophages in vitro. Aust. J. Exp. Biol. Med. Sci. 61: 355.

Gillespie, W.J., Frampton, C.M.A., Henderson, R.J. and Ryan, P.M. (1988): The incidence of cancer following total hip replacement. J. Bone joint surg. 10B: 539.

Goldberg, V. M., Powell, A. and Schaffer, J. W. (1985): Bone grafting role of histocompatibility in transplantation. J. Orthop. Res., 3: 389.

Goldring., S.K. (1986): Loosening of stable implants. Acta. Ortho. Scand., 55: 111-135.

Griss, P., and Heimke, G. (1981): Biocompatibility of high density alumina and its application in orthopaedic surgery. In: Biocompatibility of clinical implants materials. Williams, D.F. (ed). Boca Raton, CRC Press vol. Vol. 1: pp. 155-198.

(H)

Heinke, G. (1983): Bioinert ceramics. In Vincenzini, P. (ed.): Ceramics in surgery. Amsterdam, Elsevier Scientific. 33-47. Cited from Cooke, K. W. Ceramics in Ortho. Surg. Clinic. Ortho. and related research, Vol. 276 march 1992: 135-145.

Hench, L.L. and Ethridge, E.C. (1982): Biomaterials, an interfacial approach. Biophysics and Bioengineering Series. Vol. 4. Academic Press, New York. pp. 62-86.

Hench, L. L. and Wilson, J. (1984): Surface-active biomaterial. Science. 226: 630-336.

Herndon, J. H., Bechtol, C. O. and Crickenberger, D. P. (1974): Fat embolism during total hip replacement: a prospective study. J. Bone Joint Sur., 56A: 1350.

Herzlinger, G.A. and Cumming, R.D. (1980): Role of complement activation in cell adhesion to polymer blood contact surfaces. Trans. Am. Soc. Artif. Intern. Organs. 26: 165-171.

Homsy, C. A., Giant, and Kessler, F. B., Aderson, M. S. and King, J. W. (1972): Application of new prosthesis. Clinic. Ortho. 90: 215.

Horowitz, M. C. and Friedlaender, G. E. (1987): Immunological aspect of bone transplantation. Ortho. Clinics of North America. 18(2): 227-233.

(I)

Isabel B., Graca S. C., Mario A. B. and Maria D. (1990): Differential effects of eight metal ions on lymphocyte differentiation antigens in vitro. J. of Biomed. Mat. Res, 24: 1059-1068.

(J)

- Jarcho, M. (1981): Calcium phosphate ceramics as hard tissue prosthetics. Clinic. ortho. and related Res., 157: 259-278.
- Jasty, M., Willian, J., and William H. (1992): Acrylic fragmentation in THR and its biological consequences. Clinic. Ortho. and Related Researches. 285: 116-128.
- Jayabalan, M., Shunmuga Kumar, N., Rathinam, K. and Kumari, T. V. (1992): In vivo biocompatibility of an aliphatic crosslinked polzurethan in rabbit. J. Biomed. Mat. Res., 25: 1431-1442.
- Johansson, A., Robertson, B., Curstedt, J. and Camner, P. (1987): Alveolar macrophage abnormalities in rabbits exposed to low concentrations of trivalent chromium. Environ. Res., 44: 279-293.
- John, T. S. (1980): Implant materials in scientific foundations of orthopaedics and traumatology. Ed. by Own, R., Goodfellow, J. and Bullough, P. William Heinenmann Med. books LTd., London. P. 171.
- Johnson, S. D., Anderson, J. M. and Marchant, R. E. (1992): Biocompatibility studies on plasma polymerized interface materials encompassing both hydrophobic and hydrophilic surfaces. J. of Biomed. Mat. Res., 26: 915-935.

(K)

- Kaplan, S. S., Basford, R. E., Mora, E., Jeong, M. H. and Simmons, R.L. (1992): Biomaterial induced alternations of neutrophil superoxide production. J. of Biomed. Mat. Res., 26: 1039-1051.
- Katsikeris, N., Listrom, R. D. and Symington. I. M. (1987): Interface between titanium 4,6 alloy implants and bone. Int. J. oral Maxillofac. Surg., 16: 473.
- Kawanable, K., Yamamuro, T., Kotani, S. and Nakamura, T. (1992): Acute nephrotoxicity as an adverse effect after intraperitoneal injection of massive amounts of bioactive ceramic powders in mice and rats. J. of Biomed. Mat. Res. 26: 209-219.
- Kim, K. C. and Ritter, M. A. (1972): Hypotension associated with methyl methacrylate in total hip arthroplasties. Clin. Orthop., 88: 154.
- Kliman, M. Halloran, P. F. and Lee, E. (1981): Orthopoedic bone transplantation in mice. III Methods of reducing the immune response and their effect on healing. Transplantation. 31: 34.
- Kokubo, T. Ito, S., Sakka, S. and Yamamuro, T. (1986): Formation of a high strength bioactive glass-ceramic in the system $MgO-CaO-SiO_2-P_2O_5$. J. Mater. Sci., 21: 536-540.

Kotani, S., Fujita, Y., Kitsugi, T., Nakamura, T., Yamamuro, T., Ohtsuki, C. and Kokubo, T. (1991): Bone bonding mechanism of β -tricalcium phosphate. J. Biomed. Mater. Res., 25: 1303-1315.

Kotani, S., Yamamuro, T., Nakamura, T., Higashi, S., Fujita, Y., Kawanabe, K., Kokubo, T. and Ohtsuki, C. (1989): The bonding behavior of two glass ceramics (KGS and A-W GC). Bioceramics, 2: 105-112.

(L)

Laing, P. G., Ferguson Jr., A. B. and Hodge, E. S. J. (1973): Tissue reaction in rabbit muscle exposed to metallic implants. J. Biomed. Mat. Res., 1:135.

Lausmaa, J. and Linder, L. (1988): Surface spectroscopic characterization of titanium implants after separation from plastic embedded tissue. Biomaterials 9: 277.

Linder, L. (1983): Fibrous tissue formation around an implant. J. of Bone and Joint Surg., 66(3): 312.

Linder, L. (1985): High resolution microscopy of implant-tissue interface. Acta Ortho. Scand., 56: 269.

Linder, L., Carlsson, A., Marsal, L., Bjursten, L. M. and Branemark, P. I. (1988): Clinical aspects of osseointegration in joint replacement. J. Bone Joint Surg., 70(B): 550.

Linder, L. (1992): Ultrastructure of the bone-cement and the bone-metal interface. Clin. Orth. Rel. Res., 276.

Löer, F., Zilkens, Schmidt., E., Nolte, M. Reich., M. and Michel, R. (1986): Release of trace elements from ceramic-metal endoprotheses of the hip-joint. In: Biological and Biomechanical performance of Biomaterials. Christel, P., Meunier, A. and Lee, A. J. C. (eds). Amsterdam, Elsevier. pp. 501-506.

(M)

McMaster, W. C., Bradley, G. and Waugh, T. R. (1974): Blood pressure lowering effect of methylmethacrylate monomer: potentiation by blood volume deficit. Clin. Orthop., 98: 254.

Makley, (1985): The use of allografts to reconstruct intercalary defects of long bones. Clinic. Ortho., 197: 58-75.

Maloney, W. J., Jasty, M., Rosenberg, A., and Harris, W. H. (1990): Bone dysplasia in well-fixed cemented femoral components. J. Bone Joint Surg., 72(B): 966.

Marchant, R. E., Miller, K. M. and Anderson, J. M. (1984): In vivo biocompatibility studies v. In vitro leukocyte interactions with biomer. J. Biomed. Mat. Res., 16: 1169-1190.

McCoy, T. H., Salvati, E. A., Ranawat, C. S. and Wilson, P. D. Jr. (1988): A fifteen year follow-up study of one hundred charnley low-friction orthoplasties. Ortho. Clinic. North Am. 19: 467.

Mears, D. C. (1979): Materials and orthopoedic surgery. Fracs (c): 169-277.

Meritt, K. (1984): Role of med. mat. both in implant and surface applications in immune response and in resistance to infection. Biomat., 5: 47.

Meuer, S., Ecker, U., Hadding, U. and Juermann, D.B. (1981): Platelet serotonin release by C3a, two independent pathways of activation. J. Immunol., 126: 1506-1509.

Mirra, J. M., Marder, R. A. and Amstutz, H. C. (1982): The pathology of failed total joint arthroplasty. Clinic. Ortho. 170: 175.

(N)

Neo, M.N., Kotani, S., Fujita, Y., Nakamura, T. and Yamamuro, T. (1992): Differences in ceramic-bone interface between surface active ceramics and resorbable ceramics. J. of Biomed. Mat. Res., 26: 255-267.

(P)

Puleo, D. A., Holleran, L. A., Doremus, R. H. and Bizios, R. (1991): Osteoplast response to orthopaedic implant materials in vitro. *J. of Biomed. Mat. Res.*, 25: 711-723.

Peluso, G. (1991): Macrophage activation induced by different carbon fibre-epoxy resin composites. *J. of Biomed. Mat. Res.*, 25: 637-649.

Pizzoferrato, A., Vespucci, A., Tarabusi, C., Ciapetti, G. and Stea, S. (1987): Chemotactic response of macrophages from biomaterial injected mice. In Duchezne, P., Van der Perre, G. and Aubert, A. E. (eds): *Biomaterials and biomechanics*, Amsterdam, Elsevier. 301-306.

Policard, A., Collet, A., Danier-Moussard, H. and Pregonmain, S. (1961): Deposition of silica in mitochondria, An electron microscopic study. *Biophys-Biochem. Cytol.*, 9: 236-238.

Puranen, (1966): Reorganisation of fresh and preserved bone transplant. An experimental study in rabbits using tetracycline labelling. *Alta. Ortho. Scand. (supp)*, 92: 1.

(R)

Rae, T. (1981): Localised tissue infection and the influence of foreign bodies. In Williams, D. F. (ed.): *Fundamental aspects of Biocompatibility*. CRC Press, pp. 139-158.

Roy, D.M. and Linnehan, S.K. (1974): Hydroxyapatite formed from coral skeletal carbonate by hydrothermal exchange. *Nature*, 247: 220.

(S)

Saha, S. (1982): The dynamic strength of bone and its relevance. In Ghista, D.N. (ed.): *Osteoarthromechanics*. New York, McGraw-Hill. 1-38.

Saldanha, L. F., Rosen, V. J. and Gonick, H.C. (1975): Silicon nephropathy. *Am. J. Med.*, 59: 95-103.

Samuel, I. S. and Glenn, W. C. (1992): Organoapatites: Materials for artificial bone. *J. Biomed. Mater. Res.* 26: 169-183.

Santavirta, S., Hoikka, V. and Eskola, A. (1990): Aggressive granulomatous lesions in cementless total hip arthroplasty. *J. Bone Joint Surg.*, 72(B): 980.

Settle, W. R. and Sauer, F. (1960): Demonstration of siliceous seposits in the kidney of the guniea pig. *Am. J. Vet. Res.*, 21: 709-711.

Shanbhag, A., Yang, J., Lilien, J. and Black, J. (1992): Decreased neutrophil respiratory burst on exposure to cobalt-chrome alloy and polystyrene in vitro. *J. of Biomed. Mat. Res.*, 26: 185-195.

- Sisk, D. T.(1992): Knee injuries. In: Campbell's operative orthopoeedics. Ed. by Crenshaw, A.H. Moeby Year Book, St. Louis, Baltimore, Boston, Chicago, London, Philadelphia, Sydney, Toronto.
- Smith, L. (1963): Ceramic-plastic material as a bone substitute. Arch. Surg., 87: 653.
- Sowa, D. T. and Weiland, A. J. (1987): Clinical application of vascularized autograft. Ortho. Clinic. of North America, 18(2): 257-274.
- Spengler, D. M., Costenbader, M. and Bailey, R. (1976): Fat embolism syndrome following total hip arthroplasty. Clin. Orthop., 121: 105.
- Springfield, D. S. (1987): Massive autogenous bone grafts. Ortho. Clinics of North America. 18(2): 249-256.
- Stauffer, R. N. (1982): Ten year follow-up study of total hip replacement. J. Bone joint Surg., 64 (A): 983.
- Stupp, S. I. and Ciegler, G. W. (1992): Organoapatite: Materials for artificial bone. J. of Biomed. Res., 26: 169- 183.

(T)

Taira, M. and Lautenschlager, E. P. (1992): In vitro corrosion fatigue of 316L cold worked stainless steel. J. of Biomed. Mat. Res., 26: 1131-1139. ?? title of paper

Taylor, L. (1971): Tantalum-based alloys and noble metals in ortho-poedic surgery. Biomed. Mat. Res., 19: 211.

Thomas, W. C. (1982): Trace metal-citric acid complexes as inhibitors of calcification and crystal formation. Proc. Soc. Exp. Biol. Med. 170: 321.

Tooms, E. R. and Harkess, J. W. (1992): Arthroplasty introduction and overview. In Campbell s operative orthopoedics. Ed. by Crenshaw, A. H. Mosby zear book, St. Louis, Baltimore, Boston, Chicago, London, Philadelphia, Sydney, Toronto.

(U)

Urist, M. R. and Strates, B. S. (1971): Bone morphogenetic protein. J. Dent. Res. So. (suppl. 6). 1392.

(V)

Van Blitterswijk K, C. A. and Grote, J. J. (1989): Biological performances of ceramics during inflammation and infection. CRC. Crit. Rev. Biocomp. 5: 13.
