

REFERENCES

REFERENCES

- **Abdel-Aal, H.; Morsy, T.A. and Hawwary, G.H. (1976):** Clinical forms of cutaneous leishmaniasis in Riyadh, Saudi Arabia, Castellania, Tropenmed. Dermatol., 4 (8): 155-157, Acron, Verlag, Berlin.

- **Abdel Fattah, A.; Morsy, T.A. and Ismail, M.A. (1983):** Treatment of cutaneous leishmaniasis in Saudi Arabia. J. Egypt. Soc. Parasit., 13: 243-251.

- **Abdel Fattah, A.; Morsy, T.A. and Ismail, M.A. (1984):** Clinical studies on cutaneous leishmaniasis in Saudi Arabia. J. Egypt. Pub. Hlth. Ass., 59: 51-66.

- **Abdel Wahab, R.M.; Morsy, T.A. ; El-Garem, A.A.; Bahgat, A. and Essa, M.H. (1986):** Introduced cases of cutaneous leishmaniasis in Egypt. J. Egypt. Soc. Parasitol., 16: 9-16.

- **Abdulla, R.E.; Ali, E.; Wasfi, A.I. and Hassan, M.H. (1973):** Cutaneous leishmaniasis in Sudan. Trans. Roy. Soc. Trop. Med. Hyg., 67: 549-558.

- **Al Taqi, M. and Behbehani, K. (1980):** Cutaneous leishmaniasis in Kuwait. Ann. of Trop. Med. Parasit., 74: 495.

- **Ambroise-Thomas, P. (1976):** Immunofluorescence in the diagnosis, therapeutic follow up and seroepidemiological studies of some parasitic diseases. Trans. Roy. Soc. Trop. Med. Hyg., 70: 107-112.

- **Barsky, S.; Storino, W.; Salgea, K. and Paul-Knapp, D. (1978):** Surgical management of a case with unusual clinical and histological features. Arch. Dermatol., 114: 1354-1355.

- **Bassili, F. and Kandil, E. (1968):** Treatment of cutaneous

leishmaniasis with intralesional triamcinolone acetate. Acta Dermatol. Venereol., 48: 64-66.

- **Bassili, W.R.; Morsy, T.A. and Michael, S.A. (1983):** Specificity and Sensitivity of indirect haemagglutination in patients with cutaneous leishmaniasis. J. Egypt. Soc. Parasit. 13: 291-295.

- **Bassiouny, A.; El-Meshad; Talaat, M.; Kutty, K. and Metawaa, B. (1982):** Cryosurgery in cutaneous leishmaniasis. Br. J. Dermatol., 107: 467-474.

- **Belehu, A. and Naafs, B. (1982):** Diabetes mellitus associated with pentamidine mesylate. Lancet, 1: 1463-1464.

- **Bell, D.R. (1985):** Lecture notes on Tropical Medicine 2nd ed. Cutaneous leishmaniasis, Chapter 39. (Epidemiology and control) published by Blackwell Scientific Publication, Oxford, London, P.317.

- **Bellazoug, S.; Ammar-Khodja, A. and Belkoid, M. (1985):** la leishmaniose cutanée du nord d'Algérie. Bull. Soc. Pathol. Exot. Fil, 75: 615-622.

- **Berman, J. (1982):** In vitro susceptibility of resistant Leishmania to alternative drugs. J. Infect. Dis., 145 (2):279.

- **Berman, J. and Lee, L. (1983, a):** Activity of 8-aminoquinolines against Leishmania tropica within human macrophages in vitro. Am. J. Trop. Med. Hyg., 32: 753-759.

- **Berman, J. and Lee, L. (1983, b):** Activity of oral drugs against Leishmania tropica within human macrophages in vitro. Am. J. Trop. Med. Hyg., 32: 747-751.

- **Bienze, U.; Ebert, F. and Dietrich, M. (1978):** Cutaneous leishmaniasis in Eastern Saudi Arabia. Epidemiological and clinical

features in a non-immune population living in an endemic area. Tropenmed. Parasit., 29: 188-193.

- **Bourland-Reinert, L. and Nicolay, M. (1975):** Leishmaniose cutanee: Etude ultrastructurale. Dermatologica, 151 : 113-124.

- **Bray, R. S. (1980):** Leishmaniasis. In: Immunology of parasitic diseases. Edited by Cohen, S. and Sadun, E. H. Oxford. Blackwell Scientific Publications.

- **Bray, R. S. and Bryceson, A.D.M. (1968):** Cutaneous leishmaniasis of the guinea pig. Action of sensitized lymphocytes on infected macrophages. Lancet, 2: 898-899.

- **Briffa, C.V. (1985):** Cutaneous leishmaniasis in the Maltese Islands. Br. J. Dermatol., 113: 370-371.

- **Bryceson, A.D.M. (1970):** Diffuse cutaneous leishmaniasis in Ethiopia II. Treatment. Trans. Roy. Soc. Trop. Med. Hyg., 64:369-379.

- **Bryceson, A.D.M. (1975):** In Textbook of Medicine. 14th ed. Chapter 4. Leishmaniasis (introduction). Edited by Beeson, P.B. and Mc Dermott, W. Published by W.B. Saunders Company, Philadelphia, London, Toronto, P. 490.

- **Bulter, P.G. (1982):** Levamisole and immune response phenomena in cutaneous leishmaniasis J. Am. Acad. Dermatol., 6: 1070-1077.

- **Cahill, K. M. (1964):** Leishmaniasis in the Sudan Republic infection in American Personnel Am. J. Trop. Med. Hyg., 13: 794-799.

- **Canizares, O. (1975):** In: Clinical Tropical Dermatology. 1st ed. Chapter 13. Protozoan infections: Leishmaniasis Published by Blackwell Scientific Publications, Oxford, London, Edinburgh, Melbourne, P.185.

- **Chantemesse, A. (1887):** Note Sura la bouton du Nil. Ann. Inst. Pasteur, Paris, 1: 477. Quoted from **Morsy, T.A. (1983)**.
- **Chong, H. (1986):** Oriental sore. A look at Trends in and Approaches to the Treatment of leishmaniasis. Int. J. Dermatol., 25: 615-623.
- **Chulay, J.; Auzeze, E. and Koech, D. (1983):** High dose sodium stibogluconate treatment of cutaneous leishmaniasis in Kenya. Trans. Roy. Soc. Trop. Med. Hyg., 77: 717-721.
- **Cohen, H.A. (1979):** Induction of delayed-type sensitivity to Leishmania parasite in a case of leishmaniasis cutanea diffusa with BCG and cord-factor (trehalose-6-6-dimycolate). Acta. Dermatol. Venereal. (stockh), 59: 547-549.
- **Conard, A.H.; Manson, R.C. and Pet Peterkin, G.A.G. (1950):** Cutaneous leishmaniasis. Report of cases occurring in Great Britain and the United States. Arch. Dermatol., 62: 502.
- **Convit, J.; Castellanos, P.L.; Ulrich, M.; Castés, M.; Rondón, A.; Pinardi, M.E.; Rodriquez, N.; Bloom, B.R.; Formica, S.; Valecillos, L. and Bretana, A. (1989):** Immunotherapy of localized, Intermediate and Diffuse forms of American cutaneōūs leishmaniasis. J. Infect. Dis., 160(1): 104-115.
- **Convit, J. and Kerdel-Vegas, F. (1965):** Dissiminated cutaneous leishmaniasis. Arch. Dermatol., 41: 439-447.
- **Crofts, M. (1976):** Use of amphotericin B in mucocutaneous leishmaniasis. J. Trop. Med. Hyg., 78: 111-113.
- **Currie, M.A. (1983):** Treatment of cutaneous leishmaniasis by curettage. Br. Med. J., 287: 1105-1106.

- **Dey, N.C. (1964):** In: Medical Parasitology, 3rd ed. Class II Mastigophora, leishmaniasis. Published by Messrs. Allied Agency Calcutta, P. 43.
- **Dogra, J. (1991):** A double-blind study on the efficacy of oral dapsona in cutaneous leishmaniasis. Trans. Roy. Soc. Trop. Med. Hyg., 85: 212-215.
- **Domonkos, A. N.; Arnold, H.L. and Odom, R.B. (1990):** In Andrew's diseases of the skin. 8th ed. Chapter 20. Diseases due to animal parasites, leishmaniasis. Published by W.B. Saunders, Philadelphia, London, P. 487.
- **Dostrovsky, A. and Sagher, F. (1942):** Treatment of cutaneous leishmaniasis by grenz rays. Arch. Dermatol. Syph., 45: 865.
- **Edington, G.M. and Gilles, H.M., (1979):** In: Pathology in the Tropics. 2nd ed. Leishmaniasis. Published by the English Language book society and Edward Arnold (publishers) Ltd., P. 49.
- **Edrissian, G.H.H. and Darabrian, P. (1979):** A comparison of enzyme-linked immunosorbent assay and indirect fluorescent antibody test in the sero-diagnosis of cutaneous and visceral leishmaniasis in Iran. Trans. Roy. Soc. Trop. Med. Hyg., 73: 289.
- **Edrissian, G.H.H.; Darabrian, P. and Zoverin, Z. (1977):** Diagnosis of low parasite infections of cutaneous and visceral leishmaniasis using IFA techniques. First Mediterranean Conference on Parasitology, 5-10 Oct., 1977. Izmir, Turkey.
- **Eflatoon, A. (1922):** Record of the Museum of Entomology Society of Egypt. Quoted by Morsy et al., 1981.
- **El-Darouti, M.A. and Al-Rubei, S.M. (1990):** Cutaneous leishmaniasis. Treatment with combined cryotherapy and intralesional stibogluconate injection. Int. J. Dermatol. 29(1): 56-59.

- **El-Nahal, H.S.; Morsy, T.A.; Bassili, W.R.; El-Missiry, A.G. and Saleh, M.S.M. (1982):** Antibodies against three parasites of medical importance in Rattus sp. collected in Giza Governorate, Egypt. J. Egypt. Soc. Parasit., 12: 287-293.
- **El-Zawahry, M. (1971):** In: Textbook of common skin diseases for medical students and general practitioners. 1st ed. in oriental sore. Published by the public organization for book and scientific applicates, Cairo University Press, P. 141.
- **Essa, M. H. (1989):** Vascular changes in cutaneous leishmaniasis. J. Egypt. Soc. Parasitol., 19: 683-687.
- **Even-Paz, Z. Weinrauch, L. and Livshin, R. (1982):** Rifampicin treatment of cutaneous leishmaniasis. Int. J. Dermatol., 21: 110-112.
- **Farah, F.S. and Malak, A. (1971):** Cutaneous leishmaniasis. Arch. Dermatol., 103: 467-474.
- **Faust, E.C. and Russell, P.F. (1970):** In Craig and Faust's Clinical Parasitology. Chapter 10, the blood and tissue flagellates, 7th ed. Published by Lea and Febiger, Philadelphia, P. 75.
- **Griffiths, W.A.D. and Croft, S.L. (1980):** Cutaneous leishmaniasis. Postgraduate Doctor. Middle East, 3:388.
- **Griffiths, W. and Sodeify, M. (1976):** Use of metronidazole in cutaneous leishmaniasis. Arch. Dermatol., 112: 1791.
- **Guerra, M.; Mardsen, P. and Cuba, C. (1981):** Further trials of nifurtimox in mucocutaneous leishmaniasis. Trans. Roy. Soc. Trop. Med. Hyg., 75: 335-337.
- **Guirges, S.Y. (1971):** Natural and experimental re-infection of man

with oriental sore. Ann. Trop. Med. Parasit., 65:197.

- **Gunders, A. and Yaari, A. (1972):** Mobility of Leishmania tropica promastigotes in an electric field: effect of homologous antiserum and Rifampicin. Int. J. Parasit., 2: 113-117.

- **Halawani, A. (1940):** On the distribution of oriental sore in Egypt. J. Egypt. Med. Ass., 23: 192.

- **Harith, A. E.; Kolk, A.H.J.; Kager, P.A.; Leeweenburg, J.; Muigai, R.; Kiugu, S. and Laarman, J.J. (1986):** A simple and economical direct agglutination test for seroepidemiological studies of V.L. Trans. Roy. Soc. Trop. Med. Hyg., 80: 583-587.

- **Harith, A. E.; Kolk, A.H.J.; Kager, P.A.; Leeweenburg, J.; Muigai, R. and Kiugu, S. (1987):** Evaluation of a newly developed direct agglutination test (DAT) for sero-diagnosis and sero-epidemiological studies of V.L.: Comparison with IFAT and ELISA. Trans. Roy. Trop. Med. Hyg., 81: 603-606.

- **Harman, R.R.M. (1986):** In Textbook of Dermatology, 4th ed. Vol. 2, Chapter 26: Parasitic worms and protozoa. Edited by Rook, A.; Wilkinson, D.S. and Ebling, F.J.G. Published by Blackwell Scientific Publications. Oxford, London, P.1020.

- **Harms, G.; Chehade, A.K.; Racz, P.; Douba, M. and Zwingenberger, K. (1989):** Effects of intradermal gamma-interferon in cutaneous leishmaniasis. Lancet, 1: 1287-1292.

- **Henriksen, T. and Lenden, S. (1983):** In treatment of diffuse cutaneous leishmaniasis with chlorpromazine ointment. Lancet, 1:126.

- **Iskandar, I. (1978):** Rifampicin in cutaneous leishmaniasis. J. Int. Med. Res., 6: 280-285.

- **Islam Khan, N. and Desowitz, R.S. (1985):** A comparison of counter immuno electrophorsis and indirect haemagglutination tests for the immuno epidemiological investigation of VL. Southeast. Asian. J. Trop. Med. Pub. Hlth., 16(3): 377-380.
- **Jolliffe, D.S.; Evans, D.A. and Bryceson, A.D.M. (1986):** Cutaneous leishmaniasis. Brit. J. Dermatol., 114: 745-746.
- **Jopling, W.H. (1977):** In: Tutorials in postgraduate medicine (Dermatology); Vol. 6, Chapter 23. Tropical Dermatoses seen in Europe, cutaneous leishmaniasis. Edited by Marks, R. and Samman, P.D. Published by Appletion-Century-Crofts, New York, P. 359.
- **Kabil, S.M.; Morsy, T.A. and Yousef, S.M. (1988 a):** Investigation into the presence of Leishmania antibodies in patients with hepatosplenomegaly. J. Egypt. Soc. Parasitol., 18: 29-34.
- **Kabil, S.M.; Morsy, T.A.; Yousef, S.M. and Lashin, A.H.M. (1988 b):** Leishmania donovani infantum from the spleen of an adult patient with hepatosplenomegaly. J. Egypt. Soc. Parasitol., 18: 711-716.
- **Katzenellenbogen, I. (1952):** In Handbook of Tropical Dermatology and Medical Mycology; Vol. I, Chapter II. Cutaneous leishmaniasis. Edited by Simons, R.D.G. PH, Published by Elsevier publishing comp. Amsterdam, New York and London, P. 336.
- **Kellum, R.E. (1986):** Treatment of cutaneous leishmaniasis with an intralesional antimonial drug (pentostam). J. Am. Acad. Dermatol., 15:620.
- **Kerdel-Vegas, F. (1982):** American leishmaniasis. Int. J. Dermatol., 21:291.
- **Khalid, M.L.M.; Morsy, T.A.; Sadek, M.S.M. and Salama, M.M.I.**

(1982): The presence of antibodies against toxoplasmosis, leishmaniasis and amoebiasis in stray dogs in Cairo, Egypt. J. Egypt. Soc. Parasit., 2: 341-347.

- **Khalil-Bey, M. (1934):** Dermal leishmaniasis; a study of an endemic focus in Egypt. Arch. Schiffs U. Trop. Hyg., 38: 417-433.

- **Killick-Kendrich, R. (1979):** The biology of Leishmania in phlebotomine sandflies. In: Biology of kinetoplastida, Vol. 2 Edited by Lumsden, W.H.R. and Evans, D.A. Published by Academic Press, London, P. 395.

- **Kinnamon, K.; Steck, E.; Loizeaux, P.; Hanson, W. and Waits, V. (1978):** Antileishmanial activity of lepedines. Am. J. Trop. Med. Hyg., 27: 751-757.

- **Kubba, R.; Al-Gindan, Y.; El-Hassan, A.M. and Omer, A.H.S. (1983):** Expanding clinical spectrum of cutaneous leishmaniasis in the Eastern Province. The 8th Saudi Med. Conf., 30 Oct.- 3 Nov., Riyadh, Saudi Arabia.

- **Kurban, A.K.; Malak, J.A.; Farah, F.S. and Chaglassian, H.T. (1966):** Histopathology of cutaneous leishmaniasis. Arch. Dermatol., 93: 396-401.

- **Lagerholm, B.; Gip, L. and Lodin, A. (1968):** The histopathological and cytological diagnosis of cutaneous leishmaniasis in two cases of Leishmania tropica. Acta. Dermatol. Venereol. (Stockh), 48: 600-607.

- **Latyshev, N.Y. and Kryukova, A.P. (1953):** The genetic relationship between variuos species of Leishmania. Probl. Reg. Gen. Exp. Parasit. Med. Zool., 8: 211-215.

- **Lever, W.F. and Schaumburg-Lever, G. (1990):** Histopathology of the skin. 7th ed. Chapter 20. Diseases caused by protozoa. Published by

Lippincott Company, Philadelphia, London, P. 395.

- **Livshin, R.; El-On, J. and Weinrauch, L. (1983):** Therapeutic effect of Rifampicin and Isoniazid against Leishmania major. Int. J. Dermatol., 22: 61.

- **Long, P. (1973):** Cutaneous leishmaniasis treated with metronidazole. JAMA, 223: 1378-1379.

- **Madwar, M.A.; Morsy, T.A.; Kabil, S.M. and Yones, Y.M. (1985):** The possibility of visceral leishmaniasis in Qalyobia Governorate, Egypt. J. Egypt. Soc. Parasit., 15: 713-715.

- **Manson-Bahr, P.E.C. (1973):** Quoted from Morsy, T.A. and Shoura, M.I. (1975): Some aspects of cutaneous leishmaniasis in Riyadh, Saudi Arabia. J. Trop. Med. Hyg., 79:137-139.

- **Manson-Bahr, P.E.C. (1982):** In: Manson's Tropical Diseases. 18th ed. Appendix I. Medical Protozoology. Edited by Manson-Bahr, P.E.C. and Apter, F.I. Published by English Language Book Society and Bailliere Tindall, London, P. 666.

- **Manson-Bahr, P.E.C. (1984):** Cutaneous leishmaniasis, In Recent advance in Tropical Medicine. Edited by Gilles, H.M. Number One. Published by Churchill Livingstone, London and New York, P. 88.

- **Manson-Bahr, P.E.C. and Apter, F.I. (1982):** Manson's Tropical Diseases, 18th ed. Chapter 2 (non-infective disease), 7 (leishmaniasis) and 25 (Veld sore). Published by English Language Book Society and Bailliere Tindall, London, P. 17, 93 and 395.

- **Mardsen, P.; Cuba, C. and Barretto, A. (1979):** Nifurtimox in the treatment of South American leishmaniasis. Trans. Roy. Soc. Trop. Med. Hyg., 73: 391-394.

- **Mayrink, W.; Magalhaes, P.A.; Dias, M.; DA Costa, C.A.; Melo, M.N. and Oliveira Lima, A. (1978):** Response to Montenegro antigen after immunization with killed Leishmania promastigotes. Trans. Roy. Soc. Trop. Med. Hyg., 72: 674.

- **Micheal, S.A.; Morsy, T.A.; Abu El-Seoud, S.F. and Saleh, M.S.A. (1982):** Leishmaniasis antibodies in stray cats in Ismailia Governorate, Egypt. J. Egypt. Soc. Parasit., 12: 283-286.

- **Montgomery, H. (1967):** In Dermatopathology, Vol. I. Chapter 22. Animal parasites, leishmaniasis. Published by Hoeber, Medical Division, Harper and Row, Publishers, New York, Evanston and London, P. 623.

- **Morsy, T.A. (1975):** Oriental sore in Riyadh, Saudi Arabia, Castellania, Tropenmed. und Dermatol., 3: 153-155, Acron, Verlag, Berlin.

- **Morsy, T.A. (1983):** Cutaneous leishmaniasis in Egypt. Historical background and current knowledge. J. Egypt. Soc. Parasit., 13: 597-611.

- **Morsy, T.A. and Shoura, M.I. (1973):** Some aspects on cutaneous leishmaniasis in Riyadh, Saudi Arabia, Proc. 9th Inter. Cong. Trop. Med. Malar. October, 1973, Athena, Greece.

- **Morsy, T.A. and Hawwary, GH. (1974):** Leishmaniasis skin tests in Riyadh, Saudi Arabia. J. Kwt. Med. Ass., 8: 169-171.

- **Morsy, T.A. and Shoura, M.I. (1976):** Some aspects of cutaneous leishmaniasis in Riyadh, Saudi Arabia. J. Trop. Med. Hyg., 79: 137-139.

- **Morsy, T.A.; Michael, S.A. and El-Kateeb, M. (1979):** The prevalence of antibodies of some parasites in students of Jordan University.

Amman. J. Egypt. Soc. Parasit., 9: 495-504.

- **Morsy, T.A.; Michael, S.A. and Abou El-Seoud, S.F. (1981):** Leishmaniasis in rodents caught in Suez Canal zone, Egypt. J. Egypt. Soc. Parasit., 2: 241-252.

- **Morsy, T.A.; Musallam, R.A.Z.; El Shabrawy, M.N. and Hassan, H.I. (1982):** Parasitic infections in Ismailia Governorate, Egypt. J. Egypt. Soc. Parasit., 12: 209-216.

- **Morsy, T.A. and El-Ajlouny, A.K. (1984):** Cutaneous leishmaniasis in Jordan. J. Egypt. Soc. Parasit., 14: 257-264.

- **Morsy, T.A.; El Missiry, A.G. and Fayad, M.E. (1984):** Cutaneous leishmaniasis in Ismailia Governorate, Egypt. J. Egypt. Soc. Parasit., 14: 7-14.

- **Morsy, T.A. and Michael, S.A. (1985):** The specificity of leishmaniasis I.H.A.T. in albino rats experimentally infected with T. gondii and H. nana J. Egypt. Soc. Parasit., 15: 49-56.

- **Morsy, T.A.; Massoud, A.A. and El Said, S.M. (1985 a):** Clinical studies on cutaneous leishmaniasis in Eastern Delta, Egypt. J. Egypt. Soc. Parasit., 15: 675-681.

- **Morsy, T.A.; Shoeib, M.A.; El-Sobky, M.; El-Missiry, A.G. and Moustafa, N.A. (1985 b):** Cutaneous leishmaniasis in El-Menoufia Governorate, Egypt. J. Egypt. Soc. Parasitol., 15: 1-12.

- **Morsy, T.A.; Abdel Wahab, R.M.; Essa, M.H.; Ramadan, N.F. and Helmy, O.M. (1986 a):** On the treatment of cutaneous leishmaniasis in Egypt. J. Egypt. Soc. Parasitol., 16: 621-628.

- **Morsy, T.A.; El-Missiry, A.G.; Michael, S.A.; El-Said, S.M. and Giannini, S.H. (1986 b):** Comparison of the dot ELISA, IHAT and LST

for diagnosis of cutaneous leishmaniasis. J. Egypt. Soc. Parasitol., 16: 763-772.

- **Morsy, T.A.; Bassili, W.R.; Fayad, M.E.; El-Okbi, L.M. and Saleh, M.S.M. (1987 a):** Rodents in relation to cutaneous leishmaniasis in North Sinai Governorate, Egypt. J. Egypt. Soc. Parasitol., 17: 427-438.

- **Morsy, T.A.; Bassili, W.R.; Fayad, M.E. and Saleh, M.S.M. (1987 b):** Cutaneous leishmaniasis in North Sinai Governorate, Egypt. J. Egypt. Soc. Parasitol., 17: 97-107.

- **Morsy, T.A.; Shoukry, A.; Sohur, L.F. and Sulitzeanu, A. (1987 c):** Gerbillus pyramidum is a host of Leishmania major in the Sinai Peninsula. Ann. Trop. Med. Parasit., 81: 741-742.

- **Morsy, T.A.; Schnur, L.F.; Feinsod, F.M.; Michael, S. A., Saah, A.; Salama, M.M. and Wahba, M.M. (1988):** The discovery and preliminary characterization of a novel trypanosomatid parasite from Rattus norvegicus and stray dogs from Alexandria, Egypt. Ann. Trop. Med. Parasit., 82: 437-444, Liverpool.

- **Morsy, T.A.; Abdel Rahman, E.G. and Ahmed, M.M. (1989):** Treatment of cutaneous leishmaniasis with Pentostam and cryosurgery. J. Egypt. Soc. Parasitol., 19: 533-543.

- **Morsy, T.A.; Hamadto, H.A.; Rashed, S.M.; El-Fakahany, A.F. and Abdalla, K.F. (1990):** Animals as reservoir hosts for Leishmania in Qualyobia Governorate, Egypt. J. Egypt. Soc. Parasitol., 20: 779-788.

- **Morsy, T.A.; Al-Gahtani, Y.M. and Faris, R.M. (1991 a):** Two abnormal cases of anthroponotic cutaneous leishmaniasis in Al Baha, Saudi Arabia. J. Egypt. Soc. Parasitol., 21: 675-678.

- **Morsy, T.A.; Salama, M.M.I. and Saleh, M.S.M. (1991 b):** Leishmania

major and Meriones crassus in North Sinai, Egypt. J. Egypt. Soc. Parasitol., 21: 337-342.

- **Moschella, S.L. (1985):** In: Textbook of Dermatology, Vol. I, 2nd ed. Chapter 16, (Diseases of the mononuclear phagocytic system, leishmaniasis). Edited by Moschella, S.L. and Hurley, H.J. Published by W.B. Saunders Comp. Philadelphia, London and Toronto, P. 972.

- **Navin, T. R.; Arana, B.A.; Arana, F.E.; Merida, A.M. and Castillo, A.L. (1990):** Placebo-controlled clinical trial of meglumine antimonate (glucantime) vs. localized controlled heat in the treatment of cutaneous leishmaniasis in Guatemala. Am. J. Trop. Med. Hyg. 42 (1): 43-50.

- **Neal, R.; Croft, S. and Nelson, D. (1985):** Anti-leishmanial effect allopurinol ribonucleoside and related compounds allopurinol, thiopurinol ribonucleoside and formycin B, sinefungin and the lepedine WRG 026. Trans. Roy. Soc. Trop. Med. Hyg., 79: 122-128.

- **Neal, F. A. (1985):** In: Textbook of Medicine, 17th ed. Chapter 20. Diseases caused by protozoa and metazoa. Edited by Wyngaarden, J.B. and Smith, D.H. Published by W.B. Saunders Company. Philadelphia, London and Toronto, P. 1786.

- **Neva, F. and Sacks, D. (1984):** In: Tropical and Geographical Medicine, 2nd ed. Chapter 34. Leishmaniasis. Edited by Warren, K.S. and Mahmoud, A.A.F. Published by Mc Graw-Hill Book Company, New York, St. Louis and Toronto, P. 296.

- **NLRP. (1982):** National Leishmanial Research Program. Guidelines for cryotherapy, Saudi Arabia.

- **Ophir, J.; Krakowski, A. and Brenner, S. (1983):** Miconazole treatment for cutaneous leishmaniasis. J. Infect. Dis., 148:1168.

- **Pareek, S. (1984):** Combination therapy of sodium stibogluconate and rifampicin in cutaneous leishmaniasis. *Int. J. Dermatol.*, 23: 70-71.

- **Pearson, R.; Manian, A. and Hall, D. (1984):** Antileishmanial activity of chlorpromazine. *Antimicrob. Agents Chemother.*, 25: 571-574.

- **Pedersen, J.K. and Sawicki, S. (1975):** Metronidazole therapy for cutaneous leishmaniasis. *Arch. Dermatol.*, 111: 1343-1344.

- **Peters, W.; Lainson, R. and Shaw, I. (1981):** Potentiating action of rifampicin and isoniazid against Leishmania mexicana amazonensis. *Lancet*, 1: 1122-1123.

- **Pfaller, M. and Marr, J. (1974):** Antileishmanial effect of allopurinol. *Antimicrob. Agent Chemother.*, 5: 469-472.

- **Price, E.W. and Fitzherbert, M. (1965):** Cutaneous leishmaniasis in Ethiopia. A clinical study and review of literature. *Ethip. Med. J.*, 3:157.

- **Prior, A. (1970):** Isolation of *C. diphtheriae mitis* from Barcoo rot. *Lancet*, 1:1395.

- **Rahim, G.F. and Tatar, I.H. (1966):** Oriental sore in Iraq. *Bull. Endem. Dis.*, 8: 29-54.

- **Ridley, C.M. (1975):** In (the vulva) 1st ed. Chapter of infections with protozoae and metazoa, leishmaniasis. Published by W.B. Saunders Comp. Ltd., London, Philadelphia and Toronto, P. 145.

- **Schewach-Millet, M.; Fisher, B.K. and Semah, D. (1981):** Leishmaniasis recidivans treated with sodium stibogluconate. *Cutis.*, 28: 67-89.

- **Sebai, Z.A.; Morsy, T.A. and Suroor, F.J. (1975):** Treatment of cutaneous leishmaniasis with sodium stibogluconate (Pentostam) in Suadi Arabia. J. Egypt. Pub. Hlth. Ass., 50: 59-62.
- **Selim, M.M. and Kandil, H. (1972):** Rifampicin in the treatment of cutaneous leishmaniasis. J. Kwt. Med. Ass., 6: 159-166.
- **Simpson, L. (1978):** Kinetoplast RNA of Leishmania talrontolae. Cell, 14: 169-178.
- **Soliman, M.M. and Abu Shady, O.M. (1981):** Investigation of some cases of oriental sore in Egypt. J. Egypt. Soc. Parasit., 11: 421-423.
- **Soliman, M.S.; Morsy, T.A.; Abdel Messih, M.S. and El-Missiry, A.G. (1984):** Pentostam the drug of choice in visceral leishmaniasis in Egypt. J. Egypt. Soc. Parasit., 14: 311-320.
- **Tawfik, S.; Kassem, S.A.; Aref, M.K.; Awadalla, H.N. and Abadir, A. (1983):** A preliminary report on two cases of visceral leishmaniasis in Egypt. Trans. Roy. Soc. Trop. Med. Hyg., 77: 334-335.
- **Theodore, O. (1948):** On some sandflies (phlebotomus) of sergenti group of Palestine. Bull. Ent. Res., 38: 91-98.
- **Urcuyo, F.G. and Zaias, N. (1982):** Oral Ketoconazole in the treatment of leishmaniasis. Int. J. Dermatol., 21: 414-416.
- **Van Der Meulen, J.; Mock, B.; Fekete, R. and Sarojini, P.A. (1981):** Limited therapeutic action of rifampicin/isoniazid against Leishmania Ethiopica. Lancet, 2: 197-198.
- **Wahba, A. and Cohen, C. (1979):** Cutaneous leishmaniasis. Inefficacy of treatment with metronidazole. Arch. Dermatol., 113: 1299.
- **Wahba, M.M.; Schnur, L.F.; Morsy, T.A. and Merdan, A. (1990):** The

characterization of Leishmania major from Phlebotomus papatasi (Scopoli) caught in Northern Sinai, Egypt. Trans. Roy. Soc. Trop. Med. Hyg., 84: 785-786.

- **Wakefield, P.E.; James, W.D.; Samlaska, C.P. and Metzger, M.S. (1991):** Tumour necrosis factor. J. Am. Acad. Dermatol., 24: 677-682.

- **Weinrauch, L. and El-On, J. (1984):** The effect of ketoconazole and a combination of Rifampicin / Amphotericin-B on cutaneous leishmaniasis in laboratory mice. Trans. Roy. Soc. Trop. Med. Hyg., 78: 389-390.

- **Weinrauch, L.; Livishin, R.; Even-Paz, Z. and El-On, J. (1983):** Efficacy of ketoconazole in cutaneous leishmaniasis. Arch. Dermatol. Res., 275: 353-354.

- **White, S.; Hendricks, L. and Chulay, J. (1980):** Leishmaniasis a case history and treatment failure with rifampicin. Arch. Dermatol., 116: 620.

- **WHO, (1984):** The leishmaniasis. Report of a WHO Expert. Committee. WHO technical report series. 701:140. World Health Organization, Geneva.

- **WHO, (1985):** Report of a symposium on recent developments in and planning for leishmaniasis control. Islamabad, 13-22 April 1985. World Health Organization-EM/PD/20, Geneva.

- **WHO, (1988):** Guidelines for leishmaniasis control at Regional and Subregional level. World Health Organization/LEISH/88.25, Geneva.

- **Wilcocks, F.C. (1917):** Notes on some insects found in Egypt of medical and veterinary interest. Bull Soc. Ent. d'Egypt, Cairo, 10:79.

- **Wyler, D.J. and Mardsen, P.D. (1984):** In: Tropical and Geographical

Medicine, 2nd ed. Chapter 31. Leishmaniasis. Edited by Warren, K.S. and Mahmoud Abdel A.F. Published by Mc Graw-Hill Book.

- **Zein El-Din, K. (1972):** Phlebotomidae (Diptera: psychodidae) of Egypt. J. Egypt. Pub. Hlth. Ass., 57: 269.