

REFERENCES

Essay References

- 1- Agains , Black , Robinson , Swan & Will Cemented revision hip arthroplasty (A multicenter 5-9 yrs. Study of 204 first revisions for loosening *Acta - orthop- scand. (1992) 63 (2) : 111-149.
- 2- Bourne , Heldely and Pillar : - Thigh Pain After Cementless Hip Arthroplasty . The Histology of The Radiolucent Line.*The journal of Bone and Joint surgery (Jan 1992). -Vol. 74- B, No. 1, P. (33-40) and P. (63-72).
- 3- Callaghan , Lord and Santavirta : -Bone Lysis In well - fixed Cemented Femoral Components. Aggressive Granulomatous Lesions In Cementless (THA). *The Journal of Bone and Joint Surgery (Nov. 1990). -Vol. 72 - B, No-6, P. (966 - 984).
- 4- Callaghan , Lord and Santavirta : -The Progression of Femoral Cortical Osteolysis in Association with (THA) without cement . Results of (203) (THRs) Using A smooth Cementless Femoral Component. *The Journal of Bone and Joint Surgery (March 1992). -Vol. 74- B, No. 2, P. (205 - 208) and P. (251-256).
- 5- Callaghan , Lord and Santavirta : -Failure of Cementless Fixation Of the Femoral Component In (T.HA). *Orthop. clinics of North America (April 1992), Vol. (23), No. 2, P. (335-345).
- 6- Callaghan , Lord and Santavirta : -Periprotthetic Bone Loss in (THA). The Effect of Femoral Stem Geometry On Interface Motion (Comparison of straight - stem and curved stem Designs).* The British Bone and Joint Surgery. (July 1992). Vol. (24 - A) . No .6. P. (849 - 860).
- 7- Callaghan , Lord and Santavirta : -Immunopathological Response To loose Cementless Acetabular Components. A Collarless Cobalt - chrome Femoral Component In Uncemented (T.H.R). -Cemented Versus Uncemented Femoral Components In The Ring Hip Prothesis. *The Journal of Bone and Joint Surgery (Nov. 1992) . Vol. 74-B. No.6.P. (814 - 830).
- 8- Callaghan , Lord and Santavirta : -Biological fixation in (PCA) Cementless (THA). Acetabular cup loosening with time in Low - Friction - Arthroplasty. *Acta-orthop- scand (1992), 63 (suppl. 248), P. (38-43).
- 9-Caniggia - M., and Burroni - L. : -Bone scanning in the evaluation of (THR). *Ital - J. orthop - Traumatol (Sep. 1991), Vol. 17 (3) , P. (375 - 379).
- 10-Carlsson, Gentz and Linder, and Hudelston: -Cementless Acetabular Components. -Cementless Revision of Aggressive Granulomatous Lesions In Hip Replacements. *The Journal of Bone and Joint surgery (Jan 1990). -Vol. 72- B, No. 1, P. (53 - 59) and P. (212 - 216).
- 11-Charuley and Gawford, Huiskes, and Mjoberg: -Stability of Uncemented hip prostheses with and without hydroxyapatite. Clinical result and radiographic features adjacent to prothetic Components after porous - coated anatomic (THR) surgery. *Acta - orthop - Scand (1991), 62 (Suppl - 243), P. (20 - 24).
- 12-Chandler , Dorr , Takei and Conaty : -The Initial Stability of Uncemented Acetabular Components. -Size of Debris In Failed Cemented (T.H.Rs.) -Improved Cementing Techniques and Femoral Component Loosening in young Patients with Hip Arthroplasty . *The journal of Bone and Joint surgery (May 1992) -Vol 74-B, No. 3, P. (372 - 385).

- 13-Eduardo Garcia Cimbrello and Luis Munuera: -Cementless Total Replacement for severely Dysplastic or Dislocated Hips. -Metal wear and Tissue Response In Failed Titanium Alloy (THRs) . -Revision (THA) for Aseptic Failure.-Corrosion of Modular Hip Prosthesis. *The journal of Bone and Joint Surgery Vol. 73 - B. No. 4. P. (559 - 575) (July - 1991).
- 14-Eduardo Garcia Cimbrello and Luis Munuera : -The Femoral component in Low - Friction Arthroplasty after ten years. * Clin - orthop. (Jan 1992), P. (163 -175)
- 15-Eduardo Garcia Cimbrello and Luis Munuera: -Early and Late Loosening of the Acetabular Cup, After Low. Friction Arthroplasty . -The Harris - Galante Porous - Coated Acetabular Component with screw Fixation.*The journal of Bone and Joint surgery (American vol.) (Sept. 1992) -Vol. 74 - A. No. 8, P. (1119 - 1125) , P. (1130 - 1138) & (1150 - 1158).
- 16-Engl, Oleurd and Savory : -Pathology of the bone - cement interface in loosening of (THR). -Massive wear of a steel ball head by ceramic fragments in the polyethylene acetabular cup after revision of a total hip prosthesis with fractures ceramic ball. * Archives of Orthop. and Trauma surgery (1990) 109, P. (83 - 88), P. (284 - 287).
- 17-Engl, Oleurd and Savory : Micromotion of Cemented and Uncemented Femoral Components *The Journal of Bone and Joint surgery (Jan . 1991) Vol. 73 - B, No. 1. P. (33 - 42).
- 18-Freeman : -Hydroxy Apatite Coating of Hip Prosthesis . *The Journal of Bone and Joint surgery (July 1992). Vol. (74 - B), No. 4, P. (518 - 522).
- 19-Glassam A H, Pelllchi and Repten : -Proximal femoral osteotomy as an adjunct in Cementless revision (THA) . *J. Arthroplasty (1987). Vol. 2 (1) . P. (47-63)
- 20-Howie-D-W. Mjoberg , Perona, and Sartori : -Tissue reponse in relation to type of wear particles around failed hip arthroplasties.* J - Arthroplasty (Dec.1990).Vol.5 (4),P.(337 - 348).
- 21- Ilchmann , Dorr , Luckett and Conaty : -Uncemented surface replacement for osteonecrosis of the femoral head. Fatigue properties of bone Cement . *Acta-orthop - scand (1989), 60 (4), P. (425 - 432).
- 22- Ilchmann , Dorr , Luckett and Conaty : -Roentgen Stereophotogrammetric analysis of prosthetic fixation in the hip and knee joint. * Cl.in - orthop. (March 1992). (276). P. (56-65).
- 23- Ilchmann , Dorr , Luckett and Conaty : -Thigh pain Despite Bone Ingrowth Into Uncemented Femoral Stems. -Corrosion Between The Components of Modular Femoral hip Prostheses. *The journal of Bone and joint surgery (July 1992). Vol. 74 - A. No. 6, P. (839 - 861).
- 24-Ingemar ostén, Peter Herberts and Peter Hultmark : -Improved bone response to a new bone Cement. -Revision hip arthroplasty. -Early migration of acetabular components revised with cement - roentgenstereophotogrammetric study. * Acta-orthop-scand (1991).62 (Suppl .246) P.(7.11).
- 25-Jansson - V. and Reflor - H- J., Jones and Hungerford , and Vincent D. pellgrini : -Clinical results and radiologic findings after Cementless implantation of (PCA) stems in (THR). *Archives of orthop. and Trauma Surgery (1992), Vol . 116 (6). P. (305 - 308).
- 26-Keating - Ritter and Fairs : -Acetabular micromotion as a measure of initial implant stability in primary hip arthroplasty. *J-Arthroplasty (Dec.1992), Vol. (7), P. (537 - 547).
- 27-Kozinn - S - C, Marder , and Nirra : -Nine - year follow up of the Cementless Ring hip. *J- Arthroplasty (1986). Vol. 1 (4). P. (249 - 259).
- 28-Kozinn - S - C, Marder , and Nirra : -The biologic interface Between bone and Cementless femoral endoprotheses. * Acta - orthop - Scand (1989), 60 (1), P. (77 - 80).

- 29-MC. Kellop , Radin , and Robert Jines :** Friction and wear properties of polymer, metal and ceramic prosthetic joint material (Evaluated on a multi channel screening Device).
*J. Biomed. Mater. Res. 5 : 619. (1981).
- 30-Mirra, Myrmael , and O. Reikeras :** -Unsatisfactory results after repeated revision of hip arthroplasty. *Acta- Orthop - Scand (1992), 63 (2) : (120 - 127).
- 31-Rocco A. Calandruccio :** Campbell's Operative Orthopaedics. seventh Edition (1987), Arthroplasty of Hip. part IX . Vol. II. P. (1213 - 1220). (1228 - 1234). (1260 - 1266) P. (1321 - 1329).
- 32-Schimmel. J.W. and Huiskes R. Toksviglaresn and Ryd, and Vanclooster :** - Primary fit of the Lord Cementless Total Hip. *Acta - orthop - Scand (Dec. 1988). vol : 59 (6), P. (638 - 642).
- 33-Takuya otani and Leo A. white side:** -Failure of Cementless Fixation of the Femoral Component in (THA). *Journal of orthop. clinics of North America (April 1992), Vol. 23. No. 2, p. (335 -344).
- 34-Tarr R. R. et. al. :** Total Hip Femoral Components Design, stem characterization, Experimental studies and Analytical modeling for the orthop. Surgeon . Orthop. Rev. 11 (12): 23. (1982).
- 35-Turner et. al.:** -Alumina - on - Alumina Hip Replacement. *The Journal of Bone and Joint surgery (July 1990) -Vol. 72- B, No. 2, P. (658 - 663).
- 36-Turner et. al.:** -Metal wear and tissue response in failed Titanium Alloy (THRs.) -Revision (THA) for Aseptic Failure.-Corrosion of Modular Hip Protheses.*The journal of Bone and Joint surgery -Vol. 74 - B, No. 4, P. (511 - 517) (July 1992).
- 37-Turek and S. L. 4th Edition (1984) :** P. (1141) (THR), Orthop. Principles and their Applications. Lippincot Comp., Philadelphia. (USA).
- 38-Vanclooster P. et . al. :** -Treatment of unstable. intracapsular fractures of the femoral neck by the cementless self - locking Cephalic endoprothesis. * Acta - chir - Belg. (1988) (Jan - Feb.) : -Vol. : 88 (1), P. (21 - 25).