

Contents

	Page
Abstract	i
Acknowledgements	iii
List of Tables	x
List of Figures	xi
I. General Introduction and Review	1
II. General Materials and Methods	5
II.1. Study area	6
II.2. Fish material	6
II.3. Study methods	9
III. Taxonomy and Distribution of Genus <i>Siganus</i> in Marine Waters of Egypt	10
III.1. Introduction and Review	11
III.2. Materials and Methods	16
III.2.1. Classic taxonomy	16
III.2.2. Biochemical taxonomy	16
III.2.2.1. Fish material	16
III.2.2.2. Protein analysis	17
III.3. Observations and results	20
III.3.1. Systematic position of family Siganidae	20
III.3.1.1. family Siganidae	20

	Page
III.3.1.2. Genus <i>Siganus</i> Forskal	21
III.3.1.2.1. <i>Siganus rivulatus</i> Forskal	22
III.3.1.2.2. <i>Siganus luridus</i> Rüppel	23
III.3.2. Protein analysis	24
III.3.3. Distribution of genus <i>Siganus</i>	31
III.3.3.1. <i>Siganus rivulatus</i>	31
III.3.3.2. <i>Siganus luridus</i>	31
III.3.3.3. Production of <i>Siganus</i> in marine waters of Egypt	32
III.3.3.3.1. Mediterranean Sea	32
III.3.3.3.2. Red Sea	37
III.4. Discussion	40
 IV. Food and Feeding Habits of <i>Siganus</i>	
from Mediterranean Waters of Alexandria	44
IV.1. Introduction and Review	45
IV.2. Materials and Methods	50
IV.2.1. Fish samples	50
IV.2.2. Stomach samples	50
IV.2.3. Food indices	51
IV.2.3.1. Emptiness coefficient (EC)	51
IV.2.3.2. Fullness coefficient (FC)	51
IV.2.3.3. Selectivity index (SI)	51
IV.2.3.4. Filling index (FI)	52
IV.2.3.5. Hepatosomatic index (HI)	52

	Page
IV.2.4. Stomach content assessment	53
IV.2.4.1. Occurrence method	53
IV.2.4.2. points method	53
IV.2.4.3. Preponderance index	54
IV.3. Results	55
IV.3.1. Food indices	55
IV.3.1.1. Emptiness coefficient (EC)	55
IV.3.1.2. Fullness coefficient (FC)	55
IV.3.1.3. Selectivity index (SI)	55
IV.3.1.4. Filling index (FI)	56
IV.3.1.5. Hepatosomatic index (HI)	56
IV.3.2. Stomach content assessment	56
IV.3.2.1. Percentage occurrence	56
IV.3.2.2. Percentage composition	63
IV.3.2.3. Preponderance index	66
IV.4. Discussion	67
V. Age and Growth of <i>Siganus</i>	
from Mediterranean Waters of Alexandria	71
V.1. Introduction and Review	72
V.2. Materials and Methods	78
V.2.1. Age determination	78
V.2.1.1. Length frequency distribution	78
V.2.1.1.1. Petersen's method	78
V.2.1.1.2. Harding-Cassie method	78

	Page
V.2.1.2. Hard parts	79
V.2.1.2.1. Vertebrae method	79
V.2.1.2.2. Eye lens weight method	80
V.2.2. Growth studies	80
V.2.2.1. Length weight relationship	80
V.2.2.2. Condition factor	81
V.2.2.3. Growth in length	81
V.2.2.4. Growth in weight	82
V.2.2.5. Theoretical growth	83
V.3. Results	84
V.3.1. Age determination	84
V.3.1.1. Length frequency distribution	84
V.3.1.1.1. Petersen's method	84
V.3.1.1.2. Harding-Cassie method	84
V.3.1.2. Hard parts	89
V.3.1.2.1. Vertebrae method	89
V.3.1.2.2. Eye lens weight method	91
V.3.2. Growth studies	91
V.3.2.1. Length weight relationship	91
V.3.2.2. Condition factor	94
V.3.2.3. Growth in length	94
V.3.2.4. Growth in weight	94
V.3.2.5. Theoretical growth	98
V.4. Discussion	100

	Page
VI. Reproductive Biology of <i>Siganus</i>	
from Mediterranean Waters of Alexandria	106
VI.1. Introduction and Review	107
VI.2. Materials and Methods	111
VI.2.1. Macroscopic studies	111
VI.2.1.1. Sex ratio	111
VI.2.1.2. Gonad length-fish length relationship	111
VI.2.1.3. Gonad weight-fish weight relationship	111
VI.2.1.4. Gonadosomatic index	112
VI.2.1.5. Maturity stages	112
VI.2.1.6. Size at first maturity	114
VI.2.2. Microscopic studies	114
VI.2.2.1. Ova size	114
VI.2.2.2. Fecundity	115
VI.3. Results	116
VI.3.1. Macroscopic studies	116
VI.3.1.1. Sex ratio	116
VI.3.1.2. Gonad length - fish length relationship	116
VI.3.1.3. Gonad weight-fish length relationship	116
VI.3.1.4. Gonadosomatic index	119
VI.3.1.5. Maturity stages	121
VI.3.1.6. Size at first maturity	121
VI.3.2. Microscopic studies	124
VI.3.2.1. Ova size	124
VI.3.2.2. Fecundity	124

	Page
VI.4. Discussion	128
VII. Summary and Conclusion	132
VIII. References	137
❖ Arabic Summary	