

REFERENCES

- Ackers J. P., Catterall R. D., Lumsden W.H.R., and Mc Millan A. (1978) :**
Absence of detectable local antibody in genitourinary tract secretions of male contacts of women infected with *Tr.vaginalis* British J. Vene. Dis. 54 : 168-171.
- Ackers J. P., Lumsden W.H.R., Catterall R.D. and Coyle R. (1975) :** Antitrichomonal antibody in the vaginal secretions of women infected with *Tr.vaginalis*. British J. vene. Dis., 51 : 319-322.
- Alderete J.F. and Graza G.E. (1985) :** specific nature of *Tr.vaginalis* parasitism of host cell surfaces. Infect. and Immun., 50 : 701-708.
- Alderete J. F. (1983) :** Antigen analysis of several pathogenic strains of *Tr.vaginalis* infect. and Immun., 39 : 1041-1047.
- Alderete J.F., Demes P., Gombosova A., et al (1988) :** Specific parasitism of purified vaginal epithelial cells by *Tr.vaginalis*. Infect. and Immun., 56 : 2558-2562.
- Arroyo R. and Alderete J.F. (1989) :** *Tr.vaginalis* surface proteinase activity is necessary for parasite adherence to epithelial cells. Infect. and Immun., 57 : 2991-2997.
- Balsdon M.J., Green N., Andrew C.W., et al (1979) :** Rapid staining technique for *Tr.vaginalis* British J. vene. Dis., 55 : 289- 291.

- Baron E.J. and Finegold S.M. (1990)** : Optical methods of lab. diagnosis of infective diseases. In diagnostic Microbiology. Bailey & Scott 8th ed. St Louis, Baltimore, Philadelphia, Toronto PP. 64.
- Beaver P.C., Jung R.C. and Cupp E.W. (1984)** : Flagellate protozoa In Clinical Parasitology. Beaver P.C., Jung R.C. & Cupp E.W 9th ed, Lea & Febiger, Philadelphia PP. 41.
- Bickley L.S., Krisher K.K., Punsalung A., et al (1989)** : Comparison of direct fluorescent antibody, Acridine orange, wet mount, and culture for detection of *Tr.vaginalis* in women attending a public sexually transmitted disease clinic. Sex. trans. Dis., 16 : 127-131.
- Bruch T.A., Rees C.W., and Reardon L.V. (1959)** : Epidemiological studies on human trichomoniasis. Am J. trop. Med. Hgg., 8 : 312- 318.
- Catterall R.D (1972)** : Trichomonal infection of the genital tract. Medical clinics of North America, 56 : 1203-1209.
- Catterall R.D. and Nicol C.S. (1960)** : Is Trichomonal infestation a venereal disease ? British Med. J., 1 :1177-1197.
- Clay J.C., Veerarahu M., and Smyth R.W. (1988)** : Practical problems of diagnosing trichomoniasis in women. Genitourin. Med., 64 : 115-7.
- Collee J.G., Duguid J.P, Fraser A.G. et al (1989)** : Staining methods. In practical Med. Microbiology. Mackie & McCartney 13ed. churichill living stone, Edinburg, London Melbourne & New York PP. 55.

- Connor B.H. and Adler M.W. (1979)** : Current approaches to the diagnosis, treatment, and reporting of trichomoniasis and candidosis. *British J. Ven. Dis.*, 55 : 52-57.
- Csonka G.W. (1990)** : *Trichomonas vaginalis* infestation. In sexually transmitted disease. Csonka G.W. & Oates J.K. 1st ed., Bailliere Tindall, London Philadelphia PP. 305-310.
- Daly J.J., Sherman J.R., Green L. et al (1989)** : Survival of *Tr.vaginalis* in human semen. *Genitourin. Med.*, 65 : 106-108.
- Dykers J.R. (1975)** : Single dose metronidazole for *Tr.vaginitis*. *The new England J. of Med.*, 3 : 23-24.
- El-Saeid A.M., Soliman M.E., Atia M.M. et al (1986)** : Vaginal trichomoniasis in Sharkya Governorate. *J. of Egyptian Soci. of Parasitology*, 16 : 231-234.
- Eschenbach D.A. (1983)** : Vaginal infection. *Clinical obst. & Gynaec.*, 26 : 197-199.
- Fouts A.C. and Kraus S.J. (1980)** : *Trichomonas vaginalis* : Revaluation of its clinical presentation and laboratory diagnosis. *J. of Infec. Dis.*, 141 : 137-143.
- Fripp P.J., Mason P.R., and Super H. (1975)** : A method for the diagnosis of *trichomonas vaginalis* using acridine orange. *J. parasitol.*, 61 : 966-967

- Gombosova A., Demes P., and Valent M. (1986)** : Immunotherapeutic effect of the lactobacillus vaccine, Solco trichovae, in trichomoniasis is not mediated by antibodies cross-reacting with *Tr.vaginalis*. *Genitourin. Med.*, 62 : 107-110.
- Gombosova A. and Valent M. (1990)** : Dot-immunobinding assay with monoclonal antibody for detection of *Tr.vaginalis* in clinical specimens. *Genitourin. Med.*, 66 : 447-450.
- Greenwood J. R. and Hillaire K.K. (1981)** : Evaluation of Acridine orange stain for detection of *Tr.vaginalis* in vaginal specimens. *J. of clinic. Microbiology*, 14 : 699.
- Hager W.D., Brown S.T., Kraus S. J., et al (1980)** : Metromidazole for vaginal trichomoniasis *JAMA*, 244 : 1219-1220.
- Hammill H. (1989)** : *Trichomonas vaginalis*. *Obst. & Gynaec. Clinics of North America*, 16 : 531-539.
- Hanssen P.W., Krieger J.N., Stevens C.E., et al (1989)** : Clinical manifestations of vaginal trichomoniasis. *JAMA*, 261 : 571-575.
- Ipsen J. and Feigl P. (1970)** : A Biomathematical model for prevalence of *Tr.vaginalis*. *American J. of epidemiology*, 91 : 175-184.
- Kobayashi T.K., Fujimoto T., Okamoto H. et al (1983)** : Association of mast cells with vaginal trichomoniasis in endocervical smears. *Acta cytol*, 27 : 133-137.

- Krieger J.N., Tam M.R., Stevens C.E. et al (1988)** : Diagnosis of trichomoniasis, comparison of conventional wet-mount examination with cytologic studies, cultures, and monoclonal antibody staining of direct specimens. *JAMA*, 259 : 1232-1227.
- Krieger J.N., Poisson M.A., and Rien M.F., (1983)** : Beta- hemolytic activity of *Tr.vaginalis* correlates with virulence. *Infect. and Immun.*, 41 : 1291-1295.
- Kuberski T. (1980)** : *Tr.vaginalis* associated with non gonococcal urethritis and prostatitis. *Sex. trans. Dis.*, 7 : 135-136.
- Langely J.G., Goldsmid J.M. and Danis N. (1987)** : Venereal trichomoniasis : role of men. *Genitourin. Med.* 63 : 264-267.
- Martinoti M.G., Corfano F., Martinotto P. et al. (1983)** : Natural macrophage cytotoxicity against *Tr.vaginalis* is mediated by soluble lytic factors. *Infect. and Immun.*, 41 : 1144-1149.
- Mason P.R. (1979)** : Serodiagnosis of *Tr.vaginalis* infection by the indirect fluorescent antibody test. *J. clin. Path.*, 32 : 1211-1215.
- Mccann J.S. (1974)** : Comparison of direct microscopy and culture in the diagnosis of trichomoniasis. *British J. vene. Dis.*, 50 : 450-425.
- Michalowski R. (1981)** : Trichomonal balano-posthilitis. *Ann. Derm. Vener.*, 108 : 731-738.

- Street D.A., Wells C., Taylor R.D., et al (1984) :** Interaction between *Tr.vaginalis* and other pathogenic micro-organisms of the human genital tract. *British J. ven. Dis.*, 60 : 31-38.
- Su K.E. (1982) :** Antibody to *Tr.vaginalis* in human cervico vaginal secretions *infect. and Immun.*, 37 : 852-857.
- Sumuels R. and Chun-Hoon H. (1964) :** Serological investigations of *Trichomanads*, comparison of "Natural" and Immune antibodies. *J. Protozool*, 11 : 36-45.
- Sun T. (1988) :** *Trichomoniasis* In color Atlas & Text book of diagnostic parasitology Sun T. 1st ed. Igaku-shoin, New York, Tokyo PP. 39.
- Torian B. E., Connelly R. J., Stephens R.S., et al (1984) :** Specific and common antigens of *Tr.vaginalis* detected by Monoclonal antibodies. *Infect. and Immun.*, 43 : 270-275.
- Tuttle J. P., Holbrook T. W., and Derrick F. C., (1977) :** Interference of human spermatozoal motility by *Tr.vaginalis*. *J. Urol.*, 110 : 1024-1025.
- Watt R.M., Philip A., Wos S.M. et al (1986) :** Rapid assay for immunological detection of *Tr.vaginalis*. *J. clin. Microbiol.*, 24 : 551-555.
- Zaremba A. and Szarmarch H. (1979) :** Invitro investigation on the response of spermatozoa to *Tr.vaginalis*. *Przegl. Derm.*, 66 : 31-37.