




REFERENCES

REFERENCES

- * *Aakvaag A. and Gjonnaess H.*: Hormonal response to Electrocautery of the ovary in patients with P.C.O.D. Br. J. Obstet. Gynaecol. 92:1258 (1985).
- * *Aboulafia Y. and Polishuk W.Z.* : Prevention of peritoneal adhesions by silicone solution. Arch. Surg., 94:384 (1967).
- * *Adams J.E.* : Peritoneal adhesions, an experimental study. Lancet, 1:663 (1913).
- * *Adams J., Franks S., and Polson D.W.*: Cystic ovaries. Clinical and endocrine features and response to pulsatile LH-RH in women with polycystic and multicystic ovaries. Clin Obstet Gynecol., 12:625 (1985).
- * *Adams J., Polson, D.W. and Franks S.*: Prevalence of P.C.O. in women with anovulation and idiopathic hirsutism. Br. Med. J. 292 (1986).
- * *Adashi E.Y., Rock J.A., Guzick O., Wentz A.C., Jones G.S., and Jones H.W.* : Fertility following bilateral ovarian wedge resection: a critical analysis of 90 consecutive cases of the P.C.O.S. Fertil. Steril. 36:320 (1981).
- * *Adhesion Study Group*: Reduction of postoperative pelvic adhesions with intraperitoneal 32% dextran 70, a prospective, randomized clinical trial. Fertil. Steril., 40:612 (1983).
- * *Ali H.A.W.* : Effect of Sodium carboxymethyl-cellulose on Postoperative Peritoneal Adhesion Formation in Rabbits. Thesis submitted in partial fulfilment of the degree of M.Sc. in Obstetrics and Gynaecology, Alexandria Faculty of Medicine, P. 67 (1988).
- * *Amerikia H., Savoy-Moore R.T., Sundareson A.S. and Moghissi K.S.*, : The effects of long-term androgen treatment of the ovary, Fertil steril, 45:202 (1986).

- * **Ardaens Y.; Robert Y. and Lemaitre L. :** PCOS. Contribution of vaginal endosonography and reassessment of ultrasonic diagnosis. *Fertil. Steril.* 55:1062 (1991).
- * **Armar N.; McGarrigle H.; and Honour J.:** Laparoscopic-ovarian diathermy in the management of anovulatory infertility in women with polycystic ovaries: Endocrine changes and clinical outcome *Fertil. Steril.*, 53:45 (1990).
- * **Armar N., and Lachelin G.:** Laparoscopic ovarian diathermy : an effective treatment for antioestrogen resistant anovulatory infertility in women with polycystic ovary syndrome. *Br. J. Obstet. Gynaecol.*, 100:161 (1993).
- * **Arthur C.F. and Stephen S.E. :** Sonographic evaluation of the ovary and related disorder. In: *Diagnostic Ultrasound Applied to Obstetric and Gynaecology*, Ed. Sabbagha RE 2nd. ed. J. B. Lippincott Co., Philadelphia P. 33 (1987).
- * **Baggish M.S. and Chang A.P. :** Carbon dioxide laser microsurgery of the uterine tube. *Obstet. Gynaecol.*, 58:111 (1981).
- * **Beauchamp P.G., Quigley M.M. and Held B. :** Evaluation of progestogens for postoperative adhesion prevention. *Fertil. Steril.*, 42:538 (1984).
- * **Blandau R.J. (1978) :** Quoted by Greenberg, M. and Lauersen, N.H.: Postoperative adhesions, etiology and prevention. In: *Principles of Microsurgical Technique in Infertility* Ed. Reyniak, J.V. and Lauersen, N.H., Plenum Medical Book Company, New York, P. 227 (1982).
- * **Boecks W., Gordts S., Vasquex G. and Brosens I. :** Microsurgery in gynecology. *Int. Surg.* 66:47 (1981).
- * **Borten M., Seibert C.P. and Taymor M.L.:** Recurrent anaphylactic reaction to intraperitoneal dextran, 75 used for prevention of postsurgical adhesions. *Obstet. Gynaecol.*, 61:755 (1983).

- * **Bryant L.R.** : An evaluation of the effect of fibrinolysin on intraperitoneal adhesion formation. *Am. J. Surg.*, 106:892 (1963).
- * **Buckman R.F., Buckman P.D. Hufnagel H.V. and Gerbvin A.S.**: A physiologic basis for the adhesion- free healing of deperitonealized surfaces. *J. Surg. Res.* 21:67 (1976).
- * **Buttram J.R.** : Endometriosis. In: *Progress in Infertility*. Ed. Behrgmn S.J. Kistner R.W. and Patton G.W., Little, Brown and Company. Boston P. 273 (1988).
- * **Buttram V.C., and Vaquero C.**: Post-ovarian wedge resection adhesive disease. *Fertil. Steril.* 26:874 (1975).
- * **Calogero A.E., Macchi M., Montanini V., Mongioi A., Mangeri G., Vicari E., Coniglione F., Sipione C. and D'Agata R.**: Dynamics of plasma gonadotropin and sex steroid release in polycystic ovarian disease after pituitary ovarian inhibition with an analog of gonadotropin-releasing hormone. *J. Clin. Endocrinol. Metab.*, 64:980 (1987).
- * **Campbell M.J. and Machin D.**: *Medical statistics. Acommon sense approach.* 2nd Ed-John Wiley and Sons. New York; Chicheter; Brisbane; Toronto and Singapore (1993).
- * **Cantor B. and Riggall F.C.** : The cholic of sterilizing procedure according to its potential reversibility with microsurgery. *Fertil. Steril.* 31:9 (1979).
- * **Carlton A. Eddy Ricardo H., Asch and Jose P.**: Pelvic adhesions following microsurgical and macrosurgical wedge resection of the ovaries. *Fertil. Steril.* 33:557 (1980).
- * **Change R.J.** : Ovarian steroid secretion in polycystic ovarian disease. *Seminars Reprod., Endocrinol.* 2: 244 (1984).
- * **Choe J.K. Dawood M.Y., Bardawil W.A and Andrews A.H.**: Clinical and histologic evaluation of laser reanastomosis of the uterine tube. *Fertil. Steril.*, 41:754 (1984).

- * **Close A.S., Redfern W.T. Polacek M. and Balcos E.G.:** Effect of intraperitoneal fibrinolysin on reformation of intestinal adhesions, J.A.M.A., 183:543 (1963).
- * **Cohen M.R.:** Laparoscopy, Culdoscopy and Gynecography : Technique and Atlas, Philadelphia, W.B. Saunders Company, P. 97 (1970).
- * **Cohen B.M.:** Accessory ligament of the fallopian tube and ovary physiology. Read at the third international workshop on laparoscopy and microsurgery in gynecology, anaheim and irvine, california, october 12-15 (1978).
- * **Connolly J.E. and Smith J.W. :** The prevention and treatment of intestinal adhesions. Surg. Gynaecol. Obstet., 110:417 (1960).
- * **Cook G.B. :** The silicone serosal interface. 1. abatement of talc adhesions in dogs. Surgery, 55:268 (1964).
- * **Corson S.L. and Smith D.C. :** Principles and instrumentation of microsurgery. Clin. Obstet. Gynaecol., 23:1201 (1980).
- * **Cox K.R. :** Starch granuloma (pseudo-malignant seedlings). Br. J. Surg., 57:650 (1970).
- * **Craig R.L. and Bianchi R.G. (1956): Quoted by connolly J.E. and Smith J.W. :** The prevention and treatment of intestinal adhesions. Surg. Gynaecol. Obstet., 110:417 (1960).
- * **Craig P.H. Williams J.A., Davis. K.W., Magoun A.D. and Levy, A.J.(1975): Quoted by Ali, H.A.W. :** Effect of sodium carboxymethylcellulose on postoperative peritoneal adhesion formation in rabbits. Thesis submitted in partial fulfilment of the requirement of the degree of M.Sc. in obstetrics and gynaecology, Alexandria faculty of Medicine, P. 18 (1988).
- * **Dabirashrati H. and Kahn M.. K. :** In a letter to the editor on complications of laparoscopic ovarian cauterization. Fertil. Steril. 52:No. 5, 878 (1989).

- * **Daniel W.W.** : Biostatistics, A. Foundation for analysis in the health sciences. 4th Ed. John Wiley and Sons. New York; Chichester; Brisbane; Toronto and Singapore (1987).
- * **Daniell J.F. and Miller W.**: PCO treated by laparoscopic laser vaporization. Fertil. Steril. 51:232 (1989).
- * **David S.S.** : Microsurgical management of distal tube disease. In: Principles of Microsurgical techniques in infertility (Ed. Reyniak J.V. and Lauersen N.H.), Plenum Medical Book Company, New York, P.162 (1982).
- * **Davidson M.M.** : Systemic administration of heparin and dicumarol for postoperative adhesions, an experimental study. Arch. Surg., 59:300 (1949).
- * **Deleon F.D., Toledo A.A., Sanfilippo J.S. and Yussman M.A.**: The prevention of adhesion formation by nonsteroidal anti inflammatory drugs, an animal study comparing ibuprofen and indomethacin. Fertil. Steril., 41:639 (1984).
- * **De Vane G.W., Czekala M.M., Judd H.L. and Yen S.S.C.** : Circulating gonadotropins, estrogen and androgens in polycystic ovarian disease. Am. J. Obstet. Gynaecol. 121:496 (1975).
- * **Diamond E.** : Microsurgical reconstruction of the uterine tube in sterilized patients. Fertil. Steril., 28:1203 (1977).
- * **Diamond E.** : Lysis of postoperative pelvic adhesions in infertility. Fertil. Steril., 31:287 (1979).
- * **Dizerega G.S. and Hodgen G.D.** : Folliculogenesis in the primate ovarian cycle. Endocrine Reviews 2:27 (1981).
- * **Dizerega G.S. and Holtz G.D.** : Cause and prevention of postsurgical pelvic adhesions. In : Advances in obstetrics and gynecology (Ed. Osofsky, H.J.), Williams and Wilkins, Baltimore, P. 281 (1982).

- * ***Dizerega G.S. and Montz F.J.:*** Prevention of postoperative adhesion formation in infertility surgery. In: Current therapy of infertility, 1984-1985 (Ed. Garcia, C., Mastroianni, L., Amelar, R.D. and Dubin, L.). The C.V. Mosby Company, Toronto, P. 89 (1984).
- * ***Dizerega G.S., Goebelsmann U. and Makamura R.M.:*** Identification of protein (s) secreted by the preovulatory ovary which suppresses the follicle response to gonadotropins. J. Clin. Endocrinol. Metab. 54, 1091 (1982).
- * ***Down R.H.L., Whithead R. and Watts J.M. :*** Why do surgical packs cause peritoneal adhesions? Aust. N.Z.J. Surg., 50:83 (1980).
- * ***Dunaif A., Scully R.E., Andersen R.N., Chapin D.S. and crowley W.F.:*** The effects of continuous androgen secretion on the hypothalamic pituitary axis in women: Evidence from a luteinized thecoma of the ovary. J.Clin. Endocrinol Metab., 59:389 (1984).
- * ***Easterling W.E., Talbert L.M. and Potter H.D.:*** Serum testosterone levels in the polycystic ovary syndrome. Am. J. Obstet. Gynecol. 120:385 (1974).
- * ***Eddy C.A., Asch R.H. and Balmaceda J.P. :*** Pelvic adhesions following microsurgical and macrosurgical wedge resection of the ovaries. Fertil. Steril. 33:557 (1980).
- * ***Eden J.A., Jan Place Grabham D. Cartex Julla Jones, Jamshid Alaghband-Zadeh and Michael E. Pawson:*** The diagnosis of P.C.O. in subfertile women. Br. J. Obstet. Gynaecol., 96:809 (1989).
- * ***Elkins T.E., Bury R.J., Ritter J.L., Ling F.W.; Ahokas R.A., Homsey C.A. and Malinak L.R.:*** Adhesion prevention by solutions of sodium carboxymethyl-cellulose in rat. Fertil. Steril., 41:926 (1984a).

- * **Elkins T.E., Ling F.W., Ahokas R.A., Abdella T.N., Homsey C.A. and Malinak L.R.:** Adhesion prevention by solutions of sodium carboxymethylcellulose in rat. II. *Fertil. Steril.*, 41:929 (1984b).
- * **Elkins T.E., Trentham L. McNeeley S.G., Ling F.W., Prewitt J., Homsey C.A. and Malinak L.R.:** Potential for in vitro growth of common bacteria in solutions of 32% dextran 70 and 1.0% sodium carboxymethylcellulose. *Fertil. Steril.*, 43:477 (1985).
- * **Ellis H.:** The etiology of postoperative abdominal adhesions, an experimental study. *Br. J. Surg.*, 50:10 (1962).
- * **Ellis H. :** The cause and prevention of postoperative intraperitoneal adhesions. *Surg. Gynecol. Obstet.*, 133:497 (1971).
- * **Ellis H., Harrison W. and Hugh T.B. :** The healing of peritoneum under normal and pathological conditions. *Br. J. Surg.*, 52: 471 (1965).
- * **El-Tabbakh G.H., Lotfy T. and Azab I. :** Correlation of the ultrasonic appearance of the ovaries in polycystic ovarian disease and the clinical, hormonal and laparoscopic findings. *Am. J. Obstet. Gynecol.* 154:892 (1986).
- * **Eshel A.; Abdulwahid N.; Armar N.; Adams J.; and Jacobs H. :** Pulsatile luteinizing hormone-releasing hormone therapy in women with polycystic ovary syndrome. *Fertil. Steril.*, 49:956 (1988).
- * **Eskeland G. :** Regeneration of parietal peritoneum. *Acta Pathol. Microbiol. Scand.*, 62:459 (1964).
- * **Fahmy K., Esmeil H., Nayel S., Alkholy G., Saad S. and Abdel-Karim M.:** Prevention of intraperitoneal postoperative adhesions after micro surgery in rabbits by intraperitoneal aprotinine, Dextran. 70 and intralipid. *J. Egypt. Soc. Obstet. Gynecol.* 16:1 (1990).
- * **Fayez J.A. and Schneider P.J.:** Prevention of pelvic adhesion formation by different modalities of treatment. *Am. J. Obstet. Gynecol.*, 157:1184 (1987).

- * **Feste J.** : General aspects of Co₂ laser laparoscopy. In : Baggish, M. (ed) Endoscopic laser surgery, PP 67, New. York: Elsevier (1990).
- * **Feste J.** : Laser laparoscopy : Co₂ In Keye, W. (ed) Laser surgery in Gynecology and Obstetrics, PP 187. Chicago; Year Book Medical Publisher (1990).
- * **Fox R., Corrigan E., Thomas P.A. and Hull M.G.R.:** The diagnosis of polycystic ovaries in women with oligomenorrhea : predictive power of endocrine tests. Clin. Endocrinol. 34: 127 (1991).
- * **Frucht J. and Zauberman H.** : Topical indomethacin effect on neovascularisation of the cornea and on prostaglandin E₂ Levels. Br. J. Ophthalmol., 68:656 (1984).
- * **Gerrard J.M. (1985):** Quoted by Kotry, I.: Postoperative Adhesion Prevention after Infertility Surgery. Thesis submitted in partial fulfilment of the degree of M.D. in Obstetrics and Gynaecology, Al-Azhar Faculty of Medicine, P. 55 (1986).
- * **Gabriel Oelsnex Robert A., Graebe Stephen P., Boyexs Sie-Bin Pan, Eytan R., Baxnea and Alan H. Decherney :** A comparison of three techniques for ovarian reconstruction. Am. J. Obstet. Gynaecol. 154:569 (1986).
- * **Giannacodimos G., Lappas K., Augustidis T., Bilirakis E. and Departh A.:** Abstract No. 288, from XIII World congress on Fertility and Sterility in Marrakesh (1989).
- * **Givens J.R.** : Polycystic ovaries, a sing not a disease. Semin Reported Endocrinol. 2:3 (1984).
- * **Gjonnaess H.:** P.C.O.S. treated by ovarian electrocautery through the laparoscope. Fertil. Steril. 41:20 (1984).
- * **Gjonnaess H.:** The course and outcome of pregnancy after ovarian electrocautery in women with PCOS. the influence of body weight. British J. Obstet. Gynaecol. 96:714 (1989).

- * **Glucksman D.L.:** Serosal integrity and intestinal adhesions. Surgery, 60:1009 (1966).
- * **Goebelsman U.W.E. :** PCOD in mishelland davajan (eds): Reproductive endocrinology, infertility and contraception. F.A. Davis Co. philadelphia, copyright, P. 283 (1979).
- * **Glucksman D.L. and Warren W.D.:** The effect of topically applied corticosteroids in the prevention of peritoneal adhesions, an experimental approach with a review of the literature. surgery, 60:352 (1966).
- * **Goldberg E.P., Sheets J.W. and Habal M.B. :** Peritoneal adhesions, prevention with the use of hydrophilic polymer coatings. Arch. Surg., 115:776 (1980).
- * **Goldzieher J.W. :** In Marcus, S.L. and Marcus, C.C., editors: Advances in obstet. Gynaecol., Baltimore. The williams and wilkins company. Vol. I, P. 354 (1976).
- * **Goldzieher J.W.:** P.C.O.D. In progress in infertility, edited by S.J. Behrman, R.W., kistner, Boston, Little and Brown, P. 325 (1975).
- * **Goldzieher J.W. and Green J.A.:** J. Clin. Endocrinol. 22:326 (1962).
- * **Gomel V.:** Tubal reanastomosis by microsurgery. Fertil. Steril. 28:59 (1977).
- * **Gomel V. :** Microsurgical reversal of female sterilization, a reappraisal. Fertil. Steril., 33:587 (1980).
- * **Gomel V.:** Intraperitoneal adhesions, prevention and ancillary measures. In : Microsurgery in Female infertility, Little, Brown and company, Toronto, P. 69, 98, 99 (1983).
- * **Gomel V.:** Microsurgery in female infertility. Boston: Little Brown. 272 (1983).
- * **Goodman L.S. and Gilman A. (1975):Quoted by Pfeffer W.H. :** Adjuvants in tubal surgery. Fertil. Steril., 33:245 (1980).

- * **Granat M. Schenker J.G., Mor-Yosed S., Rosenkovitch E., Castellanos R.C. and Galili U.:** Effects of dexamethasone on proliferation of autologous fibroblasts and on the immune profile in women undergoing pelvic surgery for infertility. *Fertil. Steril.* 39:180 (1983).
- * **Granat M. Tur-Kaspa I. Zylber-Katz E. and schenker J.G.:** Reduction of peritoneal adhesion formation by colchicine, a comparative study in the rat. *Fertil. Steril.* 40:369 (1983).
- * **Greenberg M. and Lauersen N.H.:** Postoperative adhesions, etiology and prevention. In: *Principles of Microsurgical techniques in intertility* (d. Reyniak, J.V. and Lauersen, N.H.), Plenum Medical Book Company, New York, PP. 222, 227, 228 (1982).
- * **Greenblatt R.B. and McDonough P.C.:** Endocrine histopathology of the ovary, in Inguilla. W. and Greenblatt, R.B., editors: *The ovary*, springfield, illinois, Charles C. Thomas, publisher. P. 3 (1969).
- * **Greenblatt E. and Casper R.F.:** Endocrine changes after laparoscopic ovarian cautery in P.C.O.S. *Am. J. Obstet. Gynecol.* 156:279 (1987).
- * **Gurgan T., Develioglu O., Kisinisci H., Zeyneloglu H., Yarali H. and Aksu T.:** Evaluation of adhesion formation after laparoscopic treatment of polycystic ovarian disease. *Fertil steril* 56:1176 (1991).
- * **Gurgan T., Urman B., Aksu T., Yarali H., Develioglu O., and Kisinisci H.:** The effect of short interval laparoscopic lysis of adhesions on pregnancy rates following Nd: YAG laser photocoagulation of polycystic ovaries. *Obstet Gynaecol.* 80:45 (1992).
- * **Gustavson E., Blomback B., Blomback M. and wallen P.:** Plasmin in the prevention of adhesions, a preliminary report. *Acta Chir. Scand.*, 109:327 (1955).

- * **Hann L.E., Hall D.A., McArdle C.R. and Seibel M.:** Polycystic ovarian disease: Sonographic spectrum. *Radiology*. 150:531 (1984).
- * **Herman A.G., Claeys M., Moncada S. and Vane J.R.:** Biosynthesis of prostaglandins by pericardium, pleura, peritonem and aorta of the rabbit. *prostaglandins* 18:439 (1979).
- * **Holtz G.:** Failure of a nonsteroidal antiinflammatory agent (ibuprofen) to inhibit peritoneal adhesion reformation after lysis. *Fertil. Steril.*, 37:582 (1982).
- * **Holtz G.:** Prevention and management of peritoneal adhesions. *Fertil. Steril.*, 41:497 (1984).
- * **Holtz G.:** Current use of ancillary modalities for adhesion prevention. *Fertil. Steril.*, 44:174 (1985).
- * **Holtz G.:** Management of peritoneal adhesions. In: *Progress in infertility, Third Edition* (Ed. Behram, S.J., Kistner, R.W. and Patton, G.W.). Little, Brown and Company, Boston, P. 155 (1988).
- * **Holtz G. and Baker E.R. :** Inhibition of peritoneal adhesion re-formation after lysis with 32% dextran 70. *Fertil. Steril.*, 34:394 (1980).
- * **Holtz G., Neff M., Mathur S. and Perry L.C.:** Effect of medroxyprogesterone acetate on peritoneal adhesion formation. *Fertil. Steril.*, 40:542 (1983).
- * **Homburg R.; Armar N.; Eshel A., Adams J. and Jacobs H.:** Influence of serum luteinising hormone concentrations on ovulation, conception, and early pregnancy loss in polycystic ovary syndrome. *Br. Med., J.*, 297:1024 (1988).
- * **Horne H.W., Clyman M., Debroveaus C., Griggs G., Kistner R., Kosase T. Stevenson C. and Taymor M.:** The prevention of postoperative adhesion following conservative operative treatment for human infertility. *Int. J. Fertil.*, 18:109 (1973).
- * **Huber J.; Hosman and Sona J.:** Endoscopic laser treatment of polycystic ovaries. *Fertil. Steril.*, 49:27 (1989).

- * **Jackson B.B.:** Observation on intraperitoneal adhesions. Surgery, 44:507 (1958).
- * **Jacqmmain R.J. and Shumacker H.B.:** Effect of histadyl upon the prevention of peritoneal adhesions. Am. J. Surg., 104:20 (1962).
- * **James D.C.O., Ellis H. and Hugh T.B. :** The effect of streptokinase on experimental intraperitoneal adhesion formation. J. Pathol. Bacteriol., 90:279 (1965).
- * **Jansen R.P.S. :** Failure of intraperitoneal adjuncts to improve the outcome of pelvic operations in young women. Am. J. Obstet. Gynecol., 153:363 (1985).
- * **John R., Brumsted Deaton J., Lavigne E. and Riddick D.H.:** Postoperative adhesion formation after ovarian wedge resection with and without ovarian reconstruction in the rabbit. Fertil. Steril. 53:723 (1990).
- * **Johnson F.R. and Witting H.W. :** Repair of parietal peritoneum. Br. J. Surg., 49:653 (1962).
- * **Judd H.L. and Yen S.S.C.:** J.Clin. Endocrinol. Metab. 36:475 (1973).
- * **Judd H.L., Rigg L.A., Anderson D.C. and Yen S.S.C.:** The effects of ovarian wedge resection on circulating gondotropin and ovarian steroid levels in patients with polycystic ovary syndrome. J. Clin. Endocrinol. Metab. 43:347 (1976).
- * **Kandil O.F.; Serour G.I. and Ahmed A.K.:** The value of the laparoscope in the diagnosis of polycystic ovary. Population Science 3:113 (1982).
- * **Kapur B.M.L., Talwar J.R. and Gulati S.M.:** Oxyphenbutazone-antiinflammatory agent in prevention of peritoneal adhesions. Arch. Surg. 98:31 (1969).
- * **Kase N., Kowel J., Perloff W. and Soffer L.J. :** In vitro production of androgens by a virilizing adenoma and associated polycystic ovaries. Actar Endocrinol 44:15 (1963).

- * **Katz M., Carr P.J., Cohen B.M. and Milhin R.P.:** Hormonal effects of wedge resection of polycystic ovaries. *Obstet Gynaecol*, 51:437 (1978).
- * **Kaufman N., Masson E.J. and Kinney T.:** The effect of steroids on fibroblast migration in vitro. I. Cortisone, its inhibitory effect. II. 17-hydroxycorticosterone, its inhibitory effect. *Am. J. Pathol.*, 29:761 (1953).
- * **Keckstein J.:** Laparoscopic treatment of polycystic ovarian syndrome. *Baillieres clin Obstet Gynaecol*, 3:563 (1989).
- * **Keckstien J.; Finger A. and Steiner R. :** Laser application in contact and non-contact procedures., Sapphire tips in comparison to "bare fibre" argon laser in comparison to Nd-YAG laser. *Laser in Medicine and Surgery.*, 4:158 (1988).
- * **Keckstien J., Barcher K., Wolf A., Rossmanith W. and Steiner R. :** Is laparoscopic laser surgery an alternative treatment for polycystic ovarian disease? In laser operative laparoscopy and hysteroscopy, Edited by J. Donnez. Leuven. Nauwelaerts. Printing. 95 (1989).
- * **Keckstein G., Wolf A.S.: and Borchers K.:** Pelviscopic use of the CO₂ laser in the treatment of polycystic ovary syndrome. *Zentralb I. Gynakol.* 112 (6). P. 361 (1990).
- * **Kho E., Replogle R. and Ravitch M.M. :** Studies of intestinal healing, IV. Prevention of adhesions following inverting and everting anastomoses with promethazine and dexamethasone. *Arch. Surg.*, 98:764 (1969).
- * **Kistner R.W.:** In *Gynecologic principles and practice*, ed. 2, Chicago. Year book Medical Publishers Inc., P. 425 (1971).
- * **Kistner R.W., Griffiths C.T. and Craig J.M.:** Use of progestational agents in the management of endometrial cancer. *Cancer*, 18:1563 (1965).

- * **Klink F., Grosspietzsch R., Von Klitzing L., Endell W., Husstedt W. and Oberheuser F.:** Animal in vivo studies and invitro experiments with human tubes for end to end anastomotic operation by a Co₂ laser technique. *Fertil. Steril.*, 30:100 (1978).
- * **Knightly J.J., Agostino D. and Clifton E.E.:** The effect of fibrinolysin and heparin on the formation of peritoneal adhesions. *Surgery*, 52:250 (1962).
- * **Kotry I.:** Postoperative Adhesion Prevention after Infertility Surgery. thesis submitted in partial fulfilment of the degree of M.D. in obstetrics and Gynaecology, Al-Azhar Faculty of Medicine, PP. 60.61,93 (1986).
- * **Kovacs G.:** Endoscopic surgical approach to the treatment of anovulation due to polycystic ovary syndrome-ovarian drilling. In Sutton, C.; and Diamond, M. (eds) *Endoscopic Surgery for Gynaecologists*, P.147. London, Philadelphia, Tronto, Sydney, Tokyo: W.B. Saunders Company LTD (1993).
- * **Kovacs G., Buckler H. and Bangah M. :** Treatment of anovulation due to polycystic ovarian syndrome by laparoscopic ovarian electrocautery. *Br. J. Obstet. Gynecol.*, 98:30 (1991).
- * **Kredel F.E. and Smith H.G. (1941) : Quoted by Kotry I. :** Postoperative Adhesion Prevention after infertility Surgery. Thesis submitted in partial fulfilment of the degree of M.D. in Obstetrics and Gynaecology, Al-Azhar Faculty of Medicine. P. 38 (1986).
- * **Laatikainen T.J., Apter D.L., Paavonen J.A. and Wahlstrom T.R.:** Steroids in ovarian and peripheral venous blood in polycystic ovarian disease. *Clin. Endocrinol.* 13:125 (1980).
- * **Lauersen N.H.:** Patient selection and preoperative counseling. In: *Principles of Microsurgical Techniques in Infertility* (Ed. Reyniak, J.V. and Lauersen, N.H.) Plenum Medical Book Company, New. York. P. 101 (1982).

- * **Levinson C. and Swolin K.:** Postoperative adhesions, etiology, prevention and Therapy. Clin.Obstet. Gynecol. 23:1213 (1980).
- * **Luciano A.A., Hauser K.S. and Benda J. :** Evaluation of commonly used adjuvants in the prevention of postoperative adhesions. Am. J. Obstet. Gynecol. 146:88 (1983).
- * **Luengo J. and VanHall E.V. :** Prevention of peritoneal adhesions by the combined use of spongostan and 32% dextran 70, an experimental study in pigs. Fertil Steril 29:447 (1978).
- * **Luttwak E.M., Feldman J.D. and Neuman, Z.:** Effect of streptokinase-streptodornase on peritoneal talc adhesions and granulomas, an experimental study. Arch. Surg., 68:69 (1954).
- * **Magyar D.M., Hayes, Moghissi K.S. and Subrammanian M.G. :** Hypothalamic-Pituitary-Adrenocortical function after the dexamethasone promethazine adhesion regimen. Obstet. Gynaecol., 63:182 (1984).
- * **Massie F.M. :** Heparin in the abdomen, a clinical report. Ann. Surg. 121:508 (1945).
- * **Mishell D.R.Jr., Nakamura R.M., Crosignani P.G.:** Serum gonadotropin and steroid patterns during the normal menstrual cycle. Am. J. Obstet. Gynaecol. 111:60 (1971).
- * **Moll G.W.Jr., Rosen Field R.L. and Helke J.A.:** Estradiol-Testosterone binding interactions and free plasma estradiol under physiological conditions. J. Clin. Endocrinol Metab., 52:808 (1981).
- * **Naether O.G.J. and Fischer R.:** Adhesion formation after laparoscopic electrocoagulation of the ovarian surface in polycystic ovary patients. Fertil Steril 60:95 (1993).
- * **Naether O.G.J., Kotzler, Fischer R., Delfs T., Weise H., and Rudolf K.:** Laparoscopic electrocoagulation of the ovarian surface in infertile patients with polycystic ovarian disease. Fertil Steril 60:88 (1993).

- * **Nagel G.W. (1959) : Quoted by Connolly J.E. and Smith, J.W.:** The prevention and treatment of intestinal adhesions. *Surg. Gynecol. Obstet.*, 110:417 (1960).
- * **Nayel S.A., El-Habashy M.A., Banna N.E. and Sehrawy S.A.:** Effect of medroxyprogesterone acetate on peritoneal adhesions. *Asia-oceania J. Obstet. Gynaecol.*, 14:27 (1988).
- * **Neuwirth R.S. and Khalaf S.M.:** Effect of 32% dextran 70 on peritoneal adhesion formation. *Am. J. Obstet. Gynaecol.*, 121:420 (1975).
- * **Nissel H. and Larssone B.:** Role of blood and fibrinogen in development of intraperitoneal adhesions in rats. *Fertil. Steril.*, 30:470 (1978).
- * **Novak E.R., Jones O.S. and Jones H.W.:** Novak's Textbook of Gynecology, Baltimore. Williams and Wilkins Co. P. 449 (1980).
- * **Obhrai M., Lynch S.S. Holder G., and Jackson R.:** Hormonal studies on women with polycystic ovaries diagnosed by ultrasound. *Clin. Endocrinol.* 32:467 (1990).
- * **O'Brien W.F., Drake T.S. and Bibro M.C.:** The use of ibuprofen and dexamethasone in the prevention of postoperative adhesion formation. *Obstet. Gynaecol.*, 60:373 (1982).
- * **Oelsner G., Graebe R.A., Boyers S.P., Pan S.B. Barnea E.A. and Decherney A.H.:** A comparison of three techniques for ovarian reconstruction. *Am. J. Obstet. Gynaecol.* 154:569 (1986).
- * **Ohtsuka N. (1980) : Quoted by Holtz G.:** Prevention and management of peritoneal adhesions. *Fertil Steril* 41:498 (1984).
- * **Pache T.D., DeJong F.H., Hop W.C. and Fauser BCJM:** Association between ovarian changes assessed by transvaginal sonography and clinical endocrine signs of polycystic ovary syndrome. *Fertil. Steril.* 59:544 (1993).

- * **Parisi L., Tramonti M. and Casciano S.:** The role of ultrasound in the study of polycystic ovarian disease J.Clin. Utrasound 10:167 (1983).
- * **Penttila T.A., Anttila L. and Tormoa A.:** Serum free testosterone in polycystic ovary syndrome measured with a new reference method. Fertil. Steril. 65:55 (1996).
- * **Pfeffer W.H.:** Adjuvants in tubal surgery. Fertil. Steril., 33:24 (1980).
- * **Pittaway D.E., Maxson W.S. and Daniell J.F. :** A comparison of the Co2 laser and eletrocautery on postoperative intraperitoneal adhesion formation in rabbits. Fertil. Steril., 40:366 (1983).
- * **Protuondo J., Melchor J., Neyro J. and Alegre A.:** Periovarian adhesions following ovarian wedge resection or laparoscopic biopsy. Endoscopy 16:143 (1984).
- * **Raftery A.T. :** Regeneration of parietal and visceral peritoneum, an electron microscopical study. J. Anat., 115:375 (1973).
- * **Raftery A.T. :** Regeneration of parietal and visceral peritoneum, an enzyme histochemical study. J. Anat., 121:289 (1976).
- * **Raftery A.T.:** Absorbable haemostatic materials and intraperitoneal adhesion formation. Br. J. Surg., 67:57 (1980).
- * **Raftery A.T. (1981) :** Quoted by Kotry, I.: Postoperative adhesion prevention after infertility surgery. Thesis submitted in partial fulfilment of the degree of M.D. in obstetrics and gynacology, Al-Azhear Faculty of Medicine. P. 32 (1986).
- * **Raj S.G. and Hulka J.F. :** Second-look laparoscopy in infertility surgery : Therapeatic and prognostic value. Fertil Steril 38:32 (1982).

- * **Regan L., Owen E. and Jacobs H.:** Hypersecretion of luteinising hormone, infertility, and miscarriage. *Lancet*, 336:1141 (1990).
- * **Reiter R.C. and Buttram V.C.:** Prevention of postoperative adhesions. In : Surgical treatment of the infertile female (Ed. Buttram, V.C. and Reiter, R.C.), Williams and Wilkins, Baltimore, P. 72:83 (1985).
- * **Replogle R.L., Johnson R. and Gross R.E.:** Prevention of postoperative intestinal adhesions with combined promethazine and dexamethasone therapy, experimental and clinical studies. *Ann. Surg.*, 163:580 (1965).
- * **Reyniak J.V.:** Reversal of female sterilization. In : Principles of Microsurgical techniques in infertility (Ed. Reyniak, J.V. and Lauersen, N.H.). Plenum Medical Book company, New. York, P. 141 (1982).
- * **Robbins G.F., Brunschwig A. and Foote F.W.:** Deperitonealization, clinical and experimental observation. *Ann. Surg.* 130:466 (1949).
- * **Robinson S., Rodin D.A. and Deacon A.:** Which hormone tests for the diagnosis of polycystic ovary syndrome ? *Br. J. Obstet. Gynaecol.* 99:232 (1992).
- * **Rock J.A. and Jons H.W.J.R.:** In Jones, H.W. ed. Reparative and constructive surgery of the female generative tract. Baltimore: Williams and Wilkins P. 120 (1983).
- * **Rojanaskal A., Sirimong K.R. and Tongyai T.:** Clinical presentation, hormonal profiles, ultrasonic ovarian morphology in women with suspected polycystic ovarian disease *Asia-Oceania J. Obstet, Gynaecol.* 15:59 (1989).
- * **Rutenberg A.M., Seligman A.M. and Fine J.:** Studies with radioactive iodized fat-I, preparation of radioactive fat with observations on the absorption of fat following subcutaneous and intraperitoneal injection in dogs. *J. Clin. Invest.*, 28:1105 (1949).

- * **Ryan G.B., Grobety J. and Majno G.:** Postoperative peritoneal adhesions, a study of the mechanisms. *Am. J. Pathol.*, 65:117 (1971).
- * **Sakata M., Tasaka K., Kurachi H., Texakawa N., Miyake, A. and Tanizawa O.:** Changes of bioactive LH after laparoscopic ovarian cautery in patients with P.C.O.S. *Fertil. Steril.* 53:610 (1990).
- * **Sandberg N.:** Enhanced rate of healing in rats with an increased rate of histamine formation. *Acta. Chir. Scand.* 127:21 (1964).
- * **Sanfilippo J.S., Barrows G.H. and Yussman M.A.:** Comparison of avitine, topical thrombin, and gelfoam as sole hemostatic agent in tuboplasties. *Fertil. Steril.*, 33:311 (1980).
- * **Saxen L., Kassinen A. and Saxen E.:** Peritoneal foreign-body reaction caused by condom emulsion. *Lancet*, 1:1295 (1963).
- * **Schayer (1964) : Quoted by Dizerega G.S. and Holtz G.D.:** Cause and prevention of postsurgical pelvic adhesions. In: *Advances in Obstetrics and Gynecology* (Ed. Osofsky, H.J.), Williams and Wilkins, Baltimore, P. 283 (1982).
- * **Scheinberg S.R. and Saltzstein H.C.:** Effect of cortisone and corticotrophin (ACTH) on intraabdominal adhesions. *Arch. Surg.*, 63:413 (1951).
- * **Schwartz L.B. and Diamond M.P.:** Formation, reduction, and treatment of adhesive disease. *Semin Reprod Endocrinol* 9:89 (1991).
- * **Semm K. and Mettlex L.:** Technical progress in pelvic surgery via operative laparoscopy. *Am. J. Obstet. Gynaecol.* 138:No 2, 2:121 (1980).
- * **Serafini P., Silva P.D., Paulson R.J., Elind-Hirsch K., Hernandez M. and Lobo R.A.:** Acute modulation of the hypothalamic-Pituitary axis by intravenous testosterone in normal women. *Am. J. Obstet. Gynaecol.* 155:1288 (1986).

- * **Serour G.I., Kandil O.F., Younis M.N., Hegab M.H., Mansour S.E. and Hassanein M.:** Al-Azhar experience with microsurgery for restoration of Tubal Patency, paper presented at the Xth World Congress of Obstetrics and Gynaecology, San Francisco, October 18:24 (1982).
- * **Serour G.I., Ghar M.A., and Mansour R. :** The Egyptian I.V.F.-E.T. Experience. Proceeding of the 1st Egyptian international meeting on I.V.F.-E.T. Cairo, March 1, (1988a).
- * **Serour G.I., Saleh A.A., Abdallah A.T., Hassan O., Fouad and Wahab S.:** Early postmicrosurgery hydrotubation in patients with tubal lateral end block. Under publication. In : Military Academy I. (1988b).
- * **Shaprio I., Grant M. and Sharf M. (1982) : Quoted by Kotry I.:** Postoperative Adhesion prevention After Infertility Surgery. Thesis submitted in partial fulfilment of the degree of M.D. in Obstetrics and Gynaecology, Al-Azhar Faculty of Medicine. P. 60 (1986).
- * **Sherry S., Callaway D.W. and Fxreibern R.:** Prevention of postoperative adhesions in the dog by intravenos injections of plasminogen activators. Proc. Soc. Exp. Biol, N.Y., 90:1 (1955).
- * **Shikata J. and Yamaoka I.:** The role of topcially applied dexamethasone in preventing peritoneal adhesions. experimental and clinicial studies. World. J. Surg., 1:389 (1977).
- * **Siegler A.M. :** Microsurgery of the fallopian tube In:Advances in clinical obstetrics and gynecology. Eds. Breen, J.L., and Osofsky, H.J. Williams and Wilkins. Baltimore P. 282, 290, 297 (1987).
- * **Siegler A.M., Kontopoulos V. and Wang C.F.:** Prevention of postoperative adhesions in rabbits with ibuprofen, a nonsteroidal antiinflammatory agent. Fertil. Steril., 34:46 (1980).

- * **Siiteri P.K., debres F., Clemens L.E., Chang R.J., Condos B. and Stites D.:** Progesterone and maintenance of pregnancy in progesterone nature's immunosuppressant. Ann. N.Y. Acad. Sci., 876:384 (1977).
- * **Sojo D., Pardo J.D. and Nistal M.:** Histology and fertility after microsurgical anastomosis of the rabbit fallopian tube with nylon and polyglactin sutures. Fertil. Steril., 39:707 (1983).
- * **Speroff L., Glass R.H. and Kase N.G.:** Clinical gynaecology, endocrinology and infertility. Fourth edition, Williams and Wilkins, Anovulation, 213 (1989).
- * **Stangel J.J.:** Microsurgical technical aids and instrumentation. In: Principles of Microsurgical Techniques in infertility (Ed. Reyniak, J.V. and Lauersen, N.H.). Plenum Medical Book. Company, New. York. P. 88 (1982).
- * **Stein I.F. and Leventhal M.L.:** Am. J. Obstet. Gynaecol. 29:181 (1935).
- * **Swolin K.:** Experimentelle studien zur prophylaxe von intraabdominalen verwachsungen. Acta Obstet. Gynaecol. Scand., 45:473 (1966).
- * **Swolin K. (1967) :** Quoted by Kotry I.: Postoperative Adhesion Prevention after infertility surgery. Thesis submitted in partial fulfilment of the degree of M.D. in Obstetrics and Gynaecology, Al-Azhar Faculty of Medicine P. 5 (1986).
- * **Sumioki H., Utsunomiya T., Matsuoka K., Korenaga M., and Kadota T.:** The effect of laparoscopic multiple puch resection of the ovary on hypothalamo-pituitary axis in P.C.O.S. Fertil. Steril., 50:567 (1988).
- * **Surrey, M.W. and Friedman S.:** Second-look laparoscopy after reconstructive pelvic surgery for infertility. J. Reprod. Med. 27:658 (1982).

- * **Tanabe K., Sagliane P. and Channing C.P.:** Levels of inhibin- F activity and steroids in human follicular fluid from normal women and women with P.C.O.D. J. Clin. Endocrinol., Metab. 57:24 (1983).
- * **Tasaka K., Sakata M., Fujita Y., Kurachi H., Miyake A. and Tanizawa O.:** Electrocautery of the ovary in patient with P.C.O.S. Abstract No. 816, from XIII World Congress on Fertil. Steril. in Marrakesh (1989).
- * **Taylor P.J. and Cummings D.C.:** Hysteroscopy in 100 patients. Fertil. Steril., 31:301 (1979).
- * **Toaff R., Toaff M.E. and Peyser M.R.:** Infertility following wedge resection of the ovaries. Am. J. Obstet. Gynaecol., 124:92 (1976).
- * **Trimpi H.D. and Bacom H.E. :** Clinical and experimental study of denuded surfaces in extensive surgery of the colon and rectum. Am. J. Surg., 84:596 (1952).
- * **Trimbos-Kemper T., Trimbos J., and Van Hall E.:** Adhesion formation after tubal surgery; Results of the eighth-day laparoscopy in 188 patients. Fertil. Steril., 43:395 (1985).
- * **Tulandi T., Falcone T., and Kafka I.:** Second-look operative laparoscopy 1 year following reproductive surgery. Fertil. Steril., 52:431 (1989).
- * **Utian W.H., Goldfarb J.M. and Starks G.C.:** Role of dextran 70 in microtubal surgery. Fertil. Steril., 31:79 (1979).
- * **Weed L.A. and Groves J.L.:** Surgical gloves and wound infections. Surg. Gynaecol. Obstet., 75:661 (1942).
- * **Weibel M.A. and Majno G.:** Peritoneal adhesions and their relation to abdominal surgery, Am. J. Surg. 126:345 (1973).
- * **Weinstein D. and Polishuk W.C.:** The role of wedge resection of the ovary as a cause of mechanical sterility. Surg. Gynaecol. Obstet. 141:417 (1975).
- * **White B.H.:** The effect of dicumarol upon postoperative peritoneal adhesions. Ann. Surg., 130:942 (1949).

150/2
 152
 151

- * **Williams D.C.:** The peritoneum, a plea for a change in attitude towards this membrane. Br.J. Surg., 42:401 (1955).
- * **Woodruff J.D.:** Disease of the ovaries. Longe Med. publication. 13:236 (1980).
- * **Yaffe H., Beyth Y., Rein hartz T. and Levij I.S.:** Foreign body granuloma in peritubal and periovarian adhesion: Fertil. Steril. 33:277 (1980).
- * **Yanagibori A., Kojima E., and Ohta K.:** Nd: YAG laser therapy for infertility with a contact type probe. J. Reprod. Med., 34:456 (1989).
- * **Yen S.:** Chronic anovulation caused by peripheral endocrine disorders. In : Yen, S., and Jaffe B. (eds) Reproductive endocrinology, P. 576. Philadelphia. W.B. Saunders, (1991).

Master sheet

Serial No	Age (years)	Weight (kgs)	Height (cm)	Duration of infertility (yrs)	Type of infertility	Ovulatory response	Time of SLL (ws)	Type of adhesions	AFS scores
1	18	65	156	1	p	-	8	-	-
2	20	66	157	2	p	+	8	-	-
3	21	55	159	2	p	+	4	Min.	2
4	21	57	155	3	p	+	4	Min.	2
5	22	65	155	3	p	+	8	-	-
6	22	65	157	2	p	+	8	Min.	3
7	22	45	154	2	p	+	8	Min.	3
8	23	65	154	2	p	+	8	Min.	2
9	23	66	156	3	p	+	8	Min.	3
10	23	55	156	3	p	+	8	-	-
11	24	68	145	4	p	-	8	Min.	2
12	25	64	145	4	p	+	8	Min.	3
13	25	70	146	5	s	+	8	Min.	3
14	26	66	145	6	p	-	12	Min.	2
15	26	64	158	4	p	-	12	-	-
16	26	65	157	6	s	+	12	Min.	2
17	27	65	152	4	p	+	12	-	-
18	27	60	155	7	s	+	12	Min.	5
19	27	72	152	6	s	+	8	Min.	5
20	27	72	154	7	p	+	8	Min.	5
21	28	68	155	8	s	+	16	Mild.	7
22	28	62	156	4	p	-	12	Mild.	6
23 _s	28	74	153	6	s	+	12	Min.	4
24	29	64	155	6	p	-	8	-	-
25	30	72	160	10	p	-	12	Min.	3
26	30	56	152	10	p	+	16	Mild	8
27	32	65	150	11	p	-	16	Mod.	14
28	33	72	149	7	p	-	12	Mild	6
29	37	84	162	10	s	-	16	Mod.	14
30	38	75	164	9	s	+	16	Mild	7