

REFERENCES

- Abbassy, A.S., Hussein, M., Hammad, S.A., Kassem, A.S., Aref, M. R., Morsi, M.R. and EL Araby, I.I.(1986): Growth and development of the Egyptian child from birth to 5 years. Dar El marref, Egypt. P. 26-39.
- Abou El -Soud, A. R, M. S. (1984): Study of anthropometric measurements among Egyptian male and female adolescents. M.D., Faculty of medicine, Zagazig university.
- Alvear, J., and Brooke, O.G. (1978): Fetal growth in different racial groups. Arch. Dis. Child., 53:27.
- Andrew, G.M., Becklake, M. R. Guleria, J. S. and Bates (1972): Heart and lung Functions in swimmers and non-athletes during growth.
- Ansell, B.M., and Bywaters, E.G.L. (1956): Growth in still's disease Ann. Rheum. Dis., 15, 295.
- Ansell, B.M., Bywaters, E.G. L., and Lawrence, J.S. (1968): A Family study in still's disease. Ann. Rheum.Dis., 21,243.
- Ansell, B. M. and Kent, P.A. (1977): Radiological changes in Juvenile chronic arthritis Skeletal Radiol. 1 : 129-144.

- Ansell, B.M. (1978): Chronic arthritis in childhood. *Ann. Rheum. Dis.* 37: 107-120.
- Ansell, B. M. and By waters, E.G. L. (1978): Juvenile chronic arthritis. In "Copeman's Textbook of the Rheumatic diseases". Edited by Scott, J. T., 5th ed. Livingstone, london and New York. P. 100-1124.
- Ansell , B.M. and Bywaters, E.G.l. (1986): JCA In "Copeman's Textbook of the Rheumatic Diseases". Edited by scott, J.T., 5th ed. Livingstone, London and New York P. 1100 - 1124.
- Antilla, R. (1972): Renal involvement in juvenile rheumatoid arthritis. A clinical and histopathological study. *Acta Pediatr. scand* (Suppl.) 227:3.
- Bakwin, H. (1964): Secular increase in height is the end in sight. *Lancet*, 2, P: 1145-1196.
- Balogh, Z., Meretey, K., Falus, A. and Bozsoky S. (1980): Serological abnormalities in juvenile chronic arthritis, A review of 46 cases *Ann.Rheum.Dis.* 39: 129-134.
- Barry, P., Simmons, and John.. Nutting. (1989): Juvenile rheumatoid arthritis. *Hand Clinics* 5(2): 157-169.

- Baum, J. (1990): Arthritis in children, *Medicine International*. (74).Rheumatology part (1 of 2) P. 3080- 84.
- Bernstein, B. (1977) : Death in Juvenile rheumatoid arthritis. *Arthritis. Rheum.*, 20, 256.
- Bernstein, B., Stobie, D., Singsen, B.H., King, K. K., Kornreich, H.K., and Hanson, V. (1977) : Growth retardation in Juvenile rheumatoid arthritis (JRA). *Arthritis Rheum.* 20, 212.
- Bionox, M., Gourmelen, M. and Girard, F. (1986): Serum levels of insulin -like growth factors (IGF) and IGF- binding protein in constitutionally short children and adolescent. *Acta Endocrinological.*, 113, 145-152
- Bjerkhoel, F. and Forre, O. (1988): Cyclosporin treatment in patients with severe systemic juvenile rheumatoid arthritis.*Scand. J. Rheumatol.* 17 (6): 483-486.
- Blodgett, F. M., Burgin, L., Lezzoni, D., Gribetz, D., and Talbot, N.B. (1956) : Effects of prolonged cortisone therapy on statural growth, skeletal maturation and metabolic statues of children. *N. Engl. J. Med.*, 2554,, 636.

- Bogin, B. (1988): Patterns of Human Growth: Genetic and endocrine regulation of human growth. Cambridge university press. Cambridge and New York, PP. 173-190.
- Bozzola, M., Locatelli, F., Gambarana, D., Mortar, a., valtorta, A., Giorgiani, G., ciusternino, M., and severi, F. (1991): Effect of corticoid therapy on growth hormone secretion. Horm-Res; 36 (5-6); P: 183-6.
- Brandt, I. (1984): Body measurements and Proportions of preterm and fullterm infant in the first six years-Results. of a longitudinal study. In Borms, J., Hauspie, R., Sand, A., Susanne, C. and Hebelinck, M. (eds): Human growth and development. New York, Plenum press, P : 253.
- Brewer, E. J., (1975): Juvenile rheumatoid arthritis, philadelphia, W.B. Saunders Co.,
- Brewer, E. J., Giannini, E.H. and Person, D.A. (1986) : Early experience with auranofin in juvenile rheumatoid arthritis. Am. J. Med. 75 : 152.
- Brook, C.G. D. (1978) : Problems of growth and development in endocrinology. In recent advances in endocrinology and metabolism. Ed : O., Riordan. J. L. Churchill livingstone, Edinburg, london and New York.

- Burgos, V.R., Howard, A. and Ansell, B.M.(1986): Antibodies to peptidoglycan in juvenile onset ankylosing spondylitis and pauciarticular onset juvenile arthritis associated with chronic iridocyclitis. J. Rheumatol. 13: 760-2.
- Butler, J. L., (1986): Juvenile Rheumatoid arthritis. Clinical rheumatology.4th ed. Livingstone, London. P. 89 - 97.
- Byrom, M. A., Jackson, J. and Ansell, B.m (1983): Effect of different corticosteroid regimes on hypothalamic-pituitary0 adrenal axis and growth in JCA. J- R- Soc- Med; 76 (6); P 452-7
- Bywaters, E. G. L. and Ansell, B. M. (1965): Monoarthritis in children. Ann. Rheum. Dis 24: 116.
- Cabane, J., Michon, A., Ziza,J. M. Bourgeois, P., Kahn, M. F. and Godean, P. (1990): Comparison of long term evolution of adult onset and Juvenile onset still's disease, both followed up for more than 10 years, Ann. of Rheum Dis, 49 : 283-285.
- Chapple, C. C. and David son, D.T. (1971): A study of the relationship between fetal position and certain congenital deformity J. pediatr. 128 : 383.

- Christiansen Niels, Jose'Q. Mora and M. Guillermo (1975) :
Aerrera Family social characteristics related to
physical growth of young children.
- Calabro, J. J. and Marchesano, J. M. (1967): Fever
associated with juvenile rheumatoid arthritis. N.
Engl. J. Med. 276 : 11-18.
- Calabro, J. J. and Marchesano, J. M. (1968): Rash associated
with juvenile rheumatoid arthritis : J. Pediatr.
72 : 611 -619.
- Calabro, J. J. (1979): Juvenile Rheumatoid arthritis. In
"Arthritis and allied conditions" ed. by McCarty.
D.J., and Hollander, J. L., 9th edition, lea and
Febiger, philadelphia, P. 591-601.
- Cameron, N. (1984): The measure of human growth. London,
Groom Helm.
- Cassidy, J. T., Brody, G. L. and Martel, W. (1967):
Monoarticular juvenile rheumatoid arthritis. J.
Pediatr. , 70, 867.
- Cassidy, J. T., Walker, S. E., Soderstrom, S. J., petty, R.
E. and sullivan, D. B. (1978): Diagnostic
significance of antibody to native
deoxyribonucleic acid in children with juvenile
rheumatoid arthritis and other connective tissue
diseases. J. Pediatr. 93 : 416.

- Cassidy, J. T. (1989) : Juvenile rheumatoid arthritis. In :
"Textbook of Rheumatology" Ed. by Kelley, W.N.,
Harris, E.D. Jr., Ruddy, S. and Sledge, C. B., 3rd
edition, Saunders Company, Philadelphia. Vol II.
P. 1289.
- Daniel, E.F.(1992) : Toxicity of antirheumatic medications
in children with juvenile arthritis. J.
Rheumatol. (suppl 33) 19 : 11 - 5.
- Daviss, U.M. (1989): Osteocalcin Reflects Impaired Growth In
JCA,, Compounded by corticosteroids. Current
Rheumatology. Vol 10, No 5.
- Earl Silverman (1989) : Role of I.V. Gammaglobulin in JCA.
Current Rheumatology. Vol 10, No, 5.
- Edmonds, J. and Hughes, G. (1985): Lecture Notes on
Rheumatology. Backwell Scientific Publications
Oxford London Edinburgh Boston Palo Alto Melbourne.
1st. Ed. P: 114.
- EL Awar, A.H. (1987): Growth in juvenile Rheumatoid
Arthritis and Its Relation To the Disease
parameters. M, Sc. Degree. Cairo University.
- EL- lozy, M. (1978) : Socioeconomic influences on the
weight-height relationship in preschool children
of U.S. A. Growth, 42 : 55 - 68.

- Falkner, F. and Tanner, J. M. (1978): Somatic growth of the infant and preschool child. Post natal growth. Human growth, vol. 2.
- Flynt, J. W. (1973) : Extent of the Birth Defects Problem, *Pediatr. Ann.* 2 : 10 . Frasier, S.D. and Rallison, M. L. (1972): Growth retardation and emotional deprivation. *J. Pediatric*, 80 : 603.
- Frasier, S.D. (1980): *Pediatrics endocrinology*. New York, Grune and stratton, P: 59.
- Furst, D. E. (1990): Methotrexate should not be the first second-line agent to be used in NSAID's fail. *Semin Arthritis Rheum* 2: 69 - 75.
- Goldstein, H. (1971): Factors influencing the height of seven years old children results from the national child development study. *Human biology*, 92-110.
- Guest, G. and Broyer, M. (1991): alternate day corticosteroid therapy and growth in renal transplant children. *ann-pediatr. (paris)*: 38 (6), P: 401-4.
- Gwyther, M. Howard, A., and Ansell, B. (1982) : C-reactive protein in juvenile chronic arthritis as indication of disease activity and possibly amyloidosis . *Ann, Rheum. Dis.* 41 : 259.

- Habicht , J; Martorell, R.; Yarbrough, C; Manila, R. M. and Klein, R.E. (1974): Height and Weight standards for preschool children. *Lancet*, 1: 611.
- Hall, A., Ansell, B.M., James, D.C. O., and Zylinski, P(1975) : HLA antigens in juvenile chronic polyarthrititis. *Ann. Rheum. Dis.*, 34, 36.
- Hauspie, R.C., Gyenis, G., Alexander, F., Simon, G., Susanne, C. and Madach, A. (1979): Heights and weights of Hungarian and Belgian Asthmatic Boys. *Human Biology*, December 1979, vol. 51 No. 4 PP; 507- 521.
- Henkind, P., and Gold, D.H. (1973): Ocular manifestations of rheumatic disorders. *Rheumatology*, 4, 13.
- Hodson, E. M; Shaw, P.F; Evans, R.A; Dunstan, C. R. and Hills, E.E. (1983): Growth retardation and renal osteodystrophy in children with chronic renal failure. *J. Pediat.* 103/5: 735-740.
- Hughes, J. P. and Friesen, H.G. (1985): The nature and regulation of the receptors for pituitary growth hormone. *Ann. Rev. Physiol.* 47, P.: 469-82.
- Isdale, I.C., and Bywaters, E.G. L. (1956): The rash of Rheumatoid Arthritis and still's disease. *Quart. J. Med.*, 25, 377.

- Johnson, F. E; Wainer, H; Thissen, D. and Mac Vean, R.
(1981): Growth during Adolescence. From British
Medical Bulletin vol. 37, P. 265-272.
- Joos, R.E.M., Mielants, H., Werveke, S.V., and Goemaere, S.
(1991): Sulfasalazine treatment in juvenile chronic
arthritis. J. of Rheum. 18: 6, 880-4.
- Jordan, J. D. and Synder, C. H. (1964): Rheumatoid disease
of the lung and corpulmonale observations in a
child. Am. J. Dis. child. 108 : 174.
- Kaye, B. R., Kaye, R.L. and Bobrove, A. (1984): Rheumatoid
nodules. Review of the spectrum of associated
conditions and proposal of a new classification
with a report of four seronegative cases . Am, J.
Med. 76 : 279.
- Kempe, H.C. and Silver, K. H. (1980): Current pediatric
diagnosis and treatment, 6th ed., Lange.
- Khattab, A.K; Fatten, S; El-SoKary, S; Helmy, F; Ayout,
A.M. and EL-Houssary, G. (1985): Anthropometric
study of growth in Egyptian children with heart
disease. Ain shams Med. J.