




REFERENCES

REFERENCES

- 1-Abdallah, M. (1996). Reproductive biology and physiology of *Diplodus vulgaris* in the Mediterranean Sea. Ph.D. Thesis, Faculty of Science, Tanta Univesity.
- 2-Abd-Ellah, R. G. (1999). Physical limnology of Fatoum depression and their budgets. Ph. D. Thesis, Faculty of Science, Aswan , South Vally Univ., 140 pp.
- 3-Abd-El Kawi, S. S. (1995). Reproductive biology and induced spawning of *Solea* species in Lake Qarun. M.Sc. Thesis, Zoology Department Faculty of Science, Cairo University.
- 4-Abdo, M.A. (1996). Reproductive biology and induced spawning of *Dicentarchus labrax*. Ph.D. Thesis. Faculty of Science, Alexandria University.
- 5-Abou-Shabana, N. M. (1998). Reproductive biology and physiological characters of one species of family Sparidae, *Diplodus cervinus hottentus*. M. Sc. Thesis, Faculty of Science, Alexandria University.
- 6-Abraham, B. (1963). A study of the oogenesis and egg resorption in the mullets, *Mugil cephalus* and *Mugil capito* in Israel. Proc. Gen. Fish. Coun. Medit., 7: 435-453.
- 7-Abraham, M.; Yashouv, A. and Blanc, N. (1967). Induction experimentale de la ponte chez *Mugil capito* confine en eau douce. Cracad. Soc. Paris, 265: 818-821.
- 8-Albertini-Berhaut, J. (1973). Biologie des stades juveniles de teleosteens mugilidae *Mugil auratus* Risso 1810, *Mugil capito*

- Cuvier 1829 et *Mugil saliens* Risso 1810. I. Regime alimentaire. Aquaculture, 2: 251-266.
- 9-Albertini-Berhaut, J. (1974). Biologie des stades juveniles de teleosteens mugilidae *Mugil auratus* Risso 1810, *Mugil capito* Cuvier 1829 et *Mugil saliens* Risso 1810. II. Modification du regime alimentaire en relation avec la taille. Aquaculture, 4: 13-27.
- 10-Albertini-Berhaut, J. (1986). Food diet and nutrition in Mugilidae. Oceanis, Doc. Oceanogr., 12 (1): 51-67.
- 11-Alvarez-Lajonchere, L. A. (1982). The fecundity of mullet (pisces, Mugilide) from Cuban waters. J. Fish. Biol., 21(5): 607-614.
- 12-Alvarez-Lajonchere, L. A.; Arritola, J.; Averhoff, L.O. and Bellido, D.S. (1988). Positive results of induced spawning and larval rearing experiments with *Mugil liza* Val., a grey mullet from Cuban waters. Aquaculture, 73: 349-355.
- 13-Al-Zahaby, A. S.; El-Agamy, A. E. and Mostufa, A. Z. (1983). On the fecundity of *Clarias lazira* inhabiting freshwater Mues canal in Sharkia province Egypt. Bull. Fac. Sci. Zagazig Univ., 5: 533-550
- 14-Anderson, E. (1968). Cortical alveoli formation and vitellogenesis during oocyte differentiation in the pipefish, *Syngathus fuscus*, and the killifish, *Fundulus heteroclitus*. J. Morphol., 125: 23-60.
- 15- Anderson, W.W. (1958). Larval development, growth and spawning of striped mullet (*Mugil cephalus*) along the South Atlantic Coast of the united States. Fish. Bull. U. S., 144: 501-519.
- 16-Apekin, V. S. and Tronina, T. M. (1972). Experiments on stimulation of maturation and spawning in mullet: Preliminary results. Hidrobiol. Zh., 8(1): 82-89.

- 17-Aravidan, C. M. and Padmanathan, K. G. (1972). Source of a new crop of oocytes in *Tilapia mossambica* Helgo. WISS. Meeres., 23(2): 124-192.
- 18-Ashour, M. B.; Zaher, M.M. and Rida, S. (1990). Ecological studies on the female reproductive cycle of some fishes of the river Nile at Beni Suef Area. I. Seasonal variation in the size of the eggs in the ovaries of *Mormyerus kannume*, *Chrysichthyes auratus* and *Schilb mystus*. J. Egypt. Ger. Soc. Zool. (2) 273-286.
- 19-Ashour, M. B.; Zaher, M.M. and Rida, S. (1990). Ecological studies on the female reproductive cycle of some fishes of the river Nile at Beni Suef Area. III. Histological studies of the seasonal cycle of the ovaries of *Chrysichthyes auratus*. J. Egypt. Ger. Soc. Zool. (2) 287-298.
- 20-Ashour, M. B.; Zaher, M.M. and Rida, S. (1990). Ecological studies on the female reproductive cycle of some fishes of the river Nile at Beni Suef Area. VI. Histological studies of the seasonal cycle of the ovaries of *Schilb mystus*. J. Egypt. Ger. Soc. Zool. (2) 299-308.
- 21-Assem, S. S. (1992). Reproductive biology and physiology of one species of family sparidae in Mediterranean Sea. M.Sc. Thesis, Faculty, of Science, Alexandria University.
- 22-Assem, S. S. (1995). Reproductive physiology and induced spawning of solea species. Ph.D. Thesis Faculty of Science Alex. Univ. pp. 177.
- 23-Assem, S. S. (2000). The reproductive biology and histological characteristics of pelagic carangid female *Caranx crysos*

from the Egyptian Mediterranean Sea. J. Egypt. Ger. Soc. Zool., 31(C): 195-215.

- 24-Ayson, F.G. (1991). Induced spawning of rabbit fishs *Sigans guttatus* (Bolch) using human chorionic gonadotropin. Aquaculture, 95: 133-137.
- 25-Beams, H. W. and Kassel, R. C. (1973). Oocyte structure and early vitellogenesis in the trout, *salmo gairdneri*. Am. J. Anat. 136:105-122.
- 26-Billard, R. (1984). Ultrastructural changes in the spermatogonia and spermatocytes of *Poecilia raticulatua* Oduring spermatogenesis. Cell and Tissue Research, 237: 219-226.
- 27-Billard, R. and Flechon, J. E. (1969). Spermatogenesis et spermatocytes flagelles chez *Poecilia raticulatua* (Teleosteen Cyprinodontiforme). Annales de Biologie Animale, Biochimie, Biophysique, 9: 281-286.
- 28-Billard, R.; Breton, B.; Fostier, A. and Weil, C. (1978). Endocrine control of the teleost reproductive cycle and its relation to external factors: Sa,monid and Cyprinid models. In "comparative Endocrinology" (P.J. Gaillard and H.H. Boer, eds.), pp. 37-48. Ellsevier/North Holland, Amsterdam.
- 29-Bisht, J.S. (1974). Seasonal histological changes in the testes of hillstream teleost. *Schizothorax richardsonii* (Gray and hard) Acta. Anat., 88: 398-410.
- 30-Bisht, J.S. and Josh, M. L. (1975). Seasonal histological changes in the ovaries of a mountain stream teleosts. Acts. Anatomic. 93(4): 512-525.
- 31-Blay Jr, J. (1995). Food and feeding of four species of juvenile mullet (Mugilidae) in a tidal Lagoon Ghana. J. of Fish Biol., 46: 134-141.

- 32-Blaber, S.J.M. (1976). The food and feeding ecology of Mugilidae in the St. Lucia Lake suystem. Biological Journal of the Linnaean Society, 8: 267-277.
- 33-Bok, A.H. and Jongbloed, H. (1987). A preliminary study on induced spawning of Southern mullet. S. Afr. J. Wildl., Res. S. Afr. Tydskr., Naturnavrs. 17 (3): 28-58.
- 34-Brasola, V.; Kalfa, A.M. and Cannas, A. (1979). Aposition result of artificial reproduction in *Mugil cephalus* L. obtained at the lagoon of Orbetello. Riv. Ital. Piscic. Ittiopatol., 14(1): 15-20.
- 35-Butshaya, N. A. (1959). Follicular epithelium of testes and peculiarities of its function connected with the type of spawning in percoids. Zool. I. USSR, 38(12): 1844-1849.
- 36-Campbell, C. M.; Walsh, J. M. and Idler, D. R. (1976). Steroids in the plasma of the winter flounder (*Pseudopleuronectes americanus* Walbum). A seasonal study and investigation of steroid involvement in oocyte maturation. Gen. Comp. Endocrinol., 29: 14-20
- 37- Cataudella, S.; Boglione, C.; Crosetti.; Massa, F.; Rakpacci, M. and Bertolini, B.(1989). Breeding technology and larval development of the thick lipped mullet (*Chelon labrosus*). Istanbul Univ. J. of Aquatic Products. 3(1): 5-16.
- 38-Cervigon, F. and Padron, M. (1974). Hypersaline lagoons as an ideai environment for mullet culture. Paper presented at IBP/PM International Sysposium on the Grey Mullet and their Culture, Haifa, Israel.
- 39-Chan, E. H. and Chua, T. E. (1979) The food and feeding habits of greenback grey mullet, *Liza subviridis* (Valenciennes), from different habits and various stages of growth. J. Fish. Biol., 15: 165-171.

- 40-Chang, C. F.; Lan, S. C. and Chou, H. Y. (1995). Gonadal histology and plasma sex steroids during sex differentiation in Grey Mullet, *Mugil cephalus*. Journal of Experimental Zoology, 272(5): 395-406.
- 41-Chang, C. F.; Yueh, W.S. and Lee, M.F. (1991). Effects of LHRH-A and HCG on the steroid profiles of Bisexual and mature male and female protandrous black Porgy, *Acanthopagrus schlegali*. Aquaculture, 92:83-92.
- 42- Chaudhuri, H.; Bhowmich, R.M.; Kowtal, G. V.; Bagchi, M. M.; Jana, R.K. and Gupta, S.D. (1977). Experiments on artificial propagation and larval development of *Mugil cephalus* Linnaeus in India. J. Inland Fish. Soc. India, 9: 30-41.
- 43-Chaudry, H. S. (1952). The yolk nucleus of Balbiani in teleostean fishes. Zeitschr. Zellforsch., U. Mikr Anat. 37: 455-466.
- 44-Clavin, M. K. and Hasler, A. D. (1972). Photoperiod and temperature effects on the gonads of green sun-fish, *Lepomis cyanellus* (Rafinesque), during the Quiescent, winter phase of its annual sexual cycle. Trans. Amer. Fish Soc., 101: 270-275.
- 45-Clerot, J. C. (1971). Les ponts intercellulaires du testicule du gardon: organisation syncytiale et synchronie de la differenciation des cellules germinales. Journal of Ultrastructure Research, 37:690-703.
- 46-Colura, R.; Maciorowski, A. F. and Henderson-Arzapalo, A. (1990). Induced spawning of spotted sea trout with selected hormone preparations. The Progressive Fish-Culturist, 52: 205-207.
- 47-Courrier, R. (1922). Sur l. Independance de la gland seminale et des caractere sexuels secondaires chez les poissons. Comp. Rend. Acad. Sci., Paris, 174: 70-72.

- 48-Crim, L. W. (1982). Environmental modulation of annual and daily rhythms associated with reproduction in the teleost fishes. Can. J. Fish. Aquat. Soc., 39: 17-21.
- 49-Crim, L. W. and Idler, D. R. (1978). Plasma gonadotropin, estradiol, and vitellogenin and gonad phosphitin levels in relation to the seasonal reproductive cycles of female brown trout. Ann. Biol. Anim. Biochim. Biophys. 18: 1001-1005.
- 50-Cruz, T. and Hawkins, S. J. (1998). Reproductive cycle of *Pollicipes pollicipes* at Cabo de Sines, South-west Coast of Portugal. J. Mar. Biol. Ass. U.K., 78: 483-496.
- 51-Donaldson, E. M.; Yamazaki, F.; Dye, N. M. and Philleo, W. E. (1972). Preparation of gonadotropin from Salmon (*Onchorhynchus tshawytscha*) pituitary glands. Gen. Comp. Endocr., 18: 460-481.
- 52-Dubé, P. and Portelance, B. (1992). Temperature and photoperiod effects on ovarian maturation and egg laying of the cray-fish, *Orconectes limosus*. Aquaculture, 102: 161-168.
- 53-Eda, H.; Murashige, R.; Oozeki, Y.; Hagiwara, A.; Eastham, B.; Bass, P.; Tamaru, C. S. and Lee, C. S. (1990). Factors affecting intensive larval rearing of striped mullet, *Mugil cephalus*. Aquaculture, 91: 281-294.
- 54-Eggers, D. M. (1977). The nature of prey selection by planktivorous fish. J. Fish. Res., Board Can., 35:1370-1373.
- 55-Egusa, S.(1950). Some notes on the feeding habits of the young of *Mugil cephalus* L. Bull. Jap. Soc. Sci. Fish., 15,11: 715-720.
- 56-El-Agamy, A. E. (1986). The fecundity of *Garres oyena* Forskal 1775, (Fam. Garreidae) in the Qateri water of the Arabian Gulf. Qater Univ. Sci. Bull. Vol. 6: 371-388.

- 57-El-Boray, K.F.M. (1993). Reproductive biology and physiological character of *Mugil seheli*. M.Sc. Thesis, Zoology Department, Faculty of Science, Tanta University.
- 58-El-Boray, K.F.M. (1997). Reproductive biology studies on *Rhabdosargus haffara* in different water fish farms. Ph.D. Thesis, Faculty of Science, Zagazig University.
- 59-El-Greisy, Z.A.E. (1993). Effect of some environmental and physiological characteristics on reproduction of *Mugil capito* in Egypt. M.Sc. Thesis, Zoology Department, Faculty of Science, Alexandria University 216 Pp
- 60-El-Greisy, Z.A.E. (2000). Reproductive biology and physiology of *Diplodus sagrus* (Family: Sparidae), in the Mediterranean environment. Ph.D. Thesis, Environmental studies Institute of Graduate Studies and Research, Alexandria University
- 61-El-Gharabawy, M. M. (1996). Histomorphology of ovarian changes during the reproductive cycle of *Lithognathus mormyrus* (Teleoste: Sparidae). J. Egypt. Ger. Soc. Zool., 19(A): 97-115.
- 62-EL-Gharabawy, M. M.; Zaki, M. I.; Salem, S. B.; EL-Shorbagy, I. K. and EL-Boray. K.F. (1994). Steroid hormones of *Mugil seheli* in Suez Bay (progesterone & estradiol). Bull. Nat. Inst. Oceanogr. & Fish., A.R.E.20(1):225-234.
- 63-El-Magraby, A. M.; Botros, G. A.; Hashem, M. T. and Wassef, E. A. (1981a). age determination and growth studies of two sparid fish *Diplodus sagrus*, L. and *Diplodus vulgaris*, Geoffr. in the Egyptian Mediterranean water. Bull. Inst. Oceanogr. & Fish. ARE, 7(3): 386-394.

- 64-El-Magraby, A. M.; Hashem, M. T.; Botros, G. A. and Wassef E.A.
(1982) Maturation spawning & fecundity of two sparid fish
Diplodus sargus, L. & *D. vulgaris*, GEOFF. in the Egypt.
Medit. water. Bull. Inst. Oceanogr. & Fish., ARE. 8 (2): 51-67.
- 65-El-Mesiry, G. F. (1993). Reproductive biology of Rabbit fish *Siganus
rivulatus* (Fraskal) from the Red Sea. M.Sc. Thesis, Faculty of
Science, Tanta University.
- 66-El-Sedafy, H.M.H. (1971). A biological study of the mullet fishery in
Lake Borollus. Thesis, M.Sc. University of Alexandria, Egypt.
- 67-El-Zarka, S. (1963). Acclimatization of *Mugil saliens*, Risso in Lake
Qarun. URA. Proc. Gen. Fish. Counc. Medit., 7: 337-346.
- 68-El-Zarka, S. (1968). Rehabilitation of the fisheries of an inland saline
lake in the United Arab Republic. Gen. Fish. Counc. Medit.,
7(35): 21-43.
- 69-El-Zarka, S and El-Sedafy, H (1970). The biology and fishery of
Mugil saliens (Risso) in Lake Quarun. Bull. Inst. Ocean. Fish.
Cairo, 1:1-26.
- 70-Eskinazi-Leca, E.; Goncalves-da Silva, M. G.; Vasconcelos-Filho, A.
L. (1986). Presence of diatoms in the stomach of *Mugil
curema* Vallenciennes, 1836 and *Mugil liza* Vallenciennes,
1836 (Pisces –Mugilidae). Trab. Oceanogr. Univ. –Fed.
Pernambuco. 19: 131-146.
- 71-Farouk, E. M. (1995). Reproductive biology studies on mullet species
in Lake Qarun. M. Sc. Thesis, Faculty of Science, Cairo Univ.
- 72-Ferrari, I. and Chieregato, A. R. (1981). Feeding habits of juveniles
stages of *Sparus auratus* L.; *Dicentarchus labrax* L. and
Mugilidae in a brackish embayment of River Delta.
Aquaculture, 25:243-257.

- 73-Fitz-Patrick, M.S.; Van Der Kraak, G. and Schrech, C. B. (1986). Profiles of plasma sex steroids and gonadotropin on coho salmon, *Oncorhynchus kisutch*, during final maturation. Gen. Comp. Endocrinol., 62(3): 437-451.
- 74-Fitz-Patrick, M.S.; Schreck, C.B.; Ratti, F. and Chitwood, R. (1987). Viabilities of eggs stripped from coho salmon at various times after ovulation. Prog. Fish. Cult., 49: 177-180.
- 75-Flores, J. A. and Burns, J. R. (1993). Ultrastructural study of embryonic and early adult germ-cells, and their support cells, in both sexes of *Xiphophorus* (Teleostei, Poeciliidae). Cell and Tissue Research, 346: 350-360.
- 76-Fostier, A.; Weil, C.; Terqui, M.; Berton, B. and Jalabert, B. (1978). Plasma estradiol-17 α and gonadotropin during ovulation in rainbow trout (*Salmo gairdneri* R.). Ann. Biol. Anim. Biochim. Biophys., 18: 61-78.
- 77-Galas, J. and Bieniarz, K. (1989). Seasonal changes of sex steroids in mature female and male carp (*Cyprinus carpio* L.). Pol. Arch. Hydrobiol., 36(3): 407-416.
- 78-Ghabrial, S. G. (1990). Induced spawning and developmental criteria of two *Oreochromis* spp. and their Hybrid. M.Sc. Thesis Alexandria University.
- 79-Gillis, D. J.; Mckeen, B. A. and Hay, D. E. (1990). Physiological & histological aspects of late oocyte provisioning, ovulation & fertilization in Pacific herring (*Clupea herengus pallasii*). Can. J. Fish. Aquat. Sci., 47: 1505-1512.
- 80-Gophen, M. and Scharf, A. (1981). Food and feeding habits of *Mirogrex* fingerlings in Lake Kinneret (Israel). Hydrobiologia, 78: 3-9.

- 81-Gordin, H. and Zohar, Y. (1978). Induced spawning of *Sparus auratus* L. by means of treatment. Ann. Biol. Anim. Biochem. Biophys., 18(4): 985-990.
- 82-Graaf, G. J.; Galemoni, F. and Huisman, E. A. (1999). Reproductive biology of pond reared Nile tilapia, *Oreochromis niloticus* L. Aquaculture-Research, 30(1): 25-33.
- 83-Greeley, M. S.; MacGregor, R. I. and Marion, K. R. (1988). Variation in plasma oestrogens and androgens during the seasonal and semilunar spawning cycles of female gulf killifish *Fundulus grandis* (Baird and Girard). Journal of Fish Biology, 33: 419-429.
- 84-Grier, H.J. (1975). Aspects of germinal cyst and sperm development in *Poecilia latipinna* (Teleostei: Poeciliidae). J. Moorpol. 146: 229-250.
- 85-Grier, H.J. (1976). Sperm development in the teleost *Oryzias latipes*. Cell and Tissue Research, 168: 419-431.
- 86-Grier, H.J.; Linton, J.R.; Leatherland, J.F. and De Vlaming, V.L. (1980). Structural evidence for two different testicular types in teleost fishes. Am. J. Anat. 159: 331-345.
- 87-Gunn, H. S.; Bruce, B. D.; Furlani, D. M.; Thresher, R. E. and Blader, S. J. M. (1989). Timing and location of spawning of blue grenadier, *Macruronus novaezelandiae* (Teleostei: Merlucciidae), in Australian Coastal waters. Australian Journal of Marine and Fish water Research, 40: 97-112.
- 88-Guraya, S. S. (1979). Recent advances in the morphology, cytochemistry and function of Balbiani's Viteline body in animal oocytes. Int. rev. cytol., 59: 249-321.

- 89-Gwo, J.C.; Gwo, H. H. and Chang, S. L. (1993). Ultrastructure of the spermatozoon of the teleost fish *Acanthopagrus schlegeli* (Perciformes, Sparidae). *Journal of Morphology*, 216(1): 29-33.
- 90-Hamaguchi, S. (1987). The structure of the germinal dence bodies (nuages) during differentiation of the male germ line of the telost *Oryzias latipes*. *Cell and Tissue Research*, 348: 375-380.
- 91- Hamis, A.H.H.(1972). On young mullet from the Black Sea and the Southeast Mediterranean Sea. *Tr. Vses. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr.*, 90: 142-147.
- 92-Hassin, S. (1991). The gonadal development in captive European sea bass, *Dicentrarchus labrax* and its hormonal control. M.Sc. Thesis, Georges Wise Faculty of Life Science, Tel-Aviv University.
- 93-Hassin, S.; Yaron, Z. and Zohar, Y. (1991). Follicular steroidogenesis steroid profiles and oogenesis in the european sea bass, *Dicentrarchus labrax*. In: *Reproductive Physiology of Fish*. A. P. Scott; J. P. Sumpter; D. E. Kime and M. S. Rolfe (eds.). Univ. of East Anglia Press, 1991.
- 94-Hay, D. E.; Outran, D. N.; Mckeown, B. A. and Hurlbert, M. (1987). Ovarian development & oocyte diameter as maturation criteria in Pacific herring (*Clupea herengus pallasii*). *Can. J. Fish. Aquat. Sci.*, 44: 1181-1194.
- 95-Hickling, C. M. E. and Rutenberg, E. (1936). The ovary as an indicators of the spawning period in fishes. *J. Mar. Biol. Assoc. U.K.* 21: 311-317.
- 96-Higham, J.R. and Nickolson, W.R. (1964). Sexual maturation and spawning of Atlantic Menhaden. *Fish. Bull.* 63 (2): 255-271.

- 97-Hines, R. and Yashouv, A. (1971). Some environmental factors influencing the activity of spermatozoa of *Mugil capito* Cuvier, a grey mullet. J. Fish. Biol., 3: 123-127.
- 98-Hoar, W. S. (1983). Reproduction in fish physiology. Vol. IX. Part A. academic Press, Inc. New York, pp. 217.
- 99-Hotos, G. N.; Avramidou, D. and Ondrias, I. (2000). Reproductive biology of *Liza aurata* (Risso, 1810), (Pisces: Mugilidae) in the Lagoon of K;isova (Messologhi, W. Greece). Fisheries Research, 47: 57-67.
- 100-Hourigan, T. F.; Nakamura, M.; Nagahama, Y.; Yamauchi, K. and Grau, E. G. (1991). Histology, ultrastructure, and invitro steroidogenesis of the testes of 2 male phenotypes of the Protogynous fish, *Thalassoma duperrey*. General and Comparative Endocrinology, 83(2): 193-217.
- 101-Hyndes, G. A.; Neira, F. J. and Potter, I. C. (1992). Reproductive biology and early life history of the marine teleost *Platycephalus speculator* Klunzinger (Platycephalidae) in a temperate Australian eastuary. Journal of Fish Biol., 40:859-874.
- 102-Hynes, H. B. N. (1950). The food of freshwater sticklebacks, (*Gasterosteus aculeatus* and *Pygosteus pungitius*) with a review of methods used in studies of food fishes. J. of Anim. Ecolog., 19: 36-58.
- 103-James, P. S. B. R.; Rengaswamy, V.S.; Raju, A.; Mohanraj, G. and Gandhi, V. (1983). Induced spawning and larval rearing of the grey mullet *Liza macrolepis* (Smith). Indian J. Fish., 30(2): 185-202.

- 104-Jalabert, B.; Berton, B.; Brzuska, E.; Fostier, A. and Wieniawski, J. (1977). A new tool for induced spawning: the use of 17α hydroxy- 20β dihydroprogesterone to spawn carp at low temperature. *Aquaculture*, 10: 353-364.
- 105-Joss, J. M. P.; Edward, A. and Kime, D. E. (1996). In vitro biosynthesis of androgens in the Australian lungfish, *Neoceratodus forsteri*. *General and Comparative Endocrinology*, 101(3): 256-263.
- 106-Kadmon, G.; Yaron, Z. and Godin, H. (1984). Patterns of estradiol and $17\alpha,20\beta$ -dihydroprogesterone in female *Sparus aurata*. *Gen. Comp. Endocrinol.* 53:453-460.
- 107-Kadmon, G., Yaron, Z. and Gordin, H. (1985). Sequence of gonadal events and estradiol levels in *Sparus aurata* L. under two photoperiod regims. *J. Fish. Biol.*, 26:609-620.
- 108-Kagawa, H.; Young, G. and Nagahama, Y. (1983). Relationship between seasonal plasma estradiol- 17β and testosterone levels and in vitro production by ovarian follicles of amago salmon (*Oncorhynchus rhodurus*). *Biol. Reprod.* 29:301-309.
- 109-Kanamori, A., Adachi, S. and Nagahama, Y. (1988). Developmental changes in steroidogenic responses of ovarian follicles of amago salmon (*Oncorhynchus rhodurus*) to chum salmon gonadotropin during oogenesis. *Gen. Comp. Endocrinol.*, 72:13-24.
- 110-Kestemonte, P.; Rinchar, J.; Feys, V. and Fostier, A. (1999). Spawning migrations, sexual maturity and sex steroid levels in female roach *Rutilus rutilus* from the River Meuse. *Aquatic Sciences*, 61(2): 111-121.

- 111-Khalil, A. A. (1985). Reproductive biology of *Clarias lazera* in Lake Manzalah. M. Sc. Thesis, Faculty of Science, Alexandria University.
- 112-Khoo, K. H. (1979). The histochemistry and endocrine control of vitellogenesis in goldfish ovaries. *Canad. J. Zool.*, 57: 617-626.
- 113- Kime, D. E.; Lone, E. P. and Al-Marzouk, A. (1991). Seasonal changes in serum steroid hormones in protadrous teleost, the sobaity (*Sparidentex hasta*). *J. Fish. Biol.*, 39: 745-753.
- 114-King, R. P. (1986). Observations on *Liza grandisquamis* (Pisces: Mugilidae) in the Bonny River, Nigeria. *Rev. Hydrobiol. Trop.*, 19 (1): 61-66.
- 115-King, R. P. (1988). New observations on the tropic ecology of *Liza grandisquamis* (Valenciennes, 1836) (Pices: Mugilidae) in the Bonney River, Niger Delta, Nigeria. *CYBIUM*. 12(1): 23-36.
- 116-Kirollus, S. Y. (1977). Biological studies of *Solea vulgaris* (Quensel) in Lake Qarun Egypt. M.Sc. Thesis, Faculty of Science, Cairo University.
- 117-Kulikova, N. I. (1985). The effect of chorionic gonadotropin on growth and maturation of the oocytes of the round goby, *Neogobius melanostomus*. *J. Ichthyology*, 25(2): 86-98.
- 118-Kulikova, N. I. and Gnatchenko, I. G. (1987). Response of pre spawning female Black Sea striped mullet *Mugil cephalus*, to chronic gonadotropin. *J. Ichthyol.*, 27(3):44-53.
- 119-Kuo, C. M. and Nash, C. E. (1979). Annual reproductive cycle of milkfish, *Chanos chanos* Forskal, in Hawaiian waters. *Aquaculture*, 16: 247-251.

- 120-Kuo, C. M.; Nash, C. E. and Shehadeh, Z. H. (1973), Induced spawning of captive grey mullet (*Mugil cephalus*) females by injection of human chorionic gonadotropin. *Aquaculture*, 1:429-432.
- 121-Kuo, C. M.; Nash, C. E. and Shehadeh, Z. H. (1974,a), A procedural guide to induced spawning in the grey mullet (*Mugil cephalus* L.). *Aquaculture*, 3:1-14.
- 122-Kuo, C. M.; Nash, C. E. and Shehadeh, Z. H. (1974,b), The effects of temperature and photoperiod on ovarian development in captive grey mullet (*Mugil cephalus* L.). *Aquaculture*, 3:25-43. (Abstract)
- 123-Kuo, C. M., Shehadeh, Z. H. and Milisen, K. K. (1972). A preliminary report on the development, growth and survival of laboratory reared larvae of the grey mullet (*Mugil cephalus* L.). *J. Fish Biol.*, 5 (4):459-470.
- 124-Laleye, A. P.; Philippart, J. C.; and Haymans, J. C. (1995). Annual cycle of gonads and the conditions in two species of *Chrysichthys* (silver form Bagridae) in Nockoue Lake and Porto-Novo Lagoon in Benin Iokove Lake. *CYBIUM*, 19 (2): 131-142.
- 125-Lam, T.J. (1983). Environmental influences on gonadal activity in fish. In W.S. Hoar and D.J. Randall (Editors), *Fish Physiology*, Vol. 9 B. Academic Press, New York, NY, Pp. 65-116.
- 126-Lam, T.J. and Soh, C.L. (1975). Effect of photoperiod on gonadal maturation in the rabbit fish, *Siganus canaliculatus*, Paek 1797. *Aquaculture*, 5:407-410.
- 127-Lambert, J. G.D.; Bosman, G.I.C.M.; Van den Hurk, R. and Van Qordt, P.G.W. J. (1978). Annual cycle of plasma oestradiol-17 in the female trout (*Salmo gairdneri*). *Ann. Biol. Anim. Biochim. Biophys.* 18: 923-927.

- 128-Latif, A.F.A. and Saady, B.E.(1973). Reproduction in the Nile Bolti, *Tilapia nilotica* L. Bull. Inst. Oceanogr. and Fish., 3: 117-142.
- 129-Law, Y.K. (1988). Endocrine analysis of maturation and spawning in carp, *Cyprinus carpio*. Doctoral thesis, The University of Tokyo, pp. 101
- 130-Lee, C.S. and Weber, G.M. (1986). Effects of salinity and photoperiod on 17 α -methyl testosterone induced spermatogenesis in the grey mullet, *Mugil cephalus* L. Aquaculture, 56:53-62.
- 131-Lee, C.S. and Tamaru, C.S. (1988). Advances and future prospects of controlled maturation and spawning of grey mullet (*Mugil cephalus* L.) in captivity. Aquaculture, 74:63-73.
- 132-Lee, C.S.; Tamaru, C.S. and Kelley, C. D. (1988). The cost effectiveness of CPH, LHRH-a on the induced spawning of grey mullet, *Mugil cephalus* L. Aquaculture, 73:341-346.
- 133-Lee, C. S.; Tamaru, C. S.; Miyamoto, G. T. and Kelley, C. D. (1987). Induced spawning of grey mullet (*Mugil cephalus* L.) by LHRH-a. Aquaculture, 62:327-336.
- 134-Lee, C.S.; Tamaru, C.S.; Kelley, C. D.; Miyamoto, G.T. and Moriwake, A. (1992). The minimum effective dosage of 17 α -methyl testosterone for induction of testicular maturation in the striped mullet, *Mugil cephalus* L. Aquaculture, 104:183-191.

- 136-Liao, I. C. (1969). Artificial propagation of grey mullet *Mugil cephalus* Linnaeus. JCRF Fish. Ser., 8:10-20.
- 137-Liao, I. C. (1975). Experiments on induced breeding of the grey mullet Taiwan from 1963 to 1973. Aquaculture, 6:31-58.
- 138-Ling, S. W. (1970). A brief review of the work done on the induced breeding of *Mugil cephalus* in Taiwan. J. Inland Fish. Soc. India, 1:1-12.
- 139-Lokman, P. M. and Young, G. (1998). Gonad histology and plasma steroid profiles in wild New Zealand freshwater eels (*Anguilla dieffenbachii* and *A. australis*) before and at the onset of the natural spawning migration. II. Males. Fish Physiology and Biochemistry, 19(4): 339-347.
- 140-Malison, J. A.; Procarione, L. S.; Barry, T. P.; Kapuscinsk, A. R. and Kayes, T. B. (1994). Endocrine and gonadal changes during the annual reproductive cycle of the fresh water teleost, *Stizostedion vitreum*. Fish Physiology and Biochemistry, 13(6): 473-484.
- 141-Malison, J. A.; Procarione, L. S.; Kapuscinsk, A. R. and Kayes, T. B. (1992). Endocrine and gonadal changes during the annual reproductive cycle of Walleye. Aquaculture Growing Toward the 21 st Century, 152-153.
- 142-Manning, N. J. and Kime, D. E. (1984). Temperature regulation of ovarian steroid production in the common carp *Cyprinus carpio* in vivo and in vitro. Gen. Comp. Endocrinol., 56(3):376-388.
- 143-Marte, C. L. and Lam, T. J. (1992). Hormonal changes accompanying sexual maturation in captive milkfish (*Chanos chanos* Forskal). Fish Physiol. and Biochem., 10(4): 267-275.

- 144-Matsuyama, M.; Adachi, S.; Nagahama, Y. and Matsuura, S. (1988).
Diurnal rhythm of oocyte in *Sparus aurata* (L.) under two
photoperiod regimes. J. Fish Biol., 26:609-620.
- 145-McAdam, D. S. O.; Liley, N. R. and Tan, E. S. P. (1999).
Comparative of reproductive indicators and analysis of the
reproductive seasonality of the tinfoil barb, *Puntius
schwanefeldii*, in the Perak River, Malaysia. Environmental
Biology of Fishes, 5(4): 369-380.
- 146-Merriman, D. and Schedle, H. P. (1941). The effect of light and
temperature on gametogenesis in the four-spined stickleback,
Apeltes quadracus (Mitchill). J. Exp. Zool., 88:413-449.
- 147-Micle, V.; Perdichizzi, F. and Santangelo, G. (1987). The gonadal
cycle of captive white bream, *Diplodus sargus* (L.). J. Fish
Biol., 31:435-440.
- 148-Mills, E. L. and Forney, J. I. (1983). Impact on *Daphnia pulex* of
predation by young yellow perch in Oneida Lake, New York.
Trans. Am. Fish. Soc., 112: 154-161.
- 149-Modrusan, Z; Teskeredzic, E. and Margus, D. (1991). First maturity,
seasonal variation of gonadosomatoc index, spawning time &
annual migration of Grey mullet *Liza ramada* Risso, 1826 &
Chilon labrorsso, 1826 from the Eastern adriatic. Oebalia, 17:
145-157.
- 150-Mohamed, S.Z. (1982). Biological studies on fishes of Lake Timsah.
M.Sc. thesis , Faculty of Science. Suez Canal University.
- 151-Moharram, S. G. (1993). Reproductive biology and induced
spawning of one species of family siganidae. Ph.D. Thesis,
Faculty of Science, Suez Canal University. Pp. 182.

- 152-Moiseyeva, E.B.; Mogil-naya, N. A. and Starushenko, L. I. (1991). Features of gonadal development in mullet brood stocks (Leaping gray mullet, gray mullet, Pacific mullet) raised at the experimental mullet hatchery. *J. Ichthyol.*, 31 (3): 1-15.
- 153-Mok, T. K. (1985). Induced spawning and larval rearing of the white sea bream, *Mylio berda*. *Aquaculture*, 44: 41-49.
- 154-Mommsen, T.P. and Walsh, P.J. (1988). Vitellogenesis and oocyte assembly. In: W. S. Hoar and D. J. Roandall (Editors), *Fish Physiology* vol. XI. Academic press, New York, NY., pp. 348-395.
- 155-Morrison, J. K. and Smith, C. E. (1986). Altering the spawning cycle of rainbow trout by manipulating water temperature. *Prog. Fish Cult.*, 48:52-54.
- 156-Moser, G. H. (1967). Seasonal histological changes in the gonad of *Sebastes paucispinis* Ayers, an ovoviviparous teleost (Family: Scorpaenidae). *J. Morph.* 123:329-354.
- 157-Mousa, M. A. (1994). Biological studies on the reproduction of mullet (*Mugil cephalus* L.) in Egypt. Ph.D. Thesis, Ain Shams Univ. pp. 278.
- 158-Mousa, M.A. (1999). Hormonal induction of oocyte final maturation and ovulation in thin lipped grey mullet, *Liza ramada* (Risso). *Bull. Nat. Inst. of Oceanogr. & Fish. ARE.* 25: 331-355.
- 159-Naama, A. K.; Ahmed, H. A. and Al-Adhub, A.H.Y. (1986). Aspects of reproduction of the mullet *Liza abu* in Al-hammar Marsh, Iraq. *Cybium.*, 10(1): 47-55.
- 160-Nagahama, Y. (1983). The functional morphology of teleost gonads. In *fish physiology*; Hoar, W.S. and Randal, D. J. (Eds.) Acad. Press.

- 161-Nagahama, Y.; Yoshikoni, M.; Yamashita, M.; Sakai, N. and Tanaka, M. (1993). Molecular endocrinology of oocyte growth and maturation in fish. *Fish Physiol. Biochem.*, 11:3-14.
- 162-Nagahama, Y.; Yoshikoni, M.; Yamashita, M.; and Tanaka, M. (1994). Regulation of oocyte maturation in fish. In *Fish physiology*, vol. XIII, *Molecular Endocrinology of Fish* (Farrell, A. P. and Randall, D. J., eds), pp. 393-439. San Diego, California: Academic Press.
- 163-Naguib, M. (1961). Studies on the ecology of Lake Qarun (Fayoum-Egypt). Part 2, *Kiel. Meeresforsch.*, 17(1):94-131.
- 164-Narian, D. (1937). Cytoplasmic inclusion in the oogenesis of *Sacchobrachus fossilis*, *Clarias batrachus* and *Anabas sacandeus*. *Zeit. Fur. Zellforsch. Und Mikn. Anat.* 26.
- 165-Nash, C. E. and Koniagsberger, R. M. (1981). Artificial propagation. In: O. H. Oren (Editor), *Aquaculture of Grey Mullet*. International Biological Program, Cambridge University Press, New York, NY, Pp. 265-312.
- 166-Nash, C. E. and Shehadeh, Z. H. (1980). Review of breeding and propagation techniques for grey mullet, *Mugil cephalus* L. ICLARM Studies and Reviews 3, 87 Pp. International Center for Living Aquatic Resources Management, Manila, Philippines.
- 167-Nikolsky, G.V. (1963). *The ecology of fishes*. Academic Press. London and New York. pp. 147-187.
- 168-Odum, W. E. (1970). Utilization of the direct grazing of plant detritus food chains by striped mullet, *Mugil cephalus*. In: J. H. Steele (Editor), *Marine Food Chains*. Oliver and Boyd, Edinburgh, Pp. 222-240.

- 169-Osorio-Dualiby, D. (1988_a). Trophic relationships of *Mugil curema*, *M. incilis* and *M. liza* (Pisces: Mugilidae) at the Cienaga Grande off Santa Marta, Colombian Caribbean. 1. Qualitative and Quantitative analysis. An. Inst. Mar. Punta-de-betin. 18:113-126.
- 170-Osorio-Dualiby, D. (1988_b). Trophic ecology of *Mugil curema*, *M. incilis* and *M. liza* (Pisces: Mugilidae) at the Cienaga Grande de Santa Marta, Colombian Caribbean; Biochemical analysis. Trianea., 3:27-36.
- 171-Ozon, R. (1972). Androgens in fishes, amphibians, reptiles, and birds (D. R. Idler, editor) Steroids in non-mammalian vertebrates. Academic Press, New York, U.S.A, 328-389
- 172-Pajuelo, J. G.; Lorenzo, J. M.; Ramos, A. G. and Mendez-Villamil, M. M. (1997). Biology of the red mullet *Mulles surmulatus* (Mulidae) off the canary islands, central, East Atlantic. S. Afr. J. Mar. Soc., 18: 265-272.
- 173-Pankhurst, N. W. and Carragher, J. F. (1992). Oocyte maturation and changes in plasma steroid levels in snapper, *Pagrus* (= *Chrysophrys*) *auratus* (Sparidae), following treatment with human chorionic gonadotropin. Aquaculture, 101:337-347.
- 174-Patzenr, R. A.; Seiwald, M.; Angerer, S.; Ferrero, E. A. and Giulianini, P. G. (1991). Genital system and reproductive cycle of the male grass goby *Zosterisessor ophiocephalus* (Teleostei, Gobiidae) in the Northern Adriatic Sea. Zoologischer Anzeiger, 226: 205-219.
- 175-Payne, A. L. (1976). The relative abundance and feeding habits of the grey mullet species occurring in an estuary in Sierra Leone, West Africa, Marine biology, 35: 277-286.

- 176-Pecio, A. and Rafinski, J. (1994). Structure of the testes, spermatozoa and spermatozeugmata of *Mimagoniates barberi* Regan, 1907 (Teleostei, Characidae), and internally fertilizing, oviparous fish. *Acta Zoologica*, 75(3): 179-185.
- 177-Pen, L. J. and Potter, I. C. (1991). Biology of the western minnow, *Galaxias accidentalis* Ogiby (Teleostei: Galaxidae). In a south-western Australian river: I. Reproductive biology. *Hydrobiology*, 211: 77-88.
- 178-Perceva-Ostroumova, T. A. (1951). Reproduction and development of grey mullets introduced in the Caspian Sea, VNIRO, XVIII:123-134.
- 179-Perlmutter, A.; Bograd, L. and Pruginin, J. (1957). Use of the estuarine and sea fish of the family Mugilidae (grey mullets) for pond culture in Israel. *Gen. Fiaf. Council Mediterranean Proc. Tech. Paq.*, 4: 289-304.
- 180-Pien, P. C. and Lion, I. C. (1975). Preliminary report of histological studies on the grey mullet gonad related to hormone treatment. *Aquaculture*, 5:31-39.
- 181-Pisarevskaya, I. I. and Aksenova, E. O. (1991). Feeding of Black Sea mullets during early ontogeny. *J. Ichthyol.*, 31(3):22-30.
- 182-Quérat, B.; Hardy, A. and Leloup-Hâtey, J. (1985). Augmentation de la production d' oestradiol-17 β chez l' anguille (*Anguilla anguilla* L.) argentee placée en circuit fermé d; eau de mer. *Compte Rendus Herdomadaires des Séances de L.Académie des Sciences, Série, III* (301):869-872.
- 183-Radhakrishnan, S.; Ramakrishna, K. V.; Rao, G. R. M. and Raman, K. (1976). Breeding of mullets by hormone stimulation. *Matsya*, 2:28-31.

- 184-Rai, B. P. (1965). Cyclic changes in the testis of mahaseer, *Barbus tor* (Tor tor) Acta. Anat. 62:461-475.
- 185-Ramadan, A. A.; Ezzat, A. A.; Khader, S. E. M.; Meguid, N. A. and Aziz, S. H. A. (1987). Seasonal histological changes in the ovary of *Sparus aurata*, a hermaphrodite teleost marine fish (Family: Sparidae). Folia Morph., 35(3): 251-264.
- 186-Ramos, J. (1983). Contribution to the study of the oogenesis of the Sole, *Solea solea* (Linnaeus, 1758) (Pisces, Soleidae). Inv. Pesq. 47(2): 421-251.
- 187-Reygadas, R. C. and Escorcía, H. B. (1998). Testis histology and ultrastructure of *Chirostoma jordani* (Osteichthyes: Atherinidae). Revista De Biología Tropical, 46(4): 943-949.
- 188-Rinchard, J.; Kestemont, P.; Kuhn, E. R. and Fostier, A. (1993). Seasonal changes in plasma levels of steroid hormones in an asynchronous fish the Gudgeon, *Gobio gobio*. Gen. Comp. Endocrinol., 92: 168-178.
- 189-Romagosa, E.; Depavia, P. and Godinho, H. M. (1990). Pattern of oocyte diameter frequency distribution in females of the pacu, *Piaractus mesopotamicus* (Holmberg 1887) (=Colossomitra Berg 1895) induced to spawn. Aquaculture, 86: 105-110.
- 190-Rosenblum, P.M. and Callard, I. P. (1987). Response of male brown bullhead catfish, *Ictalurus nebulosus* Lesueur, to gonadotropin – releasing hormone and gonadotropin. J. Exp. Zool., 243:189-199.
- 191-Rowland, S. J. (1983). The hormone induced ovulation and spawning of the Australian fresh water fish golden perch, *Macquaria ambigua* (Richardson) (Percichthidae). Aquaculture, 25: 221-238.

- 192-Rowland, S. J. (1988). Hormone induced spawning of the Australian freshwater fish Murry cod, *Maccullochella peelii* Mitchell. Percichthidae. Aquaculture, 70: 371-389.
- 193-Sabae, S. Z. (1993). Studies on aquatic bacteria in Quarun Lake, Fayoum, Egypt. M.Sc. Thesis Tanta University.
- 194-Sangolang, G. B. and Freeman, H. C. (1977). Anew sensitive and precise method for determining testosterone and 11-ketotestosterone in fish plasma by radioimmunoassay. Gen. Comp. Endocrinol., 32: 432-439.
- 195-Santos, A. J. G.; Furukawa, K.; Kobayashi, M.; Bando, K.; Aida, K. and Hanyu, I. (1986). Plasma gonadotropin and steroid hormone profile during ovulation in the carp *Cyprinus carpio*. Bull. Jpn. Soc. Sci. Fish., 52:1159-1166.
- 196-Schmidt, P. J. and Idler, D. R. (1962). Steroid hormones in the plasma of salmon at various states of maturation. Gen Comp. Endocrinol., 2:204-214.
- 197-Schrech, C. B. and Hopwood, M. L. (1974). Seasonal androgen and estrogen patterns in gold fish *Carassius auratus*. Transactions of the American Fisheries Society, 103: 375-392.
- 198-Schrestha, T. K. and Khanna, S. S. (1978). Seasonal changes in the testes of a hill stream Teleost, *Garra gotyla* (Gray). Acta. Anat., 100: 210-220.
- 199-Scott, A. P. and Baynes, S. M. (1982). Plasma levels of sex steroids in relation to ovulation and spermiation in rainbow trout, *Salmo gairdneri*. In C. J. J. Richter and H. J. Th. Goos (Editors), Proceedings of the International Symposium on Reproductive Physiology of fish. Wageningen, The Netherlands, 2-6 August 1982. Pudoc, Wageningen, Pp. 103-106.

- 200-Scott, A. P.; Bye, V.J.; Baynes, S.M. and Springate, J.R.C. (1980). Seasonal variations in plasma concentrations of 11-Ketotestosterone and testosterone in male rainbow trout, *Salmo gairdneri* Richardson. J. Fish Biol. 17:495-505.
- 201-Scott, A. P. and Canario, A.V.M. (1987). Status of oocyte maturation inducing steroids in teleosts. In Proceedings of the Third International Symposium on Reproductive Physiology of Fish (Eds. D. R. Idler, L. W. Crim and J. M. Walsh). Memorial University Press, St. John's, Newfoundland, Pp. 224-234.
- 202-Scott, A. P.; Sumpter, J.P. and Hardiman, P. A.(1983). Hormone changes during ovulation in the rainbow trout (*Salmo gairdneri*). Gen. Comp. Endocrinol., 49:128-134.
- 203-Sebastian, M. J. and Nair, V. A. (1975). The Induced spawning of the grey mullet, *Mugil macrolepis* (Aguas) Smith and the large-scale rearing of its larvae. Aquaculture, 5:41-52.
- 204-Selman, K. and Wallace, R. A. (1986). Gametogenesis in *Fundulus heteroclitus*. American Zoologist, 26: 173-192.
- 205-Shackley, S. E. and King, P. E. (1977). Oogenesis in a marine teleost, *Blennius pholis* L. cell Tissue Res., 181: 105-128.
- 206-Shafik, M. M. (1990). Biological studies on *Mugil cephalus* Linnaeus and *Liza ramada* (Risso) of Lake Qarun, Egypt with special emphasis on the fisheries of the lake and principles of induced spawning of *Mugil cephalus* Linnaeus. M.Sc. Thesis Faculty of Science, Cairo University, 350 Pp.
- 207-Shehadeh, Z. H. and Ellis, J. N. (1970). Induced spawning of the striped mullet *Mugil cephalus* L. J. Fish Biol., 2:355-360.

- 208-Shehadeh, Z. H.; Kuo, C. M. and Milisen, K. K. (1973a). induced spawning of grey mullet, *Mugil cephalus* L. with fractionated Salmon Pituitary extract. J. Fish Biol., 5:471-478.
- 209-Shehadeh, Z. H.; Madden, W. D. and Dohl, T. P. (1973b). The effects of exogenous hormone treatment on spermiation and vitellogenesis in the grey mullet (*Mugil cephalus* L.). J. Fish Biol., 5:479-487.
- 210-Shimizu, A.; Aida, K. and Hanyu, I, (1987). Annual reproductive cycle I autumn spawning bitterling, *Acheilognathus rhombea*. Nippon Suisan Gakkaishi, 53: 529-536.
- 211-Shireman, J. (1975). Gonadal development of striped mullet, *Mugil cephalus* in fresh water. Prog. Fish Cult., 37: 205-208.
- 212-Silva, E. I. L. and De-Silva, S. S. (1981). Aspects of the biology of grey mullet, *Mugil cephalus*, adult populations of a Coastal Lagoon in Srilanka. J. Fish. Biol., 19(1): 1-10.
- 213-Stenger, H. N. (1959). A study of the structure and development of certain reproductive tissues of *Mugil cephalus* L. Zoologica, USA, 44(2): 118-127.
- 214-Stoumboudi, M. Th.; Villwock, W.; Sela, J. and Abraham, M. (1993). Gonadosomatic index in *Barbus longiceps*, *Capoeta damascina* natural hybrid (Pisces, Cyprinidae), versus spermatozoan index in the parental males. Journal of Fish Biology, 43: 865-875.
- 215-Stuart-Kraeger, P. A.; Sumpter, J. P. and Dodd, J. M. (1981). The involvement of gonadotropin and sex steroids in the control of reproduction in the parr and adults of Atlantic salmon, *Salmo solar* L. J. Fish Biol., 18:59-72.

- 216-Suzuki, K.; Asahina, K.; Tamaru, C. S.; Lee, C. S. and Inano, H. (1991). Biosynthesis of $17\alpha,20\beta$ -Dihydroxy-4-Pregnen-3-one in the ovaries of grey mullet (*Mugil cephalus*) during induced ovulation by carp pituitary homogenates and an LHRH analogue. Gen. Comp. Endocrinol., 84:215-221.
- 217-Tamaru, C. S.; Kelley, C. D.; Lee, C.S.; Hanyu, K. A. I. and Goetz, F. (1991). Steroid profiles during maturation and induced spawning of the steroid mullet *Mugil cephalus* L. Aquaculture, 95:149-168.
- 218-Titarev, Y. F. (1975). Acceleration of maturation in the rainbow trout (*Salmo gairdneri*) under the influence of increased water temperature. J. Ichthyol., 15(2):507-517.
- 219-Thomson, J. M. (1966). The grey mullets. Oceanogr. Mar. biol. Annu. Rev., 4: 301-335.
- 220-Torricelli, P.; Tongiorgi, P. and Gandolfi, G. (1988). Feeding habits of mullet fry in the Arno River (Tyrrenian coast). 1. Daily feeding cycle. Bolletion-di-Zoologia., 55(3):161-169.
- 221-Trant, J. M. and Thomas, P. (1989a). Isolation of a novel maturation inducing steroid produced in vitro by ovaries of Atlantic croaker. Gen. Comp. Endocrinol., 75:397-404.
- 222-Trant, J. M. and Thomas, P. (1989b). changes in ovarian steroidogenesis in vitro associated with final maturation of Atlantic croaker oocytes. Gen. Comp. Endocrinol., 75:405-412.
- 223-Valter, G. A. (1983). Some data on the fecundity of prespawning female long finned mullet (*Mugil auratus*) from the Black Sea. Physiological Basis reproduction of Marine and Anadromus fishes, 30-35.

- 224-Vassilopoulou, V. and Papaconsantinon, C. (1992). Age, growth and mortality of the red porgy, *Pagrus pagrus*, in the Eastern Mediterranean Sea. VIE. MILIEU., 42(10): 51-55.
- 225-Wagdie, W. F.; Rizkalla, S. I.; Al-Zahaby, A. S. and El-Serafy, S. S. (1998). Reproductive biology of *Pagellus erythrinus* and *Pagellus acarne* (Family: Sparidae) with special reference to hermaphroditism in the Egyptian Mediterranean waters Egypt. J. Aquat. Biol. & Fish., 2(1): 179-211
- 226-Wallace, J. H. (1974). Aspects of the biology of *Mugil cephalus* in a hypersaline estuarine lake on the East Coast of South Africa. Paper presented at IBP/PM International Symposium on the grey mullet and their Culture, Haifa, Israel.
- 227-Wallace, R. A. and Selman, K. (1981). Cellular and dynamic aspects of oocyte growth in teleosts. American Zoologist, 21: 325-343.
- 228-Wang, S. B. and Chen, C. T. (1989). Reproductive periodicity and gonadal development of Japanese butter fish, *Psenosis anomala*. Bull. of the Inst. of Zoology, Academic Sinica (Taipei), 28: 225-235.
- 229-Wanshu, H. and Thomas, P. (1987). The in vitro effects of steroids, human chorionic gonadotropin and cyanoketone on germinal vesicle breakdown of striped mullet (*Mugil cephalus* L.) oocytes. Chin. J. Oceanol. Limnol., 5:1-8.
- 230-Ware, D. M. and Tanasichuk, R. W. (1989). Biological basis of maturation & spawning waves in Pacific herring (*Clupea harengus* Pallasi). Can. J. Fish. Aquat. Sci., 46: 1776-1784.
- 231-Weber, G. M. and Lee, C. S. (1985). Effects of 17 α -methyltestosterone on spermatogenesis and spermatation in the grey mullet, *Mugil cephalus* L. J. Fish Biol., 26:77-84.

- 232-Werner, E. E. (1979). Niche partitioning by food size in fish communities. In: R. H. Stroud and H. Clepper (Editors), Predator-Prey Systems in Fisheries Management. Sport fishing Institute, Washington, DC, pp. 311-322.
- 233-Whitehead, C.; Bromage, N. R.; Forster, J. R. M. and Matty, A. J. (1978). The effect of alterations in photoperiod on ovarian development and spawning time in the rainbow trout (*Salmo gairdneri*). Ann. Biol. Anim. Bioch. Biophys., 18(4): 1035-1043.
- 234-Wijeyarantne, M. J. S. and Costa, H. H. (1986). On the biology of an estuarine population of grey mullet, *Mugil cephalus* L., in Negombo Lagoon, Sri Lanka. Cybium, 10: 351-363.
- 235-Wijeyarantne, M. J. S. and Costa, H. H. (1987 a). The food, feeding and reproduction in an estuarine population of greenback mullet, *Liza tade* (Forsskal) in the Negombo Lagoon, Sri Lanka. Ophelia, 27: 171-180.
- 236-Wijeyarantne, M. J. S. and Costa, H. H. (1987 b). The food, feeding and reproduction of the Borneo mullet, *Liza macrølepis* (Smith), in a coastal estuary in Sri Lanka. Indian Journal of Fisheries, 34: 283-291.
- 237-Wijeyarantne, M. J. S. and Costa, H. H. (1988). The food, fecundity and gonadal maturity of *Valamugil cunnesius* (Pisces: Mugilidae) in Negombo Lagoon, Sri Lanka. Indian Journal of Fisheries, 35(2): 71-77.
- 238-Wimpenny, R. S. (1936). The ova and larvae of *Mugil capito* Cuv. from Lake Qarun, Egypt. Ann. Mag. Nat. Hist. Ser., 10(17): 405-412.

- 239-Wingfield, J. C. and Grimm, A. S. (1977). Seasonal changes in plasma cortisol, testosterone and estradiol-17 β in the plaice, *Pleuronectes platessa* L. Gen. Comp. Endocrinol., 31: 1-11.
- 240-Wong, B. and Ward, F. J. (1972). Size selection of *Daphnia pulicaria* by yellow perch (*Perca flavescens*) in West Blue Lake, Manitoba. J. Fish. Res. Board Can., 29: 2761-2764.
- 241-Yamamoto, K. and Yamazaki, F. (1961). Rhythm of development in the oocyte of the godfish, *Carassius auratus*. Bull. Fac. Fish. Hokkaido Univ., 12(2): 93-110.
- 242-Yamazaki, F. (1965). Endocrinological studies on the reproduction of the female gold fish, *Carassius auratus* L. with special reference to the function of the pituitary gland. Mem. Fac. Fish., Hokkaido Univ., 13(1): 1-64.
- 243-Yao, Z.; Emerson, C. J. and Crim, I. W. (1995). Ultrastructure of the spermatozoa and eggs of the ocean Pout (*Macrozoarces americanus* L.), an internally fertilizing marine fish. Molecular Reproduction and Development, 42(1): 58-64.
- 244-Yaron, Z.(1995). Endocrine control of gametogenesis and spawning induction in the carp. Aquaculture, 129:49-73.
- 245-Yaron, Z.; Cocos, M. and Salzer, H. (1980). Effects of temperature and photoperiod on ovarian recrudescence in the cyprinid fish *Mirogrex terrae-sanctae*. J. Fish Biol., 16:371-382.
- 246-Yashouv, A. (1969). Preliminary report on induced spawning of *Mugil cephalus* (L.) reared in captivity in fresh water ponds. Bamidgeh. Bull. Fish Cult. Israel, 21 (1):19-24.
- 247-Yashouv, A. and Berner-Samsonov, E. (1970). Contribution to the knowledge of eggs and early larval stages of mullets (Mugilidae) along the Israel coast. Bamidgeh, 22(3): 72-89.

- 248-Yoshida, M. O. (1966). Skipjack Tuna spawning in the Marquesas island & Tuamota archipelago. Fish. Bull. 65(2): 479-488.
- 249-Yoshikuni, M. and Nagahama, Y. (1991). Endocrine regulation of gametogenesis in fish. Bull. Inst. Zool. Acad. Sin. Monogr., 16:139-172.
- 250-Young, G.; Kagawa, H. and Nagahama, Y. (1983). Evidence for decrease in aromatase activity in the ovarian granulosa cells of amago salmon (*Oncorhynchus rhadurus*) associated with final oocyte maturation. Biol. Reprod., 29:310-315.
- 251-Zagarese, H. E. (1988).rearing fry of south American catfish (*Rhamadia sapo*) on natural zooplankton population. J. Fish Biol., 11:370-380.
- 252-Zaki. M. I. (1989). Macroscopic and microscopic study on the sexual cycle of the ovary of *Ctenochaetus strias*. Proc. Egypt. Acad. Sci., 39: 217-226.
- 253-Zaki. M. I. and Abdel-Rahman, S. H. (1985). The induced spawning of the gilthead bream *Sparus aurata* and the rearing of its larvae. Bull. Inst. Oceanogr. & Fish., ARE., 11: 119-129.
- 254-Zaki. M. I.; Abu-Shabana M.B. and Assem, S.S. (1995). The reproductive biology of the saddler bream, *Oblada melanura* (L., 1758) from the Mediterranean coasts of Egypt. Oebalia, vol. XXI: 17-26.
- 255-Zaki. M. I.; Dowidar, M. N. and Abdalla, A. (1986). Reproductive biology of *Clarias gariepinus* (Syn. Lazera) Burchell (Claridae) in lake Manzalah, Egypt II- structure of the testes. Folia. Morphologica. 34: 307-313.

- 256-Zaki. M. I.; El-Gharabawy, M.M. (1991a). Reproductive biology of *Mugil capito* (Egypt). Assiut. Vet. Med. J. 25 (49): 33-47.
- 257-Zaki. M. I.; El-Gharabawy, M.M. (1991b). histological characters of ovaries of *Mugil capito*. Egypt. J. Sci. 6 (6): 13-23.
- 258-Zaki. M. I.; El-Gharabawy, M. M. and Asem, S. S. (1993). Spermatogenesis process and production of sperms in *Liza ramada*. Prob. Ich., 33(2): 317-320.
- 259-Zaki. M. I.; EL-Sayyad, H. I.; EL-Wazir, A. H.; Assem, S. S. and EL-Gamal, A. A. (1998). Morphological and histological studies on the gonads and pituitary gland of hermaphrodite fish, *Sparus aurata* (L.) reared in captivity fish farms. J. egypt. Germ. Soc. Zool., 26 (c): 103-116.
- 260-Zaki. M. I. and Hamza, A, K. (1986). Reproductive biology and induced spawning of *Solea solea* (L.) in Egypt. Bull. Inst. Ocean. and Fish. ARE., 12: 115-125.
- 261-Zaki. M. I.; Mousa, M.; Kamel, S. and El-Gharabawy, M. M. (1996). Effects of exogenous hormone injection on growth and maturation of *Mugil cephalus* oocytes in captivity. J. Ocean. Pulsa, a critical diagnosis introduction by Sylvia, A., Aarle, P.H.D. Plenums Publishing Corporation in USA, 149-165.
- 262-Zaki. M. I.; Salem, S. B.; El-Gharabawy, M. M.; Shorbagy, I.K. and El- Boray, K. F. (1994). Seasonal histological changes in the testes of *Mugil seheli* in Suez Bay. Bull. Nat. Inst. Oceanogr. and Fish., A.R.E., 20 (1): 211-223.

- 263-Zermonsky, B. and Yaron, Z. (1986). Changes in gonadotropin and ovarian steroids associated with oocyte maturation during spawning induction in the carp. *Gen. Comp. Endocrinol.*, 62:89-98.
- 264-Zheng, C. W. (1987). Cultivation and propagation of mullet (*Mugil so iuy*) in China. *Naga.*, 10 (3):18-25.
- 265-Zhitenev, A.N.; Kalinin, D.S. and Abaev, Y.I. (1974). Sostoyaniyegond lobana *Mugil cephalus* L. y ostronosa *Mugil saliens* Risso, vijodiashchin iz limanov na nereast y reakcia ij na guipofizarnuyu inyecciou. *Vop. Ikhtiol.*, 14 (2):244-271 (in Russian)
- 266-Zismann, L.; Berdugo, V. and Kimor, B. (1975). The food and feeding habitats of early stages of grey mullets in the Haifa Bay region. *Aquaculture*, 6:59-75.
- 267-Zohar, Y.; Breton, B. and Fostier, A. (1986a). short-term profiles of plasma gonadotropin and 17 α -Hydroxy,20 β -dihydroprogesterone levels in the female Rainbow trout at the peri-ovulatory period. *Gen. Comp. Endocrinol.*, 64:189-198.
- 268-Zohar, Y.; Breton, B. and Fostier, A. (1986b). short-term profiles of plasma gonadotropin and estradiol-17 β levels in the female Rainbow trout, from early ovarian recrudescence and throughout vitellogenesis. *Gen. Comp. Endocrinol.*, 64:172-188.