

Referances



Referances

Aerts, L., van assche, F.A., Faure, A., (1980):

Effects of treatment with progesterone and oestradiol 17-B on the endocrin pancreas in ovariectomized rats: ultrastructural variations in the B cells, J. Endocrinol. 84:317.

Arendt, E. C. and Paltee, C.J. (1956):

Studies of obesity. I. The insulin-glucose tolerance test. J. Clinic. Endocrinol. and metabolism., 16:367-374.

Armitage, P. and Berry, G (1987):

Statistical methods in medical research. Oxford: blackwell publications.

Back, D.J. Bates, M.; Breckenridge, H.M.; (1981):

Hall, J.M. macIver, M.; orme, M.L.E.; Park, B.K. and Rowe, P.H.:

The pharmacokinetics of ethinyl estradiol in women. Contraception, 23:229-239.

References...

Beck, P.(1969):

Progestin enhancement of the plasma insulin response to glucose in rhesus monkey's -Diabetes 18:146, 1969.

Bell, G.H.(1976):

Carbohydrate metabolism, organization and control. In textbook of physiology and biochemistry, 9th edit. Bell, G.H, Smith, D.E. and paterson, C.R., Pub. Churchill livingstone edinburgh, London and New York, 178-188.

Billiar, R.B., Takaoka, Y., Reddy, P.S.,(1981):

Specific tissue metabolism of progesterone in vivo in the anesthetized female rhesus monkey during the follicular and luteal phase of menstrual cycle.
Endocrinology 108:1643, .

Bird, C.E. and clark, A.F.(1973):

Metabolic Clearance rates and metabolism of ethinyl estradiol in normal young women. J. Clin. Endocrinol metabolism, 1973; 36:296.

Briggs. M.H, Briggs. M.(1976):

Clinical and biochemical investigations of an ultra-low dose combination type oral contraceptive.
Curr. Med. Res. Opin. 3:618, 1976 .

References...

Bye, P.: (1988):

Metabolic effects of femodene in new users, long-term users and users switched from other oral contraceptives; 111-127

Carawy, W.T. and Watt, N.B.(1987):

Carbohydrates. In fundamentals of clinical chemistry. Edit. Teitz, N.W., Pub. W.B. Saunders company philadelphia, 3rd., ed., 422-445.

Chihol, H.J.W.; Peppler, R.D. and Dicky, R.P.(1975):

Estrogen, potency of oral contraceptive pills.. Am. J. Obstet. Gynecol., 121:75.

Costrini, N.V., and kalkhoff, R.K. (1971):

Relative effects of pregnancy, estradiol and progesterone on plasma insulin and pancreatic islet insulin secretion, J. Clin. Invest. 50:992, .

Cullberg. G, Lindstedt G, lundberg P-A, steffensenk K. (1982):

Central and periferal effects of desogestrel 15-60 ug daily for 21 days in healthy femal volunteers. Acta. Obst- Gynecol Scand suppl. 111:21, .

References...

De-Pirro, R.; forte, F., Bertoli, et al., (1981):

Changes in insulin receptors during oral contraception.
J. Clin. Endocrinol. Metabol., 52:29-41.

De-visser. J, de-jager. E, de-jongh. H, rander vies. J,
Zeelen.. F:

Pharmacological profile of a new orally active
progestational steroid, org 2469. Acta. Endocrinol (kbh)
suppl. 199-405, 1975.

De-Visser, J. De Jager E. et al.: (1975):

Pharmacological profile of a new orally active
progestational steroid.

Org. 2969. Acta Endocrinol (Kbh) suppl 199:405.

Dickey, R.P.; stone, S.C. (1976):

Progestational potency of oral contraceptives. Obstet.
Gynecol., 47 :106.

Dusterberg, B. and Brill, K.(1990):

Clinical acceptability of monophasic desogestrel Am. J.
Obst. Gynecol.163:1398-1404.

Elkeles, R.S. and Tavill, A.S. (1983):

Diabetes mellitus. In biochemical aspects of human
disease. First ed. Pub. Blackwell seientific publication,
42-84.

References...

Elkeles, R.A. and Tavill, A.S. (1975):

Glucoreceptors, insulin releas and diabetes
Lancet, II.,; 646-647.

Elkeles, R.S., and Tavill, A.S. (1983):

Diabetes mellitus. In biochemical aspects of human
disease. First ed. Pub. Blackwell scientific pablication,
42-84.

El-Mahgoub, S.; Karim, M. and Ammar, R. (1972):

Long term use of depot medroxyprogesterone acetate
as a contraceptive.
Acta-Obst. Gynecol- Scand. 51:251-255.

Fioretti P, Fruzzetti, F. Navalesi; R, et al (1987):

Clinical and metabolic study of a new pill containing 20
mic.gram E.E puls 150 mic.gram desogestrel.
contraception: 35-229-43.

Fotherby K. (1990):

Pontency and pharmacokinetics of gestagens.
Contraception 41: 533-550.

References...

Fotherby K.(1991):

Desogestrel and gestodene in oral contraception:
a review of European experience. J. Drug-Dev 1991;
4:101-111.

Galton, D.J. and wilson, J.P.D.(1970):

Glycolytic enzymes in adipose tissue of adult diabetics.
Br. Med. J. 3:444-445.

Gaspard. U.J, Lefebvre P.J.(1990):

Clinical aspects of the relationship between oral
contraceptives, abnormalities in carbohydrate meta-
bolism, and development of cardiovascular disease.
Am. J. Obstet. Gynecol. 163:334-43.

Gaspard U.J.(1987):

Metabolic effects of oral contraceptives.
Am. J. Obst. Gynecol. 157:1029-41.

Gershberg, H.; janvier, Z.and Hulse, M. (1968):

Hyper-triglyceridaemia during treatment with estrogen
and oral contraceptives.
Obst. Gynecol., 31:186-189.

References...

Gillespy, M; Notelovitz, M.; Ellinson, et al., (1991):

Effects of long term triphasic oral contraceptive use on glucose tolerance and insulin secretion.

Obst-Gynecol. 78 (1):108 -114.

Godsland If, Walton C., Felton.C.et al., (1991):

Insulin resistance, secretion, metabolism in users of oral contraceptives.

J. Clin. Endocrinol. Metabolism 74:64-70.

Goodner, C.J.and porte, D.(1972):

Determination of basal insulin secretion in man. In. Handbook of physiology: Endocrine pancreas. Ed- steiner, D.F.and frankel, N.; Pub.

Am. Physiological society, 597-609.

Gossain, V.V; Sherma, N.K.; Kechelakis, et al (1983):

Effect of oral contraceptives on plasma glucose, insulin and glucagon levels.

Am. J. Obstet. Gynaecol.; 147:618-623.

Green, I.C., Howell, S.C. , El- Seifi, S., (1978):

Binding of ³H- progesterone by isolated rat islets of langerhans, Diabetologia. 15:349, .

References...

Hannaford, P.C. and Kay, C.R.(1989):

Oral contraceptives and diabetes mellitus.
Br. Med.J. 1989; 299:1315-1316.

Harper, K.L.(1976):

Carbohydrate metabolism organization and control
Harper review 9th edit. 178-188.

Harding, A.R., Rosen F., and N. nichol, C.A.(1966):

Effects of pregnancy on several cortisol responsive
enzymes in liver,
Am.J. Physiol. 211: 1361, .

Harris, M.I.(1985):

International criteria for diagnosis of diabetes mellitus
and I.G.T.
diabetes care 8, 6; 562-7.

Hausmann, L., Goebel, K.M., Klahn, D., et al. (1975):

Insulin-Unde-proinsulin-sekretion bei anwendug ant.
Konseptioneller steroid, klin, wochenschr. 53:853.

Hervey, E. and. Hervey, G.R.(1976):

The effect of progesterone on body weight and
composition in the rat.
J. Endocrinol. 37: 361.

References...

Hers, H.G.(1976):

The control of glycogen metabolism in the liver.

Annual review of biochemistry. 1976; 45: 176-185.

Helton, E.D.; Goldzieher, J.W. (1977):

Metabolism of ethinyl estrogen.

Am. J. Obstet. Gynecol., 122: 615.

Howell, S.L., Tyhurst, M. and Green, I.C. (1977):

Direct effects of progesterone on rat islets of Langerhans
in vivo and in tissue culture.

Diabetologia 13:579, .

Hoppe, G. (1986):

The pill. The heart and H.L. D, facts and fictions.

Ad. Contracept., 1986; 2: 405-411.

Jandrain, B. Gaspard U, et al (1990):

Effect of monophasic contraceptive pills on
carbohydrate metabolism.

Am. J. Obstet. Gynaecol; 163:292-5.

Jansen, R.P. (1978):

Fallopian tube isthmus mucus and ovum transport.

Science, 1978; 201:349-356.

References...

Jarrett, R.J. (1986):

Ten years follow-up report on men with IGT with reference to worsening to D.M, and predictors of death. Diabet Med.; 1, 279-83.

Jones, D.L. (1986):

The sex hormones in gynaecology, in fundamentals of obstetrics and gynaecology, forth edit. Elibs., 242-298.

Kalkhoff, R.J. (1975):

Effects of oral contraceptive agents on carbohydrate metabolism. J. Steroid. Biochem. 6: 949, .

Kaplan, A.; Szabo, L.L (1983):

Disorders of carbohydrate metabolism, in clinical chemistry, interperations and techniques., 2nd. Ed., pub. Lea and febiger, philadelphia, 301-322.

Kim, H.J., and Kalkhoff, R.K.(1975):

Sex steroid influence on triglyceride metabolism. J. Clinic-invest. 56:888, .

References...

Kloosterboer H.J, Van wayjen RGA, et al., (1987):

Effects of three low dose oral contraceptive combinations on sex hormone-binding globulin, corticosteroid-binding globulin and anti thrombin 111 activity in healthy women.

Acta- Obst. Gynecol. Scand. 144 (Ssuppl): 41-44.

Knowlton, K., Kenyon A., Sandiford I. (1942):

compratative study of metabolic effects of estradiol benzoate and testosterone propionate in man.

J. Clinic-endocrinol. Metabolism. 2:142,

Kuhl H.(1990):

Pharmacokinetics of estrogens and progestogens
Maturitas 12:171-97.

Kung Aw, Majtt, Wong VC. (1987):

Glucose and lipid metabolism with triphasic oral contraceptives in women with history of gestational diabetes.

Contraception, 35:257-269.

Landau, R.L, and Poulous, J.T. (1971):

The metabolic influence of progestins, sdv. Metabolic disorderd. 5:119, 1971 .

References...

Laurel C.B., Rannevik G (1979):

A comparison of plasma protein changes induced by danazol, pregnancy and oestrogens.

J. Clinic. Endocrinol. Metab. 49:719.

Lebeouf, B. (1960):

Effect of epinephrine on glucose uptake and glycerol release by adipose tissue in vitro.

Proc. Soc. Exp. Med., 102:527-528.

Levine R., Goldstein M.S., Huddleston, et al., (1950):

Insulin and glucose metabolism.

Am. J. Physiol, 1950; 163:70-82.

Levine, R.; Goldstein, M.S.; Huddleston, et al .,(1964):

Hyperglycemic effect of growth hormone. Diabetes, 13:651-660.

Luyckx, A.S.; Gaspard, U.G.; Romus, M.Q.et al., (1986):

Carbohydrate metabolism in women who used oral contraceptives containing levonorgestrel or desogestrel a six month prospective study.

Ferti-steril., 45:645.

References...

Madison, L.L.; Combs, B. et al.: (1960):

The physiological significance of the secretion of insulin into the portal circulation.

J. Clinic. invest., 39:507-522.

Mahler, R.; Stafford, W.S.; Tarrant, et al., (1963):

Effect of insulin on hepatic metabolism. Diabetes, 13:297-306.

Manchester, K.L. and kranl, M.E. (1959):

Effect of insulin on the incorporation of ^{14}C from ^{14}C labelled carboxylic acids and bicarbonate into the protein of isolated rat diaphragm.

J.Biol. chem., 2938-3944.

Mann, J.I. Vessey, M.P., Phorogood, M., et al., (1975):

Myocardial infarction in young women, with special reference to oral contraceptive practice.

Br. Med. J. 2:241, 1975.

Martin, P.V. (1979):

Oral contraceptives and diabetes mellitus. Br. Med. J., 1:23.

References...

Matute, M.L., and kalkhoff, R.K. (1973):

Sex steroid influence of hepatic gluconeogenesis and glycogen formation. *Endocrinology*. 92:762, .

Mayes, P.A. (1985):

Regulation of carbohydrate and lipid metabolism. In Harper,s review of biochemistry, edit. Martin D.W. mayes,P.A.; Rodwell,V.W.;Granner, D.K. Twentieth ed. Pub. Lang medical publication. California, 1985; 257-274.

Morris, D.Vand Nabarro, J.D.N. (1984):

Pancreatic cancer and D.M.
Diabet. Med., 1984, 1,2,119.

Mishell, D.R.; El. Habashy, M.A.; et al., (1968):

Contraception with an injectable progestin. *Am. J. Obstet. Gynecol.*, 101: 1046-1058.

Mishell, J.R. (1991):

Oral contraceptives and diabetes mellitus. *The year book of obstet, and gynecol.*
Contraception; S-11:441-442.

References...

Newburger, J. and Goldziher, J. W. (1985):

Pharmacokinetics of ethinyl estradiol; a current view.
Contraception, 32:33.

Nikschick, S.; Goretzlehner, G.; et al (1985):

The influence of sequential type oral contraceptive on
carbohydrate metabolism during the first 12 months.
Exp. Clin. Endocrinol; 1985; 85:257-262.

Nikkila, E.A. (1969):

Control of plasma and liver triglyceride kinetics by
carbohydrate metabolism and insulin.
Advances in lipid research, 7:63-134.

O'sullivan, J.B. (1984):

Subsequent morbidity among gestational diabetic
women. C in carbohydrate metabolism in pregnancy and
the newborn eds. Sutherland H.W. and stowers, J.M.,
edenburgh:churchill living stone, 174-80.

***Petersen, K.R.; Skouby, S.O.; Dreisler, A. sevenstrup, B et al
(1985):***

Contraceptive trial of the effects on glucose tolerance
and lipoprotein metabolism of two new oral
contraceptives containing gestodene and desogestrel.
Acta-obst. Gynecol.,.

References...

Petersen K.R.; skouby S.O; Dreisler, A.et al (1988):

Comparative trial of the effects on glucose tolerance and lipoprotein metabolism of two new oral contraceptives containing gestodene and desogestrel. Acta. Obstetrica et gynecologica scandinavica, 67 (1); 37- 41.

Peterson, K.R.; Skouby, S.O; dreisler, A.et al. (1986):

Comparative trial of the effects on glucose tolerance and lipoprotein metabolism of two new oral contraceptives containing gestodene and desogestrel. Acta-obstet. Gynecol. Scand.

Pere Z-palacois, G; Fernandez, M; Medina, M.et al (1981):

On the mechanism of action of progestins. Acta. Endocrinol, 1981; 97:320-328.

Perlman J.A, Russel-Briefel R, Ezzati. T.et al., (1985):

Oral glucose tolerance and potency of contraceptives progestin.
J. Chronic Dis. 38:857-64.

Porte, D.and pupo, A.A. (1969):

Insulin response to glucose; evidence for a two pool synthesis in man.
J. Clin. Invest.; 48: 2309-2319.

References...

Posner, N.A.; Silverstone, F.A. and powrance, W. (1967):

Oral contraceptives and intravenous glucose tolerance test.

Obstet. Gynaecol.; 29:79-910.

Pramming, S. (1985):

Nocturnal hypoglycemia in patients recrvng conventional treatment with insulin.

Brit. Med. J., 291,2,376-9.

Rabe, T., Runnebaum, B; unger, R.; Kohlmeier, M. et al (1988):

Clinical and metabslic effects of two lowdose combined pills for oral contraception containing gestodene or levonorgestrel. Gynecological endocrinology. 1988, 503.

Rabinowitz, D.and zieler, K.L. (1962):

Foream metabolism in obesity and its response to international insulin.

J. Clinic. Invest., 41:2173-2181,

Reaven, G.M. lerner, R.L.; stern, N.P.et al., (1967):

Role of insulin in endogenous hypertriglyceridaemia.

J. Clinic. Invest., 46, 1756-1769.

References...

Renola, A. E; Ahmore, J.and Hastings, A.B. (1956):

Regulation of carbohydrate metabolism in isolated tissue.

Vitamines, Hormones; 1956; 14:134-155.

Rosell-Perez, M.and Larner, J.(1964):

Effect of insulin on hepatic phosphorylase enzyme.
Biochemistry; 3:81-90.

Rushakoff, R.J.and Kalkhoff, R.K.(1981):

Effect of pregnancy and sex steroid administration on skeletal muscle metabolism in the rat.

Diabetes 30:545, .

Russel-briefel R., Ezzati, T.M., Perlman J.A, & Murply R.S(1987):

Impaired glucose tolerance in women using oral contraceptives.

United states, 1976-1980, J- chronic dis. 40:3-11.

Salans, L.B.(1971):

Influence of progestin and estrogen on fat cell size, number, glucose metabolism and insulin sensitivity, proceedings of the 53rd meeting endocrine society, san francisco. Calif. P.A-59.

References...

Schijf C.P, thomas CM, de,acler { .N. et al (1984):

The influence of triphasic pill and desogestrel-containing combination pill on some physical, biochemical and hormonal parameters.

Lanceter: MTP press,: 61-70

Seng, P.; Hasche, H.H; Rebensburg, W. (1969)

Systemic investigations on the influence of a contraceptive on some biochemical parameters of fat and carbohydrate metabolism.

Acta-Endocrinol, 1969; 62:181-192.

Sharma, C.; Manjeshwar, R.and weinhousp,S. (1963):

Effect of diet and insulin on glucose, adenosine triphosphate phosphotransferase of rat liver.

J.Biol. chem. 238: 3840-3851.

Shargo, E.; Young, J.M. and lardy, H.A. (1970):

Carbohydrate supply as a regulator of rat liver phosphoenol pyruvate carboxykinase activity.

Science, 158: 1572-1591.

Shoupe D; Kjos. S. (1988):

Effects of oral contraceptives on the borderline N.I.D.D. patients.

Int. J. Fertil. 33(Suppl): 27-34.

References...

Skouby, S.O; Andersen, O; saurbreg, N.and Kuhl,c. (1987):

Oral contraception and insulin sensitivity. In-vivo assessment in normal women and subjects with previous gestational diabetes. J. Clinic. Endocrinol, metabolism. 64:519-593.

Skouby S.O, Molsted- pedersen- L.; Kuhl. C (1982):

Low dosage oral contraception in women with previous gestational diabetes.

Obst. Gynecol. 59:325, 1982 .

Skouby, S.O.; Andersen C..and Wagner, H.H. (1983):

The short term effects of alow-dose oral contraceptive on glucose metablism, plasma lipids and blood coting factors. Contraception; 28:411-420.

Skouby, S.O.; Kuhl, C.; Malsted-Peder Sen, L (1986):

Triphasic oral contraceptives metabolic effects in normal women tnd those with previous gestationac diabetes.

Am-J. Obst. Gynecol.; 153 :495-500.

Skoupy. S.O; Molsted-Pedersen L; petersen. K.R.(1991):

Contraception for women with diabetes an update. Clin.

Obst. Gynaecol. 1991; 5: 493-503.

References...

Song, C.S, and Kappas, A. (1968):

the influence of estrogen progestins and pregnancy on the liver, vitamins; Hormones 26:147, 1968 .

Sols, M.; Vinula, C. and sols, A. (1963):

Insulin dependant synthesis of liver glucokinase in the rat.

J. Biol. Chem., 238:3535-3542.

Spellacy, w.N.and Buhi, W.C and Birk, S.A. (1972):

The effect of estrogen on carbohydrate metabolism, glucose, insulin and growth hormone studies on one hundred seventy one women ingesting primarine, mestranol and ethinyl estradiol for six months.

Am. J. Obst. Gyaecol. 1972; 114:378-386.

Spellacy, W.N.; Buhi, W.C; Birle. S. A. and van Arnan, J.R.(1982):

Carbohydrate metabolism studies in women using brevison, a low estrogen type of oral contraceptive, for one year.

Am. J. Obst-Gynaecol., 142:105-108.

References...

Spellacy, W.N.; Newton, R.G. Buhi, W. C. and Birk, S.A.(1977):

The effect of low oestrogen oral contraceptive on carbohydrate metabolism during 6 months of treatment.
Fertil. Steril., 885-887.

Spellacy, W.N. (1976):

Carbohydrate metabolism in male infertility and female fertility control patients.
Fert. Steril., 27:1132-1141.

Spellacy, W.N.; Buhi, W.C. and Buhi, W.C and Birk, S.A.(1979):

Carbohydrate metabolism prospectively studied in women using a low-oestrogen oral contraceptive for 6 months. Contraception, 20:13-48.

Spellacy, W.N.; Buhi, W. C and Birk, S.A (1980):

Carbohydrate metabolism with three months of low oestrogen contraceptive use.
Am. J. Obstet. Gynaecol., 138: 151-155.

References...

Spellacy, W.N.(1982):

Carbohydrat metabolism during treatment with oestrogen, progestagne and low dose oral contraceptives.

Am. J. Obstet. Gynaecol., 142:732-734.

Spellacy, W.N.; Ellingson, A.B.; Kotlik, A. And Tsibris, J.C.(1988):

Plasma glucose and insulin levels in women using a levonorgestrel-containing triphasic oral contraceptive for three months.

Contraception, 38 (1):27-35.

Spellacy, W.N.; Ellingson, A.B and Tsibris, J.C. (1989):

Carbohydrate studies in women using a norethindrone triphasic oral contraceptive for eighteen months.

Contraception, 5 (2); 85-90.

Spellacy, W. N.and bendal, R.P.(1969):

Insulin and glucose determination after 2 and 3 years of use a combination type oral contraceptive.

Fertil. Steril., 20:892-899.

References...

Spellacy, W.N., Tsibriss, J.C. and Ellingson, A.B. (1991):

Carbohydrate metabolic studies in women using a levonorgestrel ethinyl estradiol containing triphasic oral contraceptive for eighteen months.

Int. J. Gynaecol. Obstet.; 35 (1) :69-71.

Speroff- L; Decherney A.; Buakman. R.T.Jr. (1993):

Evaluation of a new generation of oral contraceptives.

Obstet. Gynaecol. 81:1034-1047.

Speroff, L.; Glass, R.H. and Kase, N.G. (1983):

Hormone biosynthesis, metabolism, and mechanism of action in clinical gynecologic endocrinology and infertility, third edition, Williams and Wilkins, Baltimore, London, 1983, 4.

Steel. J. M.; Duncan J.P. (1980):

Contraception for the insulin dependant diabetic women.

The review from one clinic.

Diabetes care. 3:557,.

Steiner, D.F.; Randa, V. and Williams, R.H. (1961):

Effect of insulin, glucagon, and glucocorticoids upon glycogen synthesis from uridine diphosphate glucose.

J. Biol. Chem. 236:299-308.

References...

Thiery, M.; Vermulen, A.; Baele, G. and deslypere, S.P. (1987):

Effects of a very low-estrogen oral contraceptive on clotting factors, carbohydrate metabolism and plasma lipids and lipoproteins.

Medical science research; 15 (20) :1231-1232.

Trossarelli, G.F.; Bordon, R.; Gennarelli, G.L.: (1991):

An open prospective study on the effects on carbohydrate metabolism of an oral monophasic contraception.

contraception , 43 (5): 423-433.

Van, der vange, N.; Kloosterboer, N.J. and Haspels, A.A. (1987):

Effect of seven low-dose combined oral contraceptive preparations on carbohydrate metabolism.

Am. J. Obstet. Gynaecol., 156:918.

Waine, H.; Frieden, E.H.; Caplan., et al (1963):

Metabolic effects of enovid in rheumatoid patients. Arth-Rheum.; 6:796.

Watins, P. (1988):

Diagnostic Criteria for oral glucose tolerance test using venous plasma .

Ann-Clin. Bioch. 6:24.

References...

William, F.G. (1983):

Hyperglycemia and diabetes mellitus, carbohydrate metabolism in review of medical physiology, middle east edition, lange medical publications, 19:269-288.

Wingrave, S.J.; Kay, C.R. and vessy, M.P.(1979):

Oral contraceptives and diabetes mellitus.
Br. Med. J., 1:23-24.

Wynn, V.; Adams, P.W.; Godslan, I.; et al., (1979):

Comparasion of different combined oral contraceptive formulations on carbohydrate and liped metabolism.
Lancet, 1:1045-1049.

Wynn, V. and Doar, J.W.H.(1966):

Hormone therapy and glucose tolerance. Lancet, 2:715-719.

Wynn, V.; Adams. P, Oakley N.(1974):

Metabolic investigations in women taken 30 microgram ethinyl estradiol plus 150 microgram d-norgestrel.
Excerpta. Medica. Int. Congr. Series. 344:47; .

Wynn, V. and Godslan, I.: (1986):

Effects of oral contraceptives on carbohydrate metabolism.
J. of repeeductive medicine; 31 (9): 892-897.

Blood sugar levels 6 months after Marvelon.

No	Fasting	30'	60'	90'	120'	150'	180'
1	64	110	100	94	88	83	81
2	72	118	120	83	79	77	73
3	65	107	110	90	76	70	70
4	94	125	130	117	97	95	98
5	74	125	108	93	82	79	75
6	76	128	112	95	84	80	79
7	70	96	92	83	78	75	73
8	82	115	120	100	93	91	87
9	73	102	105	80	78	75	74
10	71	95	99	77	58	75	73
11	94	128	130	110	96	93	96
12	73	118	120	83	80	78	75
13	85	109	110	103	91	87	89
14	74	125	110	94	82	80	79
15	73	80	95	84	75	76	74
16	85	136	140	130	96	107	95
17	65	92	94	85	78	70	74
18	82	118	122	104	97	95	95
19	72	101	102	97	77	74	76
20	60	100	110	77	60	64	60
21	62	100	112	82	68	76	66
22	100	118	97	89	90	91	98
23	85	109	110	103	90	86	89
24	73	118	120	83	80	78	75
25	96	122	130	117	97	95	98
26	64	111	100	94	88	83	81
27	68	95	89	82	76	72	74
28	85	109	110	103	91	87	89
29	88	102	110	96	92	90	90
30	76	128	110	95	84	80	79
31	75	109	112	103	92	85	82
32	84	130	134	117	90	92	95
33	73	100	102	97	75	75	76
34	82	129	140	115	90	100	98
35	70	98	100	96	79	75	76
36	59	92	102	84	77	72	65
37	66	107	110	90	77	72	72
38	74	116	114	86	78	77	76
39	75	130	110	95	84	80	79
40	62	100	93	79	62	75	73
41	63	110	102	92	88	77	72
42	80	123	120	118	108	106	90
43	82	120	122	104	97	95	91
44	88	135	130	117	107	102	99
45	79	116	118	96	89	79	78
46	62	101	114	80	63	76	66
47	89	120	126	97	89	90	91
48	74	100	99	82	69	80	88
49	62	100	93	79	62	75	73
50	96	123	128	117	97	95	98

Blood sugar levels 3 months after Marvelon.

No	Fasting	30'	60'	90'	120'	150'	180'
1	67	112	109	94	91	89	88
2	79	128	135	106	91	85	84
3	68	115	125	108	94	83	76
4	100	130	136	119	98	101	106
5	77	130	114	102	89	85	82
6	78	130	115	105	95	85	83
7	62	79	87	78	75	73	70
8	85	104	110	102	90	86	89
9	74	100	102	89	85	79	75
10	66	85	99	72	70	69	69
11	93	133	131	105	100	98	96
12	80	120	132	118	95	88	86
13	86	108	111	107	97	94	90
14	77	120	132	107	92	87	82
15	74	96	111	83	75	72	76
16	92	140	142	130	118	102	99
17	75	66	114	110	92	86	81
18	94	120	127	112	98	98	95
19	71	102	100	86	76	81	80
20	62	99	103	98	79	78	72
21	78	102	112	98	88	85	82
22	100	128	126	127	118	116	112
23	89	83	115	120	102	93	91
24	80	126	130	102	90	88	86
25	100	125	130	118	98	101	104
26	67	112	110	94	91	89	82
27	83	115	120	102	93	91	89
28	72	100	102	89	88	85	82
29	85	130	124	105	98	89	86
30	80	120	118	116	94	92	91
31	82	127	122	119	98	92	90
32	93	134	140	122	108	100	98
33	71	102	100	86	78	81	80
34	90	138	142	144	130	112	106
35	70	100	98	86	79	80	78
36	65	102	112	98	79	78	75
37	68	115	120	108	94	83	79
38	75	124	130	104	92	86	82
39	78	130	114	102	89	84	80
40	66	98	102	82	68	75	75
41	68	114	110	94	90	80	75
42	83	130	132	129	125	107	92
43	93	128	124	111	100	97	94
44	92	141	142	130	112	106	99
45	77	79	120	130	115	92	89
46	74	102	102	112	98	87	85
47	87	124	126	114	95	94	92
48	76	102	98	82	71	81	80
49	65	96	100	80	68	78	75
50	100	127	136	118	98	101	104

Blood sugar levels before Marvelon.

No	Fasting	30'	60'	90'	120'	150'	180'
1	66	102	89	86	71	69	65
2	70	100	114	99	85	80	77
3	62	99	105	85	78	72	65
4	90	120	125	110	95	92	90
5	72	118	103	85	73	72	70
6	74	116	104	90	78	75	73
7	60	91	95	75	66	63	60
8	85	100	110	97	89	85	83
9	70	96	100	86	77	75	76
10	63	92	95	78	62	76	70
11	92	118	110	108	98	96	93
12	76	112	117	97	79	79	76
13	89	102	110	91	87	84	86
14	72	116	102	86	75	74	72
15	62	88	90	87	68	65	62
16	93	136	140	120	118	102	98
17	60	91	100	79	68	93	62
18	80	122	125	112	96	93	90
19	70	98	100	83	74	76	72
20	58	94	90	76	68	63	60
21	62	92	101	74	64	64	63
22	82	120	122	100	92	87	89
23	89	102	110	91	87	84	86
24	76	108	115	95	78	77	76
25	90	120	125	110	96	95	92
26	66	100	88	86	71	69	73
27	70	92	100	89	75	72	75
28	74	100	102	84	86	76	78
29	85	102	110	92	89	84	86
30	63	92	95	78	62	76	70
31	74	118	102	90	75	73	72
32	89	102	110	90	88	84	86
33	70	98	100	83	74	74	72
34	92	130	120	125	110	102	98
35	72	98	102	85	78	76	74
36	58	94	96	78	72	67	62
37	64	110	107	86	82	74	70
38	68	102	104	94	84	78	72
39	74	118	102	90	85	79	75
40	63	94	92	78	74	70	69
41	68	102	86	84	72	65	69
42	79	120	118	112	100	89	82
43	80	122	127	111	95	92	90
44	92	136	138	120	110	102	98
45	75	106	110	95	78	84	80
46	62	94	100	76	70	68	64
47	85	122	125	103	92	90	87
48	70	110	115	97	81	77	76
49	63	95	96	75	70	75	69
50	91	121	125	112	96	95	92

Demographic and clinical characteristics of patients.

No	Age (yrs)	Parity	Weight (kgs)	Systolic (mm Hg)	Diastolic (mm Hg)
1	23	1	60	110	70
2	28	2	75	120	80
3	19	1	63	120	70
4	33	3	73	110	70
5	27	1	64	135	80
6	31	3	79	120	80
7	20	1	62	100	60
8	29	3	74	110	70
9	31	3	78	130	80
10	28	3	69	125	70
11	22	1	67	110	75
12	27	3	80	130	80
13	21	1	57	110	70
14	30	2	70	130	80
15	34	5	82	115	75
16	24	2	59	110	60
17	19	1	60	100	70
18	23	2	71	110	70
19	31	3	74	120	80
20	20	1	59	100	70
21	29	5	73	120	80
22	25	2	69	110	70
23	29	4	74	115	80
24	30	4	76	120	80
25	22	2	57	110	70
26	34	3	73	130	90
27	24	1	70	115	60
28	27	4	78	120	80
29	31	3	80	125	75
30	29	4	65	100	70
31	31	4	78	120	80
32	23	1	77	110	70
33	19	1	60	100	70
34	27	3	68	120	80
35	23	2	58	110	70
36	25	3	73	130	80
37	29	3	69	115	70
38	32	4	73	120	80
39	24	2	61	110	70
40	26	3	72	120	80
41	33	4	68	110	70
42	20	1	65	100	70
43	28	3	76	115	80
44	21	2	64	100	70
45	30	3	74	130	80
46	33	5	82	125	90
47	23	2	60	115	70
48	26	3	67	135	85
49	22	2	57	110	70
50	19	1	56	120	80