

REFERENCES

REFERENCES

- Abdalla, A.R.; El-Okbi, M.; Abd El-Dayem, H.M. (1982):
M.D. Thesis "scabies" Ain Shams University,
Cairo, Egypt
- Abo Shady, A.F.; Rizk, R.A. and Roumia, S.A. (1985):
Scabies in Dakahlia Governorate, J. Egypt.
Soc. Parasit, 15: 471.
- Ackerman, A.B. (1975):
Scabies masquerading as dermatitis herpetiformis.
J.A.M.A., 233(1): 3.
- Ackerman, A.B. (1977):
Histopathlogy of human scabies, in Orkin, M.;
Miabach, H.I.; Parish, L.C. et al., (eds):
Scabies and Pediculosis, Philadelphia, J.B.,
Lippincott Co. pp. 88-95.
- Alexandder, J.D. (1968):
Scabies and Pediculosis. Practioner, Philadelphia,
J. B., Lipponcott Co. 200 (199): 632-644

Alexander, J.D. (1969):

Scabies in children. Clin. Pediatr. 8: 37-85.

Andrews, G.C. (1947):

Diseases of the skin for practioner and students
3rd. edition W.B. Saunders Co. Philadelphia
and London, P. 496.

Andrews, G.C. (1990):

Diseases of the skin for practioner and students
8th. edition W.B. Saunders Co. Philadelphia
and London P. 523.

Araujo-Fontaine, A.; Thierry, R. and Held, E. (1977):

Les IgE Seriques dans La gale. Cited by Rantanen,
T.; Bjorksten, F.; Reunala, T. and Salo, O.P.
(1981): Acta Dermatovener (Stockh.) 61(4):
358-360.

Ares, M.E.; Casal, P.M. & Sela Perez M.C. (1985):

Treatment of scabies by permethrin. Int. J.
Dermatol., 24(9): 603-5.

Ayres, S. Jr. and Anderson, N.P. (1983):

Persistent nodules in scabies, histologic observations and treatment. Arch. Derm. and Syph. 25-85.

Bagnall, B. and Rook, A. (1977):

Arthropods and the skin. In recent advances in dermatology, Vol. 4, P. 73, Churchill Livingstone, Edinburgh.

Bean, S.F. (1974):

Bullous Scabies. J.A.M.A., 230(6): 878.

Beck, A.L. (1965):

Animal scabies affecting man. Arch Dermatol 91, 54.

Berge, T. and Krook, G. (1967):

Persistent nodules in scabies. Acta. Dermatovenereologica, '47: 20.

Bonomo (1668):

Cited by Woodley, D. and Saurat, J.A. (1981).
The burrow ink test and scabies mite. J.A.M. Acad. Dermatol, 4: 715-722.

Burks, J.W.; Jung, R. and George, W.M. (1956):

Norwegian scabies. Arch Dermatol 74: 131.

Calanan, C.D. (1950):

Crusted scabies. Brit. J. Dermatol. 62: 71-8.

Carslow, R.W.; Dobson, R.M.; Hood, A.J.K. and Taylor,

R.M. (1975):

Mites in the enviroment of Norwegian scabies.

Brit. J. Dermatol. 92: 333-337.

Chapel, T.A.; Krugel, L.; Chapel, J. and Sagal, A.

(1981):

Scabies presenting as urticaria. J. Am. Med.

Assoc. 246(13): 1440-1441.

Charmes, J.R.; Blanc, J.M.B. and Roux, J. (1978):

Scabies and acute glomerulonephritis. Lancet

1 (8062): 499.

Chevront-Breton, J.; Desrues, E.; Guiguen, C. and

De-Certaines, J. (1981):

Serum IgE values in human scabies: study of

79 cases. Ann Dermatol Venereol, 108: 979-83.

Cochrane, C.G. and Koffler, D. (1973):

Immune complex disease in experimental animals and man. Adv. Immunol. 16: 185-264.

Cubela, V. and Yawalkar, S.J. (1978):

Clinical experience with cortamiton cream and losion in treatment of infants with scabies. Br. J. Clin. Prac.; 32: 229-232.

Dahl-Mark V. (1983):

The immunology of scabies. Ann. Allergy. Vol 51, Part 6, Pag. 560-564.

Dostrovsky, A.; Raubitscheck, F. and Sagher, F. (1956):

Scabies Norwegica and lymphatic leukemia, Dermatologica 113, 26-34.

El-Mofty, A.M.; Nada, M.M. and Ragab, M.S. (1967):

Incidence of skin disease in Egypt. Med. J. Cairo University, 40: 35-38.

Epstein, E. and Calif, O. (1966):

Scabies, Ten years Latter. Arch. Dermatol; 93: 60-61.

Epstein, E. and Orkin, M. (1977):

Scabies: Clinical aspects. In Scabies and Pediculosis, by Orkin, Mo et al. (eds), Philadelphia, J.B. Lippincott, pp. 17-30.

Estes, S.A. (1982):

Diagnosis and management of scabies. Quoted by Estes, S.A. (1982): Med. Clin. North. Am. 66(4): 955-963.

Falk, E.S. (1980):

Serum immunoglobulin values in patients with scabies. Br. J. Dermatol. 102: 57.

Falk, E.S. and Bolle, R. (1980):

In vitro demonstration of specific immunological hypersensitivity to scabies mite. Br. J. Dermatol. 103: 367.

Falk, E.S. and Bolle, R. (1980):

IgE antibodies to house dust mite in patients with scabies. Br. J. Dermatol., 102: 383.

Falk, E.S. (1981):

Serum IgE before and after treatment for scabies
Allergy, 36: 174-97.

Falk, E.S. and Eide, T.J. (1981):

Histologic and clinical findings in human
scabies. Int. J. Dermatol., 20: 600-605.

Falk, E.S. and Matre, R. (1982):

In situ characterization of cell infiltrates
in the dermis of human scabies. Am. J.
Dermatopathol., 4(1): 9-15.

Feldman, R.J. and Maibach, H.I. (1974):

Percutaneous penetration of some pesticides
and herbicides in man. Toxicol Appl. Pharmacol.,
28: 126-132.

Fernandez, N.; Torres, A. and Ackerman, A.B. (1977):

Pathologic findings in human scabies. Arch
Dermatol., 113: 320-324.

Folden, G.H. (1947):

Tenutex, a new compound containing D.D.T. for the treatment of scabies and Lice. Acta. Dermatovenereol. (Stock), 27: 1.

Frentz, G.; Veien, N.K. and Eriksen, K. (1977):

Immunofluorescence studies in scabies. J. Cutaneous Pathol. 4: 191-193. Cited by Chapel, T.A.; Krugel, L.; Chapel, J. and Sagal, A. (1981): J.A.M.A., 246(13): 1440-41.

Gales, J.C. (1812):

Ess ai sur Le diagnostic de La gale, sures causes et sur les consequences medicales pratiques a dedurie des vraies notions de cette maladie. Quoted from woodley, D.; Saurat, J.H. and Bethesda (1981): J. Am. Acad. Dermatol 4(6): 715-722.

Goodman, J.W. (1982):

"Immunoglobulins: Structure and function" Basic and Clinical Immunology. 4(4), 30-32 Lange Medical Publications Los Altos, California.

Gupta, L.C.; Gupta, S.R. and Sahu, U.C. (1981):

Scabies: Survey and Clinical Trial. Ind. J. Dermatol., 26: 32-35.

Hammouda, N.A.; Youssef, M. and El-Beheri,^A (1980):

Parasitological and immunological studies among scabies infected subjects. Journal of the Egyptian Society of Parasitology, Vol. 10, No. 2.

Hancock, B.W. and Ward, M. (1974):

Serum immunoglobulins in scabies. J. Invest. Derm. 63: 482-484.

Harry, L. and Parlette, M.C. (1976):

Scabies in man. Arch. Dermatol. 112(3): 409-10.

Haustein, U.F. and Hlawka, B. (1989):

Treatment of scabies by permethrin. Acta Derm Venereol (stock) 69: 348-351.

Haydon, J.R. and Caplan, R.M. (1971):

Epidemic scabies. Arch. Derm. 103: 168-173.

Heilesen, B. (1946):

Studies on *Acarus scabiei* and scabies. Acta Dermatovenereol (Stockh.) 26 (Suppl 14): 1-370.

Hejazi, N. and Mehregan, A.H. (1975):

Scabies. Histological study of inflammatory Lesions. Arch Dermatol. 111: 37-39.

Herman, P.S. (1975):

Scabies and bullae. J.A.M.A. 231(11): 1134.

Hersch, C. (1967):

Acute glomerulonephritis due to scabies. Afr. Med. 41: 29-34.

Hoefling, K.K. and Schroeter, A.L. (1980):

Dermato-immunopathology of scabies. J. Am. Acad Dermatol. 3: 237-240. Cited by Chapel, T.A.; Krugel, L.; Chapel, J. and Sagal, A. (1981): J.A.M.A., 246(13): 1440-41.

Hurwitz, S. (1973):

Scabies in babies, Am. J. Dis. Child., 126(2): 226-228.

Jackson, R. (1977):

Eczemas duet to mites and microorganism. Canad.
Med. Asso. J. 116(2): 156-161.

Jawetz, E.; Melnick, J.L. and Adelberg, E.A. (1983):

"Antibodies: structure and formation". Review
of Medical Microbiology, 15(12): 158-163.

Johnson, C.G. and Mellanby, K. (1942):

The parasitology of human scabies. Parasitology,
34: 285-290.

Kitchevatzy, M. and Pochtitch, Z. (1934):

Reactions allergiques cutanees dans la gale.
Bulletin de la gale. Bulletin de la societe
francaisse de dermatologie et syphiligraphie
41: 898.

Konstantinov, D. and Stanoeva, L. (1973):

Presistent Scabious nodules. Dermatologica,
147(5): 321-327.

Lomholt, G. (1978):

Demonstration of sarcoptes scabiei. Arch.
Dermatol., 114(7): 1096.

Lyell, A. (1967):

Diagnosis and treatment of scabies. Brit. Med. J., 2(546): 223-225.

Macmillan, A.L. (1972):

Unusual features of scabies associated with topical fluorinated steroid. Br. J. Dermatol. 87: 496-497.

Madsen, A. (1965):

Why *Acarus scabies* avoids the face. Acta. Dermato-Venereol. (Stockh.). 45: 167-168.

Martin, W.E. and Wheeler, C.E. (1979):

Diagnosis of human scabies by epidermal shave biopsy. J. Am. Acad. Dermatol., 1: 335-337.

Mathew, V.M. and Thomas, Z. (1978):

Metronidazole in scabies. Indian. J. Derm. Venereol. Leprol. 44(2): 105-107.

Mellanby, K. (1943):

Scabies, Cited by Rook, A. (1977): Recent Advances in dermatology No. 4, Churchill Livingstone Edinburgh, London and New York, P. 69-89.

Mellanby, K. (1944):

The development of symptoms, parasitic infection and immunity in human scabies. *Parasitology*, 35: 197-206.

Mellanby, K. (1972):

Scabies. Quoted by Christopherson, J. (1978): *Arch. Dermatol.* 114(5): 747-750.

Meynadier, J.; Guilhou, J.J.; Robinet Levy, M.;

Guilhou, E. et Wanger, A. (1977):

Dosage des IgE en dermatologie; in less immunoglobulins E-symposium IgE, Nancy 1976. Cited by Van Neste and Salmon, J. (1980): *Dermatologica* 160: 131-134.

Mouronval (1821):

Cited by Abdalla A.R., El-Okbi, M. and Abd El-Dyem, H.M. (1982): Thesis "Scabies" Ain Shams University, P. 4.

Nair, B.K.H.; Joseph, A.; Narayanan, P.I. and Chacko, K.V. (1973):

Epidemiology of Scabies. Quoted by Rook, A. (1977): Recent advances in dermatology, No. 4, Churchill Livingstone Edinburgh London and New York. P. 69-89.

Orkin, M.; Maibach, H.I.; Parish, L.C. and Schwartzman, R.M. (1977):

Scabies and Pediculosis. J.B. Lippincott. Co. Philadelphia and Toronto, P. 14.

Orkin, M. and Maibach, H.I. (1978):

Scabies in children. Pediatr. Clin. North. Amer. 25(2): 371-386.

Parlette, H.L. (1976):

Scabies in man. Arch. Dermatol. 112(3): 404-410.

Parmanik, A.K. and Hansen, R.C. (1979):

Transcutaneous Gamma Benzene Hexachloride
Absorption and Toxicity in Infants and Children.
Arch. Dermatol. 115(10): 1224-1225.

Paterson, W.D.; Allen, B.R. and Beveridge, G.W. (1973):

Norwegian scabies during immunosuppressive
therapy. Brit. Med. J., 4: 211-212.

Pirila, V.; Salo, G. and Rustala, A. (1967):

Scabies Norwegica, Acta Derm Venereol (Stockh),
47: 257-268.

Potter, E.V.; Mayon-White, R. and Svartman, M. (1977):

Secondary infections in scabies and their complications: Quoted from Falk and Eide (1981):
Histologic and clinical findings in human scabies. Int. J. Dermatol., 20: 600-605.

Rantanen, F. Bjorksten; Reunala, T. and Salo, O.P.

(1980):

Serum IgE antibodies to scabies mite. Acta Dermatovener. (stockholm), 61: 358-360.

Rasmussen, J.E. (1981):

The problem of Lindane. J. Am. Acad. Derm.
5: 507-516.

Robin (1869):

Cited by Abdalla, A.R.; El-Okbi, M. and Abd
El-Dayem, A.M. (1982): Thesis "scabies" Ain
Shams Univesity. P. 4.

Rook, A. (1979):

Skin diseases caused by arthropods and other
venomous or novious animals. In: Textbook of
Dermatology 3rd. edition Rook A., Wilkinson,
D.S. and Ebling F.J.G. Blackwell scientific
publication Oxford, P. 911.

Rook, A. (1986):

Skin diseases caused by arthropods and other venomous or noxious animals. In: Textbook of Dermatology 4th edition. Vol. 1, P. 309-313.

Rumoa, L.M. and Sant, M.V. (1971):

Study of streptococci isolated from scabies cases. Ind. J. 1. Med. Sci. 25: 100-2.

Salo, O.P. and Reunala, T. (1977):

The demonstration of C_3 in the vessel walls of scabietic papule; in compendium XV Congressus Internationalis dermatologiae, Mexicum, P. 214.

Salo, O.P.; Reunala, T.; Kalimo, K. and Rantanen, T. (1982):

Immunoglobulin and complement deposits in the skin and circulating immune complexes in scabies. Acta. Dermatovenereol, Vol. 62: 62-73.

Samman, P.D. (1963):

Persistent scabious nodules. Br. J. Derm., 75: 45.

Schenon, H.; Falaha, F.; Szekeley, R. et al. (1971):

La sarna en pediatria. Revista Chilena di
pediatria, 42, 561. Quoted by Rook A. (1977):
Recent Advances in Dermatology No. 4, Charchill
Livingstone Edinburgh London and New Yourk,
PP. 69-89.

Schirren, J.M. (1970):

Die scabies fine epidemiologische studie. Quoted
by Rook, A. (1977): Recent advances in derma-
tology No. 4, Charchill Livingstone Edinburgh
London and New York. pp. 69-89.

Schnitzker, W.F. (1974):

Grass happer allergy. Pediatrics, 53: 280.

Sehgal, V.N.; Rao, T.L. and Rege, V.L. (1972):

Scabies; A study of incidence and a treatment
method. Int. J. Dermatol, 11: 106-111.

Selim, M.A. (1988):

Immunologic studies in scabies M.D. Thesis.
Parasitology Dept, Zagazig University, P. 145-50.

Shrank, A.B. and Alexander, S.D. (1967):

Scabies another epidemic. Brit. Med. J., I: 669-671.

Smith, R.E. and Claypogle, T.F. (1967):

Canine scabies in dog and in human. J.A.M.A., 199: 59.

Solomon, L.M.; Fahrener, L. and West, D.P. (1977):

Gamma benzene hexachloride toxicity. Arch, Dermatol. 113(3): 353-357.

Taplin, D.; Meinking, T.L. and Porcelain, S.L. (1986):

Treatment of scabies by permethrin. J. Am. Acad Dermatol, 15: 995-1001.

Thomsett, H.L.R. (1968):

Mite infestations of man contracted from dogs and cats. Br. Med. J. III, 93.

Treat, A.E. (1975):

Mites of moths and butter flies. I thaca, Cornell University Press.