

REFERENCES
REFERENCES
REFERENCES

REFERENCES

Abdel-Malek, Z.A.; Ross, R.; Trinkle, L. (1988):

Hormonal effects of vitamin D3 on epidermal melanocytes.

J. Cell Physiol. 136: 273.

Abdel-Malek, Z.; Swope, V.B.; Amornsirpanitch, N. (1987):

In vitro modulation of proliferation and melanization

of melanoma cell by prostaglandin.

Cancer Res. 47: 3141.

Abou-samra, A.B.; Pugeat, M.; Dechaud, H.; (1984).

Acute dopaminergic blockage by sulpiride, stimulates B-endorphin secretion in pregnant women. Clin Endocrinol. 21: 583.

Albrecht, L.; Wolfram, L.J.; Patil, D. (1986):

Photochemical properties of pheomelanins and eumelanins.

J. Invest. Dermatol. 87: 396.

Alena, F.; Jimbow, K.; Ito, S. (1990):

Melanocytotoxicity of antimelanoma effect of phenolic amine compound in mice in vivo.

Cancer Res. 50: 3743.

Algra, J.R.; and Knox, J.M. (1978):

Topical photoprotective agents.

Int. J. Dermatol. 17: 628.

Altmeyer, P.; Bernd, A.; Holzmann, H. (1989):

Alpha-MSH.

Excrepta Medica Section 13 vol. 46, P 262.

Anderson, B.L. (1980):

Erythromelanosis follicularis faciei et colli.

Br.J. Dermatol. 102: 323.

Asoh, S.; and Sugai, T. (1988):

Ota's nevi of bilateral symmetric type and melasma.

J. Exp. medica 13, 390.

Blalock, J.E. (1985).

Pro-opiomelanocortin - derived peptides in the immune system.

Clin. Endocrinol. 22: 823.

Bleehen, S.S. and Ebling, F.I.G. (1992).

Disorder of skin colour in Rook text book of dermatology 5th edition, Black well scientific publication in USA black well Mosby book distribution. vol. 3 p. 1561.

Bleehen, S.S.; Pathak, M.A.; Hori, Y.; Fitzpatrick, T.B. (1968):

Depigmentation of skin with 4-isopropyl catechol, mercaptoamines and other compounds.

J. Invest. Dermatol. **50: 103.**

Boissy, R.E. (1988):

The melanocyte: its structure, function and subpopulations in skin, eyes and hair .

Dermatol. clin. **6: 161.**

Bouchard, B.; Fuller, B.B.; Vijayasaradhi, S.; Houghton, A.N. (1989):

Induction of pigmentation in mouse fibroblasts by expression of human tyrosinase CDNA.

J. Exp. Med. **169: 2029-42.**

Braverman, I.M. (1981):

Pregnancy and the menstrual cycle.

In: Skin signs of systemic disease. 2nd edn. published by W.B. saunders Co. philadelphia P, **761-76.**

Breathnach, A.S. (1989) :

Azelaic acid-Introduction and history.

Acta. Derm. Venereol (stockh); suppl. **143: 7**

El-Zawahry, M. (1965):

Lichen planus tropicus.

Int. J. Dermatol., **4**: 251.

Emslie-smith, D.; Paterson, C.R.; Scratcherd, T. and Read, N.W.

(1988):

The hypothalamus and the pituitary gland, In:
Textbook of physiology, 11th edn published by
ELBs/ churchill livingstone. Edinburgh P **308**.

Esoda, E.J. (1963).

Chloasma from progestational oral contraceptives.

Arch. Dermatol. **87**: 486.

Findlay, G.H. (1970).

Blue skin.

Br. J. Dermatol. **83**: 127.

Findlay, G.H.; Morrison, J.G.L.; and simson, J.W. (1975):

Exogenous ochronosis and pigmented colloid millium
from hydroquinone bleaching creams.

Br. J. Dermatol. **93**: 613.

Fitzpatrick, T.B.; Pathak, M.A.; and Parrish, J.A. (1974):

Protection of the human skin against the effects of
sunburn ultraviolet (290-320nm). In sun light and man .
Tokyo: University of Tokyo Press, PP **455**.

Frank, E.; Pathak, M.A.; Szabo, G.; and Fitzpatrick, T.B. (1968):

Selective action of mercapto-ethylamines on melanocytes in mammalian skin.

Arch. Dermatol. **91: 465-477.**

Freinkel, R.K. and Freinkel, N. (1987):

Cutaneous manifestation of endocrine disorders.

In: Dermatology in general medicine-Edited by Fitzpatrick, T.B.; Eisen, A.Z.; Wolff, K.; Freedberg, I.M. and Austen, K.F. 3rd ed. McGraw-Hill Book Company-London and New York. P **2063.**

Gilcherst, B.A.; Fitzpatrick, T.B.; Anderson, R.R. (1977):

Localization of melanin pigmentation in the skin with wood's lamp.

Br. J. Dermatol. **96:245.**

Goldgeier, M.H.; Klein, L.E.; Klein, A.S. (1984):

The distribution of melanocytes in the leptomeninges of human brain.

J. Invest. Dermatol. **83: 235.**

Gollnick, H. and Graupe, K. (1989):

Azelaic acid for the treatment of acne comparative trials.

J. of Dermatological treatment **1: 27.**

Gordon, R.R.; Mansur, G.P.; Gilchrest, B.A. (1989):

Regulation of human melanocyte growth, dendricity and melanization by keratinocyte derived factors.

J. Invest. Dermatol. **92**: 565.

Greer, K.E. (1988):

Thyroid and the skin, In Dermatological signs of internal disease. Edited by Callen, J.P.; Jorizzo, J.; Greer, K.E.; Penneys, N. 1st ed. W.B. Saunders Company. Philadelphia P **180**.

Groves, G.A. (1973):

The selection and evaluation of ultraviolet absorbers.

Australas. j. Dermatol. **14**: **21**.

Guyton, A.C. (1981):

The adrenocortical hormones.

In Textbook of medical physiology 6th edn.

Published by W.B. Saunders Co Philadelphia P **953**.

Haake, A.R. and Scott, G.A. (1991):

Physiologic distribution and differentiation of melanocytes in human fetal and neonatal skin equivalents.

J. Invest. Dermatol. **96**:71.

Halaban, R.; Langdon, R.; Birchall, N. (1988):

Basic fibroblast growth factor from human keratinocytes is a natural mitogen for melanocytes .

J. Cell Biol. **107: 1611.**

Hearing, V.J. and Jimenez, M. (1989):

Analysis of mammalian pigmentation at the molecular level.

Pigment cell Res. **2: 75.**

Hidano, A. (1985):

Acquired bilateral naevus of ota-like macules.

J. Am. Acad. Dermatol. **12:368-9.**

Hidano, A.; and Kaneko, K. (1991):

Acquired dermal melanocytosis of the face and extremities.

Br. J. Dermatol. **124:96.**

Hoganson; Ledwitz, R.F.; Davidson, R.L.; Fuller, B.B. (1989):

Regulation of tyrosinase mRNA levels in mouse melanoma cell clones by MSH and CAMP.

Somat. Cell Mol. Genet. **15: 255-63.**

Inoue, S.; Ito, S.; Wakamatsu, K.; Jimbow, K.; Fujita, K. (1990):

Monoamine oxidase-dependent toxicity of
4-S-cysteaminy phenol to melanoma cells in vitro.
Biochem. Pharmacol. **31: 1077.**

Isaccson, D.; Turner, M.L.; Elgart, M.L. (1981):

Summer time actinic lichenoid eruption (Lichen
planus actinicus).
J. Am. Acad. Dermatol. **4:404.**

Ito, Y.; Jimbow, K.; Ito, S. (1987):

Depigmentation of black guinea pig skin by topical
application of cysteaminy phenol and related
compounds.
J. Invest. Dermatol. **88: 77.**

Ito, S.; Kato, T.; Isnikawa, K.; Kasuaga, T.; Jimbow, K. (1987):

Mechanism of selective toxicity of 4-s-cysteiny phenol
and 4-s-cysteaminy phenol to melanocyte .
Biochem. Pharmacol. **38: 2007-2011.**

Jimbow, K. (1991):

N-acetyl-4-S-cysteaminy phenol as a new type of
depigmenting agent for the melanoderma of
patients with melasma.
Arch. Dermatol. **127: 1528-1533.**

Jimbow, K.; Davison, P.F.; Fitzpatrick, T.B. (1976):

Cytoplasmic filaments in melanocytes, their nature and role in melanin pigmentation , In: Riley N, ed. Pigment cell, vol 3. Basle: Karger, **13-32**.

Jimbow, K.; Ishida, O.; Ito, S. (1983):

Combined chemical and electron microscopic studies of phaeomelanosomes in human red hair.
J. Invest. Dermatol. **81: 506-11**.

Jimbow, K.; Obata, H.; Pathak, M.A.; and Fitzpatrick, T.B. (1974):

Mechanism of depigmentation by hydroquinone.
J. Invest. Dermatol. **62: 441-449**.

Jimenez, M.; Kameyama, K.; Maloy, W.L. (1988).

Mammalian tyrosinase biosynthesis, processing and modulation by MSH.
Proc. Natl. Acad. Sci. USA **85: 3830-4**.

kameyama, K.; Tanaka , S.; Ishida, 4. (1989):

Interferons modulate the expression of hormone receptors on the surface of murine melanoma cells J. chin. Invest. **83:213**.

Kaneko, K. (1988):

Acquired symmetrical dermal melanocytosis of the face.

Rinsho. Dermatol. **30,1649-5q.**

Katsambas , AA.: Groupe , K. and Straligos, J. (1989):

Clinical studies of 20% a zelaic acid cream in the treatment of acne vulgaris : comparison with vehicle and topical tretinoin.

Kerker and Morison (1990) :

Photoaggravated dermatosis (actinic lichen planus).

J. Invest. Dermatol 88:73.

Khoury , E.L.; Bottazzo , G.F. and RoIH, I.M. (1984):

The thyroid microsomal antibody revisited. Its paradoxical binding in vivo in the apical surface of follicular epithelium.

J. Exp. Med. , **159:577.**

King, R.A. and Summers, C.G. (1988):

Albinism.

Dermatol. clin. **6:217.**

Kligman, A.M. ; and Willis, I. (1975):

A new formula for depigmentation of human skin.

Arch. Dermatol. **11:40-48.**

Kwon, B.S.; Wakulchik, M.; Hag, A.K. (1988):

Sequance analysis of mouse tyroinase DNA and the effect of melanostropin on its gene expression.

Biochem. Biophys. Res. Commun **153:1304-9.**

Lavker, R.M. : Schechter . N. M. : and lazarus , O.S. (1986):

Effects of topical corticosteroid on human dermis.

Br. J. Dermatol **115:101-107.**

Lawley , T.J. (1987):

Skin changes and diseases in pregnancy.

In : Fitzpatrick, T. B., Eisen . A. Z., Wolff, K. (eds).

Dermatology in general medicine - 3rd ed. published by M.c. Graw Hill Book Co. New York P **2082.**

Lindley, S.E.; Lookingland, K.J. : Moore , K.E. (1990):

Dopaminergic and beta-adrenergic receptor control of α -MSH secretion during stress.

Neuro-endocrinology **52:46.**

Lutfi, R.j.; Fridmanis , M.; Misiunas , A.L; pafume , O. and Mazzini , M.A. (1985):

Association of melasma with thyroid autoimmunity and other thyroid abnormalities and their relationship to the origin of the melasma.

J. clin. endocrinol, **61: 28.**

Mazzini, M. A. (1985):

Association of melasma with thyroid autoimmunity and other thyroid abnormalities and their relationship to the origin of the melasma.

J. clin. endocrinol. **61:28**.

Mason, M.J.; van pps , D. (1989):

Modulation of 1L-1 , tumour necrosis factor and C5 mediated murine neutrophil migration by α -MSH .

J. immunol. **142-164-51**.

Mclean , D. I. and Peter, K.K. (1986):

Apparent progression of lentigo maligna to invasive melanoma during topical treatment with azelaic acid.

Br. J. of Dermatology , **114: 685**.

Mingrone , M.; Greco, A. V.; Nazzaro-Porro, M.; passi,S. (1983):

Toxicity of azelaic acid.

Drugs Exp. clin. Res. ; a: **447**.

Minuras, S.; ueda, T. ; Jimbow , K. ; Ito,S.; Fujita , K. (1987):

Synthesis of cysteinyl phenol and related compound in vivo evaluation of antimelanoma effect.

Arch-Dermatol. Res **279:219**.

Naeyaert, J.M.; Eller, M.; Gordon, P.R.; Park, H-y.; Gilchrest, B.A.

(1991):

Pigment content of cultured human melanocytes
does not correlate with tyrosinase message level.

Br. J. of dermatology **125:297.**

Negao, S. ; and Ijima, S. (1974).

Light and electron microscopic study of Riehl's
melanosis.

Int. j. Dermatol **1:165.**

Nakagawa, H.; Arthur, R.; Thomas, B.; Fitzpatrick , T.B.

Yoshiakhori, I. (1984):

Acid phosphatase in melanosome formation : A
cytochemical study in normal human melanocytes.

J. Invest. Dermatol **140.**

Nakayama , H.; Harada , R.; Toda, M. (1979):

Pigmented cosmetic dermatosis .

Int. J. Dermatol 15: **673-678.**

Nazzaro-porro, M. (1987):

Azelaic acid

J. Am. Acad. Dermatol . **17: 1033.**

**Nazzaro-Porro, M. ; connfaloni , A.M.; serlupi, G.; picardo, M.;
passi, S.; Breathnach, A.S. (1985):**

Effect of medium chain length dicarboxylic acids on
microsomal mixed function oxidases.

Proc VI European workshop on melanin pigmentation,
murcia (spain).

Nazzaro-porro, M. and passi, S. (1978):

Identification of tyrosinase inhibitors in cultures of
pityrosporum.

J. Invest. Dermatol ; **71:205.**

**Nazzaro-porro, M.: passi, S. ; Zina , G.; Bernengo, A. ;
Breathnach, A. (1980):**

Effect of azelaic acid on human malignant
melanoma ..

Lancet **1:1109.**

**Nazzaro-porro, M.: passi, S. ; Zina , G.; Bernengo, A. ;
Breathnach, A. S. (1989):**

Ten years experience of treating lentigo maligna with
topical azelaic acid.

Acta dermato-venereologica, suppl. **143:49.**

Passi, S. ; Nazzaro-porro, M. : picardo M. (1985):

Possible mechanism of action of azelaic acid.

Proc. VI European Workshop on melanin pigmentations, Murcia (Spain).

Pathak, M. A. (1982):

Topical an systemic approaches to protection of human skin against harmful effects of solar radiation
j. Am. Acad dermatol. **7(3): 285.**

Pathak, M. A.; Fitzpatrick, T. B. ; and Kraus, E. (1986):

Usefullness of retinoic acid in the treatment of melasma.

J. Am. Aca. Dermatol. **15:894.**

Perez, M.; Sanchez , J.; Aguilo, F. (1983):

Endocrinologic profile of idiopathic melasma.

J. Invest. Dermatol. **81:543-545.**

Prot, G. (1980):

Recent advances in chemistry of melanogenesis in mammals.

J. Invest. Dermatol. **75:122-7.**

Quevedo, W.C.; Fitzpatrick, T.B.; Pathak, M.A. (1974):

Light and skin colour. In Fitzpatrick T.B. , sun-light and man. Tokyo: Tokyo University , **165-94.**

Quevedo, W.C.; Fitzpatrick, T.B.; Szabo, G.; Jimbow, K. (1986):

Biology of the melanin pigmentary system, in
Dermatology in General Medicine, 3rd ed.

Edited by T.B. Fitzpatrick, A.Z. Eisen, K. Wolff, I.M.
Freedberg, K.F. Austen, New York, McGraw-Hill, pp
224.

Resnick, S. (1967):

Melasma induced by oral contraceptive drugs.
JAMA **199:95**.

Rheins, L.A.; Calteur, A.L.; and Kleier, R.S. (1989):

α -MSH modulates contact hypersensitivity
response in mice.

J. Invest. Dermatol. **92:22**.

Rheins, L.A.; Calteur, A.L.; and Kleier, R.S. (1987):

Suppression of the cutaneous immune response following
topical application of the prostaglandin PGE₂. Cell
Immunol. **106:33**.

Rigoni, C., Toffolo, P., Serr, R., Caputo, R. (1989):

Impiego di una crema a base di acido azelaico 20 %
nel trattamento del melasma.

Giornale Italiano di dermatologia e venerologia
124 : 1-6. (abstract in English)

Sanchez , N.P. , pathak , M.A. , Ioto , S, Fitzpatrick, T.B. (1981):

Melasma : clinical , light microscopic , ultra structural
and immunofluorescence study . J. Am . Acad .
Dermatol , 4 (6): 698.

Schallreuter , K. U. , pittelkow , M.R. and wood , J.M. (1987) :

Azelaic acid as a competitive inhibitor of thio redoxin
reductase in human melanoma cells .
J. Invest. . Dermatol , 85 : 516 .

Selmanowitz, N.J. and kirvo, J.M. (1973):

Pigmentation demarcation lines .
Br., J. Dermatol 93 : 371- 7

Serrano , G , pujol , C. cuada , J., Gallo , S.,(1989):

Riehl's melanosis , pigmented contact dermatitis
caused by fragrances .
J- Am Acad . Dermatol 21 : 1057

Slavnov , V.u., Luchitski, E.V. , oleinik , V.A. (1990) :

The secretion of α - melanotropin in diseases of the
hypothalamus - hypophysis adrenal cortex system .
probl . Endocrinol 36 : 40 -3 (In Russian, abstract in
English).

Smith , A.G. Shuster ,s ., Thody , A.J. , peoerdy , M(1977) :

Chloasma , oral contraceptives and plasma immunoreactive beta- melanocyte stimulating hormone .

J- Invest. Dermatol **68 : 167 .**

Snell . R.S. (1964) :

The pigmentary changes occuring in the breast skin during pregnancy and following estrogen treatment .

J-. Invest. . Dermatol **43 ; 181 .**

Snell , R.S. and Bischitz, P.G. (1960) :

The effect of large doses of estrogen and progesterone on melanin pigmentation .

J. Invest. Dermatol. **35 : 73 .**

Sun, C.C. , Lu, Y.C., Lee ,E.F. , Nakagawa , H (1987):

Naevus fascocaeruleus zygomaticus.

Br. J. Dermatol. **117 : 545 .**

Swope V. B ., Abdel - Malek , Z.A., Saude D.N.(1989) :

A new role for epidermal cell - derived thymocyte activiting factor as an antagonist for distinct epidermal cell function

J. immunol **142 : 1943 .**

Szabo , G. Gerold A.B. pathak , M.A. (1972) :

The ultra structure of racial colour differences in man. In : Rileyv , ed pigmentation Its genesis and biologic control. New York : Appleton - Century - crofts , 23 - 41.

Taleisnik , S ., Orias, R. (1965) :

An MSH . releasing factor in hypothalamus extract.
Am .J. physiol 208; 293-6 .

Tarek, M.S. ; Bayoumi, M.M.; ZoHDi. H. (1991):

Evaluation of different bleaching agents in the treatment of some hypermelanotic disorders.
M.Sc thesis Benha depart. Dermatol. P. 98.

Tarnowski, W. M. (1970):

Ultrstructure of the epidermal melanocyte dense plate
J. Invest. . Dermatol. 55 : 26 5.

Tomita, Y.; Masatoshi, F., Takayuki , M. , (1987) :

Stimulatory effect of prostaglandin E2 on the configuration of normal human melanocytes in vitro
J. Invest. . Dermatol 89 ; 299 .

Tomita , y .; Montague , P. M. , Hearing , N. J. (1985):

Anti (T4) tyrosinase monoclonal antibodies - specific markers for pigmented melanocytes .

J. Invest. Dermatol **85** : 426

Tomita , y.; wakio , T. ; and Hachiro , T. (1988):

Stimulation of human melanocytes by vit D3 possibly mediates skin pigmentation after sun exposure

J. Invest. Dermatol. **90** ; 882 .

Vander , S. J. G. , schothorst , A.A. , Kamaar , p (1983) :

Induction of actinic lichen planus with artificial uv sources .

Arch Dermatol. **119** : 498 .

Verallo - Rowell , V. M. , Verallo , V. Groupe , K., lopez - villafurete , L. , Garcia - Lopez , M. (1989) ;

Double - blind comparison of azelaic acid and hydroquinone in the treatment of melasma

Acta Dermato - Venerologica , Suppl . **143** : 58 - 61 .

Verhagen , A. R. , and Koten , J. W. (1979) :

Lichenoid melanodermitis . A clinicopathologic

Study of 51 kenyan patients with so called tropical lichen planus .

Br . J . Dermatol. **101** : 651.

Watt , T. L ., Kaiser , J.S (1981) ;

Erythronelanos follicularis faciei et colli

J. An Acad Dermatol **5 : 533 .**

Wolff , K. (1973) :

Melanocyte - Keratinocyte interaction in vivo : the
fate of melanosomes.

Yale. J. Biol. Med. **46 : 84 .**

Wolf , r. ; wolf , D., tamir A., politi,y (1991) :

Melasma : amask of stess .

Br . J. Dermatal **192 .**

Wong .M .,and Jimbow . K. (1991) :

Selective cytotoxicity of N-acetyl -4-S-cysteaminyl
phenol on follicular melanocytes of black mice.

Br. J. Dermatol. **124 : 56**

Younis , I (1989) :

Incidence of skin diseases over afive year period
med . J. Cairo univer . **57 ; 220**