

REFERENCES

REFERENCES

- Abdel-Wahab, R.M., Morsy, T.A. and Essa, M.H. (1984):
Clinical and laboratory aspects of VL in Gizan, Saudi Arabia.
J. Egypt. Soc. Parasit., 14 (2): 563-572.
- Abo-Gamra, E.M., El-Sayeb, F.A., El-Banna, F., Farag, A.M.K. and Morsy, T.A. (1992):
The possibility of lice allergy among Egyptian patients asthmatic bronchitis.
J. Egypt. Soc. Parasitol., 22 (1): 37-50.
- Abo-Shady, A.F., Rizk, R.A. and Roumia, S.A. (1985):
Scabies in Dakahlia Governorate.
Egypt. J. Egypt. Soc. Parasit., 15 (2): 471-480.
- Abou-Senna, F.M. (1982):
Survey and ecological studies on HDM in Egypt with reference to some biological aspects of the prevalent species (Acarina).
Ph.D., Thesis, Al-Azhar University, Cairo, Egypt.
- Andrews, A. (1990):
Atopic dermatitis in : Textbook of Dermatology Edited by Arnold, H.L., Odom, R.B. and James, W.D. chapter 5. 8th ed W.B. Saunders, Philadelphia Toronto, Montreal, Sydney, Tokyo Vol. 1, P. 68-88.
- Arlian, L.G. (1976):
Mites and house dust allergy.
J. Asthma. Resp., 13:165-172.
- Arlian, L.G., Bernstein, I.L., Johnson, C.L. and Gallagher, J.S. (1979):
Ecology of HDM and dust allergy.
Rec. Adv. Acarology, 2: 185.
- Arlian, L.G., Bernstein, I.L. and Gallagher, J.S. (1982):
The prevalence of HDM, Dermatophagoides spp., and associated environmental conditions in homes in Ohio.
J. Allergy Clin. Immunol., 69: 527.
- Atherton, D.J. (1988):
Diet and atopic eczema.
Clin. Allergy, 18: 215-228.

- August, P.J. (1984):
House dust mite causes atopic eczema A preliminary study.
Br. J. Dermatol., 111: 10-11.
- Baker, H. (1986):
Psoriasis in Rook textbook of dermatology 4th ed.
Edited by Rook, A., Wilkinson, D.S., Ebling, F.J.G.,
Champion, R.H. and Burton, J.L. Blackwell scientific
publications, Oxford, London, Vol. 11. P.1480.
- Baker, E.W., Evans, T.M., Gould, D.L., Hull, W.B. and Keegan,
H.C. (1956):
A manual of the mites of medical or economic
importance.
New York, National Pest Control Association.
- Baldo, B.A. and Krillis Fletchen, T.C. (1979):
Phosphorylcholine-containing allergens.
Nature, Wissenschaften, 66(12): 623-5.
- Barnettson, R.S.T.C., Macfarlane, H.A.F. and Benton, E.C. (1987):
HDM allergy and atopic Eczema a case report.
Br. J. Dermatol., 116: 857-60.
- Beck, H.J. and Korsgaard, J. (1989):
Atopic dermatitis and HDM.
Br. J. Dermatol., 120: 245-251.
- Blythe, M.E. (1976):
Some aspects of the ecological study of the HDM (Review
article).
Brit. J. Dis. Chest., 70: 30-31.
- Boguniewicz, M., Jaffe, H.S., Sullivan, M.J., York, D.,
Geha, R.S. and Leung, D.Y.M. (1990):
Recombinant gamma interferon in treatment of patient
with atopic dermatitis and elevated IgE levels.
Am. J. Med., 88: 365.

- Brand, R.L. and Arlian, L.G. (1976):
Mortality of HDM Dermatoph Farinace and Dermat pter
exposed to dehydrating conditions or selected
pesticides.
J.Med. Entomol., 13: 327-31.

- Braun-Falco, O. and Burg, G. (1974):
Cellulares infiltrate and capillaries bei Neuroder
mites diffusa.
Arch. Dermatol. Forsch., 249: 113-124.

- Bronswijk, J.E.M.H. and Sinha, R.N. (1971):
Pyroglyphidae mite (Acari) and house dust allergy.
J. Allergy, 47: 31-52.

- Bronswijk, J.E., Schoonem, J.M.C.P., Berlie, M.A.F. and
Lukoschus, F.S. (1971):
The abundance of Dermatophagoides in house dust.
Researches on Population Ecology XXII-67.

- Bruynzeel Kooman (1986):
IgE on langerhans cells: New insights into the
pathogenesis of atopic dermatitis.
Dermatologica, 172: 181.

- Buchanan, D.J. and Jones, I.G. (1974):
Mites and HDM allergy in bronchial asthma in Northern
Zambia.
Postgraduate Med. J., 50: 680.

- Buckley, R.H. (1983):
Immunologic deficiency and allergic disease.
Chapter 13 in allergy principles and practice. 2nd ed.
Edited by Middleton, E.Jr., Reed, C. and Ellis, C.F.
Publisha, C.V. Mosby.

- Burr, M.L., Dean, B.V., Merrette, T.G., Neale, E. and Verrier-
Jones, E.R. (1980a):
Effects of antimitic measures on children with mite
sensitive asthma a controlled trial.
Thorax, 35: 506-12.

- Butler, J.M. and Hanifin, J.M. (1984):
Immunology of Atopic Dermatitis. Chapter 5. Current
perceptives in immunodermatology. Edited by Mackine, R.,
Publisher, Churchill Livingstone, P. 60.

- Capron, A., Dessaint, J.P., Joseph, M., Rousseaux, R. and Bazin, H. (1976):
Macrophage cytotoxicity mediated by IgE antibody. In Johansson, S.G.O., Strandberg, K. and Uvnas, B. (eds.), Molecular and biological aspects of the acute allergic reaction, Nobel Foundation symposium 33, Plenum Press, New York.
- Carr, R.D., Berk, M. and Becker, S.W. (1960):
Incidence of atopy in the general population.
Arch. Dermat., 1, 89: 27-32.
- Champion, R.H. and Parish, W.E. (1992):
Atopic dermatitis in Textbook of Dermatology by Rook, Edited by Willkinson, D.S., Ebling, F.J.G., Champion, R.H. and Burton, T.L. (Vol. 2) chapter 15.
Blackwell Scientific Publications, Oxford, London, Edinburgh 5th ed.
- Chapman, M.D., Rowntrees, and Mitchell, E.B. (1983):
Quantitative assessment of IgG and IgE antibodies to inhalant allergens patients with AD.
J. Allergy. Clin. Immunol., 72: 27-33.
- Charlet, L.D., Mulla, M.S. and Sanchez-Medina, N. (1978):
Domestic acari of Colombia population trends of HDM in houses in Bogota Colombia.
Int. J. Acari., 4(1): 23-32.
- Colloff, M.J. (1989):
A controlled trial of HDM eradication using natamycin in homes of patients with atopic dermatitis.
Br. J. Dermatol., 121: 199-208.
- David, T.J., Wells, F.E., Scharpe, T.C. and Gibbs, A.C.C. (1984):
Low serum zinc in children with atopic eczema.
Brit. J. Dermatol., 111: 597-600.
- Diamonds, A. and Rust, K. (1986):
Research on atopic dermatitis.
Arch. Derm., 122: 265-268.
- Dixit, J.P. and Mehta, R.S. (1973):
Prevalence of Dermatophagoides spp. in India and its role in the causation of bronchial asthma.
J. Assoc. Physiol. India, 21: 31-37.

- Dobson, R.M. (1979):
Some effects of the longevity and development of Dermatophagoides pteronyssinus.
Acarologia, T. XXI, Fasc., 34: 442-486.
- Domrow, R. (1970):
Seasonal variation in numbers of the HDM in Brisbane.
Med. J. Austral., 2: 1248-50.
- Dove, W.E. and Shelmine, B. (1932):
Some observations on tropical rat mites and endemic typhus, J. Parasitol., 18: 159-168.
- Dowse, G.K., Turner, K.J., Stewart, G.A., Alpers, M.P. and Woolcock, A.J. (1985):
The association between house dust mites and the increasing prevalence of asthma in village communities within the papua New Guinea highlands.
J. Allergy Clin. Immunol., 75: 75-83.
- Ebleing, W. (1975):
Delusory parasitosis and "Cable mites" dermatitis.
In Urban Entomology University of California, Division of Agricultural Sciences 616. U.S.A.
- El-Okbi, L.M.A., Sarwat, M.A.A., El-Sayed, M.H.M. and El-Deeb, H.K.H. (1993):
Epidemiological studies on human scabies in Cairo.
J. Egypt. Soc. Parasit., 23 (3): 775-783.
- Ewan, P.W., Champion, R.H. and Parish, W.E. (1992):
Atopic dermatitis and the house dust mite edited by Champion, R.H. and Pye, R.J.
Recent adv. Dermatol., 9: 95-118.
- Falk, E.S. (1980):
Serum immunoglobulin values in patients with scabies.
Br. J. Dermatol., 102: 57-61.
- Falk, E.S. (1981):
Serum IgE before and after treatment for scabies.
Allergy, 36: 167-174.
- Frankland, A.W. and El- Hefny, A. (1971):
House dust mite as causes of inhalant allergic problems in the United Arab Republic.
Clin. Allergy, 1: 257-260.

- Freedman, S.O. and Gold, P. (1976):
Atopic dermatitis in clinical immunology, 2nd edition. P. 206-209.
- Furumizo, R.T. (1973):
The biology and ecology of HDM Dermatophagoides Farinae. Ph.D. Thesis, University of California, San Fransisco, U.S.A.
- Gamal-Eddin, F.M., Tayel, S.E., Abou- Senna, F.M. and Shehata, K.K. (1982):
Present status and ecology of HDM in Egypt as approaches to environmental control of mites and preparation of specific diagnostic antigen before resort to any desensitizing vaccine.
J. Egypt Soc. Parasit., 12: 253-881.
- Gamal Eddin, F.M. and Hamad, M.G.M. (1992):
Present situation of house dust mites and its relation to currently recorded allergy in Kuwait State.
J. Egypt. Soc. Parasitol., 22 (3) Supplement: 1-101.
- Godfrey, K. (1991):
HDM avoidance the way of forward.
Clin. Exp. Allergy, 21: 1-2.
- Gondo, A., Saeki, N., and Tokudo, Y. (1986):
Challenge reactions in atopic dermatitis after percutaneous entry of mite antigen.
Br. J. Dermatol., 115: 485-43.
- Gudjonsson, H., Anders, L. and Modée, J. (1966):
Besnier prurigo (Atopic dermatitis) in children.
Acta-Dermato. Vener., 46: 159-162.
- Hafez, M. and Bishara, S.I. (1982):
Reactions of three species of Rhipicephalus ticks to house odour and light.
J. Egypt. Soc. Parasit., 12(2): 309-318.
- Hall, C.C., Mahan, J.B. and Sames, J.T. (1971):
Collecting and Rearing Dermatophagoides Farinae (Hughes), a mite from house dust.
Ann. Allergy, 29: 81-85.
- Hamashima, Y., Tasaka, K., Hoshino, T., Nagata, N., Furukawa, F. Kao, T. and Tanaka, H. (1982):
Lancet, 2(8292): 266.

- Hancock, B.W. and Ward, M. (1974):
Serum immunoglobulins in Scabies.
J. Invest. Dermat., 63: 482-484.
- Hanifin, J.M. (1990):
Differential diagnosis and clinical problems of atopic dermatitis.
Clin. Med., 7(12): 33-52.
- Hanifin, J.M. and Lobitz, W.C. (1977):
New concepts of atopic dermatitis.
Arch. Derm., 113: 663.
- Hanifin, J.M. and Rajka, G. (1980):
Diagnostic features of atopic dermatitis.
Acta Derm. Vener., 92: 44.
- Harein, P.K. (1972):
Entomophobia and delusory parasitosis or how to handle that eccentric weirdo who imagines is being attached by Creepy. Crawly bugs.
Pest control Technol., 1: 18-24.
- Hasan, T. and Jansen, C.T. (1983):
Erythroderma: A follow up of fifty cases.
J. Am. Acad. Derm., 8: 836.
- Hellerstrom, S. and Lidman, H. (1956):
Studies in Besnier's Prurigo (atopic dermatitis).
Acta Derm. Vener., 36: 11.
Quoted from Leung et al., 1987.
- Henson, P.M. and Benveniste, J. (1971):
antibody leukocyte-platelet interactions. In: Austen, K.F., and Becker, Ed. (eds.) Biochemistry of the Acute Allergic Reactions. Blackwell scientific Publications, Oxford.
- Hill, H.R. and Quie, P.G. (1974):
Raised serum IgE levels and defective neutrophil chemotaxis in three children with eczema and recurrent bacterial infections.
Lancet, 1: 183.
- Hughes, A.M. (1961):
The mites of stored food.
H.M. Stationary Office, London.

- Hughes, A.M. and Maunsell, K. (1973):
A study of a population of house dust mite in its natural environment. J. Clin., Allergy, 3: 127-131.
- Ingham, P.E. and Ingham, D.M. (1975):
HDM and baby care lamb skin.
Wool Research Organization of New-Zealand Inc
Communication No. 31 April.
- Ishizaki, T. Miyamoto, T. and Oshima, S. (1967):
A similarity of antigenicity between a free living mite (Dermatophagoides Farinae) and HD as the inhaling antigen for asthmatic patients in Japan.
Vinit cong. allergol., Excerpta Med. Int. cong. ser. No. 144.
- Jekler, J. and Larkoo, A. (1988):
UVB phototherapy of AD.
Br. J. Dermatol., 119: 697-705.
- Johansson, S.G.O. (1967):
Raised levels of a new immunoglobulin class (IgND) in asthma.
Lancet, 2: 951-953.
- Johansson, S.G.O., Mellbin, T. and Vahlquist, B. (1968):
Immunoglobulin levels in Ethiopian preschool children with special reference to high concentration of immunoglobulin E (IgND), Lancet, 1: 1118-1121.
- Johansson, S.G.O., Bennich, H. and Berg, T. (1972):
The clinical significance of IgE.
Progr. Clin. Immunol., 1: 157-181.
- Jones, H.E., Lewis, C.W. and Mac Marlin, S.L. (1973):
Allergic contact sensitivity in atopic dermatitis.
arch. Derm., 107: 217.
- Jones, H.E., Inonye, J.C., Gerity, J.L. and Lewis, C.W. (1975):
Atopic disease and serum immunoglobulin.E.
Br. J. Derm., 92: 17.
- Kawasaki, T. (1976):
Jap. J. Allergol., 16: 178.

- Kawasaki, T., Kosaki, F., Okawa, S., Shigematsu, I. and Yanagawa, H. (1974):
Mucocutaneous Lymph Node Syndrome (MLNS) prevailing in Japan.
A new infantile acute febrile.
Pediatrics, 54: 271-276.
- Kenawi, M.Z., Morsy, T.A., Abdalla, K.F., Nasr, M.E. and Awadalla, R.A. (1993):
Clinical and parasitological aspects on human scabies in Qalyobia Governorate, Egypt.
J. Egypt Soc. Parasitol., 23(1): 247-254.
- Kenneth-Blaylock, V. (1985):
Atopic dermatitis in dermatologic immunology and Allergy. Edited by stone, J.C.V. Mosby company, Toronto, Princepton, P. 315-322
- Knauer, K.A. and Franklin-Adkinson, Jr. (1983):
Clinical significance of IgE, Chapter 33 in Allergy. Edited by Middleton E.Jr., Reed, C. and Ellis, C.F. Publisher, C.V. Mosby.
- Kniest, F.M., Young, E. and Van Praag, M.C.G. (1991):
Clinical evaluation of a double-blind dust mite avoidance trial with mite allergic rhinitic patients.
Clin. Exp. Allergy, 21: 39-47.
- Korsgaard, J. (1982):
Preventive measures in house dust allergy.
Am. Rev. Resp. Dis., 125: 80-89.
- Korting, G.W. and Denk, R. (1976):
Atopic dermatitis; In differential diagnosis in dermatology. Edited by the authors W.B. Saunders Comp. Philadelphia, London, Toronto., P. 328.
- Krafchik, B.R. (1983):
Atopic dermatitis.
Ped. Clin. North Am., 3014: 669.
- Lancet, (1976):
Editorial kawasaki disease.
Lancet, I: 675-76.
- Langeland, T., Braathan, L.B. and Borch, M. (1988):
Studies of atopic patch tests.
Acta Dermat-venereology, suppl., 144: 105-109.

- **Larson, D.G. (1969):**
The critical equilibrium activity of adult females of
HDM Dermatophagoides farinae.
The Ohio State University Colombus, Ohio, U.S.A.

- **Larson, D.G., Mitchell, W.F. and Warton, G.W. (1969):**
Preliminary studies on dermatophagoides farinae Hughes
(Acari) and house dust allergy.
J. Med. Ent., 6: 295-299.

- **Lever, W.F. and Schaumburg-lever, G. (1990):**
Dermatitis in: Textbook of Histopathology Of The Skin
7th ed. J.B. Lippincott O., Philadelphia, New York,
St. Louis, U.S.A.

- **Leung, D.Y.M., Rhodes, A.H. and Geha, R.S. (1987):**
Atopic dermatitis. Chapter 119 in dermatology in general
medicine. 12th ed. Edited by Fitz Patrick, T.B; Eisens,
A.; Wolk, K; Freeberg, J.M. and Austen, K. Pubtishen MC
Graw-Hill. P. 1385.

- **Leyden, J.J., Marples, R.R. and Kligman, A.M. (1974):**
Staphylococcus aureus in the lesions of atopic
dermatitis.
Brit. J. Dermatol., 90: 525.

- **Luchsen, J.R. (1974):**
T and B lymphocytes in atopic dermatitis.
Arch. Derm., 110: 375.

- **Maunsell, K., Wraith, D.G. and Cunningham, A.M. (1968):**
Mites and house dust allergy in bronchial asthma.
Lancet, 1: 67-70.

- **Maunsell, K., Hughes, A.M. and Wraith, D.G. (1970):**
Mite asthma, cause and management.
Practitioner, 205: 779-83.

- **Maunsell, K., Wraith, D.G. and Hughes, A.M. (1971):**
Hyposensitization in mite asthma.
Lancet, 1: 967.

- **Meneghini, C.L. and Boni Fazi, E. (1985):**
Correlation between clinical and immunological findings
in atopic dermatitis.
Acta. Derm. Vener., 114: 140.

- Merrett, T.G., Mervett, J. and Cookson, J.B. (1980):
Allergy and Parasites: The measurement of total and specific IgE level in urban and rural communities in Rhodesia.
Clin. Allergy, 5: 131-34.
- Mihm, M.C.J.R., Soter, N.A. and Dvorak, H.F. and Austen, K.F. (1976):
The structure of normal skin and the morphology of atopic eczema.
J. Invest. Dermatol., 67: 305.
- Mitchell, W.F., Wharton, G.W., Larson, D.G. and Modic, R. (1969):
House dust mites insects.
Am. Allergy, 27: 93-99.
- Mitchell, E.B., Champan, M.D., Pope, F.M. and Crow, J. (1982):
Basophils in allergen-induced patch test sites in A.D. Lancet, 1: 127-130.
- Miyamoto, T., Oshima, S., Ishizaki, T. and Sano, S. (1986):
Allergenic identity between the common floor mite (D. farinae Hughes 1961) and house dust as a causative agent in bronchial asthma.
J. Allergy, 20, 42: 14-28.
- Morrow, Brown, H. and Merrette, C. (1990):
The indirect effects of acarosan on mite allergic patients a clinical study.
Clin. Exp. Allergy 20(suppl.I): 118-123.
- Morsy, T.A., Michael, S.A., Bassili, W.R. and Salleh, M.S.M. (1982):
Studies on rodents and their zoonotic parasites, particularly Leishmania in Ismailia governorate, A.R. Egypt.
J. Egypt. Soc., Parasit., 12 (2): 565-585.
- Morsy, T.A., Missiry, A.G., Fayad, M.E. and Ismail, M.M. (1984):
Serum IgE. levels in cutaneous leishmaniasis by ELISA.
J. Egypt Soc. Parasit., 14(1): 154-165.
- Morsy, T.A., Bassili, W.R., Fayad, M.E., Saleh, M.S.M., El Missiry, A.G. and Montasser, M.F. (1987):
Class immunoglobulin and complement (C₃ and C₄) in Egyptian form of cutaneous leishmaniasis.
J. Egypt Soc. Parasitol., 17(1): 71-80.

- Morsy, T.A., Farrag, A.M.K., Sabry, A.A., Salama, M.M.I. and Arafa, M.A.S. (1991):
Ecto and endoparasites in two primary schools in Qualyob City, Egypt. J.Egypt. Soc. Parasitol., 21: 391-401.
- Morsy, T.A., Kenawi, M.Z., Zohdy, H.A., Abdalla, K.F. and El Takahany, A.F. (1993):
Serum immunoglobulin and complement values in scabietic patients.
J. Egypt Soc. Parasitol., 23(1): 221-229.
- Mosbeck, H., Korsgaard, J. and Lind, P. (1988):
Control of HDM by electrical heating blankets.
J. Allergy, Clin. Immunol., 8: 1706-1710.
- Mosso, E., Hunziker, N. and Brun, R. (1960):
Unallergene pour deceler L'atopie.
Dermatologica, 121: 89-92.
- Mulla, R.S., Harkrider, J.R., Galant, S.P. and Amin, L. (1975):
Some H-D control measures and abundance of Dermatophagoides mites in Southern California.
J. Med. Entomol., 12: 5-9.
- Mulvey, P.M. (1972):
Cot death survey anaphylaxis and the HDM.
Med J. Austral., 2: 1240-1244.
- Mumcuoglu, Y. (1976):
HDM in Switzerland. Distribution and taxonomy.
J. Med. Entomol., 13: 361.
- Mumcuoglu, Y. (1979):
HDM in Switzerland, their allergenic properties and control.
Thesis, Basel University, Switzerland, P. 141.
- Nadchatram, M., Fournier, G., Gordon, B.L. and Masey, D.G. (1981):
House dust mites in Hawaii.
Ann. Allergy, 46: 197.
- Newcomb, R. and Ishizaka, K. (1969):
Skin reactions to antibody in atopic and non atopic and immunologically deficient children and adults.
J. Allergy, 43: 292-298.

- Norris, P.G., Schofieldo, Comp, R.D.R. (1988):
A study of the role of HDM in atopic dermatitis.
Br. J. Dermatol., 118: 435-440.
- Numata, T., Yamamoto, S. and Yamura, T. (1979):
The role of mite in chronic urticaria.
Ann. Allergy, 43: 365-362.
- Numata, T., Yamamoto, S. and Yamura, T. (1981a):
The significance of cell bound antigen specific IgE in
chronic urticaria.
Ann. Allergy, 46: 89.
- Numata, T., Yamamoto, S. and Yamura, T. (1981b):
Enhancement of mite antigen-induced histamine release
deuterium oxide from leucocyte of chronic urticarial
patients.
Ann. Allergy, 47: 3.
- Okumara, K. and Tada, T. (1971a):
Regulation of homocytotropic antibody formation in the
rat. Effect of thymectomy and splenectomy.
J. Immunol., 106: 1012-1112.
- Okumara, K. and Tada, T. (1971b):
Regulation of homocytotropic antibody formation in the
rat. inhibitory effect of thymectomy on homocytotropic
antibody response.
J. Immunol., 107: 1682.
- Oshima, S. (1964):
Observations of floor mites collected in Yokohama, on
the mites found in several schools in summer.
Jap. J. Saint. Zool., 15: 232-44.
- Oshima, S. (1967):
Studies on the genus Dermatophagoides as floor mites,
with special reference to the medical importance.
Jap. J. Saint. Zool., 18: 213-215.
- Oshima, S. and Sugita, K. (1966):
Life history of Dermatophagoides farinae (Hughes,
1961).
Bull. Yokohama Munic. Inst. Publ. Hlth., 4: 66-69.
- Owen, Morganstern, M. and Hepworth, J. (1990):
Control of HDM antigen in bedding.
Lancet, 335: 396-397.

- Paul, T.C. and Sinha, R.N. (1972):
Low temperature survival of Dermatophagoides farinae.
Ent. Ent., 1: 547-497.
- Pepys, J., Chan, M. and Hargveane, F.E. (1968):
Mites and house dust allergy.
Lancet, 1: 1270-1272.
- Platts-Mills, T.A.T, Mitchell, E.D. and Rowntree, S. (1983):
Allergen in atopic dermatitis.
Clin. Exp. Dermatol., 8: 233-247.
- Platts-Mills, T.A.E., Hayden, M.L., Chapman, M.D. and Wilkins, S.R. (1987):
Seasonal variation in dust mite and gross pollen allergens in dust from the houses of patients with asthma.
J. Allergy Clin. Immunol., 79: 781-791.
- Prose, P.H. (1965):
Pathologic changes in eczema.
J. Ped., 66 : 178.
- Rachelefsky, G.S., Opels, G., Michey, M.R., Kiuchi, M., Terasaki, P.I., Siegel, S.C. and Stiehm, E.R. (1976):
Defective T. cell function in atopic dermatitis.
J. All. Clin. Imm., 57: 569.
- Rajka, G. (1960):
Atopic dermatitis with special reference to the role of allergic factors.
Acta. Dermat. Venereal., 61, 40: 285:41: 1-363.
- Rajka, G. (1961):
Atopic dermatitis with special reference to the role of allergic factors.
Acta. Dermat. Venereal., 41: 1-39.
- Rajka, G. (1975):
Atopic dermatitis as a major problem in dermatology.
Edited by Rook, A.V.3 W.B. Saunders Company, Philadelphia, London, Toronto, PP: 22-24.
- Rajka, G. (1989):
Essential aspects of atopic dermatitis.
Acta. Dermat. Venereol., 1,40: 285-90.

- Rasmussen, J.E. and Provost, T.T. (1983):
Atopic dermatitis. Chapter 58 in Allergy Principles Practice. 2nd ed., edited by Middleton, E.J., Reed, C. and Ellis, E.F., Publisher C.V. Mosby.
- Rasmussen, J.E. and Provost, T.T. (1985):
Atopic dermatitis. Chapter 59 in allergy principles practice 2nd ed., Edited by Middleton, E.J.R., Reed, C. and Ellis, E.F., Publisher, C.V., Mosby, P. 1297.
- Reinhold, U., Wehrman, W., Kukel, S. and Kreysel, H.W. (1985):
Defective IFN- γ production in hyper-IgE atopic dermatitis patients evidence for an intrinsic abnormalities. J. Invest. Dermatol., 93: 571.
- Reiser, J., Ingram, D., Mitchell, E.B. and Warner, J.O. (1990):
HDM allergen levels and an anti-mite mattress spray (natamycin) in the treatment of childhood asthma. Clin. Exp. Allergy, 20: 561-567.
- Reitamo, S., Visa, K. and Kahonen, K. (1986):
Eczematous reactions in atopic patients caused by epicutaneous testing with inhalant allergens. Br. J. Dermatol., 114: 303-309.
- Roberts, D.L.L. (1984):
House dust avoidance and atopic dermatitis. Br. J. Dermatol., 110: 753-756.
- Rola-Pleszczynski, M. and Blanchard, R. (1981):
Abnormal suppressor cell function in atopic dermatitis. J. Invest. Derm., 76: 279.
- Rystedt, I. (1986):
Atopic hand eczema and contact dermatitis. Semin. Dermatol., 5: 290-300.
- Sampson, H.A. (1989):
The role of food allergy and mediator release in AD. J. Allergy Clin. Dermatol., 81: 635-645.

- Sarsfield, Y.K. (1974):
Role of house dust mites in childhood asthma.
Archives of disease in childhood, 49: 711.
- Schmutz, J.L., Weber, M. and Beurey, J. (1989):
Cataract et dermatologie.
Ann. Dermatol. Vénéréol., 116: 133-139.
- Schrut, A.H. and Waldron, W.G. (1963):
Psychiatric and entomological aspects of delusory
parasitosis.
J.A.M.A., 186: 429.
- Sesay, H.R. and Dobson, R.M. (1972):
Studies on the mite fauna of house dust in Scotland
with special reference to that of bedding.
Acarologia., 14: 384-92.
- Sharp, J.L. and Haramoto, F.H. (1970):
Dermatophogoides pteronyssinus and other Acarina in HD
in Hawaii.
Proc. Hawaii Ent. Soc., 20: 583-89.
- Shoukry, A., El-Kady, G.A., Morsy, T.A. and Salama, M.M.I.
(1993):
Rodents and their arthropod-ecto-parasites in South
Sinai Governorates.
J. Egypt. Soc. Parasit., 23 (3): 775-783.
- Siahaan, C.M. (1979):
Correlation between house dust and D. pteronyssinus by
skin testing.
Pediatria Indonesiana, 17: 229-52.
- Sinha, R.N. (1964):
Mites of stored grain in western Canada. Ecology and
methods of survey.
Proc. Ent. Soc. Manitoba, 20: 19-33.
- Smith, K.G.V. (1973):
Insects and other arthropods of medical importance.
British Museum (Natural History), London.
- Smith, J.M., Disney, M.E., Williams, J.P. and Goals, Z.A.
(1969):
Clinical significance of skin reactions to mite
extracts in children with asthma.
Br. Med. J., 723-726.

- Solomon, L.M. (1985):
Atopic dermatitis. Second edition, edited by:
Moschella, S.L. and Hurley, H.J. Published by W.B.,
Mexico City, Reo De Janero, Sydney, Tokyo, P. 334-353.
- Spieksma, F.T.H.M. (1967a):
The house dust mite Dermatophagoides pteronyssinus
producer of the house dust allergen.
Ph. D. Thesis, University of Leiden, Holland.
- Spieksma, F.T.M. (1967b):
Occurrence and properties of the house dust mite
Dermatophagoides pteronyssinus.
Late. Rhinology, 5: 162-167.
- Spieksma, F.T.M. and Spieksma-Boezemans, M.T.A. (1969):
The mitefauna of house dust with particular reference
to the HDM dermatophagoides pteronyssinus.
Acarologia, 9: 226-241.
- Spieksma, F.T.M., Zuidema, P. and Leupen, M.J. (1971):
High altitude and house dust mite.
Brit. Med. J., 1: 82-84.
- Steinberg, P., Ishizaka, K. and Norman, P.S. (1974):
Possible role of IgE-mediated reaction in immunity.
J. Allergy Clin. Immunol., 54: 359-366.
- Tada, T. (1975):
Regulation of reaginic antibody formation in animals.
Prog. Allergy, 19: 122-129. Quoted from Rola-
Pleszczynski and Blanchard (1981).
- Takaoka, M., Ishii, A., Kabaswa and Ouchi, T. (1977):
Mitefauna in house dust of asthma children and their
immunological reactions to the mite extract.
Jap. J. Saint. Zool., 38: 255-261.
- Tanaka, Y., Tanaka, M. and Anan, S. (1989):
Immunohistochemical studies on HDM antigen in positive
reaction site of patch test.
Acta. Dermato-venereal supp., 144: 93-96.
- Thomas, V.M.B.B.S., Bockhay and M.B.B.S.F. Res Rajapaksa
(1978):
D. pteronyssinus and house dust allergy in west
Malaysia, 40: 114-116.

- Tovey, E.R., Chapman, M.D. and Platts-Mills, T.A.E. (1981):
Mite faeces are a major source of HD allergens.
Nature, 289: 592-593.

- Trinca, J.C., Stringer, K.G., Drummond, F.H. and Bristow, V.G. (1969):
Allergenicity of the HDM Dermatophagoides pteronussinus.
α Med. J. Australia, 7: 1177-1210.

- Tuft, L. (1949):
Avoidance of inhalant allergens in atopic dermatitis.
J. Invest. Dermatol., 12: 211-219.

- Uehara, M.A.D. (1981):
Infra-orbital fold in atopic dermatitis.
Arch. Dermatol., 117: 627.

- Uehara, M. (1985a):
Clinical and histological features of dry skin in atopic dermatitis.
Acta. Derm. Vener., 114: 82.

- Van Bener H.P, Docx M and Stevens W.J (1989):
Food and food additives in sever atopic dermatitis
Allergy, 44: 588-495.

- Van Bronswijk, (1972):
The Genus Blomia Oudemans (Acarioudemans) (Acari: Gly phagidae) Acarologiat. XV, Fase 31973.y

- Van Niekerk G, H. Shore S.C. and Weinbrg E.G. (1977):
The house dust mite and childhood asthma in Cope Peninsula. S. Afr.
Med. J, 52: 74-82.

- Vickers, C.F.H. (1980):
The natural history of atopic dermatitis. Acta Dermat. Vener., 92: 113-118.

- Voorhorst R, Spieksma- Boezeman MIA and spieksma FTM (1964):
Is mite spp. the producer of The H.D. allergen?
Allergic Asthma, 10: 329-334.