

REFERENCES

Aasath, J., Thomassen, Y., Alexander, J. and Norheim, G. (1980):

Decreased serum selenium in alcoholic cirrhosis. N. Engl. J. Med 303 : 944.

Abel, A.E. and Farber, M.E. (1986):

Psoriasis, in : Demis, J. D., Dobson, L.R. and Mcguire, J. (eds), Clinical dermatology, 10th edn vol. III, harper and Row publishers, philadelphia unit. 1-2 : 1 - 25.

Abo El-Magd, M. (1981):

Pityriasis alba (Master degree thesis supervised by Abdel-Rheim, M. and Mohamed, H.).

Faculty of medicine, Ain Shams University.

Agren, S.M., Stromberg, H., Rindy and Hallmans, G. (1986):

Selenium, zinc, iron and copper levels in serum of patients with leg ulcers.

Acta - Derm. Venereol. [Stockh]., 66 : 237 - 240.

Allen, J.I. Perri, R.T., McClain, G.J. and Kay, N.F. (1983):

Alteration in human natural Killer cell activity and ocytotoxicity induced by zinc deficiency.

J. lab. Clin. Med., 102 (4) : 577.

Arndt, K.A. (1989):

Systemic corticosteroids in manual of dermatologic therapeutics with essential of diagnosis.

Little, Brown and company, Boston, Toronto, P : 240.

Arnold, H.L. and Champion, R.H. (1986):

Seborrhoeic dermatitis in practical managment of the dermatologic patients, edited by : Rook, A.; Parish, L.C. and Beare.

- J.M. L.B. Lippincott, Company - philadelphia, London, Mexico city, New York, St. Louis, Sao paulo and sydney, p. 19.

Arnold, H.L.; Odom, R.B. and James, W.D. (1990) :

Seborrhoeic dermatitis in Andrew's Diseases of the skin, W.B. Saunders company, Philadelphia, London, Toronto, Montreal, Sydney and Tokyo. P. 194.

Aso, K., Orenberg, E.K. and Farber, E.M. (1975):

Reduced epidermal cyclic AMP accumulation following prostaglandins stimulation, its possible role in pathophysiology of psoriasis.
- J. Invest. Dermato, 63 : 375 - 378.

Baer, R.L. and Witten, V.H. (1962):

Zinc in psoriasis, the year book of dermatology, 1962- 1963 Chicago year book, Medical publishers P : 9 - 38.

Baker, H. (1992):

Psoriasis in : Rook, A., Wilkinson, D.S. and Ebling, F.J.G. Textbook of dermatology edited by Champion, R.H. Burton. J. L. and Ebling, F.J.G. 5th edn., vol. II, Black well scientific publications, Oxford., 1391 - 1457.

Baughman, R.D. and Sobel, R. (1977) :

Emotional factors in psoriasis : Recent findings in : Farber, E.M., Cox, A.J. [eds] psoriasis : Proceeding of the second international symposium.
York medical books, New York, P. 108 - 188.

Beisel, W.R. (1977) :

Zinc metabolism in infection in : Blewer, G.J. and Prasad, A.S. (eds). Zinc metabolism in health and disease. Alan, R., Liss Inc. New York, P : 155.

Bergbrant, I.M., Johansson, S. and Robbins, D. (1991):

An immunological study in patients with seborrhoeic dermatitis. Clin. Exp. Derm., 16 : 331.

Bleichen, S.S.; Ebling, F.J.G. and Champion, R.H. (1992):

Disorder of skin colour. In : Textbook of dermatology. By : Rook, A., Wilkinson, D., Ebling, F.J.G., Champion, H. and Butron, L. (eds) 5th ed. Vol. III Oxford. Blackwell scientific publication, 1561 - 1622.

Borgestrom, B., Norden, A., Akesson, B., Abdula, M. and Jagerstad, M. (1979):

Nutrition and old age.

Chemical analysis of what old people eat and their status of health during (6) years of follow up. Scand.

J. Gastroent 14. Supple, 52.

Brown, C. (1984):

Multicenter clinical evaluation of ketoconazole in the treatment of superficial fungal infection. Cutis, 33 : 578.

Burch, R.E. and Hahn, K.J. (1979):

Trace element in human nutrition.

Med. Clin. North. Am, 63 (5) : 1057.

Burton, J.L. and Pye, R.J. (1983):

Seborrhea is not a feature of seborrhoeic dermatitis.

Br. Med. J., 286 : 1169.

Burton, J.L. (1992):

(Eczema, Lichenification, Prurigo and Erythroderma) In : textbook of dermatology. edited by Rook, A., Wilkinson, D., Ebling, G., Champion, H. and Barton, L. Blackwell Scientific publications Oxford, London, Edinburgh. 5th (ed) volume (P : 537 - 588.

Butterfield, W., Robert, M.M. and Dave, V.K. (1987):

Sensitivities of pityrosporum to selected commercial shampoos.

Br. J. Dermatol, 116 : 233.

Byrom, N.A., Staughton, R.C.D., Campbell, M.A., Timlin, D.M., Chool, M., Lane, A.M., Compeman, Powi, M. and Hobbs, J.R. (1979):

Atopic eczema.

Br. J.Dermatol. 100 : 499.

Carr, R.D., Berke, M. and Becker, W.S. (1964):

Incidence of atopy in the general population Arch. Dermatol., 89 : 27.

Cartwright, G.E. and Wintrobe, M.M. (1964):

Copper metabolism, in normal subjects. Am. J. Clin. Nutr., 14 : 224.

Champion, R.H. and Parish, W.E. (1992):

Atopic dermatitis. In : Textbook of Dermatology, edited by : Rook, A., Wilkinson, D., Ebling, F.J.G., Champion, R.H. and Burton.

J. L. 5th edition. Vol : I, P : 589. Blackwell scientific publications.

Chenowith, B.R., Lobitz, W.C. and Dobson, R.L. (1982) :

Atopic dermatitis in : Clinical dermatology edited by : Demis, D.J., Dobson, R.L. and McGuine.

J. 9th revision Vol. III, unit β -2, P. 1 - 29. Harper and Row publishers.

Chiarelli, F., Giouanna, C., Verroti, A., amerio, P. and Morgese, G. (1987):

Humoral and cellular immunity in children with active and quiescent atopic dermatitis.

Br. J. Dermatol, 116 : 651.

Christophers, E. and Krueger, G. G. (1987):

Psoriasis, In : Fitzpatrick, T.B., Eisen, A.Z., klauswol, F.F., Freedberg, I.M. and Austen, K.F., (eds). Dermatology in general medicine. 3 rd edn, McGraw. Hillbood company, New York, P : 484.

Chvapil, M. (1976):

Effect of zinc on cells and bio-membrane.

Med. Clin. North. Am., 30 : 799.

Cowley, N.C., Farr, P.M. and Shuster, S. (1990):

The permissive effect of sebum in seborrhoeic dermatitis. an explanation of the rash in neurological disorder.

Br. J. Dermatol, 122 : 71 - 76.

David, T.J., Wells, F.E., Scharpe, T.C. and Gibba, A.C. (1984):

Serum zinc in children with atopic dermatitis.

Br. J. Derm., 111 : 597.

David, T.J., Wells, F.E., Sharpe, T.C., Gibba, A.C. and Devlin, J. (1990):

Serum levels of trace elements in children with atopic dermatitis.

Br. J. Derm., 122, 485 - 489.

Di - Toro, R.M., Galdo Capotorti, M., Gialanella, G., Del Giudice, M.M., Moro, M. and Perrone, L. (1987):
Zinc and copper status of allergic children.
Acta. Ped. Scand., 76 : 612.

Donadini, A., Fioxra, C., Regazzini, R. and Perini, D. (1992):
Selenium plasma level in psoriasis.
Clini exp. Dermatol 17 (3) : 214.

Dreno, B., Vandermeeren, M.A., Bioteau, H.L., Stalder, J.F. and Barriere, H. (1986):
Plasma zinc is decreased only in pustular psoriasis
Dermatologica, 173 : 209 - 212.

Durham, S.R.; Carrol, M.; Walsh, G.M. and Kay, A.B. (1984) :
Leucocyte activation in allergen - induced late phase reactions.
N. Engl. J. Med., 311 : 1398.

Ebling, F.J. and Rook, A. (1979):
The sebaceous gland in : Textbook of dermatology edited by
Rook, A., Wilkinson, D.S. and Ebling, T.J. G., 3rd ed., Vol. I,
Blackwell scientific publication, Oxford, London, P.P. : 169.

Ebrahim, G., Mohammed, H. and Mousa, A. (1992):
Trace elements in serum of pityriasis alba patients.
Int. J. Dermatol, Jul; 31 (7) : 545 - 526.

Edozien, J.C. and Udeozo, I.O. (1960):
Serum copper, iron and iron binding capacity in kwashiorkor,
J. Trop. Pediat. 6 : 60.

Ehmann, C.W. and Voorhees, J.J. (1982):
Internatinal studies of the efficacy of etretinate in the treatment
of psoriasis. J. Am. Acad. Dermatol, 6 : 692 - 696.

El-Gothamy, Z., El-Okoby, M., Lasheen, R.M. and Refai, M. (1975):
Studies on pityriasis alba in Egypt.
Castellania 3 (11) : 203 - 205.

El-Kholy, M.S., Gas Allah, M.A., El-Shini, S., Farida El-Baz and Abdel-Hamid, M.S. (1990):

Zinc and copper status in children with bronchial asthma and atopic dermatitis.

The J. of Egyptian public health association Vol. IXV. No. 546.

El-Sahrawy, F.M. (1979):

Bacteriological studies on pityriasis alba. Master degree thesis. Faculty of Medicine, Alexandria University.

El-Zawahry, M. (1964):

Psoriasis In : El-Zawahry, M. (ed) skin disease in Arabian countries, II : 125 - 158.

Evans, G.W. and Hahn, G.J. (1974):

Copper and zinc binding components in rat intestine - Adv. Exp. Biol., 48 : 285.

Faergemann, J. (1986):

Seborrhoeic dermatitis and pityrosporum orbiculare. Treatment of seborrhoeic dermatitis of the scalp with miconazole - hydrocortison (Daktacort), Miconazole and Hyarocartisone Br. J. Dermatol, 114 : 695 - 700.

Fairris, G.M., Lloyd, B., Hinks, L. and White, J.E. (1987):

Selenium concentrations in psoriasis and eczema. Br. J. Dermatol 116 : 436.

Fairris, G.M., Perkins, P.J., Lawson, A.D. and Blake, G.M. (1988):

The pharmacokinetics of selenium in psoriasis and atopic dermatitis. Acta. Derm - Venereol (stockh) : 434 - 436.

Fairris, G.M., Lloyd, B., Hinks, L., Perkins, P.J. and Clayton, B.E. (1989):

The effect of supplementation with selenium and vit E in psoriasis. Ann. Clin. bioch. 26 : 83 - 88.

Farber, E.M., Bright, R.D. and Nall, M.L. (1968):

A questionnaire survey of 2144 patients Arch. Derm., 98 : 248.

Farber, E.M. and Nall, M.L. (1974):

The natural history of psoriasis in 5600 patients dermatologica.,
148 : 1 - 18.

Fisher, L.B. and Maibach, H. (1983):

The effect of corticosteroid in the treatment of psoriasis. J. Am.
Acad. Dermatol., 8 : 311 - 321.

**Foley, B., Johnson, S.A., Hackley, B., Smith, J.C. and Halsted, J.A.
(1968) :**

Zinc content of human platelets. Proceedings of the society of
experimental biology and medicine, 128 : 265 - 269.

Ford, G.P., Farr, P.M., Ive, F.A. and Shuster, S. (1984):

The response of seborrhoeic dermatitis to ketoconazole (oral).
Br. J. Dermatol., 107 : 691.

Fraker, P.J., Gorshwin, M.E., Good, R.A. and Prasad, A. (1986):

Interrelation between zinc and immune functions. Federation
proc., 45 : 1474.

Fry, L. (1988):

Psoriasis : [Br. J. Dermatol, 119 : 455 - 461.

Goldblum, R.W., Derby, S. and Lerner, A.B. (1953):

The metal content of skin, nails and hair.
J. Invest. Derm., 20 : 13.

Golddyne, E.M. (1984):

Leukotrienes : clinical significance.
J. Am. Acad. Dermatol., 10 : 659 - 668.

Gordon, E.F., Gordon, R.C. and Passal, D.B. (1981):

- Zinc metabolism and basic, clinical and behavioural aspects.
J. of pediatrics, 99 (3) : 341.

Greaves, M. and Boyde, T.R.C. (1967):

Plasma zinc concentration in patients with psoriasis, other
dermatoses and venous leg ulceration. Lancet, II, 1619.

Gudbjarnason, A. and Prasad, A.S. (1969):

Biochemical and clinical aspects of alcohol metabolism, Ed. V.
Dermatol. 98 : 585 - 592.

Halsted, J.A. and Smith, J.C. (1970):

Plasma zinc in health and disease. Lancet, 1 : 322.

Halsted, J.A. and Smith, J.C. (1971):

Plasma zinc in health and disease. Lancet, 1 : 322.

Hanada, K. (1981):

Electron microscopic observation in cutaneous lesions of
acquired zinc deficiency. J. Clin. Electro - Microscop, 14 : 55.

Hansen, A.E., Wiese, H.F. and Boelsch, A. (1963):

Role of linoleic acid in infant nutrition pediatrics. 1 (suppl) :
171.

**Harper, H.A.; Rodwell, V.W. and Mayes, P.A. and Rodwell, V.W.
(1983):**

Review of biochemistry. 19th ed. Lange - Med. Publ.,
California, 555.

**Heng, M.C.Y., Henderson, C.L., Barker, D.C. and Haberfield, G.
(1990):**

Correlation of pityrosporum ovale density with clinical severity
of seborrhoeic dermatitis as assessed by simplified techniques.
J. Am. Acad. Dermatol., 23 : 82.

Henkin, R.I. (1976):

Trace metals in endocrinology.
Med. Clin. North. Am., 60 (4) : 799.

Hinks, L.J.; Young, S. and Clayton, B. (1987):

Trace element status in eczema and psoriasis.
Clin. Exp. Dermatol. 12 : 93 - 97.

**Hodeib, A.E., Abdel - Maksoud, M.H., Hewedy, E.S., Awara, W.M. and
Gabr, M.A. (1992):**

Evaluation of some liver function and some lithogenous factor in
lichen planus patients. Med. J. Cairo Univ. Submitted for
publication.

Hoefler, U., Gloor, A. and Von Nicolai, H. (1981):

Neuraminidase production by *Proacnes* strains isolated from patients with acne, vulgaris, seborrhoeic dermatitis and healthy subjects. Hyg. Abt. 1. Orig. A., 250 : 122.

Horkay, I., Tenerani, D.K., Altman, H. and Krajczar, J. (1984):

Determination of zinc, copper, manganese and iron in blood from patients with light sensitive skin disease dermatologica 169 : 66 - 69.

Hus, J.M., (1980):

Biochemistry and metabolism of zinc in : karioglu, Z.A., and sharper, R.M., Eds. Zinc and Copper in medicine spring field III, charles. Thomas publisher : 101.

Iman, A.S., Naffissa, E. and Ann, A.F. (1995):

Pityriasis alba : Trace elements, Histochemical and ultra structural study of hypopigmentation Egypt. J. Derm and Ven. No (), Jan, 27 - 31.

James, A., Halsted, J.C. and Smith, J.R. (1970):

Plasma -Zinc in health and disease. Lancet, 14 : 322 - 323.

Jones, R.B., Keding, P.W.N., Hilton, P.J. and Thomposon, R.P.H. (1981):

The relation between leucocyte and muscle zinc in health and disease clinical sciences, 60 : 237.

Joseph, M., Tonnd, A.B., Capron, A. and Volsin, C. (1980):

Enzyme release and aeroxide anion production by human alveolar macrophages stimulated with 19 E. Clin. Exper. Immunolo. 40 - 416.

Juhlin, L., Edquist, L.E., Ekman, L.G., Ljunghall, K. and Olssen, M. (1982):

Blood glutathione peroxidase level in skin diseases : effect of selenium and vitamin E. treatment. Acta - Derm. Veneol (stockh) 62 : 211 - 214.

Kajander, E.O., Harvina, R.J., Eloranta, T.O., Martikainen, H., Kantola, M., Lampiso and Akerman, K. (1991):
Metabolism, cellular actions and cytotoxicity of selenomethionine in cultured cells, Biol. Trace elem Res, 28 : 57 - 68.

Karl, E.M. (1979):
A conspectus of research on copper metabolism and requirements on man J. Nut., 109 (11).

Kay, A.B. (1988):
Mechanisms in allergic and chronic asthma which involve eosinophils, Neutrophils, lymphocytes, and other inflammatory cells. Baillieres clin - immunol. Allerg 2 (1) : 4.

Kirchgesner, M., Roth, H.P. and Weigand, E. (1976):
Biochemical changes in zinc deficiency. In trace elements in human health and disease. By : A.S. Prasad and D. Oberlees (eds). Vol. I, Academic press, New York, P : 189.

Krueger, G.G. (1981):
Psoriasis : Current concepts of its etiology and pathogenesis in : Dobsn. R.L., Thiers, B.H., (eds) years book of dermatology, Chicago. Year book medical Publishers. 13 - 70.

Leibovici, V., Statter, M., Weinrauch, L., Tzfoni, E. and Matzner, Y. (1990):
Effect of zinc therapy on neutrophil chemotaxis in psoriasis. Isr - J. Med. Sci. Jun; 26 (6) : 206 - 9.

Leung, A.K., B.M.R.F. and Feingold, M. (1986):
Pityriasis alba.
Am. J. Diseases of children Apr, 140 (4) : 379 - 380.

Leung, R.S.; Turnbull, A.J.; Taylor, J.A.; Russell, R. and Thompson, R.P. (1990):
Neutrophilic zinc levels in psoriasis and seborrhoeic dermatitis. Br. J. Derma, 123 : 319 - 323.

Levander, O.A., Sutherland, B., Marris, V.C. and King, J.C. (1980):
Selenium metabolism in human nutrition. Report see inter syanp on selenium in Biology and medicine. Texas.

Lever, W.F. (1990):

Histopathology of the skin (ed).
J. B. Lippincott company, pennsylvania.

Leyden, J.J. 91986):

The pathogenic role of microbes in seborrhoeic dermatitis. Arch. Dermatol., 122 : 16 (correspondance).

Lipkin, G., Gowdery, J. and Wheathey, V.R. (1964):

Skin copper levels in psoriasis, J. invest. Derm., 42 - 205.

Lowe, N.J.; Breeding, I.H. and Wartzman, M.S. (1982):

New coal tar extract and coal tar shampoos. Arch. Dermatol., 118 : 487.

Makasheva, R.K. (1968):

Characteristics of biological properties of staphylococci isolated in seborrhoeic dermatitis. Westn. Derm. Vener., 42 : 26.

Mallette, M.F., clagette, C.O, Phillips, A.T. and McCard, R.L. (1971):

Indroductory Biochemistry. William and Wilkins Company. Baltimore, P : 721.

Marks, R., Pearse, A.D. and Walker, A.P. (1985):

The effects of a shampoo containing zinc pyrithione on the control of dandruff. Br. J. Dermatol, 112 : 415 - 422.

Marshall, J.R., Henkin, R.I. (1971):

Olfactory acuity, Menstroal abnormalities and Oocyte status. Ann. inter. Med., 75 : 207 - 211.

Martin, W.M. (1983):

Water and mineral metabolism : In : Harpers review of Biochemistry edited by Martin, D.W., Mayer, P.A., Rodwell, V.W. and Granner, D.K. 20th ed. P : 649. Lange Medical Publications.

Martin, W.D., Mayes, A.P. and Rodwell, W.V., (1985):

Harper's review of Biochemistry, 19th ed : 57.

McMillan, M.E. and Rowe, D. (1983):

Plasma zinc in psoriasis, relation to surface area involvement.
B.J. of Dermatology, 108 : 301 - 305.

Meissner, D., Leohardt, W., Schultze, J. and Julius, U. (1981):

Correlation between parameter of lipoprotein metabolism and
manganesium, Copper and Zinc. Adu. Physical. Sci, 35 : 91.

Michaelsson, G., Ljunghall, K. and Danielson, B.G. (1980):

Zinc in epidermis and dermis in healthy subjects. Acta. Dermato.
Venereol (stockh) 60 : 295 - 299.

Michaelsson, G., Berne, B.; Carlmark, B. and Strand, A. (1989):

Selenium in whole blood and plasma is decreased in patients
with moderate and sever psoriasis.
Acta. Derm. Venereol [Stockh] 69 : 29 - 34.

Michaelsson, G. and LjunGhall, K. (1990):

patients with dermatitis herpetiformis, Acne, psoriasis and
Darier's disease have low epidermal zinc concentration. Acta-
Derm - Venereol (stockh) 70 : 304 - 308.

Molin, L. and Wester, P.O. (1973):

Cobalt, Copper and Zinc in normal and psoriatic epidermis.
Acta Derm. Venrereol (stockh), 53 : 477 - 480.

Molin, L. and Wester, P.O. (1976):

The estimated daily loss of trace elemtns from normal skin by
desquamation, Scand - J. Clin. Lab inves; 679.

Molokhia M.M. and Portnoy, B. (1969):

Neutron activation analysis of trace elements. In skin III. Zinc in
normal skin Br. J. Derma, 81 : 759 - 762.

Molokhia, M.M. and Portnoy, B. (1970):

Neutron activation analysis of traces elements, in skin V. Copper
and Zinc in psoriasis Br. J. Dermtol; 83 : 376 - 381.

Molokhia, M.M. and Portnoy, B. (1973):

Neutron activation analysis of trace elements in skin.
Br. J. Dermatol. 88 : 347.

Mongy, A.K., Mona, S., Nadia, F.R., Hesham, A.Z. and Babaker, M.A. (1989):

Serum zinc in atopic eczema Egypt. Derm. Ven., 9 (1) : 99.

Morris, V.C., Levander, D.A. (1970):

Selenium content in foods. J. Nutr., 100 : 1383 - 880.

Moschella, L., Pillsbury, D., Harry, J. and hurley, J. (1975):

Seborrhoeic dermatitis. Text book of dermatology. W.B. Saunder's Co., Philadelphia, London, Toronto.

Mostafa, H.A., El-Sayed, S.H. and Wageh, H.A. (1992):

Evaluation of some trace elements in the serum of lichen planus patients. Egypt. J. Derm and vener. B. 2 July : 65 - 67.

Muller, S.A., Perry, H.O., and Pittelkaw, M.R. (1981):

Coal tar, ultraviolet light and cancer. J. An. Acad. Dermatol., 4 : 234 - 235.

Neumann, E. and Winter, V. (1965):

The character of cells with "Alteration cavitaire" Acta. Derm. Venerol (stockh) 45 : 272.

Norris, D. (1985):

Zinc and Cutaneous inflammation.
Archives of dermatol., 121 : 985 - 989.

Oestreicher, P. and Cousin, R.J. (1982):

Influence of intracellular constituent on zinc absorption by isolated vascularly perfused rat intestine.
J. Nutr, 112 : 1978.

Oleske, J.M.; Westphal, M.L.; Shore, S.; Gordon, D.; Bodgen, J.D. and Nahmias, A.S. (1979) :

Zinc therapy of depressed cellular immunity in acrodermatitis enteropathica.
Am. J. Dis. Child., 132 : 915.

Parrish, J. A. and Arndt, K. A. (1972):

Seborrhoeic dermatitis of the beard.
Br. J. Derm 87 : 241.

Plewig (1987):

Seborrhoeic dermatitis in dermatology in general medicine. Ed. by Fitzpatrick, T.B., Eisen, A.Z., Walf, K., Grwin, M.F. and Austen, K.F. McGraw, Hill book Company, Philadelphia, London P. 978.

Prasad, A.S., Shulert, A.R., Miale, A., Farid, Z. and Sanstead, H.H. (1963):

Zinc and iron deficiencies in male subjects with dwarfism and hypogonadism but without anklostomiasis, schistosomiasis or sever anaemia. Am. J. Clin, Nutr., 12 : 437.

Prasad, A.S. (1985):

Zinc disorder in dermatologic immundogy and allergy in Julius (ed). The C.V. Mobsby. Company, St. Lowis Foronto, princeton : 759 - 765.

Priestly, G.C. and Brown, J.C. (1980) :

Acute toxicity of zinc pyrithine to human skin acts in vitro. Acta. Derm. Venereol (stock) 601 : 145.

Prose, R.H. (1965):

Pathologic changes in eczema. J. Pediatrics, 66 : 178.

Prottey, C. (1978):

Essential fatty acid and skin scaliness in : the ichthyosis. By : R Marks and P.J. Pyker (eds). New York. Spectrum, P : 11.

Rackman, A. and Hutchinson, F.W.A. (1983):

Leukotriens as mediators of skin inflammations Br. J. Dermatology, 100 Supplements, 25 : 26 - 29.

Rajka, G. (1983):

- Aropic dermetitis, in recent advances in dermatology edited by Rook, A., and Maibach, H.I, Vol. 6 : 105. Charchil Livingstone.

Ramsay, L.D. and Hurley, J.H. (1985):

Papulosquamous eruptions and exfoliative dermatitis In : Samuel, L., Moschella, M.D. and Hurley, J.H., (eds) 2nd edn, Vol. I, W.B. Saunders Company, Tokyo : 500 - 515.

Rauno, J., Harvina, A., Henrik, J., Olavikajander, E., Ilkka, T., Marja, L.A., Heikk, N., Anita, N., Matjertta, K., Ulla, K.M. and Maija, H. (1993):

Screening of effects of selenomethionine enriched yeast supplementation on various immunological and chemical parameters of skin and blood in psoriatic patients. Acta. Derm. Venereol (stockh) 73 : 88 - 91.

Reimold, E.W. (1980):

Changes in Zinc metabolism during course of the nephrotic syndrome. Am. J. Dis. Child., 134 : 45.

Reinhold, U., Biltz, H. and Bayer, W. (1989):

Serum selenium levels in patients with malignant melanoma. Acta. Derm. Venereol., 69 : 132 - 6.

Robinowitz, I.A., Watson, W. and Farber, E.M., (1977):

Topical steroids depressing of the hypothalamic pituitary adrenal axis in psoriasis vulgaris. Dermatologica., 154 : 321 - 329.

Roman, W. (1969):

Zinc in porphyria. Amer. J. Clin. Nutr., 22 : 1290.

Rowe, D. and Mcmillan, M.E. (1983):

Plasma zinc in psoriasis, relation to surface area involvement. Br. J. of dermbology, 108 : 301 - 305.

Sandstead, H.H., Burk, R.F., Booth, G.H. and Darby, W.J. (1970):

Current concepts on trace elements, clinical consideration. Med. Clin. North. Am., 54 (6) : 1509.

Schroeder, H.A., Bollassa, J.J. and Hogencomp, J.C. (1965):

Chromium, cadmium and lead in rats. effect on life span, tumours and tissue levels. J. Nutr., 86 : 51.

Schroeder, H.A., Nason, A.P., Tipton, I.H. and Balassa, J.J. (1966):

Essential trace elements in man in : Copper, J., (ed) . Chronic Dis., 19 : 1007.

Schroeder, H.A., Nason, A.P. and Balassa, J.J. (1967):

Essential trace elements in man : Zinc. J. Chronic disease, 20 : 179.

Schoeder, H.A. (1971):

Loss of vitamins and trace elements resulting from processing and preservation of foods. Am. J. Clinical. Nutr, 24 : 562.

Schroeder, H.A. (1976):

The essential trace elements in : trace element and nutrition : 36
wester printing services.

Schwartz, K., Foltz, C.M. (1975):

Selenium as integral part of factor III against dietary necrotic Liver degeneration. J. Am. Chem. Soc., 79 : 3292 - 93.

Schwartz, K. (1976):

Essentiality and metabolic function of selenium. Medical clinics of North America, 60 (4): 745 - 85.

Seiji, M., Fitzpatrick, T.B., Simpson, R.T. and Birbeck, M.S.C. (1963):

Chemical composition and terminology of specialized organelles (melanosomes and melanin granules) in mammalian melanocytes. Nature 197 : 1982).

Seville, R.H. (1966):

Dithranol paste for psoriasis. Br. J. dermatol; 78 : 269 - 72.

Sinha, S.N. and Gabriel, E.R. (1970):

Serum copper and zinc levels in various pathological conditions. Am. J. Clin. Path., 54 : 570.

Skinner, R.B., Nonh, P.W., Taylor, R.M., Zanolli, M.D., West, S., Guin, J.D. and Rosenberg, E.W. (1985):

Double blind treatment of seborrhoeic dermatitis with 2% ketoconazol cream. J. Am. Acad. Dermatol., 12 : 852.

Solomon, L.M. (1985):

Atopic dermatitis in : Dermatology. Edited by : Moshella, S.L. and Hurley, H.J. Vol. 1-334. 2nd edition. W.B. Saunders Compony.

Spoor, H.S. (1977):

Shampoo and hair dyes. Catis, 201 : 189.

Sternlieb, I., Van Den Harmer, C.J.A. and Morrel, A.G. (1973) :

Lysosomal defect in hepatic copper excretion in wilson's disease (Gastroentrology), 67 : 99.

Sunde, R.A. and Hoekstra, W.G. (1980):

Structure, symthesis and function of glutathione peroxidase. Nutr. Rev., 38 : 265 - 273.

Sternberg, T.H. and Newcomer, V.D. (1959):

Modern dermatologic therapy, University of Califurnia. Medical extension, Series, Los Angeles. The Dlakiston division; Mccraw - Hill Book Company Inc., New. York, Toronto, London. 190 - 213.

Tasaki, M., Hanada, K., Hashimolo, I. (1993):

Analysis of serum Copper and Zinc levels and Copper / Zinc ratios in skin diseases. J. Dermatol. Jan; 20 (1) : 21 - 24.

Tipton, I.H. and Cook, M.J. (1963):

Trace elements in human tissue. II. Adult subjects from the united status health phys. 9 : 103.

Thomson, C.D. and Stewart, R.D.H. (1974):

The metabolism of selenium selenite in young women. Br. J. Nut., 32 : 47 - 57.

Thomson, C.D., Burton, C.E. and Robinson, M. (1978):

On supplementing the selenium intake of New Zealanders, I. Short experiments with large doses of selenite of seleno methionie, Br. J. Nut., 39 : 579 - 87.

Tsambaos, D. and Orfanos, C.E. (1977):

Zinc venteilungstorung bei psoriasis. Archives Dermatologic Research, 259, 97.

Tylor, D.D. (1979):

Water and mineral metabolism in : Harper, H.A., Rodwell, V.W. and mayes, P.A., (eds). Review of physiological chemistry. 17th edn. Lange medical publications. Loss Altos California : 574 - 579.

Urbach, F. Forbes, P.D., Davies, R.E. and Berger, D. (1976):

Cutaneous photobiology : Past, Present and future. J. invest. Dermatol., 67 : 209 - 224.

Vancustem, J., Van Gerven, F. and Fransen, J. (1990):

The vitro antifungal activity of ketoconazol, Zinc pyrithione and selenium sulfide against pityrosporum ovale and their efficacy as shampoo in the treatment of experimental pityrosporiasis in guinea pigs. J. Am. Acad dermatol, 22 : 993 - 998.

Venton, N.E., Dahlstrom, K.A. and Strobel, C.T. (1987):

Macrocytosis and pseudoalbinism : Manifestation of selenium deficiency. J. pediat. 111 : 711 - 17.

Von Weltstein, D., Lagerholm, B. and Zech, H. (1961):

Cellular changes in psoriatic epidermis. Acta. Derm. Venereol., 41 : 115 - 134.

Voorhees, J.J., Chakrabarti, S.G., Botero, F., Miedler, L. and Harrell, E.R. (1969):

Zinc therapy and distribution in psoriasis. Archs Derm., 100, 669.

Voorhees, J.J., Duell, E.A. and Boss, L.J.(1972):

Deacresed cyclic AMP in epidermis of psoriasis. Arch. Dermatol. 105 : 695 - 701.

Voorhees, J.J. and Marcelo, L.C. (1980):

Cyclic nucleotides prostaglandins and polyamines in psoriasis in : Howard, P., (ed) pharmac. Ther. Vol., Pregnmon preis Ltd. U.K. : 297 - 310.

Voorhees, J.J. (1982):

Commentary : Cyclic adenosine Monophosphate regulation of normal and psoriatic epidermis, Acta. Dermatol., 118 : 869 - 78.

Watkins, D.B. (1961):

Pityriasis alba : from of Atopic dermatitis. Arch. dermatol, 83 : 915 - 19.

Walravens, P.A. (1979):

Zinc metabolism and its implications in clinical medicine, west J. Med., 130 : 133.

Weinstein, G.D., Roenigk, H.H. and Maibach, H.I. (1982):

Methotrexate guidelines - up date, 1981., In : Farber, E.M. and Cox, A.J. (eds) : Psoriasis, proceedings of the 3rd international symposium. New York : 395 - 396.

Weismann, K. (1977):

Lines of beau : Possible markers of zinc deficiency. Acta. Derm. Venerol., 57 : 88 - 90.

Weismann, K., Wadakou, S. and Mikelson, H.I. (1978):

Acquired zinc deficiency dermatosis in man. Arch. Dermatol; 114 : 1509 - 1511.

Weismann, K. (1980):

In hand book "Recent advances in dermatology". Rook, A. and Stvin, J. eds, 5th edition Edinbrugh, Charchill Livingstone, Log.

Weismann, K. (1985):

Zinc metabolism and the skin.
Recent advances. In dermatology, 19 - 129.

Wells, B.T., Whyte, B.T. and Kierland, R. (1960) :

Pityriasis alba : A ten years survey and review of the literature. Arch. Dermatol; 82 : 183 -9.

Wells, O.P. and Wikelman, R.K. (1961):

Acrodermatitis enteropathica.
Archives of dermatology; 84 : 40.

Wheatley, V.R. (1965):

Secretions of the skin in eczema.

Willis, J.B.(1960):

Atomic absorption spectrophotometry.
Spectrochen. Acta, 16 : 259.

Zaynoun, S.T., Aftimos, B.G., Tenekjian, K.K., Bahuth, N. and Kurban, A.K. (1983):

Extensive pityriasis alba : Ahistological, histochemical and ultrastructural study. Br. J. dermatology 108: 83 - 90.