

REFERENCES

Almeyda, J Baker ,H , (1970) :

Drug reactions ,adverse cutaneous reactions to hypoglycemic agents.

Br , J , Dermatol ; 82 : 639 .

Alteras, I and Staryt, E(1979) :

prevalence of pathogenic fungi in the toe webs and toe nails of diabetic patients .

Mycopathologia ; 367 : 157 .

Bagdade, J.D; Root, R.K and Bulger, R. J. (1974) :

Impaired leukocyte function in patients with poorly controlled diabetes .

Diabetes ; 23 : 9

Barth , J ; Wojnarowska , (1988) :

Acanthosis nigricans , insulin resistance and cutaneous virilism .

Br. J ,Dermatol : 118 : 613 - 615.

Bernstein, J. E; Medinica, M; sultani, K et al., (1979) :

Bullous eruption of diabetes mellitus

Arch dermatol; 115 : 324 - 325 .

Chandler J. R (1968) :

Malignant external otitis
Laryngoscope , 78 : 1257 .

Chandler, J . K (1977) :

Malignant external otitis further consideration .
Ann Otorino ; 86 : 417

Christy , M.(1979) :

Studies of HLA system and insulin dependant diabetes mellitus .
Diabetic care ; 2 : 209 - 214 .

Cluff, I. K. Reynolds, R.C.; Page , D.L. et al., (1968) :

Staphylococcal bacteremia and altered host resistance .
Ann. intern . Med ; 69 : 859 .

Cochran, R.J. ; Tucker , S. B. and Wilkin, J.K. (1983) :

Reactive Perforating collagenosis of diabetes mellitus and renal failure .
Cutis, 31: 55 - 58 .

Corbin A . upton G.V. Mabry CC et al., (1974) :

Diencephalic involvement in generalized lipodystrophy .
Acta . endocrinol; 77 : 209 - 20 .

Eckel ,R.H. (1989) :

lipoprotein lipase .

N.Eng . J . Med ; 320 : 1060 .

Edidin, D.V. (1985) :

Cutaneous manifestation of diabetes mellitus in children .

Pediatric Dermatol ; 2 : 161 - 179 .

**Edwards, J. F; Tillmann, D.B; Miller, M.E; Pitchon, H.E
(1979) :**

infection and diabetes mellitus .

West. J.Med; 130: 515 - 521 .

Feinglos , M.N and Jegasothy , B.V (1979) :

Insulin allergy due to zinc .

lancet ; 1 : 122 .

Feingold, K.R.and Elais , P.M (1987) :

Endocrine skin interaction . cutaneous manifestation of
pituitary disease, thyroid, calcium disorders and diabetes .

J. Am . Acad. Dermatol.

Vol. 17, no. 2 : 928 - 940 .

Feuermann ; E.Frumkin , A. (1973) :

Photodermatitis induced by Chlorpropamide .

Areport of five cases .

Dermatologica ; 176 : 25 - 29

Fleming , M. G; Simon , S.T. (1986) :

Cutaneous insulin reaction resembling acanthosis nigricans !

Arch. Dermatol; 122: 1054 - 1056 .

Freinkel , R.K and Freinkel , N. (1987) :

Dermatological manifestation of Endocrine disorders in :
dermatology in general madicine . Edited by Fitzpartrick,
T.B. Eisen , A.Z; Wolff, K. Freedberg , I.N. and Austen ,
K.F. 3 rd .Mc Graw. Hill Book Company . page 2073 .

Gallway , J.K Bresslar , R (1978) :

Insulin treatment in diabetes .

Med Clin North Am; 62 : 663 - 680 .

Gitelson , S. and Kaplinsky , W.M, (1965) :

Colour of the face in diabetes mellitus .

diabetes ; 14 : 201 .

Gilgor ,R.S (1986) :

Cutaneous infections in diabetes mellitus in : The skin in diabetes .

Edited by Jelinek ,J.E 1st Lea & Febiger . Pheladelphia.
page 111 .

Goodman, J.I (1966) :

Diabetic anhidrosis .

Am.J. Med ; 41 : 831 - 835

Goirdano , J . A and Phillips , J . (1980) :

Malignant external otitis now a medical problem .

Diabetic care ; 3 : 611 .

Graighead, J. E. (1981) :

Viral in Diabetes mellitus in men and experimental animals .

Am . J . Med ; 70 : 127 - 35

Gremmer, L. C; Metzger, B.E; Patterson , R. (1984) :

Cutaneous allergy to human (Recombinant DNA insulin)

J . Am . Acad . Dermatol ; 251 : 1459 .

Greenwood , A . M . (1927):

Astudy of the skin in afive hundered cases of diabetes .

J . Am . Acad . Assoc ; 89 : 774 - 6 .

Habif , T. P. (1985) :

Clinical dermatology : Acolour Guide to diagnosis and
Therapy ed by Thomas , P. Habif th. c .v . chapter 8 page
145 .

Haim , S. Shafrir, A Haim , N and lichtig.C (1973) :

Microangiopathy in granuloma annulare .
dermatologica,147 :

Halliday , j .W and Powell, L.W. (1986) :

Medicine Haemochromatosis .
International medicine No ; 29 : 1186 - 1187 .

Hare ,P. J (1955) :

Necrobiosis lipodica .
Br. J. dermatology ; 67 : 365 - 384

Harry , Keen ,and John Jarrett . (1982) :

Acanthosis nigricans in : complication of diabetes 2nd ed.
page 209 .

Harry , keen and Zimmet (1992) :

Neuropathic Joint in international text book of diabetes
mellitus page 1538 .

Haring , H. U. Obermeier kusser, B (1989) :

Mad clinic ; 84 : 144 - 152 .

Hartlog (1984) :

Endocrinology and diabetes in moderen medicine. Edited by
Read, A . E; Barritt, D. W . and Hewer, R. L. 3 Rd ed .

English language book society.

Churchill living stone page 194 .

Haroon, T. S. (1974) :

Diabetes and skin .

a review . Scott med. J; 19 : 255 - 267 .

Helander, I. Niiemi, K.M. Tykoj (1978) :

Atypical necrobiosis lipodica of the face .

Acta dermatol. Venereol ; 58 : 276 - 277 .

Hood; A.F. , Hardegen G. L. and Zarat ; A.R. (1982) :

Kyrle's disease in patients with chronic renal failure .

Arch dermatol; 118 : 85 - 88 .

Huntely, A.C. (1982) :

The cutaneous manifestation of diabetes mellitus .

J. Am. Acad. dermatol; 7 : 427 .

Huntely , A.C. (1986) :

Finger pebbles in diabetes mellitus .
J. Am. Acad. dermatol; 14 : 612 - 517 .

Huntely, A.C. (1989) :

Cutaneous manifestation of diabetes mellitus .
Dermatologic clinic ; 7 : 531 .

Jay S. Skyler (1994) :

Jay S. Skyler; after the (DCCT) in : international
diabetes monitor 6; 4 : 1 - 2 .

Jegasothy , B. V. (1986) :

Cutaneous complication of diabetic treatment in : the skin in
diabetes .
Edited by Jelinek , J. E. 1St. lea. Febiger .
Pheladelphia Page 217 .

Jelinek, B.V. (1986) :

Cutaneous markers of diabetes mellitus and the role of
microangiopathy in : the skin in diabetes . Edited by : Jelinek
J.E. 1st ed . Lea, Febiger Pheladelphia Page 31 .

Johinson; J. K. (1970) :

Infection and diabetes in diabetes mellitus theaory and
practice edited by M.E. Ellenberg and H. Rifkin, Newyork ,
Mc. Craw - nill book Co. page 739 .

Johuston, C. Wiles, P.G. and Pyke, D.A. (1984) :

Chlorpropamide alcohol flush .

The case in favour . Diabetologica. 76 - 6 .

Jolly, H. W and Carpenter, C.L. J.R. (1969) :

Oral glucose tolerance studies in recurrent trichophyton
rubrum infections .

Arch Dermatol; 100 : 26 .

**Kahana, M. Grossmonvtes. Feinstein, Roman M. Millet, M.S.
(1987) :**

Skin tags a cutaneous marker for diabetes mellitus .

Acta Dermatol venereol .

Stockh 67 : 2 : 175.

Kaye, W.A. Adria MNS soelduer, J.S. (1986) :

Acquired defect in interleukin 2 production in patient with
type I diabetes mellitus .

N. Eng. Med. ; 315 : 920 - 4 .

Kohn; perrz; (1994) :

Cutaneous complication of diabetes mellitus .

Am acad of dermatol 30; & 523 .

Kranz , K . R ; Reed , O . M and Grimeood , R . E (1986) :

Necrotizing fascitis associated with porphyria.

J . Am . Acad . Dermatol; 14 : 361 - 367 .

Kristensen, J.S. and falhott , R.K. (1983) :

Human monocomponent insulin in the treatment of insulin allergic diabetes .

diabetes ; 32 - 66 .

Lapiere, C.M. Pierda, G.F. Hermanns, J.F. et al., (1982) :

Unusual extensive granulomatosis after long term use of plastic syringes for insulin injections .

Dermatologica ; 165 : 580 - 90 .

Lawrence, R. D. (1946) :

Lipodystrophy and hepatomegaly .

Lancet ; 1 : 724 .

Leichter, S.B. (1986) :

Glucagonoma An endocrine neoplasm with a unique dermatosis Necrolytic migratory erythema in the skin in diabetes Edited by J.E. jelink . Lea Fabiger philadelphia chapter 8 Page 142 - 152 .

Leslic, R. D. G. (1985) :

Presentation and diagnosis of diabetes mellitus .

Medicine . 2 ; 13 : 529 - 534 .

**Liaberman, L. S. Rosenbloom, A. L, Riley, W. K, Silver Stein,
J. H (1980) :**

Reduse skin thickness with pump adminstration of insulin .

N . Engl . J . Med ; 303 : 940 . 941 .

Lithner , F. (1974) :

Cutaneous erythema with or without necrosis localized to
leg and feet . Acta Med. Secand. ; 196 : 333 - 42 .

Quated from Huntely , A.C. 1989 .

Lovie, T.J.; Bartlett, J.C.; Tally, F.P. et al., (1976) :

Aerobic and aneorobic bacteria in diabetic foot ulcers .

Ann. Int. Med. 85 : 61 .

Macaron, C. Winter, R.J. Traisman, H.S. (1977) :

Vitiligo and Juvenile diabetes mellitus

Arch Dermatol. ; 113 : 15 , 5

Methregan , A.H. and Coskey, H.S. (1968) :

Perforating folliculitis

Arch dermatol ; 97 : 394 - 359 .

Millard L.G. (1988) :

Irritable papular rashes .

Medicine ;49 : 1 - 2007.

Monates; L. F. ; Dabson H. ; Dodge B.G. and Knowles, W.E. (1969) :

Erythrasma and diabetes mellitus .

Arch dematol , 99 : 674 .

Muller S.A. (1966) :

Dermatologic disorders associated with diabetes mellitus
may a clin proc ; 41 : 689 - 703 .

Cited in Huntely A. 1982 .

Nakayana H.; Mihara , M. and Shinae (1988) :

Perinural Xanthoma .

Br. J . Dermatol ; 115 : 715 - 720 .

National Diabetes Data Group (1979) :

Classification and diagnosis of diabetes mellitus and other
Categories of glucose intolerance .
diabetes ; 28 : 1039 - 57 .

Nalon, C.M. ; Bealy, H. N. and Bagdade, J. D. (1978) :

Further characterization of the impaired bactericidal function
of granulocytes in patients with poorly controlled diabetes .
Diabetes ; 27 : 889 .

Pajarre, R. and Alanaikko, M. (1973) :

Kyrle's disease.
Acta dermatol Venereol ; 54 : 505 - 508 .

Pastras T. and Beerman , H. (1960) :

Some aspect of dermatology in diabetes mellitus . a. review
of some recent literature .
Am J. Med. Sci. ; 247 : 363 .

Paltzik K. L. (1980) :

Bullous eruption of diabetes mellitus . Bullous diabeticorum
Arch Dermatol ; 116 : 75 .

Palumo P. J. ; Elvelack , L.R. ; Whismant J. P. ; (1978) :

Neurological complications of diabetes mellitus . Transient ischemic attack. Stroke and Peripheral neuropathy in schoenbaery B.S. eiditer. Advances in neurology New York. Reven press Vol. 19 Page 593 .

Perez M. D. and Steven K. (1994)

Cutaneous manifestation of diabetes mellitus Am acad of dermatology 40 ; 4 : 519 .

Petrozzi, J. W. and Warthan , T. L. (1974) :

Malignant external otitis .
Arch . Dermatol ; 110 : 258 .

Pillsbury H.C. ; Fischer N. D. (1977) :

Rhinocerebral mucomycosis
Arch orolarngol ; 103 : 600 .

Pirart T. J. ; launaux J.P. Reyw (1978) :

Blood suger and diabetic complications.
N. England J. Med. ; 298 : 1149 .

Poliak S.C. Lebwohl M.G. Parris, A. and Prioleau P.G. (1982) :

Reactive perforating collagenosis associated with diabetes mellitus .

N. Eng. J. Med. ; 306 : 81 .

Proguet, P . H , Zouali . H . Vionnet , N . (1993) :

Familial hyperglycemia due to mutations in glucokinase .

N . Engl . J . Med ; 328 : 697 . 702

Pye, R.J. Black, M. and Waisman (1992) :

Metabolic and nutritional disorders 4th ed text book of dermatology. Edited by Arther Rook chapter 62 Page 2371.

Rosenbloom, A.L. and Frias (1981) :

Limited joint motility in childhood diabetes mellitus indicates increased risk for microvascular diseases .

N. Eng. J. Med. ; 305 : 191 .

Rubinstein, P. Walheer, M . E . Fedun, B (1988) :

The HLA system in congenital Rubella patients with and without diabetes Diabetes; 31 : 1088 - 91.

Rundles, R . W . (1945) :

Diabetic neuropathy . General Review With reports of
125cases .

Medicine 24 : 111 - 160

Samuel, Moschella. and Harry Hurley (1992) :

Diabetic dermopathy in text book of dermatology .

3rd ed page 1637

Savin , J . A (1974) :

Bacterial infections in diabetes mellitus .

Br . J . Dermatol ; 91 : 781 .

Scribner, M . (1977) :

Diabetes and pruritus of the scalp .

J . Am . Assoc 238

Seymour, C . A . (1992) :

Xanthoma and abnormalities of lipid metabolism in :

Text book of dermatology : Edited by champion R . Tl .

Bruton , J . L Ebling, F . J . G . 5 th ed Black wall scinetific
pnblcation Oxford page 2314.

Schoenbawn, S . C . (1979) :

How to mininize infections , Complications of diabetes .

Geriatrics ; 34 : 51.

Shambool, K . and Burns, H . (1983) :

Malignant external otitis in a young diabetic patients .
J . larngolotol ; 97 : 247

Shulman , G. I. Rathman, D. I. (1990) :

Quantification of muscle glycogen synthesis in normal
Subjects and subjects With non insulin dependant diabetes
mellitus by C¹³ nuclear magnetic Resonance Spectroscopy
N . Eng J . Med . ; 322: 223 - 8 .

Sibbald , R . G and Schachter , R . K (1984) :

The skin and diabetes mellitus .
Int . J of Dermatol ; 9 : 584 . 587 .

Silverstein , J . Maclarn , N . Riley , W .(1988) :

Immuno suppression with azathioprine and prednisone in
recent onset insulin dependant diabetes mellitus .
N .Engl J. Med ; 319 : 599 - 604 .

Simth, J. G. (1989) :

Necrobiosis lipodica a disease of changing concepts.
Arch Dermatology ; 74 : 260 - 285 .

Starpoole, P . W (1987) :

The glucagonoma syndrome , clinical features , diagnosis and treatment .

End review ; 2 : 347 .

Steven, R. and Kohn (1994) :

Sclerodema, adultorum .

Am acad of dermatology 530 ; 4 : 522 - 523 .

Stibbald, R. G. and schachter, R. K. (1984) :

The skin and diabetes mellitus .

Int J of Dermatol ; 9 : 567 - 584 .

Somerville, D . A and lancaster - smith , M . (1973) :

Aerobic cutaneous microflora of diabetic subjects .

Br . J . Dermatol, 89 : 395 .

Spring, M, and cohen, D . D (1966) :

Dupuytren contracture awarming of diabetes , (Abstr)

Diabetes 8 ; 15 : 547 .

Srikanta S. (1983) :

Type I diabeles mellitus in monozygotic twins chronic progressive beta cell dysfunction .

Ann internal med ; 99 : 320 - 6

Taylor W.B. and Honeycult W.M. (1961) :

Progressive Lipodystrophy and Lipoatrophic in diabetes
Arch Dermatol; 84 : 31 .

**Tamford J.W. witt Lesev D. Ellner J.J. Tomashefski J.P.
(1980) :**

Invasive primary cutaneous phycomycosis in diabetic leg
ulcers .
Arch Surg 115 : 770 : 771 .

**Tuazon, C. U Perez, A., Kishaba, T. and Sheagran, J . N
(1972) :**

Staphylococcus aureus among insulin injection diabetic
patients.
J . A . A .D ; 231 : 1272 .

Vallonce , Owen J. (1969) :

Diabetes mellitus
Br. J. Dermatol ; 81 : 9

Waisman M. (1957) :

Cutaneous papillomas of the neck papillomatous Seborrheic
Keratosis South Med. J. ; 50 : 725 - 731
Cited in Huntley A. 1982 .

Watkins P.J. (1973) :

Facial Sweating after food Anew Sign of diabetic neuropathy .

Br. J. Med. 1 : 583 - 587 .

Williams's J.R. and Kilo C. (1980) :

Vascular complication of diabetes mellitus

N. Eng. J. Med. 302 : 399 - 400 .

Wilson , D. F . and Fulec , J . L (1971) :

Malignant external otitis.

Arch . otolaryngol ; 393 : 419

Yesuda H., Taniguchi Y. Yamashita M. ;et al., (1990) :

Morphological characteristics of diabetic microangiopathy
diabetes Res. Chin. Practs ; 9 : 187 .

Yoon , J. W, Austin M. Onoderta , T (1979):

Virus induced diabetes mellitus isolation of a virus from the
pancrease of achild with diabetic ketoacidosis .

N .Engl . J . Med ; 300 : 1173 - 7 .

Yuen C.T.; Easton D.; Misch K. J.et al; (1987) :

Increased activity of serum amino oxidases in granuloma annular , Necrobiosis lipodica. and diabetes .

Br. J. Dermatol ; 116 : 643 .

Zaky, D . A (1976) :

Malignant external otitis , Asever form of otitis in diabetic patients .

Am .J . Med ; 61 : 298 .

Zimmet Harry Keen (1982) :

Neuropathic joint .

In international text book of diabetes mellitus . page 1538 .

Zurcher K. ; Krebs A. (1992) :

In cutaneous drug reactions in tegral synopsis of today's systemic drugs. 2 nd ed basal Kargor (1992) : 238 - 43

Cited in Am. acad dermatology (1994) .