

REFERENCES

REFERENCES

- Akhtar, M. and Brody, H. (1975): Elastic tissue in Pseudoxanthoma elasticum: Ultra-structural Study of endocardial lesions. Arch. Pathol. 99: 667.
- Anderson, J.C. (1980): Recent advances in the study of connective tissue glycoproteins. In: Biochimie des Tissus Conjonctifs Normaux et Pathologiques, 6th coll. Edited by Robert, K.W.; Robert, L. Federation des Clubs Européens du Tissu Conjonctif, PP 195.
- Ayres, S. Jr. and Mihan, R.(1969):Pseudoxanthoma elasticum and epidermolysis bullosa: responce to vitamin E (tocopherol). Cutis 5: 287.
- Balo, J.; and Banga, I. (1953): Changes in elastase content of the human pancreas in relation to atherosclerosis. Acta. Physiol. Haung., 4 : 187.
- Balzer, F. (1884): Quoted from Eddy and Farber, (1962).

Bete, J.M.; Banas, J.S. Jr.; and Moran, J. (1975):
Coronary artery disease in an 18-year-
old girl with Pseudoxanthoma elasticum:
Successful surgical therapy. Am. J.
Cardiol. 36 : 515.

Böck, J. (1938): Quoted from Eddy and Farber, (1962).

Bouissou, H.; Pieraggi, M.T.; and Julian, M. (1976):
Simultaneous degradation of elastin
in dermis and in aorta. In: Frontiers
of Matrix Biology, Vol. 3. Edited by
Robert, A.M.; Robert, L. Basel, S.
Karger, P 242.

Braverman, I.M.; and Fonferko, E. (1982): Studies
in cutaneous aging. I. The elastic fiber
network J. Invest. Derm. 78 : 434.

Breatnach, S.M.; Dyck, R.F.; and Malrose, J.M. (1981):
Immunohistochemical studies of amyloid
P. component in normal and diseased
skin. J. Invest. Derm. 76 : 432.

Carlborg, U.; Ejurp, B.; and Gronbald, E. (1959): Vascular Studies in Pseudoxanthoma elasticum and angioid streaks. Acta. Med Scand 350 Suppl. 166 : 3.

Cawley, E.P.; and Weary, P.E. (1962): The significance of angioid Streaks. Archs. Derm. 86 : 725.

Cecil, R.L., and Loeb, R.F. (1955): Quoted from Cawley and Weary (1962).

Chauffard A. 1889): Quoted from Eddy and Farber, (1962)

Clearly, E. G.; Sanadberg, L.B.; and Jackson, D.S. (1967): The changes in chemical composition during development of the bovine nuchal ligament. J. Cell Biol. 33 : 169.

Cotta-Pereira G., Guerra-Rodringuo, F.; and Bitten-court-Sampio, S. (1976): Oxytalan, elaunin and elastic fibers in the human skin. J. Invest. Derm. 66 : 143.

Crikelair, G.F. (1953): Quoted from Cunliffe, (1979).

Cunliffe, W.J. (1979): Disorders of connective tissue
In. Textbook of Dermatology. Edited by
Rook, A.; Wilkinson, D.S.; and Ebling,
F.J.G. Vol. 2. 3rd ed. Oxford, London.
Edinburgh, Melbourne. PP1611.

Danielson, L.; Kobayasi T., and Lansen, H.W. (1970):
Pseudoxanthoma elasticum. Acta. Derm.
Venerol. 50 : 355.

Darier, J. (1896): Quoted from Eddy and Farber,
(1962).

Dawson, J.F.; Brochier, J.; Schmitt, D.; Saeland,
S.; and Thivolet, J. (1984): Elastic
fibers: histological correlation with
orcein and a new monoclonal antibody,
HB8. Br.J. Derm.110 : 539.

Doyne, R.W. (1889): Quoted from Eddy and Farber
(1962).

Dupre A.; Bonafe, J.L.; and Christol, B. (1979):
Lesions Acneiformes Induites Par Le
Pseudoxanthome Elastique. Ann. Derm.
Venerol. 106 : 481.

Eddy, D.D.; and Farber, E.M. (1962): Pseudoxanthoma elasticum. Archs. Derm. 86 : 729.

Federman, J.L.; Shields, A.J. and Tomer, T.L. (1975): Angioid streaks. Archs. Ophthal. 93 : 951.

Flatley, F.J.; Atwell, M.E.; and Mcevoy, R.K. (1963): Pseudoxanthoma elasticum with gastric hemorrhage. Arch. Intern. Med. 112 : 352.

Frances, C.; Hornebeck, W.; and Godeau, G. (1981): On the presence of new elastase-type proteases in fibroblasts from human skin and vulva: Their possible involvement in the pathogenesis of those tissues. J. Invest. Derm. 76 : 422.

Frances, C.; and Robert; L. (1984): Elastin and elastic fibers in normal and pathologic skin. A review. Int. J. Derm. 23 : 166.

Franceschetti, A., and Roulet, E.L. (1936): Quoted from Eddy and Farber, (1962).

Fullmer, H.M.; and Lillie, R.D. (1958): The oxytalan fiber: A previously undescribed connective tissue fiber. J. Histochem. Cytochem. 6 : 425.

Gass, J.D.M. (1970): Quoted from Shields, et al., (1975).

Gawlik, Z. (1965): Morphological and morphochemical properties of the elastic system in the motor organ of man. Folia, Histochem. Cytochem. 3 : 233.

Geeraets, W.J.; and Guerry, D. (1960): Quoted from percival (1968).

Goodman, R.M.; Smith, E.W.; Paton, D.; Bargann, R.A.; Siegel, C.L.; Ottesen, O.E.; Siegel, W.M.; Push, A.L.; and McKusick, V.A. (1963): Pseudoxanthoma elasticum: A clinical and histopathological study. Medicine 42 : 297.

Gordon, S.G., Subryan, V.S.; Solomons, C.C.; Lewis, B.J., and Neldner, K.H. (1975): In vitro uptake of calcium by dermis of patients with Pseudoxanthoma elasticum J. Lab. Clin. Med. 86 : 638.

Greenlee, T.K. Jr.; Roxx, R., and Hartman, J.L. (1966):

The fine structure of elastic fibers.
J. Cell Biol. 30 : 59.

Gronblad, E. (1929): Angioid streaks-Pseudoxanthoma
elasticum: Provisional communication,
Acta. Ophthal., 7 : 329.

Hallopeau and Laffitte (1903): Quoted from Eddy
and Farber, (1962).

Harvey, W.; Pope, F.M.; and Garhame, R. (1975):
Cutaneous extensibility in Pseudoxanthoma
elasticum. Br. J. Derm. 97 : 697.

Hashimoto K., and Dibella, R.J. (1967): Electron
microscopic studies of normal and abnormal
elastic fibers of the skin J. Invest.
Derm. 48 : 405.

**Haust, M.D.; More, R.H.; Bencosme, S.A.; and Balis,
J.U. (1965):** Elastogenesis in human
aorta: An electron microscopic study.
Exp. Mol. Pathol. 4 : 508.

- Hicks, J.; Carpenter, E.L., and Reed, R. (1979):
Periumbilical Perforating Pseudoxanthoma
elasticum. Arch. Derm. 115 : 300.
- Hidano, A.; Nokajima, S.; Shimizu, T.; and Kimata,
Z. (1979): Pseudoxanthome Elastique Associe
Ala Maladie De Marfan. Ann. Derm. Venerol.
106 : 503.
- Hornebeck, W. (1980): On the degradation of Elastin
fibers by elastases. In: Biochimie
des Tissus Conjunctifs Normaux et Patho-
logiques, Vol. 2. Edited by Robert, A.
M.; Robert L. Paris, Colloque CNRS N°
287, P 115.
- Huang, S.; Kumar G. and Steel, H.D. (1967): Cardiac involve-
ment in Pseudoxanthoma elasticum: Report
of a case. Am. Heart. J. 74 : 680.
- Huang, S.N.; Steel, H.D.; and Kumar, G. (1967): Ultra-
structural changes of elastic fibers
in Pseudoxanthoma elasticum: A study
of histogenesis. Arch. Pathol. 83 : 108.

- Kaplan, L.; and Hartman, S.W. (1954): Elastica disease:
Case of Gronblad-Strandberg Syndrome
with gastro-intestinal hemorrhage. Arch.
Intern. Med. 94 : 489.
- Keech, M.K., Reed, R. and Wood, M.J. (1956): Further
Observations on the transformation of
Collagen fibrils into "elastin" and
electron microscopic studies, J. Path.
Bact. 71 : 477.
- Knapp, H. (1892): Quoted from Eddy and Farber, (1962).
- Kofler, A. (1917): Quoted from percival, (1968).
- Lawrence, K.A.; Philip, J. F.; Frank P.; and Richard,
W. S. (1974): Pseudoxanthoma elasticum:
Underdiagnosed genetically heterogenous
disorder with protean manifestations.
Arch. Intern. Med., 134 : 1048.
- Lever, W.F.; and lever, G.S. (1983): Pseudoxanthoma
elasticum. Histopathology of the skin.
6th ed. J.B. Lippincott Company. Pladel-
phia. London. Mixico City. New York. St.
Louis-Saopaulo. Sydeny.PP 75.

- Lewis, U.J.; Williams, D.E.; and Brink, N.G. (1956):
Pancreatic elastase: Purification, properties and function, J. Biol. Chem. 222 : 706.
- Loria, P.R.; Kennedy, C.B.; Freeman, J.A.; and Henington, V.M. (1957): Pseudoxanthoma elasticum: A clinical, light and electron microscopic study. Arch. Derm. 76: 609.
- Lund, H.Z., and Gilbert, C.F. (1976): Perforating Pseudoxanthoma elasticum. Arch Pathol. 100 : 544.
- Martinez, H.A.; and Huffer, W.E. (1974): Pseudoxanthoma elasticum: Dermal polyanions and the mineralization of elastic fibers. Lab. Invest. 31 : 181.
- Mckee, P.H.; Cameron, C.H.S.; and Archer, D.B. (1977): A study of four cases of Pseudoxanthoma elasticum. J. Cutan. Pathol. 4 : 146.
- Mckusick, V.A. (1956): Heritable disorders of connective tissue: VI. Pseudoxanthoma elasticum. J. Chron. Dis. 3 : 263.

Mckusick, V.A. (1960): Heritable disorders of connective tissue, 2nd ed. St. Louis, The C.V. Mosby Company, PP 213.

Mckusick, V.A. (1966): Heritable disorders of connective tissue 3rd ed. St. Louis, The C.V. Mosby Company. PP 286.

Mendelsohn, G., Fulkley, B.H., and Hutchins, G.M. (1978): Cardiovascular manifestations of Pseudoxanthoma elasticum. Arch. Pathol. 102 : 208.

Milsted, M. (1969): An unusual anatomic-pathologic aspect of a case with pseudoxanthoma elasticum. Dis. Chest. 55 : 431.

Moran, T.J., and Lansing, A.I. (1958): Studies on the nature of abnormal fibers in pseudoxanthoma elasticum, Arch. Pathol. 65 : 588.

Neldner, K.H.; Reeve, E.B.; and Subryan, T. (1977): Studies on pseudoxanthoma elasticum. J. Invest. Dermatol. 69 : 425.

Nicholson, R.; and Bork, (1974): Quoted from Cunliffe
(1979):

Ormsby, and Montgomery, H. (1954): Diseases of the
skin, Ed. 8, Philadelphia, Lea & Febiger,
p 747.

Paton, D. (1959): Quoted from Percival, (1968).

Percival, S.P.B. (1968): Angioid streaks and elas-
torrhexis. Br. J. Ophthal. 52 : 297.

Peyman, G.A.; Sanders, D.R.; and Goldberg, M.F. (1980):
Angioid streaks. Principles and Practice
of Ophthalmology. Vol. 111. 1st ed.
London. Toronto. PP1657.

Pierard, J., Bersques, J.; and Kint, A. (1965):
Le tissu elastique cutane normal. In:
Maladies due Tissu Elastique Cutane
XII^e Congrès Assoc. Dermatol et Syphil-
ing de langue francaise. Paris, Masson,
PP 1.

Pierard, P.J., and Kint, A. (1970): Le Pseudoxanthome
elastique Sa Structure en microscopie-
electronique. Ann. Derm. Syphiliger.
97 : 481.

Pope, F.M. (1973): Quoted from Pope, (1974 b).

Pope, F.M. (1974 a): Autosomal dominant variants of pseudoxanthoma elasticum. J. of Med. Genet. 11 : 152.

Pope, F.M. (1974 b): Two types of autosomal recessive pseudoxanthoma elasticum. Arch. Derm., 110 : 209.

Pope, F.M. (1975): Historical evidence for the genetic heterogeneity of pseudoxanthoma elasticum. Br. J. Derm. 92 : 493.

Robert, L.; and Robert, A.M. (1980): Elastin, elastase and arteriosclerosis. In: Frontiers of Matrix Biology, Vol. 8, Edited by Robert, A.M., Robert L. Basel, S. Karger, P 130.

Rosenthal, T.B., and Lansing, A.I. (1956): Isolation and assay of elastin from Pancreatin. Anat. Rec. 124 : 356.

Ross, R. (1973): The elastic fiber: A Review. J. Histochem. Cytochem. 21 : 199.

Scholz, R.). (1941): Quoted from percival, (1968).

Schwartz, F.A.; and Richfield, D.F. (1978): Pseudo-xanthoma elasticum with transepidermal elimination. Arch. Derm. 114 : 297.

Shields, J A.; Federman, J.U.; Tomer, T.L.; and Anness-ley, W.H. Jr. (1975): Angioid Streaks. Br. J. Ophthal. 59 : 257.

Sjoholm (1940): Quoted from Cunliffe (1979).

Smith E.W.; Malak, J.A.; and Goodman, M. (1962): Reactive perforating elastosis: A feature of certain genetic disorders. Johns Hopkins Med. J. 111 : 235.

Strandberg, J. (1929): Quoted from Eddy and Farber, (1962).

Szymanski, F.J., and Caro, M.R. (1955): Quoted from Percival, (1968).

Touraine, A., and James (1940): Quoted from Percival, (1968).

- Tsuji, T.; Lavker, R.M.; and Kligman A.M. (1976):
A new method for scanning electron
microscopic visualization of dermal
elastic fibers. J. Microsc. 115 : 165.
- Tunbridge, R.E.; Tattersall, R.N.; half, D.A.; Astbury,
W.T.; and Reed, R. (1952): The fibrous
structure of normal and abnormal human
skin, Clin. Sci. 11 : 315.
- Uitto, J. (1979): Biochemistry of the elastic fibers
in normal connective tissues and its
alterations in diseases. J. Invest.
Derm. 72 : 1.
- Varadi, D.P. (1976): Studies in the chemistry and
fine structure of elastic fibers from
normal adult skin. J. Invest. Derm.
66 : 59.
- Verhoeff, F.H. (1948): Histological findings in
a case of angioid streaks. Br. J. Ophthal.
32 : 531.

- Walford, R.L.; and Kaplan, L. (1957): Pulmonary fibrosis and giant-cell reaction with altered elastic tissue: Endogenous "Pneumoconiosis". Arch. Pathol. 63 : 75.
- Welch, R.B., and Goldberg, M.F. (1966): Quoted from Percival, (1968).
- Whyte, H.J.; and Winkelmann, R.K. (1960): Elastosis perforans (Perforating elastoses) J. Invest. Derm. 35 : 113.
- Wilhelm, K.; and Paver, K. (1972): Sudden death in pseudoxanthoma elasticum. Med. J. Aust. 2 : 1363.
- Wolpers, G. (1944). Quoted from Ross, (1973).