

REFERENCES

REFERENCES

(A)

1. Abt, A.F. (1935): Erythema annulare rheumaticum. American J. of Medical Sciences, 190, 824. Quoted by Warin & Champion (1974).
2. Africk, J.A.; Halprin, K.M. (1969): Infectious mononucleosis presenting as urticaria. J. of the American Medical Association, 209, 1524. Quoted by Warin & Champion (1974).
3. Ashton, W.I.G.; Baardman, B.L.; D'Sa, C.J.; Everall, P.H. and Houghton, A.W.J. (1970): Human fascioliasis in Shropshire British Med. J., iii, 500. Quoted by Warin & Champion (1974).

(B)

4. Bain, W.A.; Hellier, F.F. and Warin, R.P. (1948): Some aspects of the action of histamine antagonists. Lancet, II, 969. Quoted by Warin & Champion (1974).
5. Ballow, M.; Ward, G.W.; Gershwin, M.E. et al. (1975): C1-bypass complement-activation pathway in patients with chronic urticaria and angioedema. Lancet, 2: 248-250. Quoted by Monroe & Jones (1977).
6. Beall, G.N. (1964): Urticaria: A review of laboratory and clinical observations. Medicine, 43: 131-151. Quoted by Monroe & Jones (1977).
7. Bendkowski, B. (1961): Significance of pollens in clinical allergy. J. of the College of General Practitioners, 4, 88. Quoted by Warin & Champion (1974).

8. Bereva, N. (1972): Report to the annual meeting of the Bulgarian Dermatological Association. Quoted by Warin & Champion (1974).
9. Bekisch, V.A.; Muller-Eberhard, H.J. & Co-Chrane, C.G. (1969): Isolation of a fragment (C3a) of the third component of human complement containing anaphylatoxin and chemotactic activity and description of an anaphylatoxin inactivator of human serum. J. Exp. Med., 129: 1109-1130. Quoted by Monroe & Jones (1977).
10. Bekische, V.A.; Muller-Eberhard, H.J. (1970): Anaphylatoxin inactivator in human plasma. Its isolation and characterization as carboxypeptidase. J. Clin. Invest., 49: 2427-2436. Quoted by Monroe & Jones (1977).
11. Bourne, H.R.; Lichtenstein, L.M.; Melman, K.L. (1972): Pharmacological control of allergic histamine release in vitro: Evidence for an inhibitory role of 3'5'-adenosine mono phosphate in human leukocytes. J. Immunol., 108: 695-705. Quoted by Monroe & Jones (1977).
12. Brauner, G.J.; Mihn, Me Jr, Des Creseilliers JP. (1973): Erythema marginatum in streptococcal endocarditis without rheumatic heart disease. Cutis, 12: 206. Quoted by Pinkis, H. & Mehregan, A.H. (1976).
13. Braverman, I.M. (1970): Skin signs of systemic disease, p. 339. Philadelphia: Saunders, Co. Quoted by Warin & Champion (1974).
14. Brindle, M.J. and Twyman, D.G. (1962): Allergic reaction to tentanus toxoid. Br. Med. J., I, 1116. Quoted by Warin & Champion (1974).

15. Bywaters, E.G.L. (1971): Still's disease in adults. *Annals of rheumatic diseases*, 30, 121. Quoted by Warin & Champion (1974).

(C)

16. Campbell, W.R.; Gardiner, W.J. and Scott, D.A. (1930): Reactions after administration of crystalline insulin. *J. of Clin. Invest.*, 9, 28. Quoted by Warin & Champion (1974).
17. Campbell, A.D.; Griffith, G.C. and Leak, W.H. (1946): Skin lesion of rheumatic fever. *U.S. Naval Medical Bulletin*, 46, 360. Quoted by Warin & Champion (1974).
18. Canizares, O. (1951): Cutaneous lesions of rheumatic fever. *Archives of Derm. & Syphilology*, 76, 702. Quoted by Warin & Champion (1974).
19. Castanier, J.; Hee, P.; Lelièvre-Gassin, G. and Chevry, A. (1967): L'œdème aigu hémorragique de la peau du nourrisson. *Annales de dermatologie et syphiligraphie*, 94, 379. Quoted by Warin & Champion (1974).
20. Castelain, P.Y. and Besson, J. (1961): Rôle de l'allergie bactérienne dans l'étiologie de certains urticaires. *Bulletin de la Société française de dermatologie et de syphiligraphie*, 68, 72. Quoted by Warin & Champion (1974).
21. Champion, R.H. (1973): Diseases of the Skin. Drug therapy of urticaria. *Br. Med. J.*, 4: 730-732. Quoted by Monroe & Jones (1977).

22. Champion, R.H.; Robert, S.O.B.; Carpenter, R.G. and Reger, J.H. (1969): Urticaria and angioedema. Br. J. of Der., 81, 588. Quoted by Warin & Champion (1974) and Monroe & Jones (1977).

23. Chapman, L.F.; Godell, H. and Wolff, H.G. (1959a): Changes in tissue vulnerability induced under hypnotic suggestion. J. of Psychosomatic Research, 4, 99. Quoted by Whitlock (1976).

24. Chapman, L.E.; Goodell, H.; Wolff, H.G. (1959b): Augmentation of the inflammatory reaction by activity of the central nervous system. Archives of Neurology, I, 357. Quoted by Whitlock (1976).

25. Code, C.F. (1974): New antagonists excite an old histamin prospector. N. Engl. J. Med., 290: 748-740. Quoted by Monroe & Jones (1977).

26. Cohen, S.G. and Griep, L. (1950): Urticaria and angioedema in association with amebiasis. American Practitioner and Digest of Treatment, 11246. Quoted by Warin & Champion (1974).

27. Comaish, J.S.; Gibson, B.; Barbara and Green, C.A. (1963): Candidiasis: serology and diagnosis. Quoted by James, J. & Warin, R.P. (1971).

28. Cormia, F.E. (1950): The role of psychosomatic factors in dermatoses. Connecticut Medical J., 14, 1051. Quoted by Whitlock (1976).

29. Cowdery, S.C. and Reynolds, J.S. (1969): Acute urticaria in infectious mononucleosis. Annals of Allergy, 27, 182. Quoted by Warin and Champion (1974).

30. Czarnetski, B.M.; Kern, F. and Lichenstein, L.M. (1976): Defective release of eosinophil chemotactic factor from peripheral leukocytes in patients with chronic urticaria. The J. of Invest. Derm., 67, No. 2.

(D)

31. Deeglas, H.M.G. and Bleumink, E. (1975): Protease inhibitors in plasma of patients with chronic urticaria. Arch. Derm. Quoted by Malkinson & Perso (1976).
32. Domenkos, A.N. (1971): Erythema and urticaria. Andrews, diseases of the skin. Clinical Dermatology, Sixth ed., 156: 163. W.B. Saunders Co., Philadelphia, London, Toronto.

(E)

33. Ellis, F.; Friedman, A.A. (1954): Erythema annular centrifugum (Darier's). Arch. Derm., 70: 496. Quoted by Pinkus & Mehregan (1976).
34. El-Mehairy, M.M.; El-Tarabishi, N.M.; El-Din Soliman, M.D. and Fathy, O.F. (1974): The complement values in chronic urticaria. Ain Shams Med. J., Vol. 25, No. 2, 205.
35. El-Mefty, A.M.; Nada, M.M. and Ragab, M.S. (1972): Incidence of skin diseases in Egyptian. The Med. J. of Cairo University, Faculty of Medicine, Vol. 40: I: 36.
36. El-Zawahry, M. (1963): Allergy and infection. In skin diseases in Arabian countries. Vol. I: 4: 57: 87: 32. French Institute of Oriental Archeology, Cairo.

(F)

37. Faig, P.U.; Seter, N.A.; Yager, H.M.; Caplan, L. and Rosen, S. (1976): Vasculitis with urticaria, hypocomplementemia and multiple system involvement. JAMA, Vol. 236, No. 18: 2065.
38. Farah, F.S.; Shboklu, Z. (1971): Auto immune progesterone urticaria. J. Allergy Clin. Immunology, 46: 257-261.
39. Freedman, S.O. (1971): Clinical immunology. p. 61, New York: Harper & Row. Quoted by Warin and Champion (1974).

(G)

40. Gardner, F.H. and Diamond, L.K. (1955): Autoerythrocyte sensitization, a form of purpura producing painful bruising following autosensitization to red blood cells in certain women. Blood, 10: 675.
41. Gilgi, I. (1973): Hereditary angioedema. J. of Invest. Derm., 60: 516-520. Quoted by Monroe & Jones (1977).
42. Gillespie, E. and Lichenstein, L.M. (1972): Histamine release from human leukocytes: Studies with deuterium oxide, colchicine and cytochalasine. Br. J. Clin. Invest., 51: 2941-2946. Quoted by Monroe & Jones (1977).
43. Gloor, M.; Heinkel, K. and Schulz, U. (1972): Zue pathogenetischen Bedeutung Von Magenfunktionsstorungen bei allergisch bedingter chronischer urtikaria. Dermatologische Monatschrift, 158, 96. Quoted by Warin and Champion (1974).

44. Graham, D.T. and Wolf, S. (1950): The pathogenesis of urticaria. J. of the American Medical Association, 143, 1396. Quoted by Warin & Champion (1974).
45. Graham, D.T. and Graham; F.K. (1962): Physiological response to the suggestion of attitudes specific for hives and hypnotism. Psychosomatic Medicine, 24, 159. Quoted by Warin & Champion (1974).
46. Granerus, G.; Svendsen, S.E.; Wetterquist, H. et al. (1969): The metabolism of histamine in a case of cold urticaria. Acta Allergy, 24: 258-260. Quoted by Monroe & Jones (1977).
47. Grant, R.T.; Pearson, R.S.B.; Comeau, W.J. (1936): Observation on urticaria provoked by emotion, by exercise and by warming the body. Clin. Sci., 2: 253-272. Quoted by Monroe & Jones (1977).
48. Grant, J.A.; Dupree, E. and Goldman, A.S. et al. (1975): Complement mediated release of histamine from human leuckocytes. J. Immunol., 114: 1101-1106. Quoted by Monroe & Jones (1977).
49. Greaves, M.W. and Gibson, W.M. (1973): Role of prostaglandins. Br. Med. J., 3: 608-609, Sep. 22. Quoted by Malkinson & Pearson(1974).
50. Greaves, M.W.; Plummer, V.M.; McLaughlan, P. and Stanworth, D.R. (1974): Serum and cell bound IgE in chronic urticaria, 4/3 (265-271). Quoted from Excerpta Medica (1975), Derm. & Vener., Vol. 29, 8, Sec. 13.
51. Greaves, M.; Marks, R. and Robertson, I. (1977): Receptors for histamine in human skin blood vessels: A review. Br. J. of Dermatology, 97, 225.

52. Green, G.R.; Koelsche, G.A.; Kierland, R.R. (1965):
Etiology and pathogenesis of chronic urticaria.
Ann. Allergy, 23: 30-36, 1965. Quoted by Monree
and Jones (1977) and Warin and Champion (1974).
53. Green, G.R.; Zweiman, B.; Beerman, H. and Hildreth,
E.A. (1967): Delayed reactions to inhalant aller-
gens. J. of Allergy, 40, 224. Quoted by Warin
and Champion (1974).
54. Green, M.A. and Green, R.L. (1967)/ Psychotropic
adjuvant in allergic disorder. Psychosomatic,
8, 29. Quoted by Warin and Champion (1974).

(H)

55. Hanstead, B. and John, H.T. (1964): Idiopathic scrotal
oedema of children. Br. J. of Urology, 36, 110.
Quoted by Warin and Champion (1974).
56. Hardman, E.W.; Jones, R.L.N. and Davies, A.H. (1970):
Fascioliasis - a large outbreak. Br. Med. J.,
iii, 502. Quoted by Warin and Champion (1974).
57. Harris, R.H. and Mitchell, J.H. (1949): Chronic urti-
caria due to giardia lamblia. Archives of Derna-
tology and Syphilology, 59, 587. Quoted by Warin
and Champion (1974).
58. Heber, W. Hautklin (1973): Chronically relapsing urti-
caria after an active tetanus inoculation.
Berufscermatosen, 21/5. Quoted in Excerpta Medica
1974. Derm. and Venereae, Vol. 28, 7. Sect. 13.

59. Hersle, K. and Mobaeken, H. (1969): Autoerythrocyte sensitisation syndrome (painful bruising syndrome). Report of two cases and review of the literature. Brit. J. of Dermatology, 81, 574. Quoted by Warin and Champion (1974).
60. Herzheimer, A. (1956): The nervous pathway mediating cholinergic urticaria. Clinical Science, 15, 194. Quoted by Warin and Champion (1974).
61. Holti, G. (1967): Pruritus and Urticaria. Brit. Med. J., Vol. 1, 155.
62. Hovding, G. (1968): Anaphylactic reaction after injection of vitamin B12. Br. Med. J., iii, 102. Quoted by Warin and Champion (1974).
63. Hurley, J.V. and Spector, W.G. (1961): Delayed leucocyte migration after intradermal injection and thermal injury. J. of Pathology and Bacteriology, 82, 421. Quoted by Warin and Champion (1974).

(I)

64. Illig, L. and Heinicke, A. (1967a): Zur pathogenese der cholinergischen urticaria. II Archives fur Klinische urd exoerimentelle dermatologie, 229, 285. Quoted by Warin and Champion (1974).
65. Illig, L. and Heinicke, A. (1976b): Zur pathogenese der cholinergischen urticaria. III Archives fur Klinische urd exoerimentelle dermatologie, 229, 345. Quoted by Warin and Champion (1974).

66. Illig, L. and Kunick, J. (1967): Zur pathogenese der chilinergetischen urtikaria. IV Archives fur Klinische und experimentelle dermatologie, 229, 360. Quoted by Warin and Champion (1974).
67. Illig, L. (1969): Die physikalische urtikaria und ihre untersuchungsmoglichkeiten. Sch weizerische medizinische wechenschrift, 99, 668. Quoted by Warin and Champion (1974).
68. Illig, L. and Kunick, J. (1969): Klinik and diagnostik der physikalischen urtikaria. I, Hautarzt, 20, 167. Quoted by Warin and Champion (1974).
69. Ingram, D.G. (ed.) (1972): Biological activities of the complement. Basel, Karger. Quoted by Warin and Champion (1974).
70. Isaacs, N.K. and Ertel, N.H. (1971): Urticaria and pruritus, uncommon manifestations of hyperthyroidism. J. Allergy Clin. Immunol., 48: 73-81. Quoted by Monroe and Jones (1977).
71. Isdale, I.C. and Bywaters, E.G.L. (1956): The rash of rheumatoid arthritis and Still's disease. Quarterly J. of Med., 25, 377. Quoted by Warin and Champion (1974).

(J)

72. James, J. (1973): Personal communications (to republished). Quoted by Warin and Champion (1974).
73. James, J. and Warin, R.P. (1969): Factitious whealing at the site of previous cutaneous response. Br. J. of Dermatology, 81, 882. Quoted by Warin and Champion (1974).

74. James, J.A. and Warin, R.P. (1971): An assessment of the role of candida albicans and food yeasts in chronic urticaria. Br. J. of Dermatology, 84, 3. Quoted by Warin and Champion (1974).
75. Johnson, H.H. (1957): Histamine levels in human skin. Arch. of Dermatology, 76, 725. Quoted by Warin and Champion (1974).
76. Juhlin, L.; Johannsson, G.O.; Bennich, H.; Hogman, C.; Thyresson, N. and Sweden, U. (1969): Immunoglobulin E in dermatoses, levels in atopic dermatitis and urticaria. Archives of Dermatology, 100, 12.
77. Juhlin, L. and Michaelsson, G. (1969): Cutaneous vascular reactions to prostaglandins in healthy subjects and in patients with urticaria and atopic dermatitis. Acta Derm., Venereol., 49: 251-261.
78. Juhlin, L. and Michaelsson, G. (1969a): Use of Kallikrein inhibitor in the treatment of urticaria and hereditary angioedema. Acta Derm. Venereol., 49, 37.
79. Juhlin, L. and Michaelsson, G. (1969b): Treatment of urticaria with Kallikrein inhibitor. Scandinavian J. of Clin. and Lab. Invest., 24, Supp. 107, 149. Quoted by Warin and Champion (1974).

(K)

80. Kaliner, M.; Orange, R.P. and Austen, K.F. (1972): Immunological release of histamine and slow-reacting substance of anaphylaxis from human lung. J. Exp. Med., 136: 556-567. Quoted by Monroe and Jones (1977).

81. Kaneko, Z. and Takaishi, N. (1963): Psychosomatic studies in chronic urticaria, *Folia psychiatrica et neurologica japonica*, 17, 16. Quoted by Whitlock (1976).
82. Kaplan, A.P.; Gray, L.; Schaff, R.E. et al. (1975): In vivo study of mediator release in cold urticaria and cholinergic urticaria. *J. Allergy Clin. Immunology*, 55: 394-402. Quoted by Monroe and Jones (1977).
83. Katz, H.I. (1975): Etiologic classification of urticaria. Quoted by Moschella, Pillsbury and Hurley (1975).
84. Keil, H. (1937): The rheumatic erythemas - a critical survey. *Annals of Internal Medicine*, II, 2223. Quoted by Warin and Champion (1974).
85. Kennes, B.; De Maubeuge, J. and Delespesse, G. (1977): Treatment of chronic articularia with a β_2 - adrenergic stimulant. *Clin. Allergy*, Vol. 7, 35-39.
86. Kuokkanen, K. (1975): A new antihistamine HC 20 511 compared with dimetinden (Feinstil retard) in the treatment of chronic urticaria and other pruritic dermatoses. *Acta Allergy*, 30:12-3 (73-79). *Excerpta medica*. (1976) *Dermatol. and Venerol.*, Vol, 30, 5, Sect. 13.

(L)

87. Lachman, P.J. (1974): Complement. In clinical aspects of immunology, 3rd. ed., Gell, P.G.H., Coombs, R.R.A. and Lachman, P.J. CH. 14: Oxford: Blackwell. Quoted by Warin and Champion (1974).

88. Landerman, N.S.; Webster, M.E.; Becker et al. (1962):
Hereditary angioneurotic oedema. II Deficiency
of inhibitor for serum globulin permeability
factor and/or plasma Kallikrein. J. Allergy,
33: 330-341. Quoted by Monroe and Jones (1977).
89. Lever, W.F. and Lever, G.S. (1961): Histopathology of
the skin. Quoted by Sheffer and Austen (1971).
90. Liberman, P. (1971): Allergic reactions to insulin.
J. of the American Medical Association, 215,
1106. Quoted by Warin and Champion (1974).
91. Lichtenstein, L.M. and Bourne, H.R. (1971): Inhibition
of allergic histamine release by histamine and
other agents that stimulate adenylyl cyclase,
1953-174. Edited by Austen, K.F. and Beckel el.
Blackwell Scientific Publications. London.
Quoted by Beate, Kern, and Lichtenstein.
92. Lichtenstein, L.M. (1971): The immediate allergic res-
ponse. In vitro separation of antigen activation,
decay and histamine release. J. Immunol., 107:
1122-1129. Quoted by Monroe and Jones (1977).
93. Lichtenstein, L.M.; Gillespie, E. (1973): Inhibition
of histamine release by histamine controlled by
H₂ receptors. Nature, 244: 287-288. Quoted by
Monroe and Jones (1977).
94. Lichtenstein, L.M.; Margolis, S. (1968): Histamine
release in vitro; Inhibition by catecholamines
and methylxanthines. Science, 161: 902-903.
Quoted by Monroe and Jones (1977).

95. Ljunggren, B. and Møller, H. (1971): Hepatitis presenting as transient urticaria. *Acta Derm. Venereologica*, 51, 295. Quoted by Warin and Champion (1974).
96. Lockey, S.D. (1971): Reactions to hidden agents in foods, beverages and drugs. *Annals of Allergy*, 29, 461. Quoted by Warin and Champion (1974).
97. Lockshin, N.A. and Hurley, H. (1972): Urticaria as a sign of viral hepatitis. *Archives of Dermatology*, 105, 570. Quoted by Warin and Champion (1974).
98. London, J.; Friedman, M. and Greenwood, F.C. (1967): Antibodies to corticotrophin therapy. *Lancet*, I, 652. Quoted by Warin and Champion (1974).

(M)

99. Majno, G.; Gilmore, V.; Levanthal, M. (1967): The mechanism of vascular leakage caused by histamine-type mediators. A microscopic study in vivo. *Circ. Res.*, 21: 833-847. Quoted by Monroe and Jones (1977).
100. Malkinson, F.D. and Pearson, R.W. (1974 and 1976): Allergy and Immunology. The year book of dermatology. Year Book Medical Publishers, Inc., Chicago.
101. Matthews, K.P. (1974): A current view of urticaria. *Medical Clinic of North America*, 58, 185. Quoted by Whitlock (1976).
102. Maucher, O.M. and Burgard, W. (1973): Pseudo-Quincke Odemals Ausdruck einer oberen Einflusstörung. *Hautarzt*, 24, 39. Quoted by Warin and Champion (1974).

74. James, J.A. and Warin, R.P. (1971): An assessment of the role of candida albicans and food yeasts in chronic urticaria. Br. J. of Dermatology, 84, 3. Quoted by Warin and Champion (1974).
75. Johnson, H.H. (1957): Histamine levels in human skin. Arch. of Dermatology, 76, 725. Quoted by Warin and Champion (1974).
76. Juhlin, L.; Johannsson, G.O.; Bennich, H.; Hogman, C.; Thyresson, N. and Sweden, U. (1969): Immunoglobulin E in dermatoses, levels in atopic dermatitis and urticaria. Archives of Dermatology, 100, 12.
77. Juhlin, L. and Michaelsson, G. (1969): Cutaneous vascular reactions to prostaglandins in healthy subjects and in patients with urticaria and atopic dermatitis. Acta Derm., Venereol., 49: 251-261.
78. Juhlin, L. and Michaelsson, G. (1969a): Use of Kallikrein inhibitor in the treatment of urticaria and hereditary angioedema. Acta Derm. Venereol., 49, 37.
79. Juhlin, L. and Michaelsson, G. (1969b): Treatment of urticaria with Kallikrein inhibitor. Scandinavian J. of Clin. and Lab. Invest., 24, Supp. 107, 149. Quoted by Warin and Champion (1974).

(K)

80. Kaliner, M.; Orange, R.P. and Austen, K.F. (1972): Immunological release of histamine and slow-reacting substance of anaphylaxis from human lung. J. Exp. Med., 136: 556-567. Quoted by Monroe and Jones (1977).

81. Kaneke, Z. and Takaishi, N. (1963): Psychosomatic studies in chronic urticaria, *Folia psychiatrica et neurologica japonica*, 17, 16. Quoted by Whitlock (1976).
82. Kaplan, A.P.; Gray, L.; Schaff, R.E. et al. (1975): In vivo study of mediator release in cold urticaria and cholinergic urticaria. *J. Allergy Clin. Immunology*, 55: 394-402. Quoted by Monroe and Jones (1977).
83. Katz, H.I. (1975): Etiologic classification of urticaria. Quoted by Moschella, Pillsbury and Hurley (1975).
84. Keil, H. (1937): The rheumatic erythemas - a critical survey. *Annals of Internal Medicine*, II, 2223. Quoted by Warin and Champion (1974).
85. Kennes, B.; De Maubeuge, J. and Delespesse, G. (1977): Treatment of chronic articularia with a beta₂ - adrenergic stimulant. *Clin. Allergy*, Vol. 7, 35-39.
86. Kuokkanen, K. (1975): A new antihistamine HC 20 511 compared with dimetinden (Feinstil retard) in the treatment of chronic urticaria and other pruritic dermatoses. *Acta Allergy*, 3012-3 (73-79). *Excerpta medica*. (1976) *Dermatol. and Venerol.*, Vol. 30, 5, Sect. 13.

(L)

87. Lachman, P.J. (1974): Complement. In clinical aspects of immunology, 3rd. ed., Gell, P.G.H., Coombs, R.R.A. and Lachman, P.J. CH. 14: Oxford: Blackwell, Quoted by Warin and Champion (1974).

88. Landerman, N.S.; Webster, M.E.; Becker et al. (1962): Hereditary angioneurotic oedema. II Deficiency of inhibitor for serum globulin permeability factor and/or plasma Kallikrein. J. Allergy, 33: 330-341. Quoted by Monroe and Jones (1977).
89. Lever, W.F. and Lever, G.S. (1961): Histopathology of the skin. Quoted by Sheffer and Austen (1971).
90. Liberman, P. (1971): Allergic reactions to insulin. J. of the American Medical Association, 215, 1106. Quoted by Warin and Champion (1974).
91. Lichtenstein, L.M. and Bourne, H.R. (1971): Inhibition of allergic histamine release by histamine and other agents that stimulate adenylyl cyclase, 1953-174. Edited by Austen, K.F. and Beckel el. Blackwell Scientific Publications. London. Quoted by Beate, Kern, and Lichtenstein.
92. Lichtenstein, L.M. (1971): The immediate allergic response. In vitro separation of antigen activation, decay and histamine release. J. Immunol., 107: 1122-1129. Quoted by Monroe and Jones (1977).
93. Lichtenstein, L.M.; Gillespie, E. (1973): Inhibition of histamine release by histamine controlled by H_2 receptors. Nature, 244: 287-288. Quoted by Monroe and Jones (1977).
94. Lichtenstein, L.M.; Margolis, S. (1968): Histamine release in vitro; Inhibition by catecholamines and methylxanthines. Science, 161: 902-903. Quoted by Monroe and Jones (1977).

95. Ljunggren, B. and Møller, H. (1971): Hepatitis presenting as transient urticaria. *Acta Derm. Venereologica*, 51, 295. Quoted by Warin and Champion (1974).
96. Lockey, S.D. (1971): Reactions to hidden agents in foods, beverages and drugs. *Annals of Allergy*, 29, 461. Quoted by Warin and Champion (1974).
97. Lockshin, N.A. and Hurley, H. (1972): Urticaria as a sign of viral hepatitis. *Archives of Dermatology*, 105, 570. Quoted by Warin and Champion (1974).
98. London, J.; Friedman, M. and Greenwood, F.C. (1967): Antibodies to corticotrophin therapy. *Lancet*, I, 652. Quoted by Warin and Champion (1974).

(M)

99. Majno, G.; Gilmore, V.; Levanthal, M. (1967): The mechanism of vascular leakage caused by histamine-type mediators. A microscopic study in vivo. *Circ. Res.*, 21: 833-847. Quoted by Monroe and Jones (1977).
100. Malkinson, F.D. and Pearson, R.W. (1974 and 1976): Allergy and Immunology. The year book of dermatology. Year Book Medical Publishers, Inc., Chicago.
101. Matthews, K.P. (1974): A current view of urticaria. *Medical Clinic of North America*, 58, 185. Quoted by Whitlock (1976).
102. Maueher, O.M. and Burgard, W. (1973): Pseudo-Quincke Odemals Ausdruck einer oberen Einflusstörung. *Hautarzt*, 24, 39. Quoted by Warin and Champion (1974).

103. Meyer De Schmid, J.J. and Neuman, A. (1952): Le traitement de l'urticaire chronique par l'héparine. Bulletin de la société française de dermatologie et de syphiligraphie, 59, 286. Quoted by Warin and Champion (1974).
104. Michaelsson, G. (1969): Chronic urticaria. Acta Derm. Venerol., 49: 404-416, 1969.
105. Michaelsson, G. and Juhlin, L. (1973): Urticaria induced by preservatives and dye additives in food and drugs. Br. J. of Derm., 88, 525. Quoted by Warin and Champion (1974).
106. Miller, E.B. and Tisdall, L.H. (1945): Reactions to 10,000 pooled liquid plasma transfusions. J. of the American Medical Association, 128, 863. Quoted by Warin and Champion (1974).
107. Milne, J.A. (1972): An introduction to the diagnostic histopathology of the skin. p. 107. Edward Arnold Ltd., London.
108. Mines, S.C.; Levine, M.I. and Fireman, P. (1969): Serum immunoglobulin levels in acute and chronic urticaria. J. of Allergy, 44, 20. Quoted by Warin and Champion (1974).
109. Monroe, E.W. and Jones, H.E. (1977): Urticaria. An updated review. Arch. Dermatol., 113, 80.
110. Moore-Robinson, M. and Warin, R.P. (1968): Some clinical aspects of cholinergic urticaria. Quoted by Warin and Champion (1974).
111. Morgan, J.K. (1953): ~~Observations on cholinergic urticaria.~~ J. of Investigative Dermatology, 21, 173. Quoted by Monroe and Jones (1977).

112. Meschella, S.L.; Pillsbury, D.M. and Hurley, H.J. (1975):
Dermatology, Vol. I, p. 229. W.B. Saunders Co.,
Philadelphia, London, Toronto.
113. Movate, H.Z. (Ed.) (1971): Inflammation, Immunity and
Hypersensitivity. New York: Harper and Row.
Quoted by Warin and Champion (1974).
114. Muckle, T.J. and Wells, M. (1962): Urticaria, deafness
and amyloidosis. A new heredofamilial syndrome.
Quarterly J. of Medicine, 31, 235. Quoted by
Warin and Champion (1974).
115. Muller-Eberhard, H.J. (1968): Chemistry and reaction
mechanism of complement. Advances in Immunology,
8, 1. Quoted by Warin and Champion (1974).

(N)

116. Nitzschner, H. (1970): Der Fibrinogenspiegel der
Chronisch-Residivierenden urticaria. Zeitschrift
für Haut und Geschlechtskrankheiten, 8, 321.
Quoted by Warin and Champion (1974).

(O)

117. Orange, R.P. and Austen, K.F. (1971): Chemical media-
tors of immediate hypersensitivity, in Good, R.A.,
and Fisher, D.W. (eds.). Immunobiology. Stamford,
Conn; Sinauer Associates, p. 115-121. Quoted by
Monroe and Jones (1977).
118. Ottolenghi, F. (1973): Antibiotics and chemotherapy of
enterogenous urticaria. Dermatol. Klin., Univ.
Siena-Munch. Med. Wschr., 115/36 (1623-1626).
Quoted from Excerpta Medica (1974). Dermatol.
and Venerol., Vol. 28.6, Sec. 13.

(P)

119. Paley, R.G. (1949): Mechanism of cutaneous reactions to insulin. *Lancet*, ii, 1216. Quoted by Warin and Champion (1974).
120. Papa, C.M. and Shelley, W.B. (1964): Menthol hypersensitivity. Diagnostic basophil response in a patient with chronic urticaria, flushing, and headache. *J. of the American Medical Association*, 189, 546. Quoted by Warin and Champion (1974).
121. Park, H.S.; Cho, C.K. and Weo, T.H. (1976): A clinical study on urticaria. *Korean J. Dermatol.*, 14/2 (101-106). Quoted from *Excerpta Medica* 1977. *Dermatol. and Venerol.*, Vol. 31.5, Sec. 13.
122. Paton, W.D.M. (1956): The mechanism of histamine release. In histamine, Ed. Wolsten-Holme, G.E.W. and O'Connor, C.M. Ciba Symposium. London: Churchill. Quoted by Warin and Champion (1974).
123. Paton, W.D.M. (1957): Histamine release by compounds of simple chemical structure. *Pharmacol. Rev.*, 9: 269-328. Quoted by Monroe and Jones (1977).
124. Paulsen, H.C. (1961): Alimentary allergy. Allergy to fish. *Acta Allergologica*, 16, 380. Quoted by Warin and Champion (1974).
125. Peker, J. and Goetzki, H. (1969): Proteolytische aktivitat im duodenalsaft bei urticaria chronica. *Dermatologische monatschrift*, 155, 297. Quoted by Warin and Champion (1974).

126. Pinkus, H. and Mehregan, A.H. (1976): A guide to dermatohistopathology, p. 162, 2nd. Ed. Appleton-Century-Grafts. New York.
127. Porter, J.F. and Mitchell, R.G. (1972): Distribution of histamine in human blood. *Physiological review*, 52, 361. Quoted by Warin and Champion (1974).

(R)

128. Rantuccio, F. and Angelini, G. (1976): Etiological review on allergic urticaria. *G. Ital. Derm. Minerva Derm.*, 111/5 (279-287). Quoted from *Excerpta Medica* (1977), *Dermatol. and Venerol.*, Vol. 31.7, Sec. 13.
129. Ratnoff, O.D. and Ayle, D.P. (1968): Psychogenic purpura: a re-evaluation of the syndrome of auto erythrocyte sensitisation. *Medicine (Baltimore)*, 47, 475. Quoted by Warin and Champion (1974).
130. Riley, J.F. and West, G.B. (1953): The presence of histamine in tissue mast cells. *J. of Physiology*, 120, 528. Quoted by Warin and Champion (1974).
131. Riley, J.F. and West, G.B. (1956): Skin histamine. Its localisation in the tissue mast cells. *Archives of Dermatology*, 74, 471. Quoted by Warin and Champion (1974).
132. Rorsman, H. (1962): Studies on basophil leucocytes with special reference to urticaria and anaphylaxis. *Acta dermato-venerologica*, 42, 48.

133. Rothman, S. (1954): Physiology and biochemistry of the skin, p. 64. Chicago: Univ. of Chicago Press. Quoted by Warin and Champion (1974).
134. Ruddy, S.; Gilgi, I. and Austen, K.F. (1972): The complement system in man: Activation, control and products of reaction sequence. N. Engl. J. Med., 287: 487-495. Quoted by Monroe and Jones (1977).
135. Rudzki, E.; Bankowski, W. and Czubalski, K. (1970): The suggestive effect of placebo on the intensity of chronic urticaria. Acta allergologica, 25, 70. Quoted by Whitlock (1976).
136. Ružeda, L.A. (1974): Clinical evaluation of a new antihistamine WA 172 H.F.C. (Eutarpan) in allergic disorders of the skin. Sero. Dermotol., Hosp. Milit. Cent., Bogota Univ. Med. 6/2 (106-113). Quoted from Excerpta Medica (1976). Dermatol. and Venerol., Vol. 30.9, Sec. 13.
137. Russell Davis, D. and Kennard, D.W. (1964): Urticaria. J. of Psychosomatic Research, 8, 203. Quoted by Warin and Champion (1974).
138. Ryan, E. (1962): Dermatoses of pregnancy. Proceedings of the Royal Society of Medicine, 55, 461. Quoted by Warin and Champion (1974).
139. Ryan, T.J.; Nishioka, K. and Dawber, R.P.R. (1971): Epithelial-endothelial interactions in the control of inflammation through fibrinolysis. British J. of Dermatology, 84, 501. Quoted by Warin and Champion (1974); and by Monroe and Jones (1977).

(S)

140. Sehade, C.; Kaben, U. and Westphal, H.J. (1975):
Incidence of yeasts and therapeutic results in
chronic urticaria. Hautklin, Univ. Rustock-
Derm Mschr, 161/3 (187-195). Quoted from
Excerpta Medica (1976) Dermatol. and Venerol.,
Vol. 30.2, Sec. 13.
141. Sheffer, A.L. and Austen, K.F. (1971): Urticaria and
angioedema. In Fitzpatrick, Dermatology in
General Medicine. Mc Graw Hill Book Co. New
York.
142. Sheldon et al. (1954): Epidemiology of urticaria.
Quoted by Sheffer and Austen in Dermatology
in General Medicine (1971). Editor-in-chief,
Fitzpatrick, p. 1262. Mc Graw Hill Book Co.,
New York.
143. Shelley, W.B. (1969): Urticaria in the years duration
cleared following dental extraction. Archives
of Dermatology, 100, 324. Quoted by Warin and
Champion (1974).
144. Shereff, R.; Harwell, W.; Lieberman, P.; Rosenberg,
E. and Robinson, H. (1975): Effect of beta
adrenergic stimulation and blockade on immediate
hypersensitivity skin test reaction. J. of
Allergy and Clinical Immunology, 52, 328.
145. Shipman, W.G.; Shoemaker, R.J.; Levine, M.I. and
Mally, M.A. (1959): The problems of psychoso-
matic specificity of chronic urticaria: a case
report. J. of Clinical Psychology, 15, 133.
Quoted by Warin and Champion (1974).

146. Shoemaker, R.J. (1963): A search for the effective determinations of chronic urticaria. *Psychosomatic*, 4, 125. Quoted by Warin and Champion (1974).
147. Shoenfeld, Y. and Sclarovsky, S. (1974): Changes in the T-wave of the electrocardiograph in urticaria. *Br. J. of Dermatology*, 90, 283.
148. Siegel, B.B. (1959): Hidden contacts with penicillin. *Bulletin of the World Health Organisation*, 21, 703. Quoted by Warin and Champion (1974).
149. Singh, G. and Ojha, D. (1968): Chronic urticaria and Filariasis. *Dermatologica (Basel)*, 136, 173. Quoted by Warin and Champion (1974).
150. Solomon, L.M.; Juhlin, L. and Kirschenbaum, M.B. (1968): Prostaglandins on cutaneous vasculature. *J. Invest. Dermatol.*, 51: 280-282. Quoted by Monroe and Jones (1977).
151. Sondergaard, J. and Greaves, M.W. (1971): Prostaglandin E: effect on human vasculature and skin histamine. *Br. J. of Dermatology*, 84: 424-428. Quoted by Monroe and Jones (1977).
152. Soter, N.A.; Austen, F.K. and Gilgi, I (1974): Urticaria and arthralgias as manifestations of necrotizing angitis (vasculitis). *J. Invest. Dermatol.*, 63: 485-490. Quoted by Monroe and Jones (1977).
153. Spector, W.G. and Willoughby, D.A. (1964): Effect of vascular permeability factor on the emigration of leucocytes. *J. of Pathology and Bacteriology*, 87, 341. Quoted by Warin and Champion (1974).

154. Stewart, W.M.B.; Danto, J.L. and Maddin, S. (1974):
Dermatology, diagnosis and treatment of cutaneous disorders. 3rd. ed., p. 116. The C.V. Mosby Co., Saint Louis.
155. Stokes, J.H.; Kulcher, G.V. and Pillsbury, D.M. (1935):
Effect on the skin of emotional and nervous states, aetiologic background of urticaria with reference to psychoneurogenous factor. Archives of Dermatology and Syphilis, 31, 470. Quoted by Whitlock (1976).
156. Sulzberger, M.B. and Bear, R.L. (1951): In the Year Book of Dermatology and Syphilology, p. 164, Chicago. The Year Book Publishers. Quoted by Warin and Champion (1974).
157. Sulzberger, M.B.; Wolf, J.; Witten, V.H. and Kopf, A.W. (1961): Management of chronic urticaria. In Dermatology: Diagnosis and Treatment. 2nd. Ed., 241, Year Book Publishers Inc., Chicago.
158. Swinny, B. (1941): The atopic factor in urticaria. Southern Medical J., 34, 855. Quoted by Warin and Champion (1974).
159. Szarmach, H.; Kryszewski, A. and Filipink, J. (1972):
Assessment of the eliminative capacity of the stomach and small bowel absorption in patients with chronic urticaria, endogenous eczema and acne rosacea. Allergy and Immunology, 18/4 (287-290). Quoted from Excerpta Medica (1975), Dermatol. and Venerol., Vol. 29.1, Sec. 13.

(T)

160. Thompson, J.S. (1968): Urticaria and angioedema. *Annals of Internal Medicine*, 69, 361. Quoted by Warin and Champion (1974).
161. Tromovitch, J.A. and Heggli, W.F. (1967): Autoimmune progesterone urticaria. *Calif. Med.*, 106: 211-212. Quoted by Monroe and Jones (1977).
162. Tucker, E.S. (1974): The role of complement and other biochemical mediators in immunologic disease, in Nakumara RMM. (Ed.): *Immunopathology: Clinical Laboratory Concepts and Methods*. Boston, Little Brown and Co., p. 106-113. Quoted by Monroe and Jones (1977).

(U)

163. Unger, A.H. (1960): Chronic urticaria. II Association with dental infections. *Southern Medical J.*, 53, 178. Quoted by Warin and Champion (1974).
164. Urbach, E. and Gottlieb, P.N. (1946): *Allergy*, 2nd. Ed., London: Heinmann. Quoted by Warin and Champion (1974).
165. Uvan, B. (1964): Release process in mast cells and their activation by injury. *Ann N Y Acad Sci.*, 116: 880-890. Quoted by Warin and Champion (1974).

(V)

166. Valentine, M.D.; Sheffer, A.L. and Austen, K.F. (1971): Urticaria and angioedema. *Immunological Dis.*, p. 406. Boston: Little Brown. Quoted by Warin and Champion (1974).

(W)

167. Warin, R.P. and Champion, R.H. (1974): Rook A: Urticaria. Vol. I, in the series of major problems of Dermatology. W.B. Saunders Co. Ltd., London.
168. Warin, R.P. and Smith, R.J. (1976): Challenge test battery in chronic urticaria. Br. J. of Dermatology, 94, 401.
169. Ward, P.A. (1972): Biological activities of the complement system. Annals of Allergy, 30, 307. Quoted by Warin and Champion (1974).
170. Weary, P.E.; Gurrant, J.L. and Charlottesville, Va. (1967): Chronic urticaria in association with dermatophytosis. Response to the administration of griseofulvin. Arch. Derm., Vol. 95, 400.
171. Whitlock, F.A. (1976): Personality studies and precipitating psychic factors. In Physiological Aspects of Skin Diseases. Vol. 8, 157. W.B. Saunders Co. Philadelphia.
172. Willen, R. (1808): The historical background. Quoted by Warin and Champion (1974).
173. Winkelmann, R.K. (1957): Chronic urticaria. Proceedings of the Staff Meeting of Mayo Clinic, 32, 329. Quoted by Warin and Champion (1974).
174. Wittkower, E. and Russel, B.F. (1953): Emotional factors in skin diseases. New York: Hoebner. Quoted by Warin and Champion (1974).

(Y)

175. Yamamoto, S.; Greaves, M.W. and Fairley, V.M. (1973):
Inhibition of human cutaneous anaphylaxis by
cytochalasin B. *Immunology*, 24: 1007-1012.
Quoted by Monroe and Jones (1977).

(Z)

176. Zondek, B. and Bromberg, Y.M. (1945): Endocrine allergy.
Allergic sensitivity to endogenous hormones. *J.
of Allergy*, 16, 1. Quoted by Warin and Champion
(1974).
177. Zweiman, B. (1971): Diagnostic procedures in atopic
patients. In *Advances in Biology of Skin*, Vol.
XI, Immunology and the Skin, Ed. Montagna, W.
and Billingham, R.E., Chapter 7. New York:
Appleton Century Crafts. Quoted by Warin and
Champion (1974).
178. wemer, R.; Hodge, S.; Owen, L.G. and Fleigelman,
M.T. (1971): Persistent toxic erythema and
chronic urticaria. *Arach. Derm.*, Vol. 104, 390.