

REFERENCES

Aitken, R.J. and Clarkson, J.S. (1987) :

Celular basis of defective sperm function and its association with the genesis of reactive oxygen species by human spermatozoa.

J. Reprod Fertil, 81 : 459.

Aitken, R.J. (1989) :

The role of free oxygen radicals and sperm function.

Int. J. Androl., 12 : 95.

Aitken, R.J. and West, KM. (1990) :

Analysis of the relationship between reactive oxygen species production and leukocyte infiltration in fractions of human semen separated on percoll gradients. Int. J.Androl., 13 : 433.

Aitken, R.J.; West, K. and Buckingham, D. (1994) :

Leukocytic infiltration in the human ejaculate and its association with semen quality, oxidative stress, and sperm function. J. Androl., 15 : 343.

Alvarez, J.G.; Touchstone, J.C.; Blasco, L. and Storey, B.T. (1987) :

Spontaneous lipid peroxidation and production of hydrogen peroxide and superoxide in human spermatozoa. Superoxide dismutase as major enzyme protectant against oxygen toxicity. J. Androl, 8 : 338.

Amann, R.P. (1989) :

Can the Fertility potential of a seminal sample be predicted accurately ? J. Androl., 10 : 89 -97.

Anderson, R.U. and Weller, C. (1979) :

Prostatic secretion leukocyte studies in non-bacterial prostatitis (Prostatosis).

Urol., 121 : 292.

Anderson, D.J.; Wolff, H.; Zhang, W. and Pudeny, J. (1990) :

Immunology of the male reproductive tract-implications for the sexual transmission of human immunodeficiency virus. In : Aids and sex. An integrated biomedical and biobehavioural approach. Voeller B, Reinish, JM. Gottlieb, M. (eds). New York, Oxford University Press, P. 311.

Anderson, D.J.; O'Brien, T.R.; Politch, J.A.; Martinez, A.; Seage, G.R. and Padian, N. (1992) :

Effects of disease stage and zidovudine therapy on the detection of human immunodeficiency virus type 1 in semen. J. Am. Med. Assoc., 267 : 2769.

Auroux, M.; Collin, C. and Couvillers, M.L. (1985) :

Do nonspermatozoal cells mainly stem from spermatogenesis? Study of 106 fertile and 102 subfertile men. Arch. Androl., 14- 73.

Aumüller, G. and Riva, A. (1992) :

Morphology and functions of the human seminal vesicle. Andrologia, 24 : 183.

Ayodeji, O. and Baker, H.W.G. (1986) :

Is there a specific abnormality of sperm morphology in men with varicocele ? Fertil., Steril., 45 : 839.

Baker, H.W.G.; Straffon, W.G.E.; Murphy, G.; Davidson, A.; Burger, H.C. and De Kretser, D.M. (1979) :

Prostatitis and male infertility a pilot study. Possible increase in sperm motility with antibacterial chemotherapy. Int J. Andol.2 : 193-201.

Balkwill, F.R. and Burke (1989) :

The cytokine network. Immunol. Today, 10 : 299.

Barratt, C.L.R.; Harrison, P.E.; Robinson, A. and Cooke, I.D. (1990) :

Antisperm antibodies and lymphocyte subsets in semen-not a simple relationship. Int. J. Androl. 13 : 50.

Bedford, J.M. (1967):

Observation on the fine structure of spermatozoa of the bush baby- (*golagosenegalensis*), the African Green Monkey (*Cereopithecusaethrops*) and man. *Am. J. Anat.*, 121:443.

Berger, R.E.; Karp, L.E.; Williamson, R.A.; Koehler, J.; Moore, D.E. and Holmes, K.K. (1982) :

The relationship of pyospermia and seminal fluid bacteriology to sperm function as reflected in the sperm penetration assay. *Fertil. Steril.* 37 : 557-564.

Berger, R.E.; Smith, W.D.; Critchlow, C.W.; Stenchever, M.A.; Moore, D.E. and Spadoni, L.R. (1983):

Improvement in the sperm penetration (hamster ova) assay (SPA) results after doxycycline treatment of infertile men. *J. Androl.* 4 : 126.

Bowie, W.R. (1984) :

Urethritis in males. In : Sexually transmitted diseases. Holmes K.K, March P.A, Sparling P.F, Wiesner P.J (eds). New York : McGraw-Hill Book Company. P.638.

Boockfor, F.R. and Schwarz, L.K. (1991) :

Effect of interleukin-6, interleukin-2 and tumour necrosis factor α on transferrin release from sertoli cells in culture. *Endocrinology*, 129 : 256.

Branigan, EF. and Muller, CH. (1994) :

Efficacy of treatment and recurrence rate of leukocytospermia in infertile men with prostatitis. *Fertil. Steril.*, 62 : 580.

Buch, J.P.; Kolon, T.F; Maulik, N.; Kreutzer, D.L. and Das, D.K. (1994):

Cytokines stimulate lipid membrane peroxidation of human sperm. *Fertil. Steril.*, 62 : 186.

Calkins, J.H.; Sigel, M.M.; Nankin, H.R. and Lin, T. (1988) :

Interleukin-2 inhibit leyding cell steroidogenesis in primary culture. *Endocrinology*, 123 : 1605.

Cary, H.W. (1916):

Examination of semen with reference to gynecological aspects.

Am. J. Obstet. Dis. Women Child, 74, 615-38.

Chan, P.J.; Su, Bc.; Tredway, D.R.; Whrtiney, E.A.; Pang, S.C. and Selli, J. (1994) :-

White blood cells in semen affect hyperaction but not sperm membrane integrity in the head and tail regions.

Fertil-Steril., 61 : 986.

Chacho, K.J.; Anderson, P.J. and Scommegna, A. (1987) :

The effect of peritoneal macrophage incubates on the spermatozoa assay. Fertil. Steril., 48 : 694.

Close, C.E.; Roberts, P.L.; and Berger, R.E. (1990) :

Cigarettes, alcohol and marijuana are related to pyospermia in Fertile men. J. Urol., 144 : 900.

Couture, M.; Ulstein, M.; Leonard, J. and Paulsen, J.A. (1976) :

Improved staining method for differentiating immature germ cells from white blood cells in human seminal fluid.

Andrologia, 8 : 61.

Comhaire, F.; Verschraegen, G. and Vermeulen, L. (1980) :

Diagnosis of accessory gland infection and its possible role in male infertility. Int. Androl., 3 : 32.

Colleen, S. and Maardh, P.A. (1982) :

Complicated infections of the male genital tract with emphasis on chlamydia trachomatis as an etiological agent.

Scand. J. Infect. Dis. 32 (Suppl) : 93.

Cohen, J.; Edwards, R.; Fehilly, C.; Fishel, S.; Hewitt, J. and Purdy, J. (1985) :

In vitro fertilization : a treatment for male infertility. Fertil. Steril., 43 : 422.

Colpi, G.M.; Roveda, M.L. and Tognetti, A. (1988) :

Seminal tract inflammation and male infertility correlations between leukospermia and clinical history, prostatic cytology, conventional semen parameters, sperm viability and seminal plasma protein composition. *Acta. Eur. Fertil.*, 14 : 69.

Comhaire, F.; Rowe, P.J. and Farley, T.M.M. (1986) :

The effect of doxycycline in infertile couples with male accessory gland infection : a double blind prospective study. *Int. J. Androl.*, 9 : 91.

Comhaire, F.; Vertneuten, L. and Pieters, O. (1989) :

Study of the accuracy of physical and biochemical markers in semen to detect infectious dysfunction of the accessory sex glands. *J. Andro.*, 10 : 50.

Cooper, T.G.; Yeung, C.H.; Nashan, D.; Jockenhovel, F. and Nieschlag, E. (1990) :

Improvement in the assessment of human epididymal function by the use of inhibitor in the assay of α -glucosidase, in seminal plasma. *Int. J. Androl.*, 13 : 297.

Comhaire, F.; Bosmans, E.; Ombelet, W.; Punjabi, U. and Schoonjans, F. (1994) :

Cytokines in semen of normal men and of patients with andrological diseases. *Am. J. Reprod. Immunol.*, 31 : 99.

David, G.; Bisson, J.P.; Czyglik, F.; Juannet, P. and Gernigon, C. (1975) :

Anomalies morphologiques du spermatozoïde humain. (1) Propositions pour un système de classification -J- gynécol. Obstet. Biol. Reprod., 4 Suppl. 1 : 17.

De Lamirande, E. and Gagnon, C. (1993) :

Human sperm hyperactivation in whole semen and its association with low superoxide scavenging capacity in seminal plasma. *Fertil. Steril.*, 59 : 1291.

De Geyeter, C.; De Geyter, M.; Behre, H.M.; Schneider, H.P.G. and Nieschlag, E. (1994) :

Peroxidase-positive round cells and microorganisms in human semen together with antibiotic treatment adversely influence the outcome of in-vitro fertilization and embryo transfer. *Int. J. Androl.*, 17 : 127.

Drach, G.W.; Fair, W.R.; Mears, E.M.Jr.; Stamey, T.A. (1978) :

Classification of benign diseases associated with prostatic pain : Prostatitis or prostatodynia ? *J. Urol.*, 120 : 266.

Dym, M. and Fawcett, D.W. (1970) :

The blood-testis barrier in the rat and the physiological compartmentation of the seminiferous epithelium. *Biol. Reprod.*, 3 : 308.

Dym, M. and Romrell, L.J. (1975) :

Intraepithelial lymphocytes in the male reproductive tract of rats and rhesus monkeys. *J. Reprod. Fertil.*, 42 : 1.

Eggert-Kruse, W.; Pohl, S.; Naher, H.; Tilgen, W. and Runnebaum, B. (1992a) :

Microbial colonization and sperm-mucus interaction : results in 1000 infertile couples. *Hum. Reprod.*, 7 : 612.

Eggert-Kruse, W.; Bellamann, A.; Rohr, G.; Titgen, W. and Runnebaum, B. (1992b) :

Differentiation of round cells in semen by means of monoclonal antibodies and relationship with male fertility. *Fertil. Steril.*, 58 : 1046.

Eisermann, J.; Register, K.B.; Strickler, R.C. and Collins, J.L. (1989):

The effect of tumor necrosis factor on human sperm motility in vitro. *J. Androl.*, 10 : 270.

Eliasson, R. (1971) :

Standards for investigation of human semen. *Andrologia*, 3 : 49.

Elson, E.C.; Ivor, L. and Gochman, N. (1978) :

Substitution of a non-hazardous chromogen for benzidine in the measurement of plasma hemoglobin. *Am. J. Clin. Pathol.*, 69 : 354.

Eliasson, R. (1981) :

Analysis of semen. In Burger, II. and De Kretser, D. (eds).
The testis, PP. 381-99 (New York : Raven Press).

El-Demiry, M.I.M.; Hargreave, T.B.; Bussuttil, A.; James, K.; Ritchie, A.W.S. and Chisholm, G.D. (1985) :

Lymphocyte sub- populations in the male genital tract. Br. J. Urol., 57 : 769.

El-Demiry, M.I.M.; Young, H.; Elton, R.A.; Hargreave, T.B.; James, K. and Chisholm, G.D. (1986) :

Leukocytes in the ejaculate from fertile and infertile men. Br. J. Urol., 58 : 715.

El-Demiry, M.I.M.; Hargreave, T.B.; Bussuttil, A.; James, K. and Chisholm, G.D. (1986) :

Identifying leukocytes and leukocyte subpopulations in semen using monoclonal antibody probes. Urology, 28 : 492.

El-Demiry, M.I.M.; Hargreave, T.B.; Bussuttil, A.; Elton, R.; James, K. and Chisholm, G.D. (1987) :

Immunocompetent cells in human testis in health and disease. Fertil. Steril., 48 : 470.

El-Demiry, M.I.M. and James, K. (1988) :

Lymphocyte subsets and macrophages in the male genital tract in health and disease. Eur. Urol., 14 : 226.

Endz, AW. (1974) :

A rapid staining method for differentiating granulocytes from "germinal cells" in papanicolaou-stained semen. Acta Cytol., 18 : 2.

Flak, H.C. and Kaufman, S.A. (1950) :

What constitutes a normal semen ? Fertil. Steril., 1 : 489.

Fariss, B.L.; Fenner, D.K.; Plymate, S.R.; Brannen, G.L.; Jacob, W.H. and Thomason, A.M. (1981) :

Seminal characteristics in the presence of a varicocele as compared with those of expectant fathers and prevasectomy men. Fertil. Steril., 33 : 325.

Fedder, J.; Askjaer, S.A. and Hjort, T. (1993) :

Nonspermatozoal cells in semen : relationship to other semen parameters and fertility status of the couple.
Arch. Androl., 31 : 95.

Fedder, J. (1994):

Quantification of leukocyte subpopulations in semen using an immunoenzymatic technique with APAAP: a methodological study. Mol. Androl., 6 : 45-57.

Fedder, J. and Ellermann-Eriksen, S. (1995) :

Influence of cytokines on sperm motility and ionophore-stimulated acrosome reaction. Arch. Androl., 35 : 173-185.

Fowlkes, D.N.; Macleod, J. and O'Leary, W.M. (1975) :

T-mycoplasma and human infertility : A correlation of infection with alterations in seminal parameters. Fertil. Steril., 26 : 1212.

Frank, I.M.; Benjamin, J.A. and Segerson, J.E. (1954) :

Cytologic examination of semen. Fertil. Steril., 5 : 217-26.

Franken, D.R.; Oehninger, S.; Burkman, L.J.; Coddington, C.C.; Kruger, T.F.; Rosenwaks, Z.; Acosta, A.A. and Hodgen, G.D. (1989):

The hemizona assay (HZA) : a predictor of human sperm fertilizing potential in vitro fertilization (IVF) treatment. Journal of in vitro Fertilization and Embryo Transfer, 6, 44-50.

Freund, M. (1966) :

Standards for the rating of human sperm morphology. A cooperative study. Int. J-Fertil., 11 : 97.

Fredricsson, B. and Björk, R. (1977) :

Morphology of postcoital spermatozoa in the cervical secretion and its clinical significance. Fertility and Sterility, 28, 841-845.

Fritz, H.; Jochum, M.; Duswald, K.H.; Dittmer, Kortmann, H. and Neumann, S. (1984) :

Granulocyte proteinases as mediators of unspecific proteolysis in inflammation : a review. In : Selected topics in clinical enzymology. Goldberg, D.M. Werner M, (eds.) Berlin, New York : de Gruyter- Verlag, P.305.

Gavella, M. and Lipovac V. (1993) :

Effect of leucocytes on the hypoosmotic swelling test of human sperm. Arch. Androl., 30 : 55-61.

Gonizales, G.F.; Kortebani, G. and Mazzoli, A.B. (1992) :

Leukocytospermia and function of the seminal vesicles on seminal quality Fertil. Steril., 57 : 1058.

Gopalkrishnan, K.; Joseph, R. and Sheth, A.R. (1994) :

Alteration of semen characteristics and regulatory factors in human semen with bacterial infection. Arch. Androl., 32:213.

Gnarpe, H. and Friberg, J. (1973) :

T-mycoplasmas on spermatozoa and infertility. Nature, 245 : 97.

Gnessi, L.; Fabbri, A.; Silvestroni, L.; Moretti, C.; Fraioli, F. and Pert, CB. (1986) :

Evidence for the presence of specific receptor for N-formyl chemotactic peptides on human spermatozoa.
J. Clin. Endocrinol. Metab., 63 : 841.

Greenblatt, R.M.; Handsfield, H.H.; Sayers, M.H. and Holmes, K.K. (1986) :

Screening therapeutic insemination donors for sexually transmitted disease : overview and recommendations.
Fertil. Steril., 46 : 351.

Guo, H.; Calkins, J.H.; Sigel, MM. and Lin, T. (1990) :

Interleukin-2 is a potent inhibitor of leydig cell steroidogenesis. Endocrinology, 127 : 1234.

Hartmann, G.G.; Schoenfeld, C. and Copeland, E. (1964) :

Individualism in the seminal picture of infertile men.
Fertil. Steril., 15 : 231.

Hargreave, T.B. and Elton, R.A. (1983) :

Is conventional sperm analysis of any use ? Br. J. Urol., 55: 774.

Harrison, P.E.; Barrat, C.L.R.; Robinson, A.J.; Kessopoulou, E. and Cooke, I.D. (1991) :

Detection of white blood cell populations in the ejaculation of fertile men. J. Reprod. Immunol, 19 : 95.

Haney, A.F.; Hughes, S.F. and Weinberg, J.B. (1992) :

The lack of effect of tumor necrosis factor- α , and interferon- γ on human sperm motility in-vitro. J. Androl., 13: 249.

Haidl, G. and Schill, W.B. (1993) :

Sperm morphology in fertile men. Arch. Androl. 31 : 153-7.

Harvey, C. and Jackson, M.H. (1995) :

Assessment of male fertility by semen analysis. An attempt to standardize methods. Lancet, ii, 99 -104, 134-9.

Hellings, G. (1976) :

Clinical Andrology, PP. 15-29.

(London : William Heinemann Medical Books).

Hermo, L. and Lalli, M. (1978) :

Monocytes and mast cells in the limiting membrane of human seminiferous tubules. Biol. Reprod., 19 : 92.

Hinting, A.; Comhaire, F.; Vermeulen, L.; Dhont, M.; Vermeulen, A. and Vanderkerckhove, D. (1980) :

Value of sperm characteristics and the result of in-vitro fertilization for predicting the outcome of assisted reproduction. Int. J. Androl., 13 : 59.

Hill, J.A.; Haimovici, F.; Politch, J.A. and Anderson, D.J. (1987) :

Effects of soluble products of activated lymphocytes and macrophages (lymphokines and monokines) on human sperm motion parameters, Fertil. Steril, 47 : 460.

Hill, J.A.; Cohen, J. Anderson, D.J. (1989):

The effects of lymphokines and monokines on human sperm fertilizing ability in the zona - free hamster egg penetration test. Am. J. Obstet. Gynecol., 160 : 1154-1159.

Hotchkiss, R.S.; Brunner, E.K. and Grenley, P. (1938):

Semen analysis of two hundred fertile men.
Am. J. Med. Sci., 196 : 362.

Holstein, A.F. (1978) :

Spermatophagy in the seminiferous tubules and excurrent ducts of the testis in rhesus monkey and, man Andrologia, 10 : 331.

Hofmann, N. and Kuwert, E. (1979) :

Die chronische, nicht-Erreger-bedingte Orchitis. Z. Hautkr., 54 : 173-80.
Quoted from Wolff white blood cells in semen fertil. Steril., 63 (6) 1995.

Hofmann, N.; Klasa, M.; Behrendt, H.; Hilscher, B.; Haider, S.; Passia, D. and Hilscher, W. (1983) :

Appearance of mast cells in human testis with sertoli cell only syndrome. Fortschr and., 8 : 122.

Ho, D.D.; Schooley, R.T.; Rota, T.R.; Kaplan, J.C.; Flynn, T. and Salahuddin, S.Z. (1984) :

HTLV-III in semen and blood of a healthy homosexual man-science, 226 : 451.

Hofmann, N. and Haider, S.G. (1985) :

Neue Ergebnisse morphologischer Diagnostik der Spermatogenese Störungen. Gynäkologe, 18 : 70.

Hofmann, N.; Freundle, G. and Glorack, M. (1985) :

Die Formstörungen der Spermatozoen in Sperma und zervikalschleim als Spiegel testikulärer Erkrankungen. Gynäkologe, 18 : 189-92.
Quoted from Human spermatozoa in assisted reproduction Acosta, A.A. and Kruger, T.F. the par the non publishing group, New York London.

Hofmann, N. (1987) :

Wege Zur Andrologie. Einführung in die Praxis. Erster Teil. (Bremerhaven : Ditzien Druck and Verlags-GmbH).

Homyk, M.; Anderson, D.J.; Wolff, H. and Herr, J.C. (1990) :

Differential diagnosis of immature germ cells in semen utilizing monoclonal antibody MHS-10 to the intraacrosomal antigen SP-10 Fertil. Steril., 53 : 323.

Hussenet, F.; Dousset, B.; Cordonnier, J.L.; Jacob, C.; Foliguet, B. and Grignon, G. (1993) :

Tumour necrosis factor- α and interleukin-2 in normal and infected human seminal fluid. Hum. Reprod., 8 : 409.

Jassim, A. and Festenstein, H. (1987) :

Immunological and morphological characterization of nucleated cells other than sperm in semen of oligospermic donors. J. Reprod Immunol., 11 : 77.

Jequier, A.M. and Ukombe, E.B. (1983) :

Errors inherent in the performance of a routine semen analysis. Br. J. Urol., 55 : 434.

Jeulin, C.; Feneux, D.; Serres, C.; Jouannet, P.; Guillet-Rosse, F.; Belaisch-Allart, J.; Frydrman, R. and Testart, J. (1986):

Sperm factors related to failure of human in-vitro. Fertilization. J Reprod. Fertil, 26 : 735.

Jenison, S.A.; Lemon, S.M.; Baker, L.N. and Newbold, J.E. (1987) :

Quantitative analysis of hepatitis B virus DNA in saliva and semen of chronically infected homosexual men. J. Infect. Dis., 156 : 299.

Johnson, M.H. (1970) :

An immunological barrier in the guinea pig testis. J. Pathol., 101 : 129.

Jones, R.; Mann, T. and Sherins, R. (1979) :

Peroxidative breakdown of phospholipids in human spermatozoa, spermicidal properties of fatty acid peroxides, and protective action of seminal plasma. Fertil.Steril., 31 : 531.

Jochum, M.; Papst, W. and Schill, W.B. (1986) :

Granulocyte elastase as a sensitive diagnostic parameter of silent male genital tract inflammation. Andrologia, 18 : 413.

Joël, C.A. (1971):

Historical survey of research on spermatozoa from antiquity to the present. In Joël, C.A.(d.) Fertility Disturbances in Men and Women, PP. 3-47 (Basel : Kager).

Jouannet, P.; Ducot, B.; Feneux, D. and Spira, A. (1988) :

Male factors and the likelihood of pregnancy in infertile couples. I. Study of sperm characteristics. Int. J. Androl., 11: 379.

Kaplow, L.S. (1965) :

Simplified myeloperoxidase stain using benzidine dihydrochloride-Blood, 26 : 215.

Kaufman, D.G. and Nagler, H.M. (1987) :

Aspiration flow cytometry of the tests in evaluation of spermatogenesis in the infertile male.
Fertil Steril, 48 : 287.

Kaspar, J.V.; Holmes, R.P.; Wallen, C.A. and Jonathan, P. (1991) :

Identification of seminal leukocytes by flow cytometry.
J. Urol., 145 : 327A.

Khan, S.A.; Soder, O.; Syed, V.; Gustafsson, K.; Lindh, M. and Ritzen, E.M. (1987) :

The rat testis produces large amounts of interleukin-1 like factor. Int. J. Androl., 10 : 495.

Kishimoto, T.; Akira, S. and Taga, T. (1992) :

Interleukin-6 and its receptor : a parading for cytokines.
Science, 258 : 593.

Kovalski, N.; De Larmirande, E. and Gagnon, C. (1991) :

Determination of neutrophil concentration in semen by measurement of superoxide radical formation. Fertil. Steril., 56 : 946.

Kovalski, N.N.; deLarmirande, E. and Gagnon, C. (1992) :

Reactive oxygen species generated by human neutrophils inhibit sperm motility : protective effect of seminal plasma and scavenge. Fertil. Steril., 58 : 809.

Kramer, M.D.; Muller-Bardorff, M.; Simon, M.M.; Tilgen, W.; Schickel, E. and Petzold, D. (1990) :

Measurement of free human leukocyte elastase and human leukocyte elastase/ α 1 proteinase inhibitor complexes by an enzyme-Linked immunosorbent assay. J. Immunol. Methods, 131 : 41.

Kramer, M.D.; Simon, M.M.; Tilgen, W.; Naher, H.; Hustus, C.W.E. and Petzold, D. (1992) :

α -Macroglobulin and α -macroglobulin proteinase complexes in human seminal fluid. Fertil-Steril., 57 : 417.

Krausz, C.; West, K.; Buckingham, D. and Aitken, R.J. (1992) :

Development of a technique for monitoring the contamination of human semen samples with leukocytes. Fertil. Steril., 57 : 1317.

Krausz, C.; Mills, C.; Rogers, S.; Tan, S.L. and Aitken, R.J. (1994) :

Stimulation of oxidant generation by human sperm suspensions using phorbol esters and formyl peptides : relationships with motility and fertilization in vitro. Fertil. Steril., 62 : 599.

Kruger, T.F.; Menkveld, R.; Stander, F.S.H.; Lombard, C.J.; Vandes Merwe, J.P.; Van Zyl, J.A. and Smith, K. (1986) :

Sperm morphologic features as a prognostic factor in vitro Fertilization. Fertil. Steril., 46 : 1118.

Kruger, T.F.; Ackerman, S.B.; Simmons, K.F.; Swanson, R.J.; Brugo, S.S. and Acosta, A.A. (1987) :

A quick reliable staining technique for human sperm morphology. Arch. Androl., 18 : 275.

Kruger, T.F.; Acosta, A.A.; Simmons, K.F.; Swanson, R.J.; Matta, J.F. and Oehninger, S. (1988) :

Predictive value of abnormal sperm morphology in vitro Fertilization. Fertil. Steril., 49 : 112.

Kung A.W.C, Ho.P.C and Wong, C. (1993) :

Seminal leukocyte subpopulations and sperm function in fertile and infertile chinese men. Int. Androl., 16 : 189.

Lang, D.J. and Kummer, J.F. (1972) :

Demonstration of cytomegalovirus in semen.
N. Eng. J. Med., 287 : 756.

Lang, D.J. Kummer, J.F. and Hartley, D.P. (1974) :

Cytomegalovirus in semen. Persistence and demonstration in extracellular fluids. N. Engl. J. Med., 291 : 121.

Lang, D.J. and Kummer, J.F. (1975) :

Cytomegalovirus in semen : Observations in selected populations. J. Infect. Dis., 132 : 472.

Lang, D.J. and Kummer, J.F. (1975) :

Cytomegalovirus in semen : Observations in selected populations. J. Infect. Dis., 132 : 472.

Leino, L. and Virkkunen, P. (1991) :

An automated chemiluminescence test for diagnosis of leukocytospermia. Int. J. Androl., 14 : 271.

Leib, Z.; Bartoov, B.; Eltes, F. and Servadio, C. (1994) :

Reduced semen quality caused by chronic abacterial prostatitis: an enigma or reality? Fertil. Steril., 61 : 1109.

Liu, D.Y. and Baker, H.W.G. (1988) :

The proportion of human sperm with poor morphology but normal intact acrosomes detected with *Pisum sativum* agglutinin correlates with fertilization in vitro.
Fertil. Steril., 50 : 288.

Liu, D.Y. and Baker, H.W.G. (1992) :

Morphology of spermatozoa bound to the zona pellucida of human oocytes that failed to fertilize in vitro. J. Reprod. Fertil., 94 : 71.

Llanos, M.; Vigil, P.; Salgado, A.M. and Morales, P. (1993) :

Inhibition of the acrosome reaction by trypsin inhibitors and prevention of penetration of spermatozoa through the human zona pellucida. Journal of Reproduction and Fertility, 97 : 173.

Mann, T. (1948) :

Fructose and fructolysis is semen in relation to fertility.
Lancet, 1 : 446.

Macleod, J. and Gold, R.Z. (1952) :

The male factor in fertility and infertility. IV. Sperm morphology in fertile and infertile marriage. Fertil-Sterile, 2 : 394.

Macleod, J. (1964) :

Human seminal cytology as a sensitive indicator of the germinal epithelium.
Int.J. Fertil, 9 : 281.

Macleod, J. (1965):

Seminal cytology in the presence of varicocele.
Fertil. Steril., 16 : 735.

Macleod, J. (1966) :

The clinical implications of deviations in human spermatogenesis as evidenced in seminal cytology and experimental production of these deviations. Ex. Med. Int. Cong. Ser. No. 133. PP. 563-74, Proceedings of the fifth congress on fertility and Sterility, Stockholm, 16 -22 June.

MacLeod (1970) :

The significance of deviation in human sperm morphology.
Adv. Exp. Med. Biol., 10 : 481.

Maseki, Y.; Miyake, K.; Mitsuya, H.; Kitamura, H. and Yamada, K. (1981) :

Mastocytosis occurring in the testes from patients with idiopathic male infertility. Fertil. Steril., 36 : 814.

Maruyama, DK.; Hale, RW. and Rogers, BJ. (1985) :

Effects of white blood cells on the in vitro penetration of zona-free hamster eggs by human spermatozoa. J. Androl., 6 : 127.

Malech, H.L. and Gallin, J.I. (1987) :

Neutrophils in human diseases. N.Engl. J.Med., 317- 687.

Meares, E.M. and Stamey T.A. (1968) :

Bacteriologic localization patterns in bacterial prostatitis and urethritis. Invest. Urol., 5 : 492.

Meares, E.N. J.R. (1973) :

Bacterial prostatitis versus "prostatosis" : a clinical and bacteriological study. JAMA, 244 : 1372.

Meares, E.M. (1980) :

Prostatitis syndromes : new perspectives about old woes.
J. Urol., 123 : 141.

Meschede, D.; Keck, C.; Zander, M.; Cooper, T.G.; Yeung, G.H. and Nieschlag, E. (1993) :

Influence of three different preparation techniques on the results of human sperm morphology analysis. Int. Androl., 16: 362.

Merlin, T.L.; Gibson, D.W. and Connor, D.H. (1994) :

Infectious and parasitic disease. In : Pathology. Rubin E., Farber L (eds.) Philadelphia : JB Lippincott company, P.336.

Menkveld, R. (1987) :

An investigation of environmental influences on spermatogenesis and semen parameters. Ph. D. Dissertation, Faculty of Medicine, University of Stellenbosch, South Africa.

Menkveld, R. and Kruger, T.F. (1990) :

Basic semen analysis. In Acosta, A.A.; Swanson, R.J.; Ackerman, S.B.; Kruger, T.F.; Van Zyl, J.A. and Menkveld, R. (eds.) Human Spermatozoa in Assisted Reproduction, PP. 68 -85 (Baltimore : Williams and Wilkins).

Menkveld, R.; Stander, F.S.H.; Kotze, T.J.VW.; Kruger, T.F. and Van Zyl, J.A. (1990) :

The evaluation of morphological characteristics of human spermatozoa according to strict criteria. Hum. Reprod., 5 : 586.

Menkveld, R.; Kruger, T.F.; Oettle, E.E.; Swanson, R.J.; Oehninger, S. and Acosta, A.A. (1991) :

Basic principles and practical aspects. In : Menkveld, R.; Oettle, E.E.; Kruger, T.E.; Swanson, R.J. and Oehninger, S. (eds) Atlas of Human sperm Morphology, PP. 1-6 (Baltimore : Williams and Wilkins).

Menkveld, R. (1991) :

Appendices. In Menkveld, R.; Oettle, E.E.; Kruger, T.F.; Swanson, R.J. and Oehninger, S. (eds.) Atlas of Human sperm Morphology PP. 115-18. (Baltimore : Williams and Wilkins).

Menkveld, R.; Francken, D.R.; Kruger, T.F. and Oehninger, S. (1991):

Sperm selection capacity of the human zona pellucida. Mol. Reprod. Dev., 30 : 346.

Menkveld, R.; Kruger, T.F.; Oettle, E.E.; Swanson, R.J.; Oehninger, S. and Alost, A.A. (1991) :

Basic principles and practical aspects. In Menkveld, R. Oettle, E.E.; Kruger, T.F.; Swanson, R.J. and Oehninger, S. (eds.) Atlas of Human Sperm Morphology, PP. 1-6 (Baltimore : Williams and Wilkins).

Menkveld, R.; Rhemrev, J.; Franken, D.R.; Vermeiden, J. and Kruger, T.F. (1994):

Relationships between sperm acrosomal status, acrosin activity, morphology (strict Typerberg criteria) and fertilization in vitro. Human Reproduction, 9 (Suppl.4), 99.

Menkveld, R.; Rhemrev, J.P.T.; Franken, D.R.; Vermediën, J.P.W. and Kruger, T.F.(1995) :

Acrosomal morphology as a novel criterion for male fertility diagnosis : relation with acrosin activity, morphology (strict criteria) and fertilization in vitro Fertil. Steril. (in press).

Micic, S.; Macura, M.; Lalic, N. and Dotlic, R. (1989) :

Elastase as an indicator of silent genital tract infection in infertile men. Int. J. Androl., 12 : 423.

Moench, G.L. (1940) :

Relation of certain seminal findings to fertility with special reference to sperm concentration and the significance of testicular epithelium cells in semen. Am. J. Surg. 47:586.

Mortimer, D.; Leslie, E.E.; Kelley, R.W. and Templeton, A.A. (1982):

Morphological selection of human spermatozoa in vivo and in vitro. J. Reprod. Fertil., 64 : 391.

Mortimer, D. (1985) :

The male factor in infertility. Part 1 : Semen analysis.
Curr. Probl. Obstet. Gynecol. Fertil., 8, 4.

Moore, C. and Mogar, W.H. (1991) :

Interleukin 1- α - induced changes in androgen and cyclic adenosine 3',5'-monophosphat. Release in Adult rat Leydig cells in culture. J. Endocrinol, 129 : 381.

Mortimer, D. (1994) :

Practical laboratory Andrology.
(Oxford : Oxford University Press).

Nahoum, C.R.D. and Cardozo, O. (1990) :

Staining for volumetric count of leukocytes in semen and prostate vesicular fluid. Fertil, Steril., 34 : 68.

Naftulin, B.N.; Samuels, S.J.; Hellstrom, W.J.G.; Lewis, E.I. and Overstreet, J.W. (1991) :

Semen quality in varicocele patients is characterized by tapered sperm forms. Fertil. Steril., 56 : 149.

Nagai, T.; Takaba, H.; Miyake, K.; Hirabayashi, Y. and Yamado, K. (1992) :

Testicular mast cell heterogeneity in idiopathic male infertility. Fertil. Steril., 57 : 1331.

Naz, R.K. and Kaplan, P. (1994) :

Interleukin-6 enhances the sterilizing capacity of human sperm by increasing capacitation and acrosome reaction. J. Androl., 15 : 228.

- Nikkanen, V.; Gronroos, M.; Suominen, J. and Multamaki, S. (1979) :***
Silent infection in male accessory genital organs and male infertility. *Andologia*, 11 : 236.
- Nonogaki, T.; Nod, Y.; Narimoto, K.; Shitoani, M.; Mori, T. and Matsuda, T. (1992) :***
Localization of CuZn- superoxide dismutase in the human male genital organs *Hum. Reprod.*, 7 : 81.
- Ochsendorf, F.R. and Fuchs, J. (1993) :***
Oxidative imbalance in male infertility.
In : Fuchs J. Packer L. editors. *Oxidative stress in dermatology*. New York : Marcel Dekker, P.489-537.
- Olsen, G.P. and Shields, J.W. (1984) :***
Seminal lymphocytes, plasma and AIDS.
Nature, 309 : 116.
- Oettle, E.E. (1986) :***
Using a new acrosome stain to evaluate sperm morphology.
Vet. Med., 81 : 263.
- Otto, F.J. and Hettwer, H. (1991) :***
Flow cytometric discrimination of human semen cells. *Cell Mol. Biol.*, 36 : 225.
- Papanicolaou, G.N. (1942) :***
A new procedure for staining vaginal smears.
Science, 95 : 438.
- Page, E.W. and Howlding, F. (1957) :***
The clinical interpretation of 1000 semen analyses among applicants for sterility studies. *Fertil. Steril.*, 2 : 140.
- Phadke, A.M. (1975) :***
Spermiphage cells in man. *Fertil. Steril.*, 26 : 760.
- Phodke, AM. (1978) :***
Neutral red supravital staining for cellular elements in the semen *Andrologia*, 10 : 80.

Plante, M.; de Lamirande E. and Gagnon, C. (1994) :

Reactive oxygen species released by activated neutrophils, but not by deficient spermatozoa, are sufficient to affect normal sperm motility. Fertil. Steril., 62 : 387.

Pollanen, P. and Niemi, M. (1987) :

Immunohistochemical identification of macrophages, lymphoid cells and HL antigen in the human testis.
Int. J. Androl. 10 : 37.

Politch, J.A.; Wolff, H.; Hil, J.A. and Anderson, D.J. (1993) :

Comparison of methods to enumerate white blood cells in semen. Fertil. Steril., 60 : 372.

Pöllänen, P. and Cooper, T.G. (1994) :

Immunology of the testicular excurrent ducts. J. Reprod. Immunol, 26 : 167.

Portuondo, J.A.; Calabozo, M. and Echanojuregin, A.D. (1983):

Morphology of spermatozoa in infertile men with and without varicocele.
J. Androl., 4: 312.

Purvis, K. and Chrisitansen, E. (1993) :

Infection in the male reproductive tract. Impact, diagnosis and treatment in relation to male infertility. Int. J. Androl. 16: 1.

Rajasekaran, M.; Hellstrom, W.J.; Naz, R.K. and Sikka, S.C. (1995) :

Oxidative stress and interleukins in seminal plasma during leukocytospermia. Fertil. Steril., 64 (1) : 166.

Riedel, H.H. and Semm, K. (1980) :

Über den Nachweis der Leukozytospemie und deren Bedeutung für die Fertilität des Mannes-Z Hautkr, 55 : 987.
Quoted from fertility and sterility, 63 (6), 1995. Wolff, white blood cells in semen.

Ritchie, A.W.S.; Hargreave, T.B.; James, K. and Chisholm, G.D. (1984):

Intra-epithelial lymphocytes in the normal epididymis a mechanism for tolerance to sperm-autoantigens ? Br. J. Urol., 56 : 79.

Ronto, X. and Auger, J. (1990) :

Flow and image cytometry for quality assessment of fresh and frozen human sperm samples. Anal cell Path. 2 : 313.

Rubin, L.A. and Nelson, D.L. (1990) :

The soluble interleukin receptor biology, function and clinical application. Ann. Inter. Med. 113 : 619.

Schill, W.B. (1991) :

Some disturbance of acrosomal development had function in human spermatozoa. Hum Reprod; 6 : 969.

Schirren, C.; Eckhardt, U.; Jachczik, R. and Carstensen, C.A. (1977) :

Morphological differentiation of human spermatozoa with Testisimplets R. Slides.
Andrologia, 9 : 191.

Schopf, R.E.; Schramm, P.; Benes, P. and Morsches, P. (1984):

Seminal plasma-induced suppression of the respiratory burst of polymorphonuclear leukocytes and monocytes.
Andrologia, 16 : 124.

Schutte, B. (1986) :

Human spermatozoa stained with toluidine blue pyronine. A rapid method for differentiation.
Andrologia, 18 : 567.

Schroder, J.M.; Mrowietz, U.; Morita, E. and Christophers, E. (1987) :

Purification and partial biochemical characterization of a human monocyte-derived neutrophil-activating peptide that lacks interleukin-1 activity. J. Immunol, 139 : 3474.

Schobel, W.A.; Schieferstein, G. and Uchanska-Ziegler, B. (1989) :

Immuno-cytochemical characterization of round cells in human semen using monoclonal antibodies and the APAAP-technique. Andrologia, 21 : 370.

Shimoya, K.; Matsuzaki, N.; Tsutsui, T.; Taniguchi, T.; Saji, F. and Tanizawa, O. (1993) :

Detection of interleukin-8 (IL-8) in seminal plasma and elevated IL-8 in seminal plasma of infertile patients with leukospermia. Fertil. Steril, 59 : 885.

Shimonovitz, S.; Barak, V.; Zacut, D.; Ever-Hadani, P.; Benchetrit, A. and Ron, M. (1994) :

High concentration of soluble interleukin-2 receptors in ejaculate with low sperm motility Hum. Reprod., 9 : 563.

Shekarri, M.; Sharma, R.K.; Thomas, A.J. and Agarwal, A. (1995) :

Positive myelo-peroxidase staining (Endtz test) as an indicator of excessive reactive oxygen species formation in semen. J. Assist. Reprod. Genet., 12 : 70.

Singer, R.; Sagiv, M.; Barnet, M.; Allalouf, B.; Segenreich, E. and Servadio, C. (1981) :

Head abnormalities assessment of sperm in the routine laboratory.

Andrologia, 13 : 236.

Sigg, Ch. and Hornstein, O.P. (1987) :

Das Spermiozyto-gromm. Grundlagen und Diagnostische Anwendung in der Andrologie- (Erlangen : Perimed Fachbuch-Verlags, gesell-Schaft mbH).

Quoted from : Human spermatozoa in Assisted rproduction. edit : Acosta, A.A. and Kruger, T.F. the parthenon Publishing group, New York, London.

Sinton, E.B.; Riemann, D.I. and Ashton, H.E. (1991) :

Anti-sperm antibody detection using concurrent cytofluorometry indirect immunofluorescence microscopy. Am. J. Clin. Pathol., 95 : 242.

Smith, D.C.; Barrat, C.L.R. and Williams, M.A. (1989) :

The characterization of non-sperm cells in the ejaculates of fertile men using transmission electron microscopy. Andrologia, 21 : 319.

Stamey, T.A. (1981) :

Prostatitis, J. Royal Soc. Med., 74 : 22.

Stites, D.P. (1991) :

Clinical laboratory methods for detection of cellular immunity. In Stities DP and terr AI (eds.) : Basic and clinical immunology, 7th ed.

Norwalk, LANGE medical book, P. 263.

Swartz, DA.; Harrington, P. and Wilcox, R. (1988) :

Candidal epididymitis treated with ketoconazole, (letter). N. Engl. J. Med., 319 :1485.

Talbert, I.M.; Hammound, M.G.; Halme, J.; O'Rond, M.; Fryer, J.G. and Ekstrom, R.D. (1987) :

Semen parameters and fertilization of human oocytes in-vitro : a multivariable analysis. Fertil. Steril, 48 : 270.

Takao, T.; Mitchell, W.M.; Tracay, D.E. and De Souza, E.B. (1990) :

Identification of IL-1 receptors in mouse testis. Endocrinology, 127 : 251.

Tjioe, DY. and Steinberger, E. (1967) :

Spermiphages in human testes. Fertil. Steril, 18 : 807.

Toth, A.; Swenson, C.E. and O'Leary, W.M. (1978) :

Light microscopy as an aid in predicting ureaplasma infection in human semen. Fertil. Steril, 30 : 586.

Toth, A. and Lesser, M.L. (1982) :

Ureaplasma urealyticum and infertility : the effect of different antibiotic regimens on the semen quality. J. Urol 128 : 705.

Tomlinson, M.J.; White, A.; Barratt, C.L.R.; Bolton, A.E. and Cooke, I.D. (1992) :

The removal of morphologically abnormal sperm forms by phagocytes : a positive role for seminal leukocytes ? Hum. Reprod, 7 : 517.

Tomlinson, M.J.; Barratt, C.L.R. and Cooke, I.D. (1993) :

Prospective study of leukocytes and leukocyte subpopulations in semen suggests they are not a cause of male infertility. Fertil. Steril., 60 : 1069.

Tung, KSK, Unanue, ER. and Dixon, FJ. (1971) :

Pathogenesis of experimental allergic orchitis. J. Immunol., 106 : 1453.

Tyler, J.P.; Boadle, R.A. and Stevens, S.M. (1985) :

Rounded-headed spermatozoa : A case report.
Pathology, 17 : 67.

Tung, K.S.K.; Yule, T.D.; Mahi-Brown, C.A. and Listrom, M.B. (1987) :

Distribution of histopathology and Ia positive cells in actively induced and passively transferred experimental autoimmune orchitis. J. Immunol, 138 : 752.

Van Zyl, J.A.; Menkveld, R.; Kotze, T.J.V.W. and Van Niekerk, W.A. (1976) :

The importance of spermograms that meet the requirements of international standards and the most important factors that influence semen parameters. Proceeding of the 17th Congress of the international Urological Society, Vol. 2, PP. 263-71 (Paris : Diffusion Dion Editeurs).

Van Zyl, J.A.; Kotze, T.J.V.W. and Menkveld, R. (1990) :

Predictive value of spermatozoa morphology in natural fertilization. In Acosta, A.A., Swanson, R.J. Ackerman, S.B. Kruger, T.F., Van Zyl, J.A. and Menkveld, R. (eds). Human Spermatozoa in Assisted Reproduction, PP. 319-24 (Baltimore : Williams and Wilkins).

Vogelopoel, F.R.; Kooij, R.J.; te-Velde, E.R. and Verhoef, J. (1991) :

Influence of polymorphonuclear granulocytes on the zona hamster oocyte assay. Hum. Reprod., 6 : 1104.

Wang, Y.F. and Holstein, A.F. (1983) :

Intraepithelial lymphocytes and macrophages in the human epididymis. Cell Tissue Res., 233 : 517.

Wang, A.W.; Politch, J. and Anderson, D.J. (1994) :

Leukocytospermia in male infertility patients in China. Andrologia, 26 : 167.

Wegelin, C. (1921) :

Über Spermiphagie im menschlichen Nebenhoden. Beitr Path., Anat., 69 : 281.

Wechsler, H.; Westfoll, M. and Lattimer, J.K. (1960) :

The earliest signs and symptoms in 127 male patients with genitourinary tuberculosis. J. Urol., 82 : 801.

Weiss, S.J. (1989) :

Tissue destruction by neutrophils. N. Engl. J. Med., 320 : 365.

Williams, W.A. and Savage, A. (1925):

Observations on the seminal micropathology of bulls. Cornell Vet., 15, 353-75.

Williams, W.W.; McGuigan, A. and Carpenter, H.D. (1934) :

The staining and morphology of the human spermatozoon. J. Urol., 32 : 201.

Williams, W.W. (1937) :

Spermatic abnormalities. N. Engl. J. Med. 217 : 946.

WHO (1980) :

WHO laboratory manual for the examination of human semen and semen-cervical Mucus interaction (Singapore : Press Concern).

WHO (1987) :

WHO laboratory manual for the examination of human semen and semen-cervical mucus interaction 2nd ed. Cambridge.

The press syndicate of the University of Cambridge.

Wolff, H. and Anderson, D.J. (1988a) :

Immunohistologic characterization and quantitations of leukocyte subpopulations in human semen. Fertil-Steril. 49 : 497.

Wolff, H. and Anderson, D.J. (1988b) :

Evaluation of granulocyte elastase as a seminal plasma marker for leukocytospermia. Fertil. Steril., 50 : 129.

WHO (1992) :

WHO laboratory Manual for the Examination of Human Semen and Sperm-Cervical Mucus Interaction, 3rd edn. (Cambridge : Cambridge University Press).

Wolff, H.; Politch, J.A.; Martinez, A.; Haimovici, F.; Hill, J.A. and Anderson, D.J. (1990) :

Leukocytospermia is associated with poor semen quality. Fertil. Steril., 53 : 528.

Wolff, H.; Bezold, G.; Zebhauser, M. and Meurer, M. (1991a) :

Impact of clinically silent inflammation on male genital tract organs as reflected by biochemical markers in semen. J. Androl., 12 : 331.

Wolff, H.; Panhas, A.; Zebhauser, M. and Meurer, M. (1992) :

Comparison of three methods to detect white blood cells in semen : Leukocyte esterase dipstick test, granulocyte elastase enzyme immunoassay and peroxidase cytochemistry. Fertil. Steril., 58 : 1260.

Witkin, S.S. and Goldstein, M. (1988) :

Reduced levels of T-suppressor / cytotoxic lymphocytes in semen from vasovasostomized men : relationship to sperm autoantibodies. J. Reprod. Immunol 14 : 283-290.

Wolff, H.; Neubert, U.; Volkenandt, M.; Zochling, N.; Schlupen, E.M. and Bezold, G. (1994) :

Detection of Chlamydia trachomatis in semen by anti-body-enzyme immuno-assay compared to polymerase chain reaction, antigen-enzyme. Immunoassay and urethral cells culture. Fertil. Steril., 62 : 1250.

Wolff, H. (1995) :

The biological significance of white blood cells in semen. Fertil. Steril., 63 : 1143.

Yanagimachi, R. (1988) :

Mammalian Fertilization In : The physiology of reproduction Knobil E. (eds.) New York Van Nostrand, P. 135.

Wolff, H.; Neubert, U.; Volkenandt, M.; Zochling, N.; Schlupen, E.M. and Bezold, G. (1994) :

Detection of *Chlamydia trachomatis* in semen by anti-body-enzyme immuno-assay compared to polymerase chain reaction, antigen-enzyme immunoassay and urethral cells culture. *Fertil. Steril.*, 62 : 1250.

Wolff, H. (1995) :

The biological significance of white blood cells in semen. *Fertil. Steril.*, 63 : 1143.

Yanagimachi, R. (1988) :

Mammalian Fertilization In : The physiology of reproduction Knobil E. (eds.) New York Ven press, P. 135.

Yoshimura, T.; Matsushima, K.; Oppenheim, J.J. and Leonard, E.J. (1987) :

Neutrophil chemotactic factor produced by lipopolysaccharide (LPS) stimulated human blood mononuclear leukocytes : partial characterization and separation from interleukin-1 (IL-1). *J. Immunol.*, 139 : 788.

Yeung, C.H.; Nashan, D.; Sorg, C.; Oberpenning, F.; Schulze, H.; Nieschlag, E. and Cooper, T.G. (1994) :

Basal cells of the human epididymis-antigenic and ultra-structural similarities to tissue-fixed macrophages. *Biol. Reprod.*, 50 : 917.

Zaneveld, L.J.D. and Jeyendran, R.S. (1988) :

Modern assessment of semen for diagnostic purposes. *Semin. Reprod. Endocrinol.*, 6 : 323.