



REFERENCES



REFERENCES

* *Abdl-Salam AO., Jhon H., Philip D. and Coleridge S.*

(1994):

Effect of leg elevation on the skin microcirculation in chronic venous insufficiency.

J. Vasc Surg., 20 : 728.

* *Akiyama SK., Yamada SS. and Yamada KM. (1989):*

Analysis of the role of glycosylation of human fibronectin receptor. J. Biol. Chem., 264 : 18011.

* *Alimi YS., Barthelemy P. and Juhan C. (1994):*

Venous pump of the calf.

J. Vasc Surg., 20 : 728.

* *Baker SR., Stacey MC., Hoskin DE. and Thompson PJ. (1991):*

Epidemiology of chronic venous ulcer:

Br.J. Surg., 18 : 864.

* *Barton RW., Rothlein R., Ksiazek J. and Kennedy C. (1989):*

The effect of anti cellular adhesion molecule-1 on phorbol-ester-induced rabbit lung inflammation.

J. Immunol., 143 : 1278.

* *Bevilacqua MP., Nelson RN., Mannori G. and Cecconi O.*

(1994):

Endothelial-leucocyte adhesion molecules in human disease. *Annu. Rev. Med.*, 45 : 361.

* *Bouissou H., Juhan M. and Pieraggi M. (1988):*

Vein morphology.

Phlebologic, (Suppl. I) :1.

* *Boyd AW., Wawryk SO., Burns GF. and Fecondos JV.*

(1988):

ICAM-1 has central role in cell-cell contact mediated immune mechanisms.

Proct. Natl. Acad. Sci. USA., 85 : 3095.

* *Brakman M., Faber WR. and Hart HC. (1992):*

Immunofluorescence studies of atrophie blanche with antibodies against fibrinogen, fibrin, plasmogen activator inhibitor, factor VIII-related antigen and collagen type IV. *VASA.*, 21 : 143.

* *Braverman IM. and Keh-Yen A. (1983):*

Ultra structure of the human dermal microcirculation,
J. Invest. Dermatol., 81 : 438.

*** Browse NL. (1983):**

Venous ulceration.

Br. Med. J., 286 : 1920.

*** Browse NL. and Burnand KG. (1982):**

The cause of venous ulceration.

Lancet, 2 : 243.

*** Browse NR., Burnand KG. and Lea Thomas M. (1988):**

Physiology and functional anatomy. In: Diseases of the veins, diagnosis and treatment. Arnold (Ed), Hodder and Stoughton, London, pp. 53.

*** Burnand KG., Whimster I. and Noidoo A. (1982):**

Pericapillary fibrin in the ulcer bearing skin of the leg.

The cause of lipodermatosclerosis and venous ulceration.

Br. Med. J., 285 : 1071.

*** Burnand KG., Whimster I., Clemenson G. and Browse NL. (1981):**

The relationship the number of capillaries in the skin of the ulcer-bearing area of the lower leg and the fall in foot vein pressure during exercise.

Br. J. Surg., 68 : 297.

*** *Burton J., Goldman CK. and Waldmann TA. (1990):***

Association of intercellular adhesion molecule-1 with the multichain high affinity interleukin-2 receptor.

Proct. Natl. Acad. Sci. USA., 87 : 7329.

*** *Calderon E. and Lockey RF. (1992):***

A possible role of adhesion molecules in asthma.

J. Allergy Clin. Immunol., 90: 852.

*** *Callam MJ., Ruckley CV., Dale JJ. and Harper PR. (1987):***

Hazards of compression treatment of the leg: An estimate from Scottish Surgeons.

Br. Med. J., 295 : 1382.

*** *Cheatle TR. and Perrin M. (1994):***

Venous valve repair. Early results in fifty-two cases.

J. Vasc. Surg., 3 : 404.

*** *Chithstopoulos D., Nicolaides AN., Cook A. and Irvine A. (1989):***

Pathogenesis of venous ulceration in relation to the calf muscle pump function.

J. Vasc Surg., 829.

*** Cockett FB. (1955):**

The pathology and treatment of venous ulcers of the leg.
Br. J. Surg., 143 : 260. Quoted from Strandness and
Thiele, 1981.

*** Cordell JL., Falini B. and Erber W. (1984):**

Immuno-enzymatic labeling of monoclonal antibodies
using immune complexes of alkaline phosphatase and
monoclonal anti-alkaline phosphatase (APAAP
complexes).

J. Histochem. Cytochem., 32 : 219.

*** Das PK., Deboer OJ. and Visser A. (1994):**

Differential expressions of ICAM-1, E-selectins and
VCAM-1 by endothelial cells in psoriasis and contact
dermatitis.

Acta. Derm. Venereol. Suppl. Stockh., 186 : 21.

*** David KM. (1993):**

Cell migration and inflammation In: immunology
textbook. Ivan M., Roitt M, Jonathan and david K. 3rd
edition, Mosby. St. Louis. Baltimore, Boston, Ch. Cago-
London. pp. 13.3.

*** Defougerolles AR. and Springer TA. (1992):**

Intercellular adhesion molecules-3 a third adhesion counter receptor for lymphocyte function associated molecule on resting lymphocytes.

J. Exp. Med., 175 : 185.

*** Defougerolles AR., Springer TA. and Quin X. (1994):**

Characterization of the function of intercellular adhesion molecule ICAM-3 and comparison with ICAM-1 and ICAM-2 in immune responses.

J. Exp. Med., 179 : 619.

*** Dodd H. (1959):**

The varicose tributaries of the superficial femoral vein passing into Hunter's canal.

Postgrad. Med., 35 : 18. Quoted from: Strandness and Thiele, 1981.

*** Douglas WS. and Simpson NB. (1995):**

Guide lines for the management of chronic venous leg ulceration.

Br. J. Dermatol., 132 : 446.

*** Duijvesteijn A., Rothlein R. and Hamann A. (1989):**

Mechanism and regulation of lymphocyte migration.

Immunology today, 10 : 23.

*** Dustin ML., Rothlein R., Bhan AK., Dinarello CA. and Springer TA. (1986):**

Induction by IL-1 and interferon: Tissue distribution, biochemistry and function of a natural adherence molecule (ICAM-1).

J. Immunol., 137 : 245.

*** Dustin PK., Deboer IJ. and Visser A. (1994):**

Differential expressions of ICAM-1, E-selectins and VCAM-1 by endothelial cells in psoriasis and contact dermatitis.

Acta Derm. Venereol. Suppl. stockh, 186 : 21.

*** Elices MJ., Osborn L. and Takada Y. (1990):**

VCAM-1 on activated endothelium interacts with the leucocyte integrin VLA-4 at site distinct from the VLA-4/fibronectin binding site.

Cell, 60 : 577.

*** Falanga V. (1991):**

Systemic and tissue alteration associated with venous disease. Proceedings 10th North Sea Meeting on venous diseases, Amsterdam.

***Falanga V. and Eaglstein V.(1993):**

The “trap” hypothesis of venous ulceration.

Lancet, 127:75.

*** Furukawa S., Imai K., Matsubara T., Yone K., Yachi A.,
Okumura K. and Yabuta K. (1992):**

Increased levels of circulating intercellular adhesion molecule-1 (ICAM-1) in Kawasaki disease.

Arthritis Rheum., 35 : 672.

*** Graeme JD., Murdoch S. and Hogg N. (1988):**

The function of human intercellular adhesion molecule-1 in the generation of an immune response.

Eur. J. Immunol., 18 : 35.

*** Gunhild LW., Ralfkiaer E. and Rothlein R (1988):**

The role of intercellular adhesion molecules in inflammatory skin reaction.

Br. J. Dermatol., 119: 141

*** Hopkins NF. and Jomieson CW. (1982):**

Antibiotic concentration in exudate of venous ulcer. A measure of local arterial insufficiency.

Br. J. Surg., 69 : 676.

*** Hopkins NFG., Spink TJ. and Rhodes CG. (1983):**

Position emission tomography in venous ulceration and liposclerosis study of regional tissue function.

Br. Med. J., 286 : 333.

*** Imhof BA. and Dunnon D. (1995):**

Leucocyte migration and adhesion. In: Advances in immunology. Dixon FJ., Austen KF., Kishimoto T., Melchers F., Uhr JW.(eds). London: Academic Press Limited , pp. 345.

*** Jkeda M., Schroeder KK., Mosher LB., Wood CW. and Akeson AL. (1994):**

Suppressive effects of antioxidants on intercellular adhesion molecule-1 (ICAM-1) expression in human epidermal keratinocytes.

J. Invest. Dermatol., 103 : 791.

*** Jonathan ME., Paul AD. and Steven MA. (1995):**

The integrin cell adhesion molecules. In: Textbook of principles of cell adhesion. Richardson and Manfred Steiner (Eds).CCR press , Boca Raton, London, pp. 163.

*** Katz AM., Rosenthal D. and Sauder DN.(1991):**

Cell adhesion molecules.

Int. J. Dermatol., 30: 153.

*** Kirsner RS., Pardes JB. and Eaglstein WH.(1993):**

The clinical spectrum of lipodermatosclerosis.

J. Am. Acad. Dermatol., 28:623.

*** Klein BJ., Kuiper JP. and Brakkee HJ. (1990):**

Venous flow resistance and venous capacity in humans with primary varicosis of long saphenous vein.

Phlebologic., 5: 31.

*** Kavanough AF., Davis LS. and Nicholas (1994):**

Treatment of refractory juvenile rheumatoid arthritis with a monoclonal antibody to intercellular adhesion molecule-1 (ICAM-1).

Arthritis Rheum., 37 : 992.

*** Lasky LA. (1992):**

Seleclins: Interpreters of cell specific carbohydrate information during inflammation.

Science, 258 : 964.

*** Lawrence MB., Smith CW. and Eskin SG. (1990):**

Effect of flow on polymorphs nuclear leucocytes endothelial cell adhesion.

Blood, 70 : 1284.

*** *Leung DY. (1991):***

The potential role of cytokine mediated vascular endothelial activation in the pathogenesis of Kawasaki disease.

Acta Pediatr. J., 33 : 739.

*** *Martz E. (1987):***

LFA-1 and other accessory molecules functioning in adhesion of B and T lymphocytes.

Hum. Immunol., 18 : 3.

*** *Merluzzi VJ., Rothlein R., Wood C., Stearns CD., Faanes RB. and Last Barney K. (1989):***

Inhibition of human mixed lymphocyte by monoclonal antibodies to intercellular adhesion molecule-1 (ICAM-1)
In: leucocyte adhesion molecules, Springer, TA., Anderson DC., Rosenthal, A.S and Rothlein R. (Eds). Springer Verlag, New York, pp. 244.

*** *Nelzen O., Bergqvist D. and Lindhagen A. (1991):***

Leg ulcer etiology: a cross sectional population study.

J. Vasc. Surg., 14 : 557.

*** *Neumann HA. and Broek MJ. (1991):***

Increased collagen VI layer in the basal membrane area of the capillaries in severe chronic venous insufficiency. VASA, 20 : 26.

*** *Nicolaidis AN., Hussein MK., Szendro G. and Clarke H. (1993):***

The relation of venous ulceration with ambulatory venous pressure measurements.

J. Vasc. Surg. 414.

*** *Norris DA. (1990):***

Cytokine modulation of immunologic cytotoxicity of epidermal targets.

J. Invest. Dermatol., Suppl, 111s :20.

*** *Norris P., Poston RN. and Thomas DS. (1991):***

The expression of endothelial leucocyte adhesion molecule-1 (ICAM-1) and vascular cell adhesion molecule-1 (VCAM-1) in experimental cutaneous inflammation a comparison of ultraviolet B erythema and delayed hypersensitivity.

J. Invest. Dermatol., 98 : 763.

*** Nortamo P., Renkonen R., Timonen T., Prieto J., Patarroyo M. and Gahmberg CG. (1991):**

The expression of human inter-cellular adhesion molecule-1 is refractory to inflammatory cytokines.

Eur. J. Immunol., 21 : 2629.

*** Nose A., Tsuji K. and Takeichi M. (1990):**

Localization of specificity determining sites in cadherin cell adhesion molecules.

Cell, 61 : 147.

*** Philips TJ. and Dover JS. (1991):**

Leg ulcers.

J. Am. Acad. Dermatol., 25: 965.

*** Pober JS., Gimbrone JM. and Lapierre LA. (1986):**

Overlapping patterns of activation of human endothelial cells by interleukin-1, tumor necrosis factor, immune interferon.

J. Immunol., 137:1893.

*** Raju S. and Rosenbloom MS. (1983):**

Venous insufficiency of the lower limb and stasis ulceration changing concepts and management.

Ann. Surg., 197 : 688.

*** *Rice GE., Munro JM. and Corless C. (1991):***

Vascular and non vascular expression of ICAM-1, A target for mononuclear leucocyte adhesion in normal and inflamed human tissue.

Am. J. Pathol., 138 : 3 85.

*** *Rothelin R., Dustin ML., Marlin SD. and Springer TA.***

(1986):

A human intercellular adhesion molecule-1 (ICAM-1) distinct from LFA-1.

J. Immunol., 137 : 1270.

*** *Ryan TJ.(1969):***

The epidermis and its blood supply in venous disorders of the leg.

Transactions of St. John's Hospital Dermatological Society, 55 : 51.

*** *Ryan TJ. (1983):***

The management of leg ulcers.

Oxford University press, New York, Toronto, pp.55.

*** *Scott HJ., Coleridge PD. and Scurr JH.(1991):***

Histological study of white blood cells and their association with lipodermatosclerosis and venous ulceration.

Br. J. Surg., 78: 210.

*** *Shimizu Y., Newman W. and Tanaka Y. (1992):***

Lymphocyte interactions with endothelial cells.

Immunol. Today, 13 : 106.

*** *Sligh JE., Ballantyne CM., Rich S. and Beaudet AL.(1993):***

Inflammatory and immune responses are impaired in mice deficient in intercellular adhesion molecule-1.

Proc. Natl. Acad. Sci. USA., 90: 8529.

*** *Smith PD., Thomas P., Scurr JH. and Dormady JA. (1988):***

Causes of venous ulceration, a new hypothesis.

Br. Med. J., 296 : 1726.

*** *Springer TA. (1990):***

Adhesion receptors of the immune system.

Nature, 346:425.

*** *Strandness DE. and Thiele BL. (1981):***

Anatomy of the venous system of the lower limb. In:
Selected topics in venous disorders. Future publishing
company, Mountisco, New York, pp.1.

*** *Summer DS. (1989):***

Hemodynamic and pathophysiology of venous disease.
In: Vascular surgery. Rutherford RB., 3rd ed, WB. Saunders
company philadelphia, pp. 1483.

*** *Sutherland DC. (1992):***

The molecular basis of the allergic response: Research
trends.

Allergy Clin. Immunol. News, 46 : 180.

*** *Vanscheidt W., Stengele K., Wokalek H. and Schop E.*
*(1991):***

Pericapillare fibrinmanchetten-ein-O₂-Diffusions.

VASA, 20 : 142.

*** Vanscheidt W., Wunderie V., Niedner R. and Schope E.**

(1992):

Immunohistochemical investigation of the endothelium of capillaries in dermatoliposclerotic skin. In: Phlebologie 92. Raymond-Martimbeau, p., Prescott, R., Zummo, M (Eds). John. Libbey Eurotext, Paris, pp. 62.

*** Veraart JC., Verhaegh ME. and Arends JW. (1993):**

Adhesion molecule expression in venous leg ulcers. VASA, 22 : 213.

*** Wawryk SO., Novotny JR. and Wilkinson D. (1989):**

The role of the LFA-1 ICAM-1 interaction in human leucocyte homing and adhesion. In: Immunological reviews. Munksgaard Copenhagen, Denmark., pp. 135

*** Wegner CD., Gundel RH., Letts LG. And Rothlein R. (1990):**

Intercellular adhesion molecule-1 (ICAM-1) in the pathogenesis of asthma. Science, 247 : 456.

*** Welbourn E. (1967):**

The value of radiological investigations of chronic stasis ulcers of the leg. Clin. Radiol., 18: 372.

*** Weyl A., Vanscheidt W. and Simon J. (1996):**

Expression of the adhesion molecules ICAM-1 VCAM-1 and E-Selectin and their ligands VLA-4 and LFA-1 in chronic venous leg ulcers.

J. Am. Acad. Dermatol., 34 : 418.

*** Widmer LK.(1978):**

Peripheral venous disorders. In : Basler study III: Widmer LK. (Eds). Huber, Berne / Studttgart Vienna, pp. 63.

*** Wokalek H., Vanscheidt W. and Murtag K. (1989):**

Morphology and localization of sun burst varicosity : an electron microscopic and morphometric study.

J. Dermatol. Surg. Oncol., 15 : 149.