

References

- **Alpins, N.A. (1993):** A new method of analysing vectors for changes in astigmatism. *J. Cataract Refract. Surg.* 19, 524-533.
- **American Academy Of Ophthalmology (1999-2000):** Ophthalmic pathology and intraocular tumours. Section 4: 25-26.
- **Amigo, A.; Giebel, A.W. and Muinos, J.A. (1998):** Astigmatic keratotomy effect of single hinged clear corneal incisions using various preincision lengths. *J. Cataract Refract. Surg.* 24: 765-771.
- **Amon, M.; Menapace, R.; Vass, C. and Radax, U. (1995):** Endothelial cell loss after 3.5 mm temporal corneal incision and 3.5 mm superior scleral tunnel incision. *Eur. J. Implant Refract. Surg.* 7: 229-232.
- **Axt, J.C. and McCaffery, J.M. (1993):** Reduction of postoperative against the rule astigmatism by lateral incision technique. *J. Cataract Refract. Surg.* 19: 380-386.
- **Ayoub, M. (1988):** Evaluation of the results of phacoemulsification and posterior chamber lens implantation in senile cataract. *Bull. Ophthalmol. Soc. Egypt*, 81: 167-171.
- **Brauweiler, P. (1996):** Bimanual irrigation aspiration. *J. Cataract Refract. Surg.* 22: 1013-1016.
- **Brint, S.F.; Ostrick, D.M. and Bryan, J.E. (1991):** Keratometric cylinder and visual performance following phacoemulsification and implantation with silicone small incision or PMMA intraocular lens. *J. Cataract Refract. Surg.* 17: 32-36.

- **Bron, A.J.; Tripathi, R.C. and Tripathi, B.J. (1997):** Wolff's anatomy of the eye and orbit, 8th Ed. Chapman & Hall, London: 235.
- **Buratto, L. (1998):** Intraocular Lenses. Phacoemulsification, principles and techniques. Ed. Lucio Buratto. Chapter 9. SLACK Inc. New Jersey: 187-203.
- **Caporossi, A.; Baiocchi, S. and Frezzotti, P. (1998):** Capsulorhexis. Lucio Buratto, Phacoemulsification: principles and techniques. Chapter 17: 322-332.
- **Christ, F.R.; Fencil, D.A.; Van Gent, S. and Knight, P.M. (1989):** Evaluation of the chemical, optical and mechanical properties of elastomeric intraocular materials and their clinical significance. J. Cataract Refract. Surg. 15: 176-184.
- **Cillino, S.; Morreale, D.; Mauceri, A.; Ajovalasit, C. and Ponte, F. (1997):** Temporal versus superior approach phacoemulsification. Short term postoperative astigmatism. J. Cataract Refract. Surg. 23: 267-271.
- **Cravy, T.V. (1991):** Routine use of a lateral approach for cataract extraction, to achieve rapid and sustained stabilization of postoperative astigmatism. J. Cataract Refract. Surg. 17: 415-423.
- **Dawson, P. (1997):** Nd:YAG surgery rates compared among silicone and soft acrylic IOL. Ocular Surgery News, 15: 51-55.
- **Dick, H.B.; Kohnen, T.; Jacobi, F.K. and Jacobi, K.W. (1996):** Long term endothelial cell loss following phacoemulsification through a temporal clear corneal incision. J. Cataract Refract. Surg. 22: 63-71.
- **Drews, R.C. (1995):** Astigmatism after cataract surgery, Nylon versus Mersilene. J. Cataract Refract. Surg. 21: 70-72.

- **Eisner, G. (1990):** Operations on the cornea and sclera in Eye Surgery. Chapter 5. Springer-Verlag Co. 156.
- **El-Helali, H.; El-Shweikh, H. and Katamish, T. (1997):** Management of subincisional cortex in phacoemulsification. Bull. Ophthalmol. Soc. Egypt, 90: 797-800.
- **El-Massry, A.A. (1998):** Early experience in the first 100 cases of phacoemulsification (comparative study). Bull. Ophthalmol. Soc. Egypt, 91: 353-357.
- **El-Sayed, S.H.; El-Sadany, A.; Roshdy, A.M.; El-Yamany, A. and Farrhat, H.G. (1998):** Posterior capsule opacification (the effect of anterior capsulorhexis diameter and IOL design). Bull. Ophthalmol. Soc. Egypt, 91: 411-414.
- **Epstein, E. (1986):** Soft implant lenses in cataract surgery. "History of intraocular lens implant surgery" Ed.: Mazzocco, T.R. and Epstein, E. SLACK Inc. New Jersey: 1-10.
- **Ernest, P.H.; Kiessling, L.A. and Lavery, K.T. (1991):** Relative strength of cataract incisions in cadaver eyes. J. Cataract Refract. Surg. 17: 668-671.
- **Ernest, P.; Grabow, H. and McFarland, M. (1992):** Advantages and disadvantages of sutureless surgery in: sutureless cataract surgery: An evolution toward minimally invasive technique. Ed. Gills j. SLACK, N J. 41-50.
- **Ernest, P.H. (1993):** Cadaver eye study of the relative stability of clear corneal incisions and scleral corneal incisions used in small incision cataract surgery. Symposium on cataract, IOL and refractive surgery, Seattle.
- **Ernest, P. (1994):** Research and development of the AMO phacoflex foldable IOL. Eur. J. Implant Refract. Surg. 6: 176.
- **Ernest, P.H.; Lavery, K.T. and Kiessling, L.A. (1994):** Relative strength of scleral corneal and clear corneal incision,

constructed in cadaver eyes. J. Cataract Refract. Surg. 20: 625-628.

- **Ernest, P.H.; Fenzl, R.; Lavery, K.T. and Sensolli, A. (1995):** Relative stability of clear corneal incisions in a cadaver eye model. J. Cataract Refract. Surg. 21: 39-42.
- **Ernest, P.H. and Neuhann, T. (1996):** Posterior limbal incision. J. Cataract Refract. Surg. 22, 78-84.
- **Ernest, P.; Tipperman, R.; Eagle, R.; Kavolasis, C.; Lavery, K.; Sensoli, A. and Rhem, M. (1998):** Is there a difference in incision healing based on location? J. Cataract Refract. Surg. 24: 482-486.
- **Fikry, R. and Nasr, H. (1996):** Two years experience with phacoemulsification in Mattariya Teaching Hospital. Bull. Ophthalmol. Soc. Egypt, 89: 691-695.
- **Fikry, R. and Nasr, H. (1997):** Scleral tunnel vs clear corneal incision in phacoemulsification. Bull. Ophthalmol. Soc. Egypt, 90: 767-770.
- **Fine, I.H. (1992):** Self-sealing corneal tunnel incision for small incision cataract surgery. Ocular Surgery News, May 1992: 38-39. Quoted from: J. Cataract Refract. Surg. 1995, 21: 417.
- **Fine, I.H. (1994):** Initial results using the self-sealing corneal tunnel incision for phacoemulsification and intraocular lens implantation. Middle East J. Ophthalmol. (2).
- **Fine, I.H. (1995) a:** Incision construction. Cataract surgery: Technique, complications and management. Steinert Ed. Chapter 10, Published by WB Saunders Co.: 125-133.
- **Fine, I.H. (1995) b:** Hydrodissection and hydrodelineation. Cataract surgery: Technique, complications and management. Steinert Ed. Chapter 12, Published by WB Saunders Co.: 143-147.

- **Fine I.H. and Hoffman, R.S. (1996):** Refractive aspects of cataract surgery. *Curr. Opin. Ophthalmol.* 96: 721-725. Qouted from: *J. Cataract Refract. Surg.* (1998), 24: 765-771.
- **Fritch, C.D.; Ziron, M.; Dilman, D.; Crozafan, P. and Norden, L.T. (1992):** Intraocular lens design. The surgical rehabilitation of vision. Grower Medical Publishing, London, New york, 8: 1-28.
- **Gaber, E.; El-Ghatit, A.; Hussein, H.; El-Samadony, A. and El-Edessy, A. (1993):** Centration of posterior chamber IOLs. *Bull. Ophthalmol. Soc. Egypt*, 86: 213-217.
- **Gimbel, H.V. and Neuhann, T. (1991):** Continuous curvilinear capsulorhexis. *J. Cataract Refract. Surg.* 17: 110-111.
- **Gimbel, H.V.; Raanan, M.G. and Deluca, M. (1992):** Effect of suture material on postoperative astigmatism. *J. Cataract Refract. Surg.* 18, 42-50.
- **Goggin, M. and Pesudovs, K. (1998):** Assessment of surgically induced astigmatism: Toward an international standard, Letter to the Editor. *J. Cataract Refract. Surg.* 24, 1548.
- **Grabow, H.B. (1993):** The clear corneal incision. In: Fine, I.H.; Fichman, R.A. and Grabow, H.B. Eds. *Clear Corneal Cataract Surgery and Topical Anaesthesia*. Thorofare, N.J, SLACK Inc.: 29-62.
- **Hayashi, K.; Nakao, F. and Hayashi, F. (1994):** Corneal topographic analysis of superolateral incision cataract surgery. *J. Cataract Refract. Surg.* 20: 44-47.
- **Hayashi, K.; Hayashi, H.; Nakao, F. and Hayashi, F. (1995):** The correlation between the incision size and corneal shape changes in sutureless cataract surgery. *Ophthalmology* 102: 550-556.

- **Hoffer, K.T. (1994):** Cell loss with superior and temporal incisions. *J. Cataract Refract. Surg.* 20: 368.
- **Hogan, J.C. (1992):** Irrigation aspiration handpiece with changeable tips for cortex removal in small incision phacoemulsification. *J. Cataract Refract. Surg.* 18: 318-320.
- **Holladay, J.T.; Cravy, T.V. and Koch, D.D. (1992):** Calculating the surgically induced refractive change following ocular surgery. *J. Cataract Refract. Surg.* 18: 429-443.
- **Hollick, E.J.; Spalton, D.J.; Ursell, P.G. and Pande, M.V. (1998):** Biocompatibility of polymethylmethacrylate, silicone and AcrySof IOLs: Randomized comparison of the cellular reaction on the anterior lens surface. *J. Cataract Refract. Surg.* 24: 361-366.
- **Huang, F-C. and Tseng, S-H. (1998):** Comparison of surgically induced astigmatism after sutureless temporal clear corneal and scleral frown incision. *J. Cataract Refract. Surg.* 24: 477-481.
- **Hurvitz, L.M. (1999):** Late clear corneal wound failure after trivial trauma. *J. Cataract Refract. Surg.* 25: 283-284.
- **Hyde, L.L. and Maumenee, A.E. (1974):** The shoelace suture for cataract surgery in Emery J.A.; Paton D. Eds. *Selected proceedings of the third Biennial cataract surgical congress.* Philadelphia. Mosby: 115-119.
- **Jacobi, F.K.; Dick, H.B. and Rohle, R.M. (1998):** Histological and ultrastructural study of corneal tunnel incisions using diamond and steel keratomes. *J. Cataract Refract. Surg.* 24: 498-502.
- **Jaffe, N.S. and Clayman, H.M. (1975):** The pathophysiology of corneal astigmatism after cataract extraction. *Trans. Am. Acad. Ophthalmol. Otolaryngol.* 79:

- 615-630. Quoted from: Cataract surgery and its complications. **Jaffe et al, 1990** Ed. St. Louis Mosby Co.
- **Jaffe, N.S.; Jaffe, M.S. and Jaffe, G.F. (1990) a:** Surgical techniques. In: Cataract surgery and its complications. St.Louis Mosby Co.: 51-52.
 - **Jaffe, N.S.; Jaffe, M.S. and Jaffe, G.F. (1990) b:** Postoperative corneal astigmatism. In: Cataract surgery and its complications. St.Louis Mosby Co.: 110-121.
 - **Jaffe, N.S.; Jaffe, M.S. and Jaffe, G.F. (1997):** Machine parameters and surgical technique. Cataract Surgery and its Complications. St.Louis Mosby Co.: 57-131.
 - **Kawano, K. (1993):** Modified corneoscleral incision to reduce postoperative astigmatism after 6mm diameter intraocular implantation. J.Cataract Refract. Surg. 19: 387-392.
 - **Kelman, C.D. (1967):** Phacoemulsification and aspiration. A new technique of cataract removal. A preliminary report. Am. J. Ophthalmol. 64: 23-35.
 - **Kershner, R.M. (1993):** Topical anesthesia for small incision self-sealing cataract surgery. A prospective evaluation of the first hundred patients. J. Cataract Refract. Surg. 19: 290-292.
 - **Kershner, R.M. (1995):** Keratolenticuloplasty: arcuate keratotomy for cataract surgery and astigmatism. J. Cataract Refract. Surg. 21: 274-277.
 - **Koch, D.D. and Novak, K.D. (1995):** Wound dehiscence following cataract surgery. Steinert Cataract Surgery: Technique, Complications and Management. Steinert Ed. Chapter 29, Published by WB Saunders Co.: 353-357.
 - **Koch, P.S. (1991):** Structural analysis of cataract incision construction. J. Cataract Refract. Surg. 17: 661-667.

- **Koch, P.S. (1992):** Comparison of cataract wound sizes in the surgical rehabilitation of vision. Chapter 16. Nordan, L.T., Gower Medical Publishing: 164-167.
- **Koch, P.S. (1993):** Why I stopped using clear corneal incision. Third American International Congress on Cataract, IOL and Refractive Surgery, Seattle, May (1993). Quoted from: J. Cataract Refract. Surg. 20: 84-88.
- **Kohnen, T.; Dick, B. and Jacobi, K.W. (1995):** Comparison of the induced astigmatism after temporal clear corneal tunnel incisions of different sizes. J. Cataract Refract. Surg. 21: 417-424.
- **Kohnen, T. (1996):** The variety of foldable intraocular lens materials. J. Cataract Refract. Surg. 22: 1255-1258.
- **Kohnen, T.; Lambert, R.J.; Koch, D. (1997):** Incision sizes for foldable intraocular lenses. Ophthalmology, 104: 1277-1286.
- **Kosaki, J.; Tahibara, H.; Yasuda, A. and Nagata, M. (1991):** Tilt and decentration of the implanted posterior chamber IOL. J. Cataract Refract. Surg. 17: 592-595.
- **Krachmer, J.H.; Mannis, M.J. and Holland, E.I. (1997):** Cornea. St.Louis Mosby: 3-27. Quoted from American Academy of Ophthalmology (1999-2000), Section 8: 11-13.
- **Kratz, R.P. and Colvard, D.M. (1979):** Kelman phacoemulsification in the posterior chamber. Ophthalmology, 86: 1983-1984.
- **Langerman, D.W. (1994):** Architectural design of a self-sealing corneal tunnel, single-hinged incision. J. Cataract Refract. Surg. 20: 84-88.
- **Leaming, D.V. (1992):** Practice styles and preference of ASCRS members, 1991 survey. J. Cataract Refract. Surg. 18: 460-469.

- **Leaming, D.V. (1995):** Practice styles and preference of ASCRS members, 1995 survey. *J. Cataract Refract. Surg.* 22: 931-939.
- **Lindstrom, R.L. (1995):** The PolyMethylMethAcrylate (PMMA) Intraocular Lenses. *Steinert's Cataract Surgery: Technique, Complications and Management.* Steinert Ed. Chapter 22, Published by WB Saunders Co.: 271.
- **Mackool, R.J. and Russel, R.S. (1996):** Strength of clear corneal incisions in cadaver eyes. *J. Cataract Refract. Surg.* 22: 721-725.
- **Martin, R.G.; Sanders, D.R. and Van Derkau, M.A. (1992):** Effect of small incision intraocular lens surgery on postoperative inflammation and astigmatism. *J. Cataract Refract. Surg.* 18: 51-57.
- **Masket, S. (1993):** Evaluating astigmatic results. *Letters to the editor. J. Cataract Refract. Surg.* 19: 812.
- **Masket, S. (1995) a:** Cataract incision and closure. *Focal Points, American Academy of Ophthalmology*, 13 (3).
- **Masket, S. (1995) b:** Arcuate keratotomy for cataract surgery and astigmatism (letter). *J. Cataract Refract. Surg.* 21: 597.
- **McFarland, M.S. (1990):** Surgeon undertakes phaco, foldable IOL series sans sutures. *Ocular surgery news*, March, 8.
- **McFarland, M.S. (1993):** Clear corneal incision. *Ocular Surgery News*, 15: 4.
- **Menapace, R.; Radax, U.; Amon, M. and Papapanos, P. (1994) a:** No stitch, small incision cataract surgery with flexible intraocular lens implantation. *J. Cataract Refract. Surg.* 20: 534-542.

- **Menapace, R.; Radax, U.; Vass, C.; Amon, M. and Papapanos, P. (1994) b:** In the bag implantation of phacoflex SI-30. High- refractive silicone lens through self-sealing sclero-corneal and clear corneal incisions. *Eur. J. Implant Refract. Surg.* 6.
- **Mendivil, A. (1996):** Intraocular lens implantation through 3.2 versus 4mm incision. *J. Cataract Refract. Surg.* 22: 1461-1464.
- **Moreno-Montanes, J.; Garcia-Layana, A.; Aliseda, D. and Munuera, J.M. (1998):** Variation in clear corneal incision size after phacoemulsification and foldable lens implantation. *J. Cataract Refract. Surg.* 24: 931-934.
- **Muller-Jensen, K.; Barlinn, B. and Zimmerman, H. (1996):** Astigmatism reduction: No stitch 4.0 mm vs 12.0 mm clear corneal incision. *J. Cataract Refract. Surg.* 22: 1108-1112.
- **Muller-Jensen, K.; Buchholz, A. and Barlinn, B. (1998):** Stability of astigmatism over three years after corneal stretch incision. *J. Cataract Refract. Surg.* 24: 455-459.
- **Nielsen, P.J. (1995):** Prospective evaluation of surgically induced astigmatism and astigmatic keratotomy effects of various self-sealing small incisions. *J. Cataract Refract. Surg.* 21: 43-48.
- **Noecker, R.J.; Allinson, R. and Snyder, R.W. (1994):** Residence phacoemulsification experience using the in-situ nuclear fracture technique. *Ophthalmol. Surg.* 25: 216.
- **Nordan, L.T. and Hofbauer, J.D. (1992):** Astigmatism, concepts and surgical approach, in the surgical rehabilitation of vision. Chapter 23. *Grower Medical Publishing*: 23.
- **Obstbaum, S.A. (1991):** Wound construction and closure: Steps for improved stability in cataract surgery (Editorial). *J. Cataract Refract. Surg.* 17: 659.

- **Olsen, T. and Dam-Johansen, M. (1994):** Evaluating surgically induced astigmatism. *J. Cataract Refract. Surg.* 20: 517-522.
- **Oshika, T. and Shiokawa, Y. (1998):** Folding manipulation and optical quality of a soft IOL. Quoted from Lucio Buratto: *Phacoemulsification principle and techniques*. SLACK. Inc.: 487-491.
- **Oxford, K.W.; Abbot, R.L.; Fung, W.E. and Ellis (1995):** Aspergillus endophthalmitis after sutureless cataract. *Am. J. Ophthalmol.* 120: 534-535.
- **Panton, R.W.; Stark, W.J. and Panton, P.J. (1991):** Malposition of posterior chamber IOLs. *Ophthalmology clinics of North America*, 4: 381-401.
- **Pfleger, T.; Skorpik, C.; Menapace, R.; Scholz, U.; Weghaupt, H. and Mayer, M. (1996):** Long term course of induced astigmatism after clear corneal incision cataract surgery. *J. Cataract Refract. Surg.* 22: 72-77.
- **Retzlaff, J.; Paden, P.Y. and Ferrell, L. (1993):** Vector analysis of astigmatism, adding and subtracting spherocylinders. *J. Cataract Refract. Surg.* 19, 393-398.
- **Robert, H.G. and Kevin, M.M. (1996):** Corneal astigmatism after phaco and lens implantation through sutureless scleral and corneal tunnel incisions. *Ophthalmology*, 121: 57-64.
- **Roman, S.J.; Auclin, F.X.; Chong-Sit, D.A and Ullern, M.M. (1998):** Surgically induced astigmatism with superior and temporal incisions in cases of WTR preoperative astigmatism. *J. Cataract Refract. Surg.* 24: 1636-1641.
- **Rowsey, J.J. (1992):** Cataract astigmatism, causes and correction in anterior segment surgery. Stark, W.J. Mosby Co.: 330-335.

- **Sanchez, E. and Artaria, L. (1996):** Evaluation of the first 50 ACR 360 Acrylic IOL implantation. *J. Cataract Refract. Surg.* 22: 1373-1378.
- **Seibel, B.S. (1993):** Phacodynamic. Mastering the tools and techniques of phacoemulsification surgery. 2nd Ed. Slack Inc. 3: 124-135.
- **Sewelam, A.M. and El-Lakkany, R. (1999):** Complications during conversion from conventional ECCE to phacoemulsification. *Bull. Ophthalmol. Soc. Egypt*,92: 345-348.
- **Shokair, M. and Abu Al Naga, A. (1999):** Non-sutured phacoemulsification vs conventional ECCE. Incision effect on postoperative astigmatism. *Bull. Ophthalmol. Soc. Egypt*,92: 349-354.
- **Simsek, S.; Yasar, T.; Demirok, A.; Cinal, A. and Yilmaz, O.F. (1998):** Effect of superior and temporal clear corneal incisions on astigmatism after sutureless phacoemulsification. *J. Cataract Refract. Surg.* 24: 515-518.
- **Smolin, G. and Thoft, R.A. (1994):** The Cornea: Scientific Foundations and Clinical Practice. 3rd Ed. Boston, Little Brown: 3-67.
- **Steinert, R.F.; Brint, S.F.; White, S.M. and Fine, I.H. (1991):** Astigmatism after small incision cataract surgery: A prospective, randomized, multicenter comparison of 4.0 and 6.5mm incisions. *Ophthalmology*, 98: 417-423.
- **Terry, C.M. (1984):** Surgical control of pre- and postoperative astigmatism. Engelstein, J.M. Chapter 17. Grune and Stratton Co.: 219-225.
- **Terry, C.M. (1989):** Postoperative astigmatism, how to prevent, how to treat. In Reinecke, R.D. Ed. *Ophthalmology annual*, Raven Press, New York: 38-64.

- **Thomas, R.; Birgaza, A.; Palu, R.; Lawrence and Spilzer, K.H. (1994):** Phacoemulsification-A senior surgeon's learning curve. *Ophthalmol. Surg.* 25: 504.
- **Thrasher, B.H. and Boerner, C.F. (1984):** Control of astigmatism by wound placement. *Am. Intraocular Implant. Soc. J.* 10: 176-179.
- **Troutman, R. and Buzard, K.A. (1992):** Pathophysiology and prevention of astigmatism secondary to cataract surgery. In: *Corneal astigmatism; etiology, prevention and management.* Chapter 12. Mosby Co.: 290-300.
- **Turkalj, J.W.; Carlson, A.N.; Manos, J.P. and Apple, D.J. (1995):** Is the sutureless cataract incision a valve for bacterial inoculation? *J. Cataract Refract. Surg.* 21: 472-476.
- **Van Rij, G. and Waring, G.O. (1984):** Changes in corneal curvature induced by sutures and incisions. *Am. J. Ophthalmol.* 98: 773-783.
- **Williamson, C.H. (1992):** Cataract keratotomy offers advantages. *Ophthalmology Times* 15: 76.
- **Wirbelauer, C.W.; Andreros, N.; Pham, D. and Wollensak, J. (1997):** Effect of incision location on preoperative oblique astigmatism after scleral tunnel incision. *J. Cataract Refract. Surg.* 23: 365-371.
- **Wright, K.W. (1997):** Textbook of ophthalmology. Baltimore: Williams and Wilkins. Qouted from: *Ophthalmology Review Manual*, Kenneth & Michael Ed. 2000: 2.