

REFERENCES

1- *Abergel RP., Meeker CA. And Oikarinen H. (1985) :*

Retinoid modulation of connective tissue metabolism in keloid fibroblast cultures. Arch, Dermatol. 121:632.

2- *Alt T.H. (1987) :*

Technical aids for dermabrasion.

J. Dermatol surg. Oncol. 13:638.

3- *Alt T.H. (1989) :*

Occluded Baker-Gordon chemical peeling review and update. J. Dermatol Surg. Oncol. 15:980.

4- *Alt T.H. (1990) :*

Avoiding complications in dermabrasion and chemical peel. In : Skin allergy News 2. Quoted from : Brody H.J. (1997).

5- *Ahn ST., Monafoww and Mustoe T.A. (1991) :*

Topical silicone gel for the prevention and treatment of hypertrophic scar. Arch. Surg. 126:499.

6- *Aronsohn R.B. (1984) :*

H and chemosurgery. Am. J. Cosmet Surg. 1:24.

7- *Ayres S. (1960) :*

Dermal changes following application of chemical cauterants to aging skin. Arch. Dermatol 82: 578. Quoted from Glogau and Matarraso (1995).

REFERENCES

8- Ayres S. (1962) :

Superficial chemosurgery in treating aging skin. Arch. Dermatol. 85: 385. Quoted from : Stuzin et al., (1993).

~~8- Ayres S. (1962) :~~

~~Superficial chemosurgery in treating aging skin. Arch. Dermatol. 85:385. Quoted from Roenigk and Brodland (1993).~~

10- Ayres S. (1975) :

Dermatologic procedures. In : Current Dermatological management, 2nd edition by Maddin S. (edit), C.V., Mosby Company, St. Louis. P. 11.

11- Bailey M.H. and Mc Kinney (1988) :

Herpes zoster as a complication of a face lift. Aesthetic plast. Surg. 12:23.

12- Baker T.J. and Gordon H.L. (1961) :

The ablation of rhytides by chemical means in a preliminary report. J. Fla. Med. Assoc. 48:451. Quoted from Glogau and Matarasso (1995).

13- Baker T.J., Gordon H.L. and Seckinger D.L. (1966) :

A second look at chemical face peeling. Plast reconstr. Surg. 37:487. Quoted from Matarasso and Glogau (1995).

14- Baker T.J., Gordon H.L. and Mosienko P.; et al., (1974) :

Long term histologic study of skin after chemical peeling. Plast Reconstr Surg. 53:522.

REFERENCES

15-Baker T.J. and Gordon H.L. (1979) :

Chemical peeling as a practical method for removing rhytides of upper lip. Ann. Plast. Surg. 2:209.

16-Baker T.J. and Gordan H.L. (1986) :

Surgical rejuvenation of the face. ST. Louis C.V. Mosby. P. 38.

17-Baker T.J. and Gordon H.L. (1987) :

Chemical peel with phenol. In : ^sskin ^ssurgery, ed 6 ^{by} & Epstein E; Epstein E. Jr (eds) W.B. Saunders Co., philadelphia. 423.

18-Baker T.J. and Gordon H.L. (1987) :

Chemical face peeling. In : Fundamentals of ^Aaesthetic ^Pplastic ^ssurgery by Sohn S.A. (ed^s), Williams and Wilkins, Baltimore, London, Los. Angelos, Sydney. P. 170.

19-Becker F.F. (1983) :

Circumoral chemical peel combined with cervicofacial rhytidectomy. Arch. Otolaryngol. 109:172.

20-Beeson W.H. and Mc Collough E.G. (1985) :

Chemical face peeling without taping. J. Dermatol. Surg. Oncol. 11:985.

21-Beeson W.B. (1987) :

The importance of cardiac monitoring in superficial and deep chemical peeling. J. Dermatol. Surg. Oncol. 13:949.

REFERENCES

22-Bennett RG (1988) :

Fundamentals of cutaneous surgery. Mosby. Year Book, St. Louis P. 78.

23-Bloom R.F. (1991) :

Combined peels trackle actinic keratoses, Dermatol Times. 19:25.

24-Bridenstine J.B. and Dolezal J.F. (1994) :

Standardizing chemical peel solution formulations to avoid mishaps. J. Dermatol. Surg. Oncol. 20:813.

25-Brodland D.G. and Roenigk R.K. (1988) :

Trichloroacetic acid chemiexfoliation (chemical peel) for extensive premalignant actinic damage of face and scalp. Mayo. Clin. Proc. 63:887.

26-Brodland D.G., Cullimore K.C.; Roenigk R.K. and Gibson L.E. (1989) :

Depth of chemoexfoliation induced by various concentrations and application techniques of trichloroacetic acid in a porcine model. J. Dermatol. Surg. Oncol. 15:967.

27-Brody H.J. and Hailey C.W. (1986) :

Medium-depth chemical peeling of the skin a variation of superficial chemosurgery. J. Dermatol. Surg. Oncol. 12:1268.

REFERENCES

36- Brody H.J. (1997 e) :

Patient selection and contraindications of chemical peeling
Chemical peeling. St. Louis: Mosby. Year book 2nd Ed. P.
43-49.

37- Brody H.J. (1997 f) :

Complications of chemical peeling. Chemical peeling. St.
Louis: Mosby. Year book 2nd Ed. P. 161-191.

38- Brody H.J. (1997 g) :

Superficial peeling. Chemical peeling. St. Louis: Mosby.
Year book 2nd Ed. P. 73-100.

39- Brody H.J. (1997 h) :

Medium-depth peeling. Chemical peeling. St. Louis:
Mosby. Year book 2nd Ed. P. 109-134.

40- Brody H.J. (1997 i) :

Deep depth peeling. Chemical peeling. St. Louis: Mosby.
Year book 2nd Ed. P. 134-158.

41- Brody H.J. (1997 j) :

General peeling concepts. Chemical peeling. 2nd Ed.
Mosby-Year Book. St. Louis P. 68.

42- Brown A., Kaplan L. and Brown M. (1960) :

Phenol induced histologic changes : Hazards, techniques
and uses. Br. J. Plast. Surg. 13:158. Quoted from Glogau
and Matarasso (1995).

REFERENCES

- 43-Bruce R. Nelson, M.D., Darrell J. Fader, MD, Montgomery Gillard, BA, Gopa Majmudar, PH D, and Timothy M. Johoson, MD. (1995) :

Pilot histologic and ultrastructural study of the effects of medium-depth chemical facial peels on dermal collagen in patients with actinically damaged skin. J. Am. Acad. Dermatol. 32:472.

- 44-Burks J.W. (1979) :

Selection of patients. In : Dermabrasion and chemical peeling. Burks J.W. (eds). Charles C. Thomas, Springfield, III P. 53.

- 45- Campbell, M.J. and Machin D. (1993) :

Medical statistics. A common sense approach. 2nd Ed. John Wiley and sons. New York, Chichester, Brisbane; Toronto and Singapore.

- 46-Chvapil M. and Koopman CF. (1982) :

Age and other factors regulating wound healing. Otolaryngol Clin. North. Am. 15:259.

- 47-Clark R.A.F. (1985) :

Cutaneous tissue repair. Basic biologic considerations J.Am. Acad. Dermatol. 13:701

- 48-Clark R.A.F. (1985) :

Cutaneous tissue repair : Basic biologic consideration. J.Am. Acad. Dermatol. 13:701.

REFERENCES

49-Coleman W.P. III, Futrell J.M. (1994) :

The glycolic acid. Trichloroacetic acid chemical peel. J. Dermatol. Surg. Oncol. 20:76.

50-Coleman W.P. III and Brody H.J. (1996) :

Combination chemical peels, in Roenigk R.K. and Roenigk HH. Jr. (eds): Dermatologic surgery : Principles and Practice (ed 2). New. York, Ny, Marcel-Dekker. P. 1137.

51-Collins P.S., Farber G.A. and Wihelmus S.M.et al.,(1984):

Superficial repetitive chemosurgery of the hands. Am. J. Cosmet. Surg. 1:22.

52-Collins P.S., Farber G.A. and Withelmus S.M. (1984) :

Superficial repetitive chemosurgery of the hands. Am. J. Cosmet. Surg. 1:22.

53-Collins P.S. (1987) :

The chemical peel. Clin. Dermatol. 5 : 57.

54-Collins P.S. (1989) :

Trichloroacetic acid peels revisited, J. Dermatol. Surg. Oncol. 15:933.

55-Combes F., Sperber P. and Reisch M. (1960) :

Dermal defects : Treatment by a chemical agent. Ny. Phys. Am. Med. 56:36. Quoted from Glogau. and Matarasso (1995).

REFERENCES

56-Cook K. (1996) :

Chemical peel used on the neck, chest and extremities; skin Allergy News 27 (3) : 5.

57-Davies B., Guyuron B. and Husami T. (1991) :

The role of lidocaine epinephrine and flap elevation in wound healing after chemical peel. Ann. Plast.Surg. 26:273.

58-Dicken C.H. (1984) :

Retinoids : A review. JAAD. 11:541.

59-Dillaha C.J., Jansen G.T., Honeycutt WM and Bradford AC. (1963) :

Selective cytotoxic effect of topical 5-flouracil. Arch. Dermatol. 88:247. Quoted from: Stuzin et al., (1993).

60-Dinardo J.C.,Grove G.L. and Moy L.S. (1996) :

Clinical and histological effects of glycolic acid at defferent concentrations and PH level. Dermatol. Surg.22:421.

61-Dmytryshyn J.R. (1983) :

Chemical face peel complicated by toxic shock syndrome. Arch. Otolaryngol. 109:170.

62-Doillon C.J., Dunn MG. And Bender E. (1985) :

Collagen fiber formation in repair tissue : Development of strength and toughness collagen Rel. Res. 5:481.

REFERENCES

63-Dolezal J.F. (1990) :

Stability study of trichloroacetic acid, J. Dermatol. Surg. Oncol., 16:489 (letter).

64-Draelos Z.D. (1992) :

A dermatologic evaluation of facial treatment salons, Cosmet. Dermatol. 5 (1) : 24.

65-Draelos Z.D. (1994) :

Understanding the techniques of the esthetician : part 1, Cosmet. Dermatol. 7 (4) : 15.

66-Eaglstien WH. And Mertz PM (1980) :

Inert vehicles do affect wound healing. J. Invest. Dermatol 74:90.

67-Eaglstien WH., Davis SC. And Mehle A.I. (1988) :

Optimal use of an occlusive dressing to enhance healing. Effect of delayed application and early removal on wound healing. Arch. Dermatol. 124:392.

68-Ehrlich H.P. and Hunt TK. (1968) :

Effect of cortisone and vitamin A on wound healing. Ann. Surg. 167. 324. Quoted from Brody (1997c).

69-Eller J.J. and Wolff, S. (1941) :

Skin peeling and scarification. JAMA 116: 934. Quoted from Glogau and Matarasso (1995).

REFERENCES

78-Glogau G. Richard, M.D. (1994) :

Chemical peeling and aging skin. The journal of Geriatric Dermatology. 2:30.

79-Glogau G. Richard and Matarasso L. Seth. (1995) :

Chemical peels. Trichloroacetic acid and phenol. Dermatologic clinics 13:(2). 263.

80-Gold M.H. (1994) :

A controlled clinical trial of topical silicone gel sheeting in the treatment of hypertrophic scars and keloids. J. Am. Acad. Dermatol.30;506.

81-Goodman L.S. and Gilman A.G. (1975) :

The pharmacological basis of therapeutics, New York, Mac Millian P. 990.

82-Goodson W., Honhn D. and Hunt T. (1976) :

Augmentation of some aspects of wound healing by a "skin respiratory factor" J. Surg. Res. 21:125.

83-Goslen JB. (1991) :

Wound healing after cosmetic surgery. In: Cosmetic surgery of the skin. Coleman WP., Hanke, CW; AIT.TH (eds). BC Deker Inc., Philadelphia P. 47.

84-Griffen T.D., Van Scott EJ. and Maddin S. (1989) :

The use of pyruvic acid as a chemical peeling agent. J. Dermatol. Surg. Oncol. 15:1316.

REFERENCES

85-Griffen T.D. and Van Scott E.J. (1991) :

Use of pyruvic acid in the treatment of actinic keratoses : a clinical and histopathologic study, *cutis*. 47:325.

86-Griffiths C.E. Wang T.S. and Hamilton, T.A. (1992) :

A photonumeric scale for the assessmet of cutaneous photo damage. *Arch. Dermatol.* 128:347.

87- Grimers P.E.(1995) :

Melasma : etiologic and therapeutic considerations, *Arch Dermatol.* 131:1453.

88-Gross P.G. (1984) :

Cardiac arrhythmias during phenol face peeling. *Plast. Reconstr. Surg.* 73:590.

89-Hernandez Perez E. (1990) :

Different grades of chemical peels, *Am. J. Cosmet. Surg.* 7:67.

90-Hernandez-Perez E. and Carpio E. (1995) :

Resorcinol peels : gross and microscopic study, *Am. J. Cosmet Surg.* 12 (4) : 337.

91-Hevia O., Nemeth A.J. and Taylor J.R. (1991) :

Tretinoin accelerates healing after trichloro-acetic acid chemical peel, *Arch. Dermatol.* 127:678.

92-Hodge G.S. (1984) :

Therapeutic index : phenol In : *Clinical Toxicology of commercial products* 5th (eds), Williams and Wilkins, altimore, London. 344.

REFERENCES

93-Holzberg M. (1988) :

The Ehlers. Danlos syndrome. Recognition characterization, and importance of a milder variant of the classic form J.Am. Acad. Dermatol. 19:656.

94-Horvath P.N. (1970) :

The light peel, Bull Assoc Milit Dermatol 18:2. Quoted from Brody (1997).

95- Humphreys R. Tatyana, MD, Victoria Werth, MD et al., (1996) :

Treatment of photodamaged skin with trichloroacetic acid and topical tretinoin. J. Am. Acad. Dermatol 34:638.

96-Hung V.C., Lee J.Y. and Zitelli J.A. (1989) :

Topical tretinoin and epithelial wound healing. Arch Dermatol. 125:65.

97-Hunter D. and Frumkin A. (1991) :

Adverse reaction to vitamin E and aloe vera preparations after dermabrasion and chemical peel. Cutis. 47:193.

98-James M. Stuzin, M.D., FACS, Thomas J. Baker, M.D., FACS and Howard L. Gordon, MD, FACS (1993) :

Treatment of photoaging. Facial chemical peeling (phenol and trichloroacetic acid) and Dermabrasion. Dermatology for plastic surgeons 20 : (1) 9.

99-Johnson J.B. (1995) :

Simultaneous deep-plane face lift and trichloroacetic acid peel (letter, comment). Plast Reconstr. Surg. 95:602.

REFERENCES

100-Kadunce D.P., Burr R. and Gress R. (1991) :

Cigarette smoking: Risk factors for premature facial wrinkling, *Ann. Intern. Med.* 114: 840.

101-Kaplan J.Z. (1984) :

Acceleration of wound healing by a liver yeast cell derivative. *Arch. Surg.* 119:1005.

102-Karam P.G. (1993) :

50% resorcinol peel, *Int. J. Dermatol.* 32:569.

103-Kenney MC., Shih LM. And Labermeir V. (1986) :

Modulation of rabbit keratocyte production of collagen. Sulfated glycosaminoglycans, and fibronectin by retinol and retinoic acid. *Bioch. Bioph. Acta.* 88:156..

104-Klein D.R. and Little J.H. (1983) :

Laryngeal edema as a complication of chemical peel. *plast Reconstr. Surg.* 71:419.

105-Kligman A. and Willis I. (1975) :

A new formula for depigmenting human skin. *Arch. Derm.* 111: 40.

106-Kligman A.M., Baker T.J. and Gordon H.L. (1985) :

Long term histologic follow-up of phenol face peels. *Plast Reconstr Surg.* 75:652.

107-Koopman C. (1982) :

Phenol toxicity during face peel. *Otolaryngeal head and neck. Surg.* 90:383.

REFERENCES

108-Krawczyk WS (1971) :

The pattern of epidermal cell migration during wound healing. J. Cell Biol. 49:247. Quoted from Brody (1997c).

109-Larrabee W.F. Jr. and Caro I. (1984) :

The aging face. Why changes occur, how to correct them. Post grad. Med. 76:37.

110-Lawrence N., Cox S.E. and Cokerell C.J. et al., (1995) :

A comparison of the efficacy and safety of solution and 35% trichloroacetic acid VS 5% fluorouracil in the treatment of wide spread facial actinic keratoses. Arch. Dermatol. 131:176.

111-Lawrence N.L., Cow S.E. and Brody H.J. (1997) :

A comparison of Jessner solution and glycolic acid in the treatment of melasma in dark skinned patients a double blind study. J. Am. Acad. Dermatol. 37xx (in press).

112-Lee KH., Chermychi FV. And Spencer MR. (1973) :

Mechanism of action of retinyl compounds on wound healing III. Effect of retinoic acid homologs on granuloma formation. J. Pharmacol. 62:896.

113-Letessier S. (1989) :

Chemical peeling seminars, International society of Dermatologic surgery, edinburgh, september.

REFERENCES

114-Letessier S.M. (1989) :

Chemical peel with resorcin. In : Roenigk RK., Roenigk HH. Jr (eds) :Dermatologic surgery : Principles and practice. New. York, Marcel Dekker, P. 1017.

115- Letessier SM. (1996) :

Chemical peel with resorcin. In : Roenigk RK, Roenigk HH., editors: Dermatologic surgery: principles and practice, ed 2, New York; Marcel Dekker P. 1115.

116-Leyden JJ., Lavker RM. and Grove G. (1995) :

AHA's are more than moisturizers J. Geriatr Dermatol 3 (suppl A) (3) : 33A - 37A.

117-Litton C. (1962) :

Chemical face lifting. Plast reconstr. Surg. 10:1. Quoted from Glogau and Matarasso (1995).

118-Litton C. (1963) :

Observations after chemosurgery of the face. Plast. Reconstr. Surg. 32: 554. Quoted from Brody (1997g).

119-Litton C. (1966) :

Follow-up study of chemosurgery south. Med. J. So : 10007. Quoted from : Brody (1997g).

120-Litton C. (1973) :

A survey of chemical peeling of the plast. Reconstr. Surg. 51:645.

REFERENCES

121-Litton C., Fournien T. and Capinpin A. (1973) :

A survey of chemical peeling of the face. *Plast. Reconst. Surg.* 51:645.

122-Litton C. and Trinidad G. (1981) :

Complications of chemical face peeling as evaluated by a questionnaire. *Plast. Reconstr. Surg.* 67:738.

123-Litton C. and Trinidad G. (1982) :

Chemosurgery of the eyelids. Aston ST. (ed). Williams and Wilkins. Baltimore (*Proceedings of third international symposium of plast and Reconstructive*) P. 341.

124-Lober C.W. (1987) :

Chemexfoliation-indications and cautions. *J. Am. Acad. Dermatol.* 17:109.

125-Loverme W.E. (1987) :

Toxic shock syndrome after chemical face peel. *Plast Reconstr. Surg.* 80:115.

126-Loverme W.E., Drapkin M.S. and Courtiss E.H. (1987) :

Toxic shock syndrome after chemical face peel. *Plast Reconstr. Surg.* 80:115.

127-Lupo M.L. (1992) :

Knowledge of facial masks important to dermatologists, *Cosmet Dermatol* 5 (5) : 16.

128-Mac Kee G.M. (1903) :

Quoted from Glogau and Matarasso (1995).

REFERENCES

129-Mackee G.M. and Karp F.L. (1952) :

The treatment of post acne scars with phenol, Br. J. Dermatol 64:456. Quoted from Brody (1997h).

130-Mahrle G. (1983) :

Retinoids is skin cancer and hyperproliferation skin disease. J. Derm. Surg. Oncol. 9:631.

131-Maibach HF. And Rovee D.T. (1972):

Epidermal wound healing. In: Wound healing. Mosby. Year book, st. Louis P. 23: Quoted from Brody (1997c).

132-Marks R. (1983) :

Synthetic retinoids. In : Recent advances in dermatology by Rook, AJ. and Maibach HH. (eds), No.6, Churchill, Livingstone, Edinburgh, Lodon, Melbourne and New.York. P. 252.

133-Martinet N., Harne LA., and Grostendorst, G.R. (1988):

Identification and characterization of chemoattractants for epidermal cells. In : J. Invest. Dermatol. 90:122.

134-Matarasso S.L., Salman S.M., Glogau R.G. et al.,(1990) :

The role of chemical peeling in the treatment of photodamaged skin. J. Dermatol. Surg. Oncol., 16:945.

135-Matarasso S.L. and Glogau R.G. (1991) :

The role of chemical peeling in the treatment of photodamaged skin. J. Dermatol. Surg. Oncol. 17:622.

REFERENCES

136-Matarasso L. Seth and Glogan G. Richand (1995) :

Chemical peels. Trichloroacetic acid and phenol.
Dermatologic. Clinics 13 : (2) 271.

137-Matarraso L. Seth and Brody Harold (1996) :

Deep chemical peeling. Seminars cutaneous medicine and
Surgery. 15 (3) : 155.

138-Mc Collough E.G. and Hillman R.A. (1980) :

Chemical face peel. Otolaryngologic Clin. of Nor. Am.
13:353.

139-Mc Collough E.G. and Langsdon P.R. (1987) :

The maskless chemical face peel. Dermat. Clin. 5:381.

140-Milstein E. (1990) :

Is pyruvic acid potentially explosive ? Schoch Lett. 40:41.

141-Monash S. (1945) :

The uses of diluted trichloroacetic acid in dermatology.
Urol Cutan Rev. 49:119. Quoted from Roenigk and
Brodland (1993).

142-Monheit GD. (1988) :

Chemoexfoliation : A review. Cosmet Dermatol. 1:16.

143-Monheit G.D. (1989) :

The Jessner's + TCA peel : A medium depth chemical
peel, J. Dermatol. Surg. Oncol., 15:945.

144-Monheit G. (1990) :

Chemical peeling symposium. Atlanta; American
Academy of Dermatology.

REFERENCES

145-Monheit D. Gary (1995) :

The ~~Jessner~~ + TCA peel : A medium depth chemical peel. Dermatol Surg oncol. 15: (9) : 945.

146-Montagna W. Carlisle K. and Kirchner S. (1988) :

Epidermal and dermal histological markers of photo-damaged human facial skin. Shelton, CT, Richardson. Vicks.

147-Morrison R.T., Boyd R.N. (1967) :

Organic chemistry, ed 2, Bonston, Allyn & Bacon, P. 789.
Quoted from Brody (1997g).

148-Moseley J.C. and Katz S.I. (1972) :

Acne vulgaris : Treatment with carbon dioxide slush-cutis 10:429.

149-Moy L. (1991) :

A comparison of chemical peeling agents. Proceedings of the American society for Dermatologic surgery chemical peeling symposium Chemical peeling symposium, Orlando, Florida. Quoted from Brody (1997g).

150-Moy L.S. Murad H. and Moy R. L. (1993) :

Glycolic acid peels for the treatment of wrinkles and photoaging, J. Dermatol. Surg. Oncol. 19:243.

151-Murray J.C., Pollack S.V. and Pinnell S.R. (1981) :

Keloids : A review. J. Am. Acad. Dermatol. 4:461.

REFERENCES

152-Nazzaro-Porro M. (1983) :

Beneficial effect of 15% azelaic acid cream on acne vulgaris. Br. J. Dermatol. 109:45.

153-Nelson B.R., Fader D.J. and Gillard M. (1995) :

Pilot histologic and ultrastructural study of the effects of medium-depth chemical facial peels on dermal collagen in patients with actinically damaged skin. J.Am. Acad. Dermatol. 32:472.

154-Nieder R. and Schopf. E. (1986) :

Inhibition of wound healing by antiseptics. Br. J. Dermatol. 115 (Suppl. 31).

155- O'Keefe EJ., Pajne RE and Russell N. (1985) :

Spreading and enhanced motility of human keratinocytes and fibronectin. In : J. Invest Dermatol. 85:125.

156-Otely C. Clark and Roenigk K. Randall (1996) :

Medium-depth chemical peeling. Seminars in cutaneous Medicine and Surgery 15 (3) : 145.

157-Pascher F. (1957) :

Dermatologic formulary, New. York. Skin and cancer unit, New. York, Hoeber-Harper. Quoted from Brody (1997g).

158-Pascher F. (1973) :

Systemic reactions to topically applied drugs. Bull Ny Acad. Med., 49:613.

REFERENCES

159-Peikert J.M., Kaye V.N. and Zachary C.B. (1994) :

A re-evaluation of the effect of occlusion on the trichloroacetic acid peel. *J. Dermatol. Surg. Oncol.* 20:660.

160-Pflugfelder S.C., Huang A. and Grouse C. (1990) :

Epstein Barr virus keratitis after a chemical face peel. *Am. J. Ophthalmol.* 110:571.

161- Piacquadio D., Grove M.J., and Dobry M. (1992) :

Efficacy of glycolic acid peel questioned for photodamaged skin, *Dermatol Times* P. 52.

162- Piacquadio D., Dobry M., Hunt S et al., (1996) :

Short contact 70% glycolic acid peels as a treatment for photodamaged skin a pilot study, *Dermatol. Surg* 22:449.

163-Piotrowski J.S. (1971) :

Evaluation of exposure to phenol. Absorption of phenol vapour in the lungs and through the skin and excretion of phenol in urine. *Br. J. Int. Med.* 28:172.

164-Raab B. (1991) :

A new hydrophilic copolymer membran for dermabrasion. *J. Dermatol. Surg. Oncol.* 17:323.

165-Rae V. and Falanga V. (1989) :

Wrinkling due to mid dermal elastolysis. *Arch Dermatol* 125:950.

REFERENCES

166-Randall K. Roenigk, M.D. and David G. Brodland, M.D. (1993):

A primer of facial chemical peel. Dermatologic clinic. 11:(2), 349.

167-Rapaport M.J. and Kamer F. (1984) :

Exacerbation of facial herpes simplex after phenolic face peels. J. Dermatol. Surg. Oncol. 10:57.

168-Resnik S.S. Lewis L.A. and Cohen B.H. (1976) :

Trichloroacetic acid peeling. Cutis. 17:127.

169-Resnik S.S. (1984) :

Chemical peeling with trichloroacetic acid J. Dermatol. Surg. Oncol. 10:549.

170-Resnik S.S. (1989) :

Chemical peel with trichloroacetic acid. In : ~~Roenigk RK~~, Roenigk HH Jr (eds) : Dermatologic surgery: Principles and Practice. New. York, Marcel. Dekker. P. 979.

171-Resnik S.Sorrel, M.D. and Resnik I. Barry, M.D. (1995) :

Dermatologic Clinics : Complications of chemical peeling 13 (2) 309.

172-Roberts H.L. (1926) :

The chloracetic acids : A biochemical study. Br. J. Dermatol. 38: 323. Quoted from Roenigk and Brodland (1993).

REFERENCES

173-Robinson J.K. (1989) :

Actinic cheilitis. Arch, Otolaryngol Head. Neck. Surg.
115:848.

**174-Roenigk K. Randall, M.D. and Brodland G. David, M.D.
(1993):**

A primer of facial chemical peel. Dermatologic clinics
11:(2) 349.

175-Rook A., Wilkinson D.S. and Ebling F.J.G. (1972) :

Textbook of dermatology, Oxford England; Blackwell
Scientific P. 2072.

176-Rosan A.M. (1994) :

The chemistry of alpha-hydroxy acids, Cosmet. Dermatol.
7 (suppl) : 4-6.

177-Ross. Ingram L. (1997) :

Personal communications from personal Aesthetics skin
and Body care. Institute, Atlanta. Quoted from Brody
(1997g).

178-Rubenstein R., Roenigk H.J. and Stegman S.J. (1986) :

Atypical keloids after dermabrasion of patients taking
isotretinoin. J. Am. Acad. Dermatol. 15: 280.

179-Rubin M.G. (1992) :

Trichloroacetic acid and other phenol peels. Clin. Plast
Surg. 19:525.

REFERENCES

180- Sanchez NP, Pathak MB. and Satos, et al., (1981) :

Melasma : A clinical, light microscopic, ultrastructural, and immunofluorescence study, J. Am. Acad. Dermatol. 4:698.

181-Slagel G.A. and Mc Marlin S.L. (1984) :

Chemical face peels, J. Assoc. Milit. Dermatol. 10:38.

182-Sperber P.A.(1965) :

Chemoexfoliation for aging skin and acne scarring. Arch.Otolaryngol. 81:278.

183-Spira M., Gerow F.J. and Hardy S.B. (1974) :

Complications of chemical face peeling. Plast. Reconstr. Surg. 54:397.

184-Spinowitz A.L. and Rumsfield J. (1989) :

Stability time profile of trichloroacetic acid at various concentrations and storage conditions. J. Dermatol. Surg. Oncol. 15:974.

185-Stagnone J.J. and Stagnone G.J. (1982) :

A second look at chemabrasion J. Dermatol. Surg. Oncol., 8: 701.

186-Stagnone J. (1987) :

Chemical peeling and chemabrasion In: Surgery, by Epstein E. and Epstein E., (edit^s), 6th edition, W.B. sounders company philadelphia, London, Toronto. P. 412.

187-Stagnone J.J. (1989) :

Superficial peeling. J. Dermatol. Surg. Oncol. 15:924.

REFERENCES

188-Stegman S.J. (1980) :

A study of dermabrasion and chemical peels in an animal model. J. Dermatol. Surg. Oncol. 6:490.

189-Stegman S.J. (1982) :

A comparative histologic study of the effects of three peeling agents and dermabrasion on normal and sun damaged skin. Aesthetic plast Surg. 6:123.

190-Stegman S.J. and Tromovitch T.A. (1984) :

Cosmetic dermatologic surgery. St: Louis Mosby. P.27.

191-Stegman S.J. (1986) :

Medium-depth chemical peeling : Digging beneath the surface (editorial) J.Dermatol. Surg. Oncol. 12:1245.

192-Stegman S.J., Tromovitch T.A. and Glogau R.G. (1990) :

Cosmetic dermatologic surgery, ed 2, St. Louis.Mosby. P. 35.

193-Stuzin M. James, M.D., FACS, Thomas J. Baker, M.D. FACS, and Howard L. Gordon, M.D., FACS (1993) :

Treatment of photoaging :Facial chemical peeling (Phenol and trichloroacetic acid) and Dermabrasion. 20 (1) 20.

194-Swinehart J.M. (1990) :

Test spots in dermabrasion and chemical peeling. J. Dermatol. Surg. Oncol. 16:557.

REFERENCES

195-Swinehart J.M. (1992) :

Salicylic acid ointement peeling of the hands and forearms: Effective non surgical removal of pigmented lesions and actinic damage. J. Dermatol. Surg. Oncol. 18:495.

196-Taylor M.B. (1995) :

EMLA for effective pain relief following chemical peeling, Dermatol. Surg. 21:738.

197-Truppmann E.S. and Ellemby J.D. (1979) :

Major electrocardiographic changes during chemical face peeling. Plast. Reconstr. Surg. 63:44.

198-Urkov J.C. (1946) :

Superficial defects of skin : Treatment by controlled exfoliation. III. Med. J. 89:75. Quoted from Glogau and Matarasso (1995).

199-Van Scott E.J. and Yu R.J. (1982) :

Substances that modify the stratum corneum by modulating its formation. In : Principles of cosmetics for dermatologist. Frost P., Horwitz S.N. (eds). The CV. Mosby. Co, St, Louis, 70.

200-Van Scott E.J. and Yu R.J. (1984) :

Hyperkeratinization, corneocyte cohesion, and alpha hydroxy acids. J.Am. Acad. Dermatol. 11:867.

REFERENCES

201-Van Scott E.J. (1989) :

Alpha-hydroxy acids. Procedures for use in clinical practice. *Cutis* 43:222.

202-Van Scott E.J. (1989) :

The unfolding therapeutics uses of the alpha-hydroxy acids. *Mediguide. Dermatol.* 3:1.

203-Van Scott E.J. and Yu R.J. (1989) :

Alpha hydroxy acids : therapeutic potential. *Can. J. Dermatol.* 1:108.

204-Van Winkle W. (1967) :

The fibroblast in wound healing. *Surg. Gynecol Obst.* 124:369. Quoted from Glogau and Matarasso (1995).

205-Wang B. and Carey W.D. (1994) :

Chemical peeling as adjuvant therapy for facial neurotic excoriations. *J.Am. Acad. Dermatol.* 30:669.

206-Warner M.A. and Harper J.V. (1985) :

Cardiac dysrhythmias associated with chemical peeling with phenol. *Anesthesiology.* 62:360.

207-Weiss J., Ellis C.N. and Headington J.T. (1988) :

Topical tretinoin improve photoaged skin: A double-blind vehicle controlled study. *JAMA* 259:527.

REFERENCES

208-Wexler M. (1984) :

The prevention of cardiac arrhythmias produced in an animal model by the topical application of phenol preparation in common use for face peeling. *Plast. Reconst. Surg.* 73:595.

209-Wheeland RG. (1991) :

New surgical dressings aid post operative healing. *Dermatol Perspect.* 7:1.

210-Williams ML. And Elias PM. (1981) :

Nature of skin fragility in patients receiving retinoids for systemic effect. *Arch. Dermatol.* 117:611.

211--Wojno T. and Tenzel R. (1984) :

Lower eyelid ectropion following chemical face peeling. *Ophtalmic. Surg.* 15:596.

212-Wolfe S.A. (1982) :

Chemical face peeling following therapeutic irradiation. *Plast. Reconst. Surg.* 69:859.

213-Yarborough J.M. (1987) :

Dermabrasion by wire brush. *J. Dermatol. Surg. Oncol.* 13:610.

214-Yu R.J. and Van Scott E.J. (1994) :

Alpha-hydroxy acids : science and therapeutic use, *Cosmet Dermatol* 7 (suppl) : 12-20.