



REFERENCES



REFERENCES

Albright, S.D. (1982):

Treatment of skin cancer using multiple modalities. J. Am. Acad. Dermatol., 7: 143-171.

Allington, H.V. (1950):

Liquid nitrogen in treatment of skin diseases. Calif Med., 72: 153-5. Quoted from Epstein (1987).

Auffret, N.; Buisset, S. (1991):

Ocular tolerance of acitretin in 10 patients. In: Retinoids: 10 years on (sourat-J. H. ed.). Basel: Karger, 327-31.

Baird, G.M.; Dossetor, T.F.B. (1981):

Methotrexate enteropathy. Lancet, 1:164 (Letter).

Baker, H. (1960):

The influence of chloroquine and related drugs on psoriasis and keratoderma blenorrhagicum. Br. J. Dermatol., 78: 161-6.

Baker, H. (1976):

Corticosteroids and pustular psoriasis. Br. J. Dermatol., 94 (Suppl. 12): 83-8.

Baker, H.; Ryan, J.J. (1968):

Generalized pustular psoriasis. Br. J. Dermatol., 94 (Suppl. 12): 83-8.

Baker, B.S.; Fry, L. (1992):

The immunology of psoriasis. Br. J. Dermatol., 126: 1-9.

Bassiouny, A.; El-Meshad, M.; Talaat, M.; Kutty, K. and Metwaa, B. (1982):

Cryosurgery in cutaneous leishmaniasis. Br. J. Dermatol., 107: 467-74.

Bauer, R.; Orfanos, C.E. (1984):

Impaired motility and random migration of vital polymorphonuclears in vitro after therapy with oral aromatic retinoid in psoriasis. *Int. J. Dermatol.*, 1: 72-7.

Bhalla, K.; Amento, E.P.; Serog, B.; Glimcher, M.H. (1984):

1,25- dihydroxy vitamin D3 inhibits antigen-induced T-cell activation. *J. Immunol.*, 133: 1748-54.

Biro, L. and Price, E. (1980):

Cryocorner; Cryogenic anaesthesia and hemostasis. *J. Dermatol. Surg. Oncol.*, 6: 608-10.

Bjerke, T.R.; Krogh, H.K.; Matre, R. (1978):

Characterization of mononuclear cell infiltrates in psoriatic lesions. *J. Invest. Dermatol.*, 71: 340-3.

Bjerring, P.; Beck, H.I. and Zachariae, H. (1986):

Topical treatment of psoriatic skin with methotrexate cream: a clinical pharmacokinetic, and histological study. *Acta Derma. Venerol.*, 66: 515-19.

Bowcock, A.M. (1995):

Genetic locus for psoriasis identified. *Ann. Med.*, 27: 183-6.

Braco, D. (1980):

Historical development. In Albin R.J. (ed): *Handbook of cryosurgery*. New York, Marcel Dekker, Inc.

Calvert, A.H.; Bondy, P.K.; Harrap, R. (1977):

Some observations on the human pharmacology of methotrexate. *Cancer Treat. Rep.*, 61: 1647-56.

Camp, R.D.R.; Fincham, N.J. and Cunningham, F.M. (1986):

Psoriatic skin lesions contain biologically active amounts of an interleukin-1-like compound. *J. Immunol.*, 137: 3469-74.

- Cathy, G.; Ferguston, J. and Johnson, B.E. (1988):**
UVB phototherapy an effective treatment for psoriasis.
Br. J. Dermatol., 119: 691-696.
- Champion, R.H. (1966):**
Treatment of psoriasis. Br. Med. J., ii: 993-6.
- Chang, E.Y.; Hammerberg, C. and Fisher, G. (1992):**
T-cell activation is potentiated by cytokines released by
lesional psoriatic, but not normal epidermis. Arch.
Dermatol., 128: 1479-85.
- Chang, J.C.G.; Smith, L.R. and Froning, K.J. (1994):**
CD+8 T-cells in psoriatic lesions preferentially use T-cell
receptor V_B3 and/or V_B13.1 genes. Proc. Natl. Acad. Sci.,
91: 9282-6.
- Chapin, M.E.; Burkes, E.L. and Hill, C. (1973):**
Cryosurgery of oral white lesions. J. Oral Surg., 31: 584-
91.
- Christophers, E.; Mrowietz, U. and Henneicke, H.H. (1992):**
Cyclosporine in psoriasis: a multicentre dose finding in
severe plaque psoriasis. J. Am. Acad. Dermatol., 26: 86-
90.
- Cohen, H.J.; Baer, R.L. (1960):**
Triamcinolone and methylprednisolone in psoriasis
comparison of their intralesional and systemic effects. J.
Invest. Dermatol., 34: 271-5.
- Comaish, S.; Juhlin, L. (1969):**
Site of action of methotrexate in psoriasis. Arch.
Dermatol., 100: 99-105.
- Cooper, I.S. (1951):**
Cryogenic surgery for cancer.
Fed. Proc., 24: 5237-40.

Cooper, I.S. and Less, A.S. (1961):

Cryostatic congelation: A system for producing a limited controlling region of cooling or freezing of biologic tissues. *J. Nerv. Mental. Dis.*, 33: 259-63. Quoted from Epstein (1987).

Coopman, S.A.; Johnson, R.A. and Platt, R. (1993):

Cutaneous disease and drug reactions in HIV infection. *N. Engl. J. Med.*, 328: 1670-4.

David, M. and Lowe, N.J. (1989):

Psoriasis therapy: comparative studies with a hydrocolloid dressing, plastic film occlusion and triamcinolone acetonide cream. *J. Am. Acad. Dermatol.*, 21: 511-14.

Dawber, R.P. and Wilkinson, J.D. (1979):

Melanotic freckle of Hutchison: Treatment of macular and modular with cryotherapy. *Br. J. Dermatol.*, 101: 47-49.

de Berker, Sakuntabhai, A.; Diffy, B.L. (1997):

Comparison of psoralen-UVB and psoralen- UVA photochemotherapy in the treatment of psoriasis. *J. Am. Acad. Dermatol.*, 36: 577-81.

Diffy, B.L.; Olive, R.J.; Farr, P.M. (1984):

A portable instrument for quatifying erythema induced by ultraviolet radiation. *Br. J. Dermatol.*, 111: 663-72.

Duhra, F.; Poul, J.C. (1988):

Cryotherapy for multiple trichoepithelioma. *J. Dermatol. Surg. Oncol.*, 14: 1413-5.

Duvic, M.; Johnson, T.M. and Rapini, R.P. (1987):

Acquired immunodeficiency syndrome-associated psoriasis and reiter's syndrome. *Arch. Dermatol.*, 123: 1622-32.

Ellis, C.N.; Gorsulowsky, D.C. and Hamilton, T.A. (1986):

Cyclosporine improves psoriasis in a double blind study. *J. Am. Med. Assoc.*, 256: 3110-16.

- Ellis, C.N.; Hermonn, R.C.; Grosulomsky, D.C. et al. (1987):**
Etretinate therapy reduces in patient treatment of psoriasis. J. Am. Acad. Dermatol., 17: 787-91.
- Ellis, C.N.; Voorhees, J.J. (1987):**
Etretinate therapy. J. Am. Acad. Dermatol., 16: 267-91.
- Ellis, C.N.; Fradin, M.S. and Messana, J.M. (1991):**
Cyclosporine for plaque-type psoriasis. Results of a multidose, double-blind trial. N. Engl. J. Med., 324: 277-84.
- Elton, R.F. (1983):**
The appropriate use of liquid nitrogen. The primary care., 10: 459-476.
- Elton, R.F. (1983):**
Complications of cutaneous cryosurgery. J. Am. Acad. Dermatol., 8 (4): 513.
- Emanuel, G.K. (1994):**
Cyosurgery updated. J. Am. Acad. Dermatol., 31: 925-44.
- Eyre, R.W.; Krueger, G.G. (1982):**
Response to injury of skin involved and uninvolved with psoriasis, and its relation to disease activity: Koebner and reverse Koebner reactions. Br. J. Dermatol., 106: 153-159.
- Eyre, R.W.; Krueger, G.G. (1991):**
The koebner response in psoriasis. In: Psoriasis, 2nd ed. New York: Marcel Dekker, 135: 47.
- Farber, E.M.; Mullen, R.H. and Jacobs, A.H. (1986):**
Infantile psoriasis: a follow-up study. Pediatr. Dermatol., 33: 237-43.

- Farber, E.M.; Nall, M.L. (1971):**
Genetic of psoriasis: twin study. In: Psoriasis: proceeding of the international symposium (Farber E.M.; Cox A.J., eds). Stanford, California: Stanford University Press, 7: 13.
- Farber, E.M.; Nall, M.L. (1974):**
The natural history of psoriasis in 5600 patients. *Dermatologica.*, 148: 197-108.
- Farber, E.M.; Rein, G.; Lanigan, S.W. (1991):**
Stress and psoriasis. *Int. J. Dermatol.*, 30: 8-12.
- Farr, P.M.; Diffy, B.L. (1991):**
PUVA treatment of psoriasis in the united kingdom. *Br. J. Dermatol.*, 124: 365-7.
- Farris, G.M.; Dewhurst, A.G. and While, J.E. (1989):**
Methotrexate dosage in patients aged over 50 with psoriasis. *Br. Med. J.*, 298: 801-2.
- Fraser, J. (1975):**
Cryosurgery. *Prog. Surg.*, 14: 139-159.
- Fredriksson, T.; Lassus, A.; Bleekev, J. (1980):**
Treatment of psoriasis and atopic dermatitis with halcinonide cream applied once and three times daily. *Br. J. Dermatol.*, 102: 575-7.
- Fry, L. (1988):**
Psoriasis: *Br. J. Dermatol.*, 119: 445-461.
- Gage, A.A.; Koepof, S.; Wehrle, D. and Emmings, F. (1965):**
Cryotherapy for cancer of the lip and oral cavity. *Cancer*, 18: 1646.
- Glickman, F.S. (1986):**
Lepra, Psora, Psoriasis. *J. Am. Acad. Dermatol.*, 14: 863-6.

- Gold, M.H.; Holy, A.K.; Roenigk, H.H. (1988):**
Beta-blocking drugs and psoriasis. *J. Am. Acad. Dermatol.*, 19: 837-41.
- Gollnick, H.; Orfanos, C.E. (1991):**
Clinical efficacy of etretinate and a citretin. New York: Dekker, 725: 48.
- Gollnick, H.; Zaun, H.; Ruzicka, T. (1993):**
Replase rate of severe generalized psoriasis after treatment with acitretin or etretinate. *Eur. J. Dermatol.*, 3: 442-6.
- Gordon, M.; Johnson, W.C. (1967):**
Histopathology and histochemistry of psoriasis. *Arch. Dermatol.*, 95: 402-407.
- Graham, G.F. (1985):**
Cryosurgery for acne. In Zacarian, S.A. (ed): Cryosurgery for skin cancer and cutaneous disorders. St Louis, Toronto, Pricetom. The C.V. Mosby Company.
- Grimmett, R. (1961):**
Liquid nitrogen therapy. *Arch. Dermatol.*, 83: 563-7.
- Grossman, R.M.; Delaney, R.J. and Brinton, E.A. (1991):**
Hypertriglyceridemia in patients with psoriasis treated with cyclosporine. *J. Am. Acad. Dermatol.*, 25: 648-51.
- Halioua, B.; Saurat, J.H. (1990):**
Risk: benefit ratio in the treatment of psoriasis with systemic retinoids. *Br. J. Dermatol.*, 22 (Suppl. 36): 135-50.
- Hall, A.F. (1960):**
Advantage and limitations of liquid nitrogen in the therapy of skin lesions. *Arch. Dermatol.*, 82: 63-70.

Hansen, J.E. (1971):

Cryosurgery therapy of benign lesions of the skin and mucous membranes. *International Surgery*, 56: 402-406.

Hellagren, L. (1967):

Psoriasis: The prevalence in sex, age and occupational groups in total populations in Sweden. Morphology, inheritance and association with other skin and rheumatic diseases. Stockholm: Almqvist and Wiksell, 55: 63.

Hehir, M.; duVivier, A. and Ellison, L. (1983):

Investigation of the pharmacokinetics of clobetasol propionate and clobetasone butyrate after a single application of ointment. *Clin. Exp. Dermatol.*, 8: 143-51.

Henseler, T.; Wolffk, Honigsmans, H. and Christophers, E. (1981):

Oral 8-methoxy psoralen photochemotherapy of psoriasis. The European PUVA study: a cooperative study among 18 European centres. *Lancet*, 853:7.

Henseler, T.; Christophers, E. (1985):

Psoriasis of early and late onset: characterization of two types of psoriasis vulgaris. *J. Am. Acad. Dermatol.*, 13: 450-6.

Hollander, J.L.; Brown, E.M. and Jasser, R.A. (1959):

The effect of triaminolone on psoriatic arthritis. *Arthr. Rheum.*, 2: 513-25.

Holden, H.B. (1972):

Cryosurgery in E.N.T. practice. *Laryng. Otol.*, 86 821-7.

Holden, H.B. and Saunders, S. (1973):

Cryosurgery; its scientific basis and clinical application. *The practitioner.*, 210: 543-550.

- Hradil, E.; Lindstrom, C. and Maller, H. (1978):**
Intermittent treatment of psoriasis with clobetasol propionate. Acad. Derm. Venerol., 58: 375-7.
- Irvine, H.; Turnacliffe, D. (1929):**
Liquid oxygen in dermatology.
Arch. Dermatol. Syphilol., 19:270- 80.
- Jensen, J.; Sindet Pedersen, S. and Simonsen, E.K. (1988):**
A comparative study of treatment of keratocysts by enucleation or enucleation combined with cryotherapy. A preliminary report. J. Craniomaxillofac Surg., 16: 362-5.
- Jones, S.K.; Darville, J.M. (1989):**
Transmission of virus particles by cryotherapy.
Br. J. Dermatol., 121 (4): 481-6.
- Kawashima, H.; Hoshina, K. and Hashimoto, Y. (1977):**
Biological activity of 1 and 25 dihydroxy-cholecalciferol: a new synthetic analog of the hormonal form of vitamin D3. FEBS letts., 76: 177.
- Katayama, H.; Kawada, A. (1981):**
Exacerbation of psoriasis induced by indomethacin.
J. Dermatol., 8: 323-7.
- Kato, T.; Rokugo, M.; Tervi, T.; Tagami, H. (1986):**
Successful treatment of psoriasis with topical application of active vitamin D3 analogue, 19: 25-dihydroxy-cholecalciferol. Br. J. Dermatol., 115: 431-3.
- Katz, H.I.; Hien, N.T. and Prawer, S.E. (1987):**
Super potent topical steroid treatment of psoriasis vulgaris. Clinical efficacy and adrenal function. J. Am. Acad. Dermatol., 16: 804-11.
- Kennedy, C.; Baker, H. (1976):**
Renal function in methotrexate treated psoriatics.
Br. J. Dermatol., 94: 702-3.

- Kingston, T.P.; Matt, L.H.; Low, N.T. (1987):**
Etretin therapy for severe psoriasis.
Arch. Dermatol., 123: 55-8.
- Kruger, G.G.; Duvic, M. (1994):**
Epidemiology of psoriasis: Clinical issues.
J. Invest. Dermatol., 102: 14-18.
- Labulate, C.; Grossman, R. and Abi-Rached, J. (1994):**
Efficacy and safety of oral cyclosporine for long term
treatment of chronic severe plaque psoriasis. Br. J.
Dermatol., 130: 366-75.
- Lacey, D.L.; Axelrod, T. and Chappel, J.C. (1987):**
Vitamin D affects proliferation of a murine T-helper cell
clone. J. Immunol., 138: 1680-6.
- Lazorus, G.S.; Gilgor, R.S. (1979):**
Psoriasis polymorphonuclear leukocytes, and lithium
carbonate: An important clue. Arch. Dermatol., 115:
1183-4.
- Leung, D.Y.M.; Travers, T.B.; Norris, D.A. (1995):**
The role of superantigens in skin disease.
J. Invest. Dermatol., 105: 375-425.
- Limmer, B.L. (1979):**
Cryosurgery of porokeratoses plantaris discreta.
Arch. Dermatol., 115: 582-3.
- Lindegard, B. (1986):**
Diseases associated with psoriasis in a geneal population
of 159, 200 middle-aged, urban, native swedes.
Dermatologica., 173: 298-304.
- Lindelof, B.; Sigurgeirsson, B. and Tegner, E. (1991):**
PUVA and cancer: a large scale epidermological study.
Lancet, 338: 91-3.

Lindo, S.D. and Danils, F. (1975):

Cryosurgery of junction naevi. *Cutis*, 16: 492.

Lowe, N.T. (1993):

Systemic retinoid therapy. In: Therapy of moderate to severe psoriasis. Portland National Psoriasis Foundation, 94: 105.

Mansbridge, J.N.; Knapp, A.M. (1987):

Changes in keratinocyte maturation during wound healing. *J. Invest. Dermatol.*, 89: 253-63.

Mansbridge, J.N.; Knapp, A.M.; Strefling, A.M. (1984):

Evidence of alternative pathway of keratinocyte maturation in psoriasis from an antigen bound in psoriatic but not normal epidermis. *J. Invest. Dermatol.*, 83: 296-301.

Margolis, D.J.; Guzzoc and Johnson, J. (1992):

Alterations in renal function in psoriasis patients treated with cyclosporine, 5mg/kg/day. *J. Am. Acad. Dermatol.*, 26: 195-7.

Marsden, C.W. (1961):

Oral steroid therapy in psoriasis vulgaris. *Br. J. Dermatol.*, 73: 103-6.

McLelland, J.; Fisher, C. and Farr, P.M. (1991):

The relationship between plasma psoralen concentration and psoralen-UVA erythema. *Br. J. Dermatol.*, 124: 585-90.

Melski, J.W.; Bernhard, J.D.; Stern, R.S. (1983):

Koebner response in psoriasis association with early age of onset and multiple previous therapies. *Arch. Dermatol.*, 119: 655-9.

- Melski, J.W.; Tanenbaum, L. and Parrish, J.A. (1977):**
Oral methoxalen photochemotherapy for the treatment of psoriasis: a cooperative clinical trial. *J. Invest. Dermatol.*, 68: 328-35.
- Menter, A.; Baker, J.N.W.N. (1991):**
Psoriasis in practice. *Lancet*, 338: 231-4.
- Mitchell, A.A. (1992):**
Oral retinoids. What should the prescriber know about their teratogenic hazards among women of child-bearing potential? *Drug safety*; 7: 79-85.
- Miya, K.; Saj, S.; Morita, T.; Niwa, H. and Sakata, K. (1987):**
Experimental study on mechanism of absorption of cryonecrotized tumour antigens. *Cryobiology*, 24: 135-9.
- Morimoto, S.; Yoshikawa, K. and Kozuka, T. (1986):**
An open study of vitamin D3 treatment in psoriasis vulgaris. *Br. J. Dermatol.*, 115: 421-9.
- Mrowietz, V.; Farber, L. and Bachmann, H. (1993):**
Hypertriglyceridemia in patients with psoriasis treated with cyclosporine. *J. Am. Acad. Dermatol.*, 27: 491-2.
- Naldi, L. (1995):**
Psoriasis. *Dermatol. Clin.* 13: 635-47.
- Nesher, G.; Zuckner, J. (1995):**
Rheumatologic complications of vitamin A and retinoids. *Sem. Arth. Rheum.*, 24: 291-6.
- Newman, M.; Averbach, R. and Feiner, H. (1989):**
The role of liver biopsy in psoriatic patients receiving long-term methotrexate treatment. *Arch. Dermatol.*, 125: 1218-24.

Nilsson, J.E. and Gip, L.J. (1979):

Systemic effects of local treatment with high doses of potent corticosteroids in psoriatics. *Acta. Derma. Venerol.*, 59: 245-8.

Nouri, K.; Chartier, T.; Eaglstein, W.H. and Taylor, T.R. (1997):

Treatment of psoriasis with cryotherapy. *Australasian Journal of Dermatology*.

Nouri, K.; Chartier, T.; Eaglstein, W.H. and Taylor, T.R. (1997):

Cryotherapy for psoriasis. *Arch. Dermatol.*, 133: 1608-1609.

Orfanos, C.E.; Ehlert, R.; Gollnick, H. (1987):

The retinoids. A review of their clinical pharmacology and therapeutic use. *Drug*. 34: 459-503.

Orfanos, C.E.; Jacobi, H.; Scholz, A. and Bisson, S. (1994):

Successful outcome of cryosurgery in patients with granuloma annulore. *Br. J. Dermatol.*, 130: 494-497.

Phillips, W.G. and Breathmachs, M. (1994):

Psoriasis. Immune indicators and treatment. *Clin. Immunother.*, 1(2): 157-67.

Phillips, J.J. and Dover, J.S. (1992):

Recent advances in dermatology. *New Engl. J. Med.*, 326: 167-78.

Pinkus, H.; Mehregan, A.H. (1966):

The primary histologic lesion of seborrhoeic dermatitis and psoriasis. *J. Invest. Dermatol.*, 46: 109-116.

Poswillo, D.E. (1971):

A comparative study of the effects of electrosurgery and cryosurgery in the management of benign oral lesions. *Br. J. Oral Surg.*, 9: 1-7.

- Powels, A.V.; Carmichael, D. and Hulme, B. (1990):**
Renal function after long-term lowdose cyclosporine for psoriasis. *Br. J. Dermatol.*, 122: 665-9.
- Pusey, W.A. (1907):**
The use of carbon dioxide snow in treatment of nevi and other lesions of the skin. *JAMA*, 49: 1354-6. Quoted from Leopard P. (1975).
- Ragaz, A.; Ackerman, A.B. (1979):**
Evolution maturation and regression of lesions of psoriasis. *Am. J. Dermato. Pathol.*, 1: 199-124.
- Ramsay, C.A. (1997):**
Management of psoriasis with calcitriol used as monotherapy. *J. Am. Acad. Dermatol.*, 37: 553-554.
- Ramsay, C.A.; Berth-Jones, J. and Brundin, G. (1994):**
Long term use of topical calcitriol in chronic plaque psoriasis. *Dermatology*, 189: 260-4.
- Raynoud, F.; Gerband, P.; Evain-Brion, D. (1994):**
Beneficial effect of a combination of retinoids and 10 mg-acting theophyllin in the treatment of posriasi vulgaris. *Br. J. Dermatol.*, 31: 740-2.
- Reitamo, S.; Erkkop and Remitz, A. (1993):**
Cyclosporine in the treatment of plamoplanter pustulosis. *Arch. Dermatol.*, 129: 1273-9.
- Rigby, W.F.C.; Staly, T.; Fanger, M.W. (1984):**
Inhibition of T-lymphocyte mitogenesis by 1,25 dihydroxyl vitamin D3. *J. Clin. Invest.*, 74: 1451-5.
- Roenigk, H.H.; Auerbach, R. and Maibach, H.I. (1988):**
Methotrexate in psoriasis: revirsed guidelines. *J. Am. Acad. Dermatol.*, 19: 145-6.

Roenigk, J.R. (1991):

Retinoids and other treatments in psoriasis: risk benefit ratio. In: Retinoids: 10 years on (saurat J.H., ed). Basal: Karger, 332-40.

Ryan, J.J.; Baker, H. (1969):

Systemic corticosteroids and folic antagonists in the treatment of generalised pustular psoriasis. Br. J. Dermatol., 81: 134-45.

Scoggins, R.B. (1987):

Cryotherapy for psoriasis. Arch. Dermatol., 123: 427-428.

Seville, R.H. (1977):

Psoriasis and oral contraceptives. Br. J. Dermatol., 97: 297.

Sheehan-Dare, R.A.; Goodfield, M.J.D.; Rowell, N.R. (1991):

The effect of oral indomethacin on psoriasis treated with the ingram regime. Br. J. Dermatol., 125: 257-5.

Shepherd, J.; Dawber, R.P. (1982):

The historical and scientific basis of cryosurgery. Clin. Exper. Dermatol., 7: 321-8.

Shupack, J. and Elizabeth, A. (1997):

Cyclosporine as maintenance therapy in patients with severe psoriasis. J. Am. Acad. Dermatol., 36: 423-32.

Sonnex, T.S.; Jones, R.L.; Weddell, A.G. and Dawber, R.F. (1985):

Long term effects of cryosurgery on cutaneous sensation. Br. Med. J., 290: 188-90.

Smith, E.L.; Walworth, N.C.; Holick, M.F. (1986):

Effect of 1, 25-dihydroxy vitamin D3 on the morphologic and biochemical differentiation of cultured human epidermal keratinocytes grown in serum free conditions. J. Invest. Dermatol., 86: 709-14.

- Stadler, R.; Muller, M.; Detmar, M.; Orfanos, C.E. (1987):**
Retinoids and keratinocyte differentiation in vitro.
Dermatologica, 175: 45-55.
- Stenard, W.D.; Wallace, S.M.; Runikis, J.O. (1972):**
Abrosption and local action of methotrexate in human and mouse skin. *Arch. Dermatol.*, 106: 357-61.
- Stern, R.S.; Fitzgerald, E.; Ellis, C.N. (1995):**
The safety of etretinate as long-term therapy for psoriasis: result of etretinate follow-up study. *J. Am. Acad. Of Dermatology*, 33: 44-52.
- Stern, R.S.; Laird, N. (1994):**
The carcinogenic risk of treatment for severe psoriasis. *Cancer*, 73: 2759-64.
- Stern, R.S. and Longe, R. (1988):**
Non melanoma skin cancer occurring in patients treated with PUVA five to ten years after first treatment. *J. Invest. Dermatol.*, 91: 120-4.
- Stillier, M.J.; Pak, G.H. and Kenn, Y.C. (1992):**
Elevation of fasting serum lipids in patients treated with low-dose cyclosporine for severe plaque- type psoriasis. *J. Am. Acad. Dermatol.*, 27: 434-8.
- Stone, O.J. (1990):**
The elongated dermal papillae of psoriasis. *Int. J. Dermatol.*, 29: 187-189.
- Swerlick, R.A.; Cunnigham, M.W.; Hall, N.K. (1986):**
Monoclonal antibodies cross-reactive with group a streptococci and normal and psoriatic human skin. *J. Invest. Dermatol.*, 87: 367-71.
- Suarez-Almanzor, M.E. and Russell, A.S. (1990):**
The genetics of psoriasis haplo type sharing in siblings with the disease. *Arch. Dermatol.*, 126: 1040-2.

- Taylor, J.R.; Halprink, M. (1977):**
Effect of sodium salicylate and indomethacin on methotrexate-serum albumin binding. Arch. Dermatol., 113:588-91.
- Taylor, J.r.; Halprink, M. and Levin, V. (1983):**
Effect of methotrexate in vitro on epidermal cell proliferation. Br. J. Dermatol., 108: 45-61.
- Terome, S.; Elizabeth, A. and Eugene, B. (1997):**
Cyclosporine as a maintenance therapy in patients with severe psoriasis. J. Am. Acad. Dermatol., 36: 423-32.
- Torre, D. (1967):**
Gradle of cryosurgery. N.Y. State. J. Med., 67: 465-467.
- Torre, D. (1973):**
Dermatological cryosurgery: a progress report. Cutis., 11: 782-786.
- Tsoukas, C.D.; Prouvedeni, D.M.; Manolagas, S.C. (1984):**
1,25-dihydroxy vitamin D3: a novel immunoregulatory hormone. Science, 224: 1438-40.
- van de kerkhof, P.C.M.; Hoefnagels, W.H.L. and Van Haelst, V.J.G.M. (1983):**
Methotrexate maintenance therapy liver damage. Clin. Exp. Dermatol., 10: 194-200.
- Van Weelden, H.; Young, E.; Vonderleun, J.C. (1980):**
Therapy of psoriasis: Comparison of phototherapy and several variants of phototherapy. Br. J. Dermatol., 103: 1.
- Walsdorfer, V.; Christopher, E.; Schroder, J.M. (1983):**
Methotrexate inhibits polymorphonuclear leucocyte chemotaxis in psoriasis. Br. J. Dermatol., 108: 451-6.

- Wan, S.H.; Huffman, D.H. and Azarnoff, D.L. (1974):**
Effect of route of administration and effusions on methotrexate pharmacokinetics. *Cancer Res.*, 34: 3487-91.
- Ward, A.; Brogden, R.N. and Heel, R.C. (1983):**
Etretinate: A review of its pharmacological properties and therapeutic efficacy in psoriasis and other skin disorders. *Drugs*; 26: 9-43.
- Weinstein, G.D.; Krueger, J.G. (1993):**
An overview of psoriasis. In: *Therapy of Moderate-to-severe psoriasis*. Portland, Oregon: National Psoriasis foundation., 2-22.
- Weinstein, G.D.; McCullough, J.L. (1989):**
Topical methotrexate therapy for psoriasis. *Arch. Dermatol.*, 125: 227-30.
- Weinstein, G.D.; McCulloch, J.L.; Ross, P. (1985):**
Cell kinetic basis for pathophysiology of psoriasis. *J. Invest. Dermatol.*, 85: 579-83.
- Weitzner, J.M.; Fields, K.W. and Robinson, M.J. (1989):**
Pediatric bowenoid papulosis, *Pediatric Dermatology*, 6(4): 303-5.
- White, A.C. (1899):**
Liquid air: its application in medicine and surgery. *Med. Rec.*, 56 (4): 109. Quoted from Epstein (1982).
- Wolf, R.; Tomir and Brenners (1990):**
Psoriasis related to angiotensin converting enzyme inhibitors. *Dermatologica.*, 181: 51-3.
- Zachariae, H. (1985):**
Psoriasis and the liver. In: Roenigk H.H., Maibach, H.I. eds., *Psoriasis*. New York: Marcel Dekker., 47-64.

Zacarian, S.A. and Adham, M.I. (1967):

Cryogenic temperature studies of human skin, temperature recordings at 2 mm human skin depth following application with liquid nitrogen. J. Invest. Dermatol., 47-8.

Zacarian, S.A. (1980):

How accurate is temperature monitoring in cryosurgery and is there alternative. J. Dermatol. Surg. Oncol., 6: 627-32.

Zacarian, S.A. (1982):

Cryosurgical treatment of lentigomaligna. Arch. Dermatol., 118: 89-92.

Zacarian, S.A. (1984):

Cryosurgery of malignant tumours of the skin. In: Ervin Epstein ed. Controversis in Dermatol., Philadelphia, London: WB Saunders, 122:7.

Zacarian, S.A. (1985):

Cryosurgery effective for grnauloma facilae. J. Dermatol. Surg. Oncol., 11: 11-3.

Zelickson, B.D. and David, A.M. (1996):

Clinical and histologic evaluation of psoriatic plaques treated with flashlamp pulsed dye laser. J. Am. Acad. Dermatol., 35: 64-8.