

LIST OF CONTENTS

INTRODUCTION.....	1
AIM OF THE WORK.....	2
REVIEW OF LITERATURE	3
Anatomy of the aqueous	3
Surgical anatomy	13
Physiology of aqueous humour inflow and outflow	16
Pathophysiology of glaucoma filtering surgery.....	27
Wound healing after filtration surgery.....	27
Risk factors.....	32
Causes of bleb failure.....	37
Complications of filtering surgery.....	41
Update in glaucoma surgery	46
PATIENTS AND METHODS.....	66
RESULTS.....	78
DISCUSSION	93
SUMMARY AND CONCLUSION.....	109
REFERENCES.....	112
ARABIC SUMMARY.....	

LIST OF TABLES

	Page
Table (1): Patient characteristics.....	78
Table (2): Pre and post operative IOP (n = 60).	80
Table (3): Pre and post operative IOP in low risk group (n = 33 eyes).	82
Table (4): Pre and post operative IOP in cases with high risk (n = 17).	84
Table (5): Pre- and post-operative IOP in eyes of microtrabeculectomy combined with cataract surgery (Group III) (n = 10).	86
Table (6): Pre and post operative glaucoma medications.	88
Table (7): Success rate in the three groups.....	89
Table (8): Complications in the three groups.	90

LIST OF FIGURES

	Page
Fig. (1): Semidiagrammatic representation of structures of the angle of the anterior chamber. (SL, Schwalbe's line; SS, scleral spur; IP, iris process; TM, trabecular meshwork; C, cornea; I, iris; SC, Schlemm's canal; CB, ciliary body) (Hoskins and Kass, 1989).	4
Fig. (2): Organization of the human trabecular meshwork (Rohen <i>et al.</i> , 1981).....	6
Fig. (3): A: Aqueous circulation system in the anterior eye segment. B: Higher magnification of the chamber structures outlined in A (the arrows show the direction of aqueous flow). (Lutjen and Rohen, 1994).....	16
Fig. (4): Ultra-structure of the ciliary epithelium with different types of junction (Van Buskirk, 1997).	17
Fig. (5): Schematic drawing of the two-layered ciliary epithelium. The mechanism of aqueous secretion and some of the factors influencing the secretory processes are shown (Green <i>et al.</i> , 1985).....	18
Fig. (6): Standing gradient, osmotic flow model for secretion of aqueous humour (Bartels, 1989).....	19
Fig. (7): Influence of the autonomic nervous system on the formation of cAMP in the ciliary epithelium Agonists: NE = norepinephrine, E = epinephrine, NPY = Neuropeptide Y, VIP = Vasoactive intestinal polypeptide, ACH = acetylcholine. Receptors: A and B = adrenergic receptor, α_2 & β_2 = NPY receptor (subtype unknown), V=VIP receptor, M? muscarinic receptor (subtype unknown). Gs=stimulatory guanine nucleotide binding protein, G _i = inhibitory guanine nucleotide binding protein (Reddy, 1982).	21
Fig. (8): Insertion of the anterior ciliary muscle tendons within the trabecular meshwork and corneo-sclera (Rohen <i>et al.</i> , 1981).....	24
Fig. (9): Influence of the ciliary muscle tone on the outflow via Schlemm's canal (trabecular outflow) and the uveoscleral outflow (Bill, 1984).....	25
Fig.(10): Phases of wound healing (Weinreb, 1991).....	28
Fig. 11 (A, B, C, D): Filtering blebs after Kanski (1999) (A) Thin polycystic filtration bleb (B) Thin, flat diffuse filtration bleb (C) Vascularized non-filtering bleb (D) Encapsulated non-filtering bleb.	36
Fig. (12): A 3 mm conjunctival incision.....	68
Fig. (13): A 2.5 mm incision one third to one-half limbal thickness.	68
Fig. (14): A crescent knife was used to perform an intrascleral pocket.....	69

Fig. (15): A crescent knife extending 2-3 mm posteriorly.....	69
Fig. (16): A cystotome mounted on syringe with balanced saline solution (BSS) was passed under the intrascleral pocket.	70
Fig. (17): Entering the anterior chamber.....	71
Fig. (18): Kelly descemet membrane punch.	71
Fig. (19): A few limbal tissue sections by the use of Kelly punch	72
Fig. (20): A peripheral iridectomy.....	72
Fig. (21): A two bites running 10-0 nylon suture.....	73
Fig. (22): The crescent knife introduced through the scleral incision.	74
Fig. (23): The crescent knife advanced up to the surgical limbus then into the corneal lamella for apporoximately 1 mm.	74
Fig. (24) Kelley's punch was introduced into the anterior chamber	75
Fig. (25): Conjunctival sutures by 10/0 Nylon mattress sutures	75
Fig. (26): Pre and post operative IOP (n = 60 eyes).....	81
Fig. (27): Pre and post operative IOP in low risk group (n = 33 eyes).....	83
Fig. (28): Pre and post operative IOP in cases with high risk (n = 17).	85
Fig. (29): Pre- and post-operative IOP in eyes of microtrabeculectomy combined with cataract surgery (Group III) (n = 10).....	87
Fig. (30): Complications occurred in the three groups	92