

REFERENCES

- Abdel-Salam, A.M.; Taher, I.M. and Mohammed , S.A. (2000):*** Erbium laser is a promising tool for phacoemulsification. Bull. Ophthalmol. Soc. Egypt 93 : 207 – 211.
- Adel, S.S.; Aldessouky, M.E. and Rezk, A. (1997) :*** Scleral tunnel phacoemulsification. Bull. Ophthalmol. Soc. Egypt 90: 293 – 296.
- Allarakhia, L.; Knoll, R.L. and Lindstrom, R.L. (1987) :*** Soft intraocular lenses. J. Cataract Refract Surg. 13 : 607 – 620.
- Alpins, N.A. (1993) :*** A new method of analyzing vectors for changes in astigmatism. J. Cataract Refract Surg. 19 : 524 – 533.
- Amon, M. (2001) :*** Biocompatibility of intraocular lenses. Letter. J. Cataract Refract Surg. 27 : 178 – 179.
- Apple, D.J.; Park, S.B. and Merkley, K.H. (1986):*** Posterior chamber intraocular lenses in a series of 75 autopsy eyes. I. Loop Location. J. Cataract Refract Surg. 12 : 358.
- Apple, D.J.; Price, F.W. and Gwint (1989) :*** Sutured retropupillary posterior chamber intraocular lenses for exchange or secondary implantation. Ophthalmology 96 : 1241.
- Apple, D.J. and Rabb, M.F. (1998) :*** Ocular pathology : Clinical applications and self-Assessment 5th edition. Vol. 1 and 2 Chapter 4. pp 139 – 161 and color plates 4-15 and 4-34 Appendix.7 Mosby.
- Araffa, R.C.; Warnicke, J.W. and Rehkopf, P.G. (1986) :*** Corneal topography using raster-stereography. Refract Corneal Surg. 5 : 414.

- Armeniades, C.D.; Barieci, A. and Knoll, G.E. (1990) :** Effect of the incision length, location and shape on local corneoscleral deformation during cataract surgery. *J. Cataract Refract Surg.* 16 : 83 – 87.
- Assia, E.I. (1992) :** Loop memory of posterior chamber intraocular lenses of various sizes, designs and loop materials. *J. Cataract Refract Surg.* 18 : 541.
- Auffarth, G.U. (1995) :** Update on complications of anterior chamber IOLs. *J. cataract Refract Surg.* 22 : 1- 7.
- Auffarth, G.U.; Wesendahl, T. and Apple, D.T. (1993) :** Surface characteristics of intraocular lens implants : an evaluation using scanning electron microscopy and quantitative three-dimensional non-contracting profilometry (TOPO). *J. Longterm Effect Med. Implant* 3 (4) : 321 –331. Quoted from apple et al. (1998).
- Ayoub, M. (1989) :** Implantation of soft IOL through small – incision. *Bull Ophthalmol. Soc. Egypt* 82 : 183 – 188.
- Ayoub, M.I. and Said, A.H. (1975) :** Relation between limbal incision and the structure of the anterior chamber angle. *Br. J. Ophthalmol.* 57 : 722 – 727.
- Bafna, S.; Kohnen, T. and Koch, D.D. (1998) :** Axial, instantaneous, and refractive formulas in computerized videokeratography of normal corneas. *J. Cataract Refract Surg.* 24 : 1184 – 1190.
- Belin, M.W. and Hannush, S.B. (1995) :** Ocular imaging : computerized corneal modelling. In Jay, B and Kirkness, C.M. (eds). *Recent advances in ophthalmology.* Vol. 9 pp. 205 – 224. Churchill Livingstone.
- Belin, M.W. and Ratliff, C.D. (1996) :** Evaluating data acquisition and smoothing functions of the currently available videokeratoscopes. *J. Cataract Refract Surg.* 22 : 421 – 426.
- Berms, R.N. (1986) :** Posterior chamber IOLs in a series of 75 autopsy eyes. III. Correlation of positioning holes and optic edges with the pupillary aperture and visual axis. *J. Cataract Refract Surg.* 12 : 367.

- Bissen-Miyajima, H.; Shimmura, S.H. and Tsubota, K. (1999) :**
Thermal effect on corneal incisions with different phacoemulsification ultrasonic tips.
J. Cataract Refract Surg. 25 : 60 – 64.
- Bogan, S.J.; Waring, G.O. and Ibrahim, O. (1990) :**
Classification of normal corneal topography based on computer assisted videokeratography.
Arch. Ophthalmol. 108 : 945 – 949.
- Brint, S.F.; Ostrick, M. and Bryan, J.E. (1991) :**
Keratometric cylinder and visual performance following phacoemulsification and implantation with small-incision silicone or poly (methyl methacrylate) IOL.
J. Cataract Refract Surg. 17 : 32 –36.
- Bron, A.J.; Tripathi, R.C. and Tripathi, B.J. (1997) :**
Wolff's anatomy of the eye and orbit. 8th (ed). pp 223 – 224
Chapman and Hall, London.
- Buratto, L. (1998a) :**
The incisions. In. Buratto, L. (ed), Phacoemulsification : principles and techniques. pp 33 – 48 . SLACK Incorporated.
- Buratto, L. (1998b) :** Intraocular lenses. In Buratto, L. (ed); phacoemulsification : Principles and Technique. pp 187 – 204. SLACK Incorporated.
- Buratto, L. (1998c) :** Phacoemulsification : surgical techniques. In Buratto, L. (ed). Phacoemulsification : principles and techniques. pp 71 – 170 SLACK Incorporated.
- Busin, M.; Schmidt, J.; Koch, J. and Spitzans, M. (1993) :** Long-term results of sutureless phacoemulsification with implantation of a 7-mm (PMMA) IOLs. Arch. Ophthalmol. 111 : 333 – 338.
- Buzard, K.A. and Shearing, S.P. (1991) :** Comparison of postoperative astigmatism with incisions of varying length closed with horizontal sutures and with no sutures. J. Cataract Refract Surg. 17 : 734 – 739.

- Chen, Y.C. and Wu, S.(2001)** : Keratometric astigmatism after cataract surgery using small self-sealing scleral incision. Chang-Gung-Med. J. 24 (1) : 19 – 26 Abstract.
- Claoùe, C. (1996)** : Refractive surgery and patients with cataracts. In Claoùe, C. (ed) : Laser and conventional Refractive surgery. Ch 7, P 128. BMJ Publishing Group.
- Corbett, M.C. and Rosen, E.S. (1999)** : Corneal topography in cataract surgery. In Yanoff, M. and Duker, J.S. (eds) : Textbook of Ophthalmology. Vol. 1 Section 4, Chapter 15, P1. Mosby.
- Cravy, T.V. (1991)** : Routine use of a lateral approach to cataract extraction to achieve rapid and sustained stabilization of postoperative astigmatism. J. Cataract Refract Surg. 17 : 415 – 423.
- Cuaycong, M.J.; Gay, C.A.; Emery, J.; Haft, E.A. and Koch, D.D. (1993)** : Comparison of the accuracy of computerized videokerato-graphy and keratometry for use in IOL calculation. J. Cataract Refract Surg. 19 (Suppl) : 178 – 181.
- Dam-Johansen, M.; Olsen, T. and Theodorsen, F. (1994)** : The long-term course of surgically induced astigmatism after a scleral tunnel incision. Eur. J. Implant Refract. Surg. 6 : 337 – 342.
- Davis, R.M.; Best, D. and Gilbert, G.E. (1991)** : Comparison of intraocular lens fixation techniques performed during penetrating keratoplasty. Am. J. Ophthalmol. 111 : 743.
- Dodick, J.M.; Sperber, L.T.D. and Laly, J.M. (1993)** : Neodymium-YAG laser phacolysis of the human cataractous lens. Arch. Ophthalmol. 111 : 903.
- Dingeldin, S.A. and Klyce, S.D. (1989)** : The topography of the normal corneas. Arch. Ophthalmol. 107 : 512.
- Dodick, J.M.; Beade, P.E.; Otero, E.J. and Ciardella, A.P. (1999):** Ocular surgery in the twenty-first century. In spaeth, G.L. (ed.) Ocular surgery for the new millennium, part I., 12 (4). pp 601 – 627. Ophthalmology clinics of north America. September, R.L. (Consulting ed) W.b. Saunders company.

Douthwait, W.A. (1995) : EyeSys corneal topography measurement applied to calibrated ellipsoidal convex surfaces. Br. J. Ophthalmol. 79 : 797 - 801.

Duke-Elder, S. (1970) : Ophthalmic optics and Refraction Dioptric imagery. System of ophthalmology. Henry Kimpton, London, Vol. V. P. 125. Mosby.

Edmund, C. (1987): Location of the corneal apex and its influence on the stability of the central corneal curvature : A photokeratometry study.
Am. J. Optom. Physiol. Opt. 64 : 648-852. Quoted from Dingeldein, S.A. and Klyce, S.D.(1989).

El-Bromboly, T.H.; Abdel Kader, M.; Kenawy, S. and El-Hagar, A. (1999) : Postoperative corneal astigmatism after different cataract extraction incisions. Bull. Ophthalmol. Soc. Egypt 92 : 469 – 476.

El-Nafees, R.; Abd El-Rhaman, H.; Swelam, A. and El Khouly, Sh. (1998) : Effect of cataract incision on corneal topography. Bull. Ophthalmol. Soc. Egypt 91 : 283 – 290.

El-Samra, A.H. (2000) : Erbium Laser phacoemulsification; a clinical pilot study. Bull. Ophthalmol. Soc. Egypt 93 : 241 – 244.

Ernest, P.H. (1994) : Corneal lip tunnel incision. J. Cataract Refract Surg. 20 : 154 – 157.

Ernest, P.H.; Kiessling, A. and Slattery, K. (1991) : Relative strength of cataract incisions in cadaver eyes. J. Cataract Refract Surg. 17 : 688 – 691.

Ernest, P.H.; Fenzl, R.; Lavery, K.T. and Sensoli, A. (1995) : Relative stability of clear corneal incisions in a cadaver eye model. J. Cataract Refract Surg. 21 : 39 – 42.

Ernest, P.; Tipperman, R.; Eagle, R.; Kardasis, C.; Lavery, K.; Sensoli, A. and Rhem, M. (1998) : Is there a difference in incision healing based on location. J. Cataract Refract Surg. 24 : 482 – 486.

- Farag, A.A.; Abdeen, A.K.; Tawfik, A. and Mahdy, A. (1999) :** Corneal topography after incisional refractive surgery. Bull. Ophthalmol. Soc. Egypt 92 : 389 – 394.
- Faulkner, G.D. (1987) :** Folding and inserting silicone intraocular lens implants. J. Cataract Refract Surg. 13 : 678 – 681.
- Feil, S.H.; Crandall, A.S. and Olson, R.J. (1994) :** Astigmatic decay following small incision, self-sealing cataract surgery. J. Cataract Refract Surg. 20 : 40 – 43.
- Feil, S.H.; Crandall, A.S. and Olson, R.J. (1995) :** Astigmatic decay following small incision, self-sealing cataract surgery. J. Cataract Refract Surg. 21 : 433 – 436.
- Fikry, R. and Nasr, H. (1997) :** Scleral tunnel versus clear corneal incision in phacoemulsification with rigid and foldable IOL. Bull. Ophthalmol. Soc. Egypt 19 : 767 – 770.
- Fine, B.S. and Yonoff, M. (1979) :** Ocular histology : A Text and Atals. 2nd edition. PP. 163 – 168. Hagerstown. Harper and Row.
- Fine, I.H. (1991a) :** Architecture and construction of a self-sealing incision for cataract surgery. J. Cataract Refract Surg. 17 (Suppl) : 672 – 676.
- Fine, I.H. (1991b) :** The chip and flip phacoemulsification technique. J. Cataract Refract Surg. 17 : 366 – 371.
- Frieling, E. and Steinert, R.F. (1993) :** Intrinsic stability of ‘self-sealing’ unsutured cataract wounds. Arch. Ophthalmol. 111 : 381 – 383.
- Gills, J.P. and Sanders, D.R. (1991) :** Use of small incision to control induced astigmatism and inflammation following cataract surgery. J. Cataract Refract Surg. (Suppl.) 17 : 740 – 744.
- Girard, L.J. and Hoffman, R.F. (1984) :** Scleral tunnel to prevent induced astigmatism. Am. J. Ophthalmol. 97 : 450 – 456.

Grabow, H.B. (1998) :

Personal phacoemulsification technique. In Buratto, L. (ed): phacoemulsification; principles and techniques. PP 415 – 426. SLACK Incorporated.

Gross, R.H. and Miller, K.M. (1996) : Corneal astigmatism after phacoemulsification and lens implantation through unsutured scleral and corneal tunnel incisions. Am. J. Ophthalmol. 121 : 57 – 64.

Hayashi, K.; Fuminori, N. and Hyashi, F. (1993) : Topographic analysis of early changes in the corneal astigmatism after cataract surgery. J. Cataract Refract Surg. 19 : 43 – 47.

Hayashi, K.; Nakao, F. and Hayashi, F. (1994) : Corneal topographic analysis of superolateral incision cataract surgery. J. Cataract Refract Surg. 20 : 392 – 399.

Hayashi, K.; Hayashi, H.; Nakao, F. and Hayashi, F. (1995) : The correlation between incision size and corneal shape changes in sutureless cataract surgery. Ophthalmology 102 : 550 – 556.

Höh, H. and Fischer, E. (2000) : Pilot study on Erbium laser phacoemulsification. Ophthalmology 107 : 1053 – 1062.

Holladay, J.T.; Crauy, T.V. and Koch, D.D. (1992) : Calculating surgically induced refractive change following ocular surgery. J. Cataract Refract Surg. 18 : 429 – 443.

Holsclaw, D.S. (1997): Surgical correction of astigmatism. Ophthalmology Clinics of North America. Vol. (10), No. (4) : 555 – 574.

Huang, F.C. and Tseng, S.H. (1998) : Comparison of surgically induced astigmatism after suture-less temporal clear corneal and scleral frown incisions. J. Cataract Refract Surg. 24 : 477 – 481.

Hunter, D.G. and West, C.E. (1996) : Last minutes optics. A concise review of optics, refraction and contact lenses. Section 16 (Instruments) and appendix. PP 109-121.

Inomata, H.; Smelser, J.K. and Polak, F.M. (1970) : Fine structure of regenerating endothelium and Descemet's membrane in normal and regenerating corneal grafts. *Am. J. Ophthalmol.* 70 : 48 – 64.

Isaacs, R.T. and Apple, D. (1999) : Lens Replacement. Evaluation and pathology of intraocular lens implantation. In Yanoff, M. and Duker, J.S. (eds) : *Ophthalmology*. Volume one. Ch. 13 PP 1-14. Mosby.

Jacobi, F.K.; Dick, H.B. and Bohle, R.M. (1998) : Histological and ultrastructural study of corneal tunnel incisions using diamond and steel keratomes. *J. Cataract Refract Surg.* 24 : 498 – 502.

Jaffe, N.S.; Jaffe, M.S. and Jaffe, G.F. (1990) : Healing of the wound in cataract surgery and its complications. P23 the C.V. Mosby company. St. Louis.

Jaffe, N.S.; Jaffe, M.S. and Jaffe, G.F. (1997) : Postoperative corneal astigmatism : *Cataract surgery and its complications*, 6th ed. p 132 and Figures P 73-74. Mosby.

Kamel, H.M. (1995) :

A (3.2 mm) versus (5.2 mm) small incision cataract extraction. *Bull. Ophthalmol. Soc. Egypt* 88 : 657 – 660.

Kansas, P.G. (1989) : Modified pocket incision : A simplified technique for astigmatism control and wound closure. *J. Cataract Refract Surg.* 15 : 220-222.

Kaufman, H.E.; McDonald, M.B.; Barron, B.A. and Wilson, S.E. (1992) : Principles of corneal and refractive surgery, In : *Color Atlas of Ophthalmic Surgery. Corneal and Refractive surgery*. pp. 1. J.B. Lippincott Company.

Kawano, K. (1993) : Modified corneoscleral incision to reduce postoperative astigmatism after 6 mm diameter IOL implantation. *J. Cataract Refract Surg.* 19 : 387 – 392.

- Kelman, C.D. (1998)** : Thirty years of phacoemulsification : The evolution of my technique from 1967 to 1997. In Buratto, L. (ed); phacoemulsification : principles and techniques. pp 465– 468. SLACK Incorporated.
- Kershner, R.M. (1991)** : Sutureless one-handed intracapsular phacoemulsification : The key hole technique. J. Cataract Refract Surg. 17 (Suppl.) : 719-725.
- Kershner, R.M. (1997)** : Clear corneal cataract surgery and the correction of myopia, hyperopia and astigmatism. Ophthalmology 104 : 381 – 389.
- Klyce, S.D. (1995)** : Informatin fidelity in corneal topography. B. J. Ophthalmol. 79 : 791 – 792.
- Klyce, S.D. (1996)** : Introduction to keratoscopy. In Lucio, Bruatto, (ed) : Corneal topography, the clinical Atlas, Chapter 1 p3. SLACK inc.
- Klyce, S.D. and Beuerman, R.W. (1988)** : Structure and function of the cornea. In : kaufman, H.E.; Barron, B.A.; Mc Donald M.B. and Waltman, S.R. (eds) : the cornea PP, 43-48. New York, Churchill Livingstone.
- Kochevar, I.E. (1989)** : Cytotoxicity and mutagenicity of excimer laser radiation. Lasers surg. Med., 9 : 440 – 445.
- Koch, D.D. (1996)** : Application of computerized videokeratography in the management of cataract surgical patients. In Buratto, L. (ed) Corneal topography. The clinical atlas. Chapter II pp. 431 – 433. SLACK inc.
- Koch, D.D. and Haft, E.A. (1993a)** : Introduction to corneal topography. In sanders, D.R. and Koch, D.D. (eds). An Atlas of corneal topography. Chapter I pp 1-30. SLACK inc.
- Koch, D.D.; Haft, E.A. and Gay, C. (1993b)** : Computerized videokeratographic analysis of corneal topographic changes by sutured and unsutured 4.0 mm scleral pocket incision. J. Cataract Refract Surg. 19 (Suppl.) : 166 – 169.

- Koch, D.D. (1993)** : Experience in clinical evaluation of corneal topography. In Thornton, S.P. (ed). J. Cataract Refract Surg. 19 : 198 – 202.
- Kohnen, T.; Lambert, R.J. and Koch, D. (1997)** : Incision sizes for foldable intraocular lenses. Ophthalmology 104 : 1277 – 1286.
- Kondrot, E.C. (1991)** : Keratometric cylinder and visual recovery following phacoemulsification and IOL implantation using a self-sealing cataract incision. J. Cataract Refract Surg. 17 (suppl.) : 731-733.
- Krasnov, M.M. (1975)** : Laser phacopuncture in the treatment of soft cataract. Br. J. Ophthalmol. 56 : 96 – 98.
- Kruger, A.; Schauersberger, J.; Findl, O.; Petternel, V.; Suolba, G. and Amon, M. (1998)** : Postoperative inflammation after clear corneal and sclerocorneal incisions. J. Cataract Refract Surg. 24 : 524 – 528.
- Kuether, C.L. (1992)** : Geometric optics. In Tasman, W. and Jaeger, E.A. (eds). Duane's clinical ophthalmology, Chapter 32, Vol.1 pp 8– 10. J.B. Lippincott company Philadelphia.
- Kumar, R.; Reeves, L. and Olson, R.J.(2001)** : Wound complications associated with incision enlargement for foldable IOL implantation during cataract surgery. J. Cataract Refract Surg. 27 : 224 –226.
- Kwitko, S.; Sawasch, M.R.; McDonnell, P.J.; Gritz, D.C.; Moreira, H.M. and Evensen, D. (1991)** : Effect of Extraocular muscle surgery on corneal topography. Arch. Ophthalmol. 109 : 873 – 878.
- Leen, M.M.; Ho, C.C. and Yanoff, M. (1993)** : Association between surgically induced astigmatism and cataract incision size in the early postoperative period. Ophthalmic Surgery. 24 (9) : 586 – 592.

- Liu, Z.; Huang, A.J. and Pflugfelder, S.C. (1999) :** Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system. Br. J. Ophthalmol. 83 : 774 – 778.
- Long, D.A. and Monica, M.L. (1996):** A prospective evaluation of corneal curvature changes with 3.0 to 3.5 mm. corneal tunnel phacoemulsification. Ophthalmology 103 : 226 – 232.
- Lusby, F.W.; Franke, J.W. and McCaffery, J.M. (1987) :** Clinical comparison of manual and automated keratometry in a geriatric population, CLAOJ 13 : 199 – 121.
- Mackool, R.J. and Russell, R.S. (1996) :** Effect of foldable IOL insertion on incision width. J. Cataract Refract. Surg. 22 : 571 – 574.
- Maguire, L.J.; Singer, D.E. and Klyce, S.D. (1987) :** Graphic presentation of computer–analysed keratoscope photographs. Arch. Ophthalmol. 105 : 223 – 230.
- Maloney, R.K.; Bogan, S.J. and Waring, III, O.G. (1993) :** Determination of corneal image-forming properties from corneal topography. Am. J. Ophthalmol. 115 : 31 – 41.
- Mandell, R.B. and Fatt, I. (1965) :** Thinning of the human cornea on awakening. Nature 208 : 292 – 293.
- Mandell, R.B. and Horner, D. (1993) :** Alignment of videokeratoscopes. In sanders, D.R. and Koch, D.D. (eds). An atlas of corneal topography. Chapter 10 p. 197. SLACK Inc.
- Manna, G. (1996) :** Topographic modeling system. In Buratto L. (ed.) Corneal topography; the clinical atlas. Pp 59 – 60. SLACK inc.
- Martin, R.G. and Gills, J.P. (1993a) :** Evaluating outcomes of cataract surgery. In sanders, D.R. and Koch, D.D. (eds). An atlas of corneal topography. Chapter 4., P. 63. SLACK incorporated.

- Martin, R.G.; Sanders, D.R.; Miller, J.D.; CoxIII, C.C. and Ballew, C. (1993b) :** Effect of cataract wound incision size on acute changes in corneal topography. J. Cataract Refract Surg. 19 : 170 – 177.
- Masket, S. (1987) :** Deep versus appositional study of the scleral pocket incision for astigmatic control cataract surgery. J. Cataract Refract Surg. 13 : 131 – 135.
- Masket, S. (1989) :** Keratorefractive aspects of the scleral pocket incision and closure method for cataract surgery. J. Cataract Refract. Surg. 15 (1) : 70 –77.
- Masket, S. (1991) :** Horizontal anchor suture method for small incision cataract surgery; J. Cataract Refract Surg. 17 : 689 – 695.
- McLeod, S.D.; Flowers, C.W. and McDonnell, P.J. (1996) :** Computer assisted analysis of corneal topography. In clauoue, C. (ed) : Laser and conventional refractive surgery 1st ed. P 89 – 127 and P 303. BMJ. Publishing group.
- Menapace, R.; Papapnos, P. Radox, U. and Amon, M. (1994a) :** Evaluation of 100 consecutive IOGEL 1003 foldable bag-style lenses implanted through a self-sealing tunnel incision. J. Cataract Refract Surg. 20 : 432 – 439.
- Menapace, R.; Radax, u.; Amon, M. and Papapanos, P. (1994b) :** No-stitch, small incision cataract surgery with flexible IOL implantation. J. Cataract Refract. Surg. 20 (5) : 534 – 542.
- Merlin, U. and Cantera, E. (1996) :**
The fundamentals of keratotomy. In Buratto, L. (ed), Corneal topography. The clinical atlas. Ch. 2., p. 11. SLACK Incorporated.
- Miller, D. (1991) :**
Optics and refraction; a user-frindly guide. In pods, S.M. and yanoff, M. (eds) : Text book of ophthalmology Vol. I, Ch. 14. P17. Mosby.

Miller, D. (1999) :

Optic of the normal human eye. In Yanoff, M. and Duker, J.S. (eds) : test book of ophthalmology. Vol. I. Ch. 7. P1. Mosby.

Moore, J.G. (1980) : Intraocular implants : The postoperative astigmatism. Br. J. Ophthalmol. 64 : 318 – 321.

Mora, M.; Mcleod, S.D. and McDonnell, P.J. (1997) : The role of corneal topography in refractive surgery. In Abbott, R.L. and Hwang, D.G. (eds). Ophthalmology Clinics of North America; Refractive surgery, Vol. 10, No. 4, P 505. N.B. Saunders Company.

Moreno-Montanès, J.; Garcia, L.A.; Moreno-Aliseda, D. and Munuera, J.M. (1998) : Variation in clear cornea incision size after phacoemulsification and foldable lenses implantation. J. Cataract Refract Surg. 24 : 931 – 934.

Nanevicz, T.; Prince, M.R. and Gawande, A.A. (1986) : Excimer laser ablation of the lens. Arch. Ophthalmol. 104 : 1825 – 1829.

Naylor, E.J. (1967) : Astigmatic differences in refractive errors. Br. J. Ophthalmol. 52 : 422 – 424.

Nielson, P.J. (1995) : Prospective evaluation of surgically induced astigmatism and astigmatic keratometric effects of various self-sealing small incisions. J. Cataract Refract Surg. 21 : 43 – 48.

Ohmi, S.; Uenoyama, K. and Apple, D.J. (1992) : Implantation of IOLs with different diameters. Acta Soc. Ophthalmol. J. Jpn. (Abstract) 96 : 1093.

Olsen, T.; Dam-Johansen, M.; Bek, T. and Hjortdal, J.O. (1996): Evaluating surgically induced astigmatism by Fourier analysis of corneal topography data. J. cataract Refract Surg. 22 : 318 – 323.

Olson, R.J.; Sevel, D. and Stevenson, D. (1981) : A histopathologic study of the choyle VIII intra ocular lens. Am. J. Ophthalmol. 92 : 781.

- Oshika, T.; Tsuboi, S.; Yaguchi, S.; Yoshitomi, F.; Nagamoto, T. and Nagahara, K. (1994)** : Comparative study of intraocular lens implantation through 3.2 and 5.5 mm incisions. *Ophthalmology* 101 : 1183 – 90.
- Oshika, T.; Nagahara, K.; Yaguchi, S.; Emi, K.; Takenaka, Hisahi, Tsuboi, S.; yoshitomi, F.; Nagamoto, T. and Kurosaka, D. (1998)** : Three years prospective randomized evaluation of intraocular lens implantation through 3.2 and 5.5 mm incisions. *J. Cataract Refract Surg.* 24 : 509 – 514.
- Oshika, T.; Sugita, G.; Tanabe, T.; Tomidokoro, A. and Amano, S. (2000)** : Regular and irregular astigmatism after superior versus temporal scleral incision cataract surgery. *Ophthalmology* 107 : 2049 – 2053.
- Pallin, S.L. (1991)** : Chevron sutureless closure : A preliminary report. *J. Cataract Refract Surg.* 17 (Suppl) : 706 – 709.
- Pepose, J.S. and Ubels, J.L. (1992)** : The cornea. In Hart, W.M. and Adler, F.H. (eds) : *Adlers physiology of the Eye. Clinical application* (9th ed). P. 29. Mosby-year book. St. Louis.
- Pflegler, T.; Scholz, U. and Skorpik, Ch. (1994)** : Postoperative astigmatism after no-stitch small incision cataract surgery with 3.5 mm and 4.5 mm incisions. *J. Cataract Refract Surg.* 20 : 400 – 405.
- Pflegler, T.; Skorpik, C.; Menapace, R. Scholz, U.; Weghaupt, H. and Zehetmayer, M. (1996)** : Long-term course of induced astigmatism after clear corneal incision cataract surgery. *J. Cataract Refract Surg.* 22 : 72 – 77.
- Priest, D. and Munger, R. (1998)** : Comparative study of the elevation topography of complex shapes. *J. Cataract Refract Surg.* 24 : 741 – 750.
- Puliafita, C.A. Steinert, R.F. and Deutsch, T.F. (1985)** : Excimer laser ablation of the cornea and lens : Experimental studies. *Ophthalmology* 92 : 741 – 748.

- Rabinowitz, Y.S.; Yang, H. and Brickman, Y. (1996) :** Videokeratography database of normal human corneas. Br. J. Ophthalmol. 80 : 610 – 616.
- Radner, W.; Menapace, R.; Zehetayer, M. and Mallinger, R. (1998) :** Ultrastructure of the clear corneal incisions, part I : Effect of keratomes and incision width on corneal trauma after lens implantation. J. Cataract Refract Surg. 24 : 487 – 492.
- Rapisarda, A. (1998) :** Incisions. In Buratto, L. (ed). Phacoemulsification : Principles and technique pp 303 – 310.
- Rasheed, K.; Rabinowitz, Y.S.; Remba, D. and Remba, M.J. (1998) :** Interobserver and intraobserver reliability of a classification scheme for corneal topographic patterns. Br. J. Ophthalmol. 82 : 1401 – 1406 .
- Roman, S.J.; Auclin, F.X.; Chong-Sit, D.A. and ullern, M.M. (1998) :** Surgically induced astigmatism with superior and temporal incisions in cases of with-the-rule preoperative astigmatims. J. Cataract Refract Surg.; 24 : 1636 – 1641.
- Rosen, E. (1999) :** The evolution of cataract surgery. In Yonoff, M. and Duker, J.S. (eds). Text book of Ophthalmology, Vol. 1, Section 4, Chapter 19, P 5. Mosby.
- Rosen, P.A. and Sullivan, L.J. (1995) :** Small incision cataract surgery. In Jay, B. and Kirkness, C.M. (editors). Recent advances in ophthalmology, (9) Churchill Livingstone. pp 135 – 148.
- Rowes, J.J. (1983) :** Ten caveates in keratorefractive surgery. Ophthalmology 90 : 148 – 155.
- Rowsey, J.J.; Reynolds, A.E. and Brown, D.r. (1981) : Corneal topography : corneoscope. Arch. Ophthalmol. 99 : 1093 – 1110.
- Sampson, W.G.; Soper, J.W. and Girard, L.J. (1965) :** Topical keratometry and contact lenses. Trans. Am. Acad. Ophthalmol. Otolryngel. 69 : 959 – 976.

- Sanders, R.D.; Gills, J.P. and Martin, R.G. (1993) :** When keratometric measurements do not accurately reflect corneal topography. J. Cataract Refract Surg. 19 (Suppl.) : 131 – 135.
- Schein, O.D.; Bass, E.B.; Sharkey, P.; Lutha, R.; Tielsch, J.M. Javitt, J.C. and Steinberg, E.P. (1995) :** Cataract surgical techniques : preferences and underlying beliefs. Arch. Ophthalmol. 113 : 1108 – 1112.
- Seiler, T.; Reckmann, W. and Maloney, R.K. (1993) :** Clinical evaluation of corneal topography. J. Cataract Refract Surg. 19 (Suppl.) 198.
- Shepherd, J.R. (1989a) :** Correction of preexisting astigmatism at the time of small incision cataract surgery. J. Cataract. Refract Surg. 15 : 55 – 57.
- Shepherd, J.R. (1989b) :** Induced astigmatism in small incision cataract surgery. J. Cataract Refract Surg. 15 : 85 – 88.
- Shokair, M. and Abu Al Naga, A. (1999) :** Non-sutured phacoemulsification versus conventional extracapsular cataract extraction incision effect on postoperative astigmatism. Bull. Ophthalmol. Soc. Egypt; 92: 349 – 354.
- Şimşek, Ş.; Yaşer, T.; Demirok, A., Çinal, A. and Yilmuz, Ö.F. (1998) :** Effect of superior and temporal clear corneal incisions on astigmatism after sutureless phacoemulsification. J. Cataract Refract Surg. 24 : 515 – 518.
- Singer, J.A. (1991) :** Frown incision for minimizing induced astigmatism after small incision cataract surgery with rigid optic IOL implantation. J. Cataract Refract Surg.; 17 : 661 – 667.
- Sinsky, R.M. and Stoppel, J.O. (1994) :** Induced astigmatism in a 6.0 mm no-stitch frown incision. J. Cataract Refract Surg. 20 : 406 – 409.
- Sorsby, A. (1992) :** Biology of the eye as an optical system. In Tasman, W. and Jaeger, E. (eds) : Duane's clinical ophthalmology. Vol. I chapter 34 P.1. Lippincott company Philadelphia.

- Steinert, R.F.; Brint, S.F.; White, S.M. and Fine I.H. (1991) :** Astigmatism after small incision cataract surgery : A prospective, randomized multicenter comparison of 4.0 and 6.5 mm incisions. *Ophthalmology* 98 : 417 – 23.
- Steinert, R.F. and Deacon, J. (1996) :** Enlargement of incisions width during phacoemulsification and folded intraocular lens surgery. *Ophthalmology* 103 : 220 – 225.
- Stevens, G.S.; Long, B. and Hamann, J.M. (1998) :** Erbium : YAG laser-assisted cataract surgery. 29 : 185 – 189.
- Storr-Paulsen, A. and Henning, V. (1995) :** Long term astigmatic changes after phacoemulsification. *J. Cataract Refract Surg.* 21 (4) : 429 – 432.
- Swan, K.C. (1951) :** Some contemporary concepts of scleral disease. *Arch. Ophthalmol.* 45 : 630 – 644.
- Taylor, F. (2000) :** Anatomy. In Taylor, F. (med ed). *Am. Acad. Ophthalmology. Basic and clinical science course, section 2; fundamentals and principles of ophthalmology. Part 1 P 51 and figure P 100. American Academy of ophthalmology.*
- Tennen, D.G. and Masket, S. (1996) :** Short-and long-term effect of clear corneal incisions on intraocular pressure. *J. Cataract Refract Surg.* 22 : 568 – 570.
- Thall, E.H. and Miller, D. (1999) :** Ophthalmic instrumentation : keratometry and corneal topography. In Yanoff, M. and Duker, J.S. (eds) : *Ophthalmology; Vol. 2 Ch. 12 pp 1-2. Mosby.*
- Tipperman, R. (1995) :** Cataract : Review of cataract surgery 1994. In Cohen E. L. (ed.) *Year book of ophthalmology.* pp 1-6. Mosby.
- Troutman, R.C. and Buzard, K. (1992):** Corneal astigmatism, Etiology, prevention and management. Chapter 4 (wound healing) pp. 64 – 91. Mosby Year Book.

- Utrata, P.J.; Sanders, D.R.; Deluca, M.; Raanan, M.G. and Ballew, C. (1994) :** Small incision surgery with the STAAR Elastimide three-piece posterior chamber IOL. J. Cataract Refract Surg. 20 : 426 – 431.
- Vass, C. and Menapace, R. (1994) :** Computerized statistical analysis of corneal topography for the evaluation of changes in corneal shape after surgery. Am. J. Ophthalmol. 118 : 177 – 184.
- Vass, C.; Menapace, R.; Amon, M.; Ursula, H. and Yousef, A. (1996) :** Batch-by-batch analysis of topographic changes induced by sutured and sutureless clear corneal incisions. J. Cataract Refract Surg. 22 : 324 – 230.
- Wachler, B.S.B. and Krueger, R.R. (1999) :** Refractive aspects of cataract surgery. In Yanoff, M. and Duker, J.S. (eds). Textbook of Ophthalmology, Vol. 1 section2, Chapter 8 : P1. Mosby.
- Waring, G.O. (1992) :** Corneal anatomy and physiology as applied to refractive keratotomy. In : refractive keratotomy for myopia astigmatism. PP 1059 – 1084. St. Louis, Mosby.
- Warwick, R. (1976) :** Anatomy of the limbus. In anatomy of the eye and the orbit : 44 – 47. Lewis H.K. and Co. London.
- Weghaupt, H.; Pieh, S.; Zehetmayer, M.; Scholz, U. and Shorpik, C. (1998) :** Corneal flap incision technique for sutureless cataract surgery. J. Cataract Refract Surg. 24 : 446 – 450.
- Young, J.A.; Talamo, J.H. and Siegel, I.M. (1995) :** Contour resolution of the Eye-Sys corneal analysis system. J. Cataract Refract Surg. 21 : 404 – 406.
- Zuclich, J.A. (1989) :** Ultraviolet-induced photochemical damage in ocular tissues. Health phys., 56 : 671 – 682.