

REFERENCES

REFERENCES

Abell, M.R. et al., (1963):


Testicular neoplasms in infants and children.

Tumours of germ cell origin. Cancer 16:965-981

Abelev, G.I., (1974):

Alpha fetoprotein as a marker of embryo

specific differentiation in normal and tumour



Transpl. Review 20 : 139.

Amelar R.D. Dubin, L., Hotchkiss, R.S(1971):

Restoration of fertility following unilateral
orchidectomy and radiation therapy for testicular
tumours.

J. Urol 106: 714 - 718.

Ansfield, F.J. Korbitz, B.D, Davis, H.L (1969):

Triple Therapy in testicular tumour.

Cancer 24 : 442 - 446

Berthelsen, (1979):

Incidence of carcinoma of germ cells in
contralateral testis of men with testicular
tumours.

Br. Med. J . 2, 363.

Berthelsen and skakkeback, (1980):

Electron microscopical analysis of meiotic
chromosomes from human spermatocytes during
and after treatment with steroid hormones.
Testicular tumours. Recent advances in
surgery, 9 P 250 - 259.

Blandy. J. P. (1966):

The surgical management of testicular
tumours.

Hosp. Med. 17 : 133

Blandy. J.P.(1977):

Testicular tumours: Recent advances in
surgery, 9, P 250-259.

Churchill livingstone. Edinburgh, London,
New- York

Blum, R.H., Carter, S.K., and Agre, K. (1973):

A clinical review of bleomycin - A new
antineoplastic agent.

Cancer, 31 : 903 - 914.

Borski, A.A. (1973):

Diagnosis, staging and natural history
of testicular tumours.

Cancer, 32:1202.

Braunstein, G.D., Vaitukaitis J.L., Carbone, P.P

et al., (1973);

Ectopic production of human chorionic-
gonadotropins by neoplasms.

Ann. Internal Med 78: 39.

Brown, N.J. (1976a):

Yolk-sac tumour and other testicular
tumours of children.

In pathology of the testis.

Chap. 12 (Pugh, R.C.B, Ed),

Oxford, blackwell.

Buck, A.S, Schamber, D.T, and Maier, J.S(1972):

Supraclavicular node biopsy and malignant
testicular tumours.

J. Urol., 107: 619.

Burney, B.T., and Klatte, E.C. (1980):

Abdominal ultrasound and computed tomography
in testicular cancer: Einhorn (ed) testicular
tumours.

Masson, New York, 83

Carter, S.K. (1983):

Recent results in cancer Research. Vol.85

Urologic cancer:

Chemotherapeutic principles and management

Edited by Frank, M. Torti, New York P.

70:117.

Clermont, (1963):

The cycle of the seminiferous epithelium in
man.

American.J. Anat. 112, 35.

Clermont, (1972):

Kinetics of spermatogenesis in mammals:

Seminiferous epithelium cycle and spermatogonial
Renewal.

Physiol. Rev. 52, 198.

Cunningham D.J. (1980):

Anatomy of the testis,

Cunningham's of manual of practical anatomy

London, Oxford university press, New York

Toronto.

Davidson.J.W., (1969):

Radiation in therapeutic doses damages the
lung and allows larger globules to pass
through

Ameri. J. Roentgenology

105, 763.

Davies, J.M., (1981):

Testicular cancer in England and Wales some
epidemiologic aspects

Lancet , 25: 928 - 932.

Davies, D.V., and Coupland, R.E., (1967):

Gray's anatomy 34 th edition pp 1550

Longmans , Green and Co. L.T.D, London.

Dayan, A.D. et al., (1966):

Extragenital malignant germ - cell tumours.

Journal of pathology and bacteriology

92, 1

Del Regato, J.A., and spjmt, H.J., (1977)

Ackerman and del regato's:

Cancer diagnosis, treatment, and prognosis

5th edition chapter 15 pp . 673 - 688

Devita VT, Canellos G, Hubbard et al., : (1976):

Chemotherapy of Hodgkin's disease with MOPP

A 10 - year progress report (abstr).

Proc-Am-Soc-clin-oncol 17:269.

Depue, R.H. et al., (1983):

Oestrogen exposure during gestation and

risk of testicular cancer.

J. National cancer Institutes

71, 1151 - 1155.

Einhorn L, Donohue J.P., (1977):

Cis diammine dichloroplatinum, Vinblastine
and bleomycin combination chemotherapy in
dissiminated testicular cancer.

Ann. int. Med. 87:293.

Einhorn, L.H., (1978):

Combination chemotherapy with Cis-diamine
dichlor - platinum, Vinblastine and bleomycin
in disseminated testicular cancer:

In: Carter. S.K., Grooke, S.T.,

Umezawa. H (eds).

Bleomycin:

Current status and New developments

Academic, New york.

Einhorn, L.H., and Williams, S.D., (1980):

The management of dissiminated testicular
tumour management .

Masson, New york, pp 117.150.

Engel, R.M et al., (1968):

Extragenital malignant germ cell tumours.

Cancer 22 . 1068.

Dixon F.J and Moore. R.A., (1952):

Tumours of the male sex organs. In Atlas of
tumour pathology. Section VIII.
FASC 32 : 48 - 103 , Washington
Armed forces institutes of pathology.

Donohue, J.P., (1977):

Retroperitoneal lymphadenectomy. The
anterior approach including bilateral suprarenal
hilar dissection .

Urol. Clinico. N.Am . 4 : 504.

Donohue, J.P., and Rowland, R.G., (1981):

Complications of retroperitoneal lymph node dis-
section.

J.Urol., 125: 338.

Donohue, J.P., and Rowland, R.G., (1984):

The role of surgery in advanced testicular
cancer.

Cancer 54: 2716.

Friedman N.B, and Moore, R.A (1946):

Tumours of the testis

Mil. Surg 99, 573.

Friedman M, Pearlman. A.W., (1970):

Seminoma with trophocarcinoma: A clinical
variant of seminoma.

Cancer 26 : 46 - 64.

Fuchs, W.A., (1969):

Affection of echelon node in testicular tumours

Lymphography in cancer.

P. 133 Ed by W.A Fuchs,

J.W. Davidson

Ganong, (1983):

Endocrinology and metabolism. The male
reproductive system P.353.

Givler R.L, (1969):

Testicular involvement in leukaemia and
lymphoma.

Cancer, 23: 1290

Giorgio, Pizzocaro, et al., (1985):

Unilateral lymphadenectomy in intra operative
stage I non - seminomatous germinal testis
cancer.

The Journal of Urology P.485-488.

Ghose.T., and Blair, A.H., (1978):

Tumour markers in malignant germ- cell tumours.
Journal of the National Cancer institutes

Gowing? N.F.C., (1976):

Pathology of the testis (Ed). Bearman, R.M
and Rappaport, H., (1980):
Cancer 45, 561.

Golbenberg, D.M., et al., (1978):

New england journal of medicine 298 - 1383.

Golbey, R.B., Reynolds, T.F., and Vugrin; D., (1979):

Chemotherapy of metastatic germ cell tumours.
semi. Oncol., 6, 82

Gordon-Taylor.G, Wyndham.N.R:(1947):

On malignant tumours of the testicle.

Br. J. Surg 35 : 6.

Hart,W.R and Burkons, D.M., (1979):

Non-Seminomatous germ - cell tumours in
association with gonadoblastoma.

Cancer 43, 669.

Hart, W.R., (1975):

Primary malignant germ - cell tumours of
the liver.

Cancer 35, 1453.

Haines J.S, Grabstad , H (1950):

Tumour formation in atrophic testies. Arch
surg 60:857-860

Hausfield, K.F, Schrandt, D (1965):

Malignancy of testis following atrophy:

Report of three cases.

J. Urol 94 : 69 - 72.

(267)

Hagen - Ansert, S.L. (1983):

Text book of diagnostic ultrasonography,

Second edition, P. 246 - 248.

The C.V Mosby Company, St. Louis.Toronto -
London.

Higby, D.J, Wallace, H.J, Albert D.J, et al.:(1974):

Diammino dichloro platinum:A Phase 1 study
showing responses in testicular and other
tumours.

Cancer 33: 1219 - 1225.

Hinman. F. (1919): (1923):

Retroperitoneal approach for radical
lymphadenectomy.

Surgery, Gynecology and obstetrics
28 , 495.

Hobday, P., Hodson, N.J.,

Husband .J., Parker. R.P., (1979)

The technique of computed tomography integrated
radiotherapy treatment planning.

Radiotherapy 133, 477.

Hyderman, E (1978):

Extragenadal germ cell tumour.scandinavian
journal
of immunology 8, 119

Hyderman, H., et al., (1979):

A new antigen on the epithelial membrane:

its immunoperoxidase localization in normal

and neoplastic tissues .J. Clinical.
Pathology., 32, 35.

Itoh, T. skirai, T., Nakan

and Matsumoto, S., (1974):

Alphafetoprotein synthesis in gonadal and
extragenadal germ - cell tumours.

GANN Monograph on Cancer

Research 65, 215

Jackson.J. R and Magner, D/, (1965):


prognosis of spermatocytic seminoma
cancer 18 , 751.

Javadpour N, McIntire, K.R., Waldmann T.A., (1978):

Human chorionic gonadotropin and alpha-fetoprotein in sera and tumour cells of patients with testicular seminoma:

A prospective study.

Cancer 42:2768 - 2772



Prognosis for pathologic stage I non-seminomatous germ cell tumours of the testis managed by retroperitoneal lymphadenectomy

J. Urol. 116: 63.

Jonson, K., Wallace, S., and Jing, B., (1978):

Lymphangiography in patients with malignancy in a non-descended testicle:

J. Urol., 119 : 614.

Kaye, S.B, Bagshaw, K.D., McElwain, T.J and peckham. (1979):

Tumour marker estimation in tissue fluid.

Kennedy, B.J (1970):

Mithramycin Therapy in advanced testicular neoplasms.

Cancer 26: 755 - 766.

Khler, P.O., Bridson, W.E., (1971):

Human chorionic gonadotropin synthesized per cell varies with cell density.

Acta Endocrinologica 153,137.

Kohn J., (1979):

In carcinoma - Embryonic proteins:

Chemistry, Biology.

Clinical Application, Vol 11 P383

Ed. by F.G Lehmann.

Elsevier/ North Holland Amsterdam

Kurman R.J, Scardino, P.T and McIntire, K.R., (1977):

Cellular localization of alphafetoprotein and human chorionic gonadotrophin in germ cell tumours of the testis using an indirect approach to classification utilizing tumour markers.

Cancer, 40: 2136.

Lange.P.H, McIntire, K.R, Waldmann T.A et al.,(1976):

Serum alphafetoprotein and human chorionic gonadotropin in the diagnosis and management of non-seminomatous germ - cell testicular cancer.

New Engl. J. Med 295: 1237

Lange. P.H. McIntire K.R, Waldmann T.A. et al.,(1977):

Alpha fetoprotein and human chorionic gonadotropin in the management of testicular tumours J. Urol. 118:593-596.

Li, M.C. (1960):

Effect of Combined drug therapy on metastatic Cancer of the testis. Journal of the American Medical Association.
174:1271 - 1299.

Macdonald, (1976):

Lymphography in testicular tumours complication of diagnostic radiology.
P. 301. Ed by G. Ansell black well, oxford.

Macdonald, (1978):

Lymphography in testicular tumours

Circulation of the blood P.303

Ed. by D.G James, pitman, London.

Mackenzie, A.R, (1966):

The chemotherapy of metastatic seminoma.

J. Urol. 96, 790

Meire, J.G, and Mittemeyer, B., (1977)

Carcinoma of the testis

Cancer 39:981

Miere.J.G and Husband, J.E (1979):

Ultrasound and C.T

in the demonstration of focal liver disease.

Clinics in diagnostic ultrasound

Vol 1: Diagnostic ultrasound in gastro -

intestinal disease.

P.35. Ed, by K.W.F. Taylor.

Miskin, M, Bucksan, M., and Bain. J.,(1977):

Ultrasonographic examination of scrotal
masses. J. Urol., 117 : 185

Morris, S.A., Vaughan. E.D., and constoble, W.C.

(1976):

The greater incidence of a second tumour developin,

in the remaining testis is greater than in
the normal population

J. Urol. 115, 566

Mostofi, F.K, Price, E.B.J.R., (1973):

Tumours of the male genital system.

Atlas of tumourpathology, 2nd series, Fasc
8, Armed Forces Institute, washington,D.C.

Mostofi, F.K. (1973):

Testicular tumours. Epidemiologic,
aetiologic and pathologic fetaures.

Cancer 32: 1186.

Mostofi, F.K., (1980):

Pathology of germ cell tumours of the testis.

A progress report.

Cancer, 45:1735.

Nachtsheim, D, and Scheible, F(1983):

Ultrasonography of testis tumours

J. Urol. 129: 978.

Newlands. E.S. Bagshawe, K.D., et al., (1986):

Current Optimum Management of Anaplastic

Germ cell tumours of the Testis British.J.Urology.

58, 307-314.

Norgaard-Pedersen, B., et al., (1980):

AFP in malignant germ cell tumours.

Investigative cell pathology

3,147-150.

Obiekwa, B.C., Grudzinski, J.G., Gordon.Y.B. and Bohn,

H.,(1979):

Carcino- embryonic proteins,

Vol 11, P. 629.

Ed. by F.G. Lehmann.

O'Bryan, R.M., Luce, J.K., Talley, R.W., et al., (1973):

Single agent chemo therapy in testicular
teratoma.

Cancer 32.

Omar. sh., El Badwi, Eissa, S., and Awwad, H. (1981):

An analysis of 100 patients with different
types of testicular neoplasm followed between
1973 and 1980.

Egyptian j., Oncology

Paladugu, R.R, Bearman, R.M and Rappaport, H., (1980):

Primary malignant lymphoma of the testis.

Cancer 45, 561.

Pantoga, E, Liobet, R and Gonzaly - flores, B., (1976):

Extragenadal malignant germ cell tumours.

Journal of urology 115 - 520

Paradinas, F.J (1983):

Germ cell tumour.

Ed Bagshawe, K.D,

Newlands, E.S.

Pathology in oncology.

Vol 2, No, PP 17-50.

London: Saunders.

(276)

Parkinson. C and Beilby, J. O.W (1980):

Classification of testicular tumours.

Investigative cell pathology.

3, 135.

Paterson, A.H.G., peckham, M.J and Morready, V.R

(1976):

Gallium Scanning in investigation of
metastatic seminoma.

British Med.J 1, 1118

Patton J.F et al., (1960):

Diagnosis and treatment of testicular tumours.

Ameri. J. Surgery 99. 525.

Peckham. M.J, Barret A, McElwain T.J.(1979):

Combined management of malignant

teratoma of the testis.

Lancet 11: 261 - 270.

Peckham, M.J., Barret A, McElwain T.J et al., (1981):

Non Seminoma germ cell tumours (malignant
teratoma) of the testis. Results of treatment
and an analysis of prognostic factors.

Br. J. Urol.

53: 162- 172.

Peckham, M.J and Barret, A., (1981):

Radiotherapy in testicular teratoma.

In the management of testicular
tumours. Chap 13. P. 174.

(Peckham. M.J., Ed)

London: Arnaold

Percapio, B. Clerments, J.C., McCleod, D.G Sengen,

S.D. and cardinale, F.S.(1979):

anaplastic seminoma of the testis
cancer 43, 2510

Peckham, M.J, Tait, D., and Hendry , W.F.(1984):

Post chemotherapy surgery in advanced non-seminomatous germ cell testicular tumours.

The significance of histology. with particular reference to differentiation (mature) teratoma.

Br. J. Cancer, 50: 601.

Pierce, G.B; Jr. (1966):

Ultrastructure of human testicular tumours.

Cancer. 19: 1963.

Pierce, G.B. Jr., Bullock, W.K, et al., (1970):

Yolk sac tumours of the testis.

cancer, 25: 644.

Porteous, I.B, Beck, J.S and Pugh (1968):

Human placental lactogen as a tissue markers.

Journal of pathology

and Bacteriology 95, 527.

Pugh.R.C.B,(1976):

Testicular tumours - the panel classification.

In pathology of the testis, pp 144 - 146

(Pugh, R.C.B, Ed)

Oxford blackwell scientific.

Pugh, R.C.B., (1976):

Teratoma. In Pathology of the testis

PP 199 - 244

(Pugh R.C.B Ed)

Oxford: blackwell scientific

Raghavan. D? Peckham, M.J., Hyderman. E.(1981):

Prognostic factors in clinical

stage 1 non - seminomatous germ cell

tumours of the testis managed by orchiectomy

and lymph node irradiation.

Brit.J. Cancer.

Raghavan, D., Hy derman, E.,

Monaghan, P., Gibbs., et al., (1981)

Lymph - node metastasis from a patient with a
histological diagnosis of seminoma but with
elevated A.F.P levels. Journal of clinical
pathology

34, PP 123 - 128

Ray, B., Hajdu, S.I and Whitmore, W.F (1974):

Distribution of lymph node involvement in the
testicular germinal tumours.

Cancer 33 ; 340.

Rosai J, Khodadoust K, Silber. (1969):

I: Spermatocytic seminoma.

II: ultrastructural study

Cancer 24 : 103

Sandeman. T.E., (1966):

The effect of X-irradiation on male
human fertility.

Brit .J. rad. 39:901-907.

Scardino, P.T., Cox, H.D., Waldmann, T.A,

McIntire, K.R., (1977):

The value of serum tumour markers in the staging
and prognosis of germ cell tumours
of the testis.

J. Urol., 118, 994

Skinnor, D.G(1976):

Non seminomatous testis tumours:

Aplan of managment based on 96 patients
to improve survival in all stages by combined
therapeutic modalities.

J. Urol., 115, 65

Skinner, D.G., (1977):

Adrances in the management of non-seminomatous
germinal tumours of the testis.

Br. J. Urol. 49:553

Skinner, D.G., and soardino, P.T.,(1980):

Relevances of biochemical tumour markers and
lymphadeneotomy in management of non - semino-
motous testis tumours.

J. Urol., 123:378.

Skinner, D.G., et al.,(1982):

Complication of retroperitoneal lymph node
dissection.

J. Urol. 127:1107

Skakkebaek, N.E, et al.,(1978).

Carcinoma in situ of the testis and orchiectomy.

Lancet, ii, 204.

Smith, I.E., Eckstein, H.B.,

Kohn, J. and McElwain, T.J(1977):

Metastatic orchidblastoma:

Alpha fetoprotein in diagnosis and combination
chemotherapy in treatment.

Brit.J. Urol. 49, 427.

Smithers. D., wallace. E.N.K(1971):

Radiography for patients with tumours of the test-
icle.

Br. J. Urol 43:83-92.

Smithers. D., wallace. D.M., and

Austin. D.E (1973):

Fertility after unilaferal orchidectomy and
radiotherapy for patients with malignant
tumours of the testicle.

Br.J. Urol 43:83-92

Spigel, S.C., Stephens, R.L., and Haas, C.D (1978):

Chemotherapy of disseminated germinal tumours
of the testis. comparison of vinblastine and
bleomycin with Vincristine, bleomycin and
actinomycin D.

Cancer treat. Rep., 62:129.

Staubitz, W.J., Magoss, I.V., and Grace, J.T.

(1969).

Surgical management of testis tumours.

J.Urol., 101:350

Stoter, G.Vendrik, C.P.J and struyvenbery, et al.,

(1979).

Combination chemotherapy with cis-diammine -
dichloroplatinum, vinblastine and bleomycin
in advanced testicular non- seminoma
lancet. 1: 941.

Stoter, G., Vendrik, G.P.J., and struyvenberg et al.,

(1984).

Five- year survival of patients with disseminated
non-seminomatous testicular cancer treated with
cisplatinum

V Vinblastine, Cancer, 54:1521

Talerman. A., (1971)

^a
Malignant sertoli cell tumour of the testis.

Cancer. 28: 446.

Talerman, A., (1974).

Spermatocytic seminoma.

J . Urol. 112:212

Talerman.A., (1975).

The incidence of yolk - sac tumour elements in
germ cell tumours of the testis in adults.

Cancer 36:211.

Talerman, A.,(1980):

Spermatocytic seminoma.

Clinicopathologic study of 22 Cases.

Cancer, 45:2169.

Taylor, K.J.W., (1974).

Current status of toxicity investigations.

J. Clin. Ultrasound 2:149.

Teilum. G., Albrechtsen, R., and Norgaard perdson,
B., (1975).

Pure yolk sac tumours are associated usually
with AF.P synthesis and consequently with
elevated serum AFP levels.

Acta pathologica et Microbiologica
Scandinavica (section A)83, 80.

Teoh, T.B., steward, J.K., and willis, R.A.,
(1960).

The distinctive adenocarcinoma of the infants
testis : an account of 15 cases.
J. Path. Bact., 80, 147.

Thackray.A.C. and Crane, W.A.J.,(1976):
Seminoma. In pathology of the testis Chap.
5(Pugh, R.C.B., Ed)
Oxford: blackwell.

Thomas.G and Bischoff.A.J., (1954):
Clinical history of the testicular tumour.
J. Urol 72, 411.

Thomas, P.R.M., Mansfield, M.D. Hendry, W.F. and

Peckham. M.J., (1977):

Scrotal interference with atesticular tumour
by needle biopsy of scrotal incision, will
lead to sterility

Brit. J. Surgery.

Thompson. I.M., (1961):

Lymphadenectomy for testicular tumours.

Arch surg 83 : 746 - 748.

Tsuchida, Y, Endo, Y., et al., (1978):

Yolk - sac tumour and alpha - fetoprotein.

J. Ped. Surg 13, 25

Tyrell C.J.;, Peckham, M.J., (1976):

The response of lymph node metastases of
testicular teratoma to radiation therapy.

Br.J. Urol 48:363 - 370

Vaeth, M., Schulty, H.P., and Vonder Masse, H., et al.,

(1984):

Prognostic factors in testicular germ cell
tumours.

Experiences from 1058 consecutive cases.

Acta - Radiology. Oncology,

23:271

Vaitukaitis, J.L., Braunstein, G.D. and Ross, G.T.A.,

(1972):

Radio immuno assay which specifically measures
human chorionic gonadotropin in the presence
of hyman luteimizing hormone.

Am.J. obstet. Gynecol, 113:751

Vander - werf - messing, B., (1976):

Radiotherapeutic treatment of testicular
tumours.

Int.J. Rad- Oncol.,

1: 235

Von Eyben, F.E., (1978):

Loctate dehydrogenase in malignant teratomas.

Cancer. 41, 648

Vugrin, D., Cvitkovic, E., and Whitmore, W.F.,

(1981):

VAB - 4 combination chemotherapy in the treatment
of metastatic tumour.

Cancer 37: 833.

Vugrin, D., Dukeman, M., and Whitmore, W., (1980):

VAB-6 : Progress in chemotherapy of germ
cell tumours.

PAACR - Asco , 21: 426.

Wallace, S., and Jing, B., (1970):

Lymphangiography:

Diagnosis of nodal metastatic testicular
malignancies.

J A M A , 213 : 94

Weitzner, S. and Gropp, A., (1976):

Primary reticulum cell sarcoma of the testis in
a 12 year - old.

Cancer. 37 : 935.

Wilson, C.P., (1981):

Automated water -path ultrasonic examination
of the scrotum.

Urol., 18:235.

Winsberg, F. and cooperberg, P., (1982):

Real time ultrasonography. Churchill,
livingstone,
New - York

Winston. E.l., and willet, F., (1979):

Neoplasms of the testis. In Campbell's
Urology, 4 th Edition, chapt, 32, Vol 11
P. 1125. W.B. Saunders
Co., Philad.,
London. Toronto

Wilkinson, E.J. Friedrich, E.G. and Histry, T.A:

(1973):

Alpha fetoprotein and endodermal sinus
tumour of the ovary.

Amer. J. obst. Gynec., 116:711

Williams S.D, Einhorn L.H., (1979):

V.P - 16-213

Salvage Therapy for refractory germinal
neoplasms.

Cancer 44:1514 - 1516

Wittes R.E, yagoda A., Silvary, O. et al., (1976):

Chemotherapy of germ cell tumours of the
testis.

Cancer 37:637 - 645.

Whitmor, W.F.Jr. (1979):

Surgical treatment of adult germinal testis
tumours.

Semin. Oncol., 6:55.

Wgatte, J.K., and MeAninch, L.N.(1967):

Achemotherapeutic approach to adranced
testicular carcinoma.

J. surg., 10: 421.

Yagoda. A and Vugrin. D. (1979):

Theoretical considerations in the treatment
of seminoma.

Sem. Oncol., 6, 74.

Yoshimoto, Y., wolfsen , A.A., and odell? M.D.

(1977):

Human chorionic gonadotropin in malignant
germ cell tumour.

Science 197, 575.

Young.J.D.Jr: (1975):

Retroperitoneal surgery. In Glenn J.F. Boyce,
H (eds) Urologic surgery, 2nd Ed. New york
Harper & Row.

P. 848.