

References

References

Adams MA, Freeman BJ, HP, Nelson IW, Dolan P: Mechanical initiation of intervertebral disc degeneration. *Spine*, 2000, Jul 1; 25(13):1625-36.

Albin MS, Ritter RR, Pruett GE, Kalf K: Venous air embolism during lumbar laminectomy in the prone position-report of three cases. *Anesth Angl*, 1991; 73: 346-349.

Alexander R. Vaccaro: Fractures of the Cervical, Thoracic, and Lumbar Spine 2002.

Amar AP, Levy ML: Pathogenesis and pharmacological strategies for mitigating secondary in acute spinal cord injury. *Neurosurgery*; 1999; 44:1127-1139.

Amar AP, Levy ML: Surgical controversies in the management of spinal cord injury. *J Am Coll Surg* 1999; 188: 550-566.

Amzallag M: Autonomic hyperreflexia. *International Anesthesiology Clinics* 1993;31:87-102.

Anderton JM : The prone position for the surgical patient . *Br J Anesth.*, 1991.

Anke A, Aksnes AK, Stanghelle JK, Hjeltne N: Lung volumes in tetraplegic patients according to cervical spinal cord injury level. *Scandinavian Journal of Rehabilitation medicine* 1993;25:73-77.

Attygale D, Rodrigo N: Magnesium sulphate for the control of spasms in severe tetanus. *Anaesthesia* 1999; 54: 297-310.

Basil F Matta, David K Menon, John M Turner: The anesthetic management of spinal injuries and surgery to the cervical spine. *Textbook of neuroanaesthesia and critical care* 2000;17:241-252.

Benumof JL: Neurologic diseases in anesthesia and uncommon diseases, 4th ed, Saunders.1998; 16-21.

Benzel EC, Doezenia D: Prehospital Management of the Spinally Injured Patient. In: Narayan RK, Wilberger JE, Povlishock JT (eds). *Neurotrauma*. McGraw Hill; 1996.

Bernard JM, Passuti N, Pinaud M: Long term hypotensive technique with nicardipine and nitroprusside during isoflurane anesthesia for spinal surgery. *Anesth. Analg.*, 1992; vol.75:179-185.

Bhasker KR, Brown R, O'Sullivan DL, Melia S, Duggan M, Reid L: Bronchial mucus hypersecretion in acute quadriplegia. Macromolecular yields and glycoconjugate composition. *American Review of respiratory Disease* 1991 ;143:640-648.

Braken MB, Shepard MJ, Holford TR, et al: Administration of methylprednisolone for 24 or 48 hours or tirilizad mesylate for 48 hours in the treatment of acute spinal cord injury, *JAMA*, 1997;277:1597-1604.

Brock M, Ramsbacher J: Lumbar spinal stenosis. *Crit Rev. Neurosurg.*, 1998 Nov 25;8(6):333-337.

Brohi K, Wilson-Macdonald J: Evaluation of unstable cervical spine injury: a 6-year experience. *J Trauma* 49(1): 76-80, 2000

Buhre W, Weland A, Buhre K, Kazmaier S, Mursch K, Schmidt M, Sydow M, Sonntag H: Effects of the sitting position on the distribution of blood volume in patients undergoing neurosurgical procedures. *Br J Anesth*, 2000 Mar;84(3):354-357

C. A. Lycette, C. Doberstein, G. E. Rodts & D. Q. McBride : Neurosurgical critical care, current critical care diagnosis & treatment 2003; 31:741-747.

Catharyn T. Liverman Bruce M. Altevogt / Janet E. Joy / Richard T. Johnson: Spinal Cord Injury: Progress, Promise And Priorities 2005

Christensen MD, Hulsebosch CE: Chronic central pain after spinal cord injury. *J Neurotrauma* 1997;14:511-537.

Claire E. Hulsebosch: Recent advances in pathophysiology and treatment of spinal cord injury 2002.

Colachis SC: Autonomic hyperreflexia with spinal cord injury. *Journal of the American Paraplegia Society* 1992;15:171-186.

Criswell JC et al: Emergency airway management in patients with cervical spine injuries, *Anaesthesia* 1994;49:900-903.

Cross DA, Baskerville J: Comparison of perceived pain with different immobilization techniques. *Prehosp Emerg Care*. 2001 Jul-Sep;5(3):270-4

D. A. Raw, J. K. Beattie and J. M. Hunter: Anaesthesia for spinal surgery in adults. *Br J Anaesth* 2003;91:886-904

Dangor A, Lam AM: Perioperative management of patients with head and spinal cord trauma. *Anesthesiology Clinics of North America*. 1999;17:155-170.

David E. Langnecker, John H. Tinker, G. Edward Morgan: Evaluation of the patient with neuropsychiatric disease. Principles and Practice of Anesthesiology 1998;14:256-258

Denise I Campagnolo: Autonomic Dysreflexia in Spinal Cord Injury 2005

Ditunno JF Jr, Formal CS: Chronic spinal cord injury. *N Engl J Med* 1994; 330(8): 550-6.

Ebert TJ, DD Kanitz,,JP Kampine: Inhibition of sympathetic neural outflow during thiopental anesthesia in human. *Anesth Analg.*, 1990;71:319-326.

E. D. Briggs and J. K. Kirsch: Anaesthetic implications of neuromuscular disease; spinal cord injury. *Journal of Anaesthesia* 2003;17:177-185 JSA

Estenne M, Van Muylem A, Gorini M, Kinnear W, Heilporn A, De Troyer A: Evidence of dynamic airway compression during cough in tetraplegic patients. *American Journal of Respiratory and Critical Care Medicine* 1994;150:1081-1085

Eltorai IM, Wong DH, Lacerna M, et al: Surgical aspects of autonomic dysreflexia. *J Spinal Cord Med* 1997 Jul; 20(3): 361-4.

Fawcett. JW, Haxby EJ, Male DA: Magnesium: physiology and pharmacology. *Br J Anaesth* 1999; 83: 302-20

Francisco de Assis Aquino Gondim: Spinal Cord, Topographical and Functional Anatomy 2003

Frederic S. Bongard, Darryl Y. Sue: Cervical spinal cord injuries. *Neurosurgical critical care Current Critical care Diagnosis & Treatment.*2003; 31:741-747

Garland DE,Stewart CA, Adkins RL et al: Osteoporosis induced hyperkaemia and cardiac arrest. *Journal of Orthopaedic Research* 1992;10:371-378.

Gary R. Stier, Randall M. Schell, Daniel J. Cole: Spinal cord injury in anesthesia and neurosurgery 2001; 33:715-747

Gass A, Back T, Behrens S, Maras A: MRI of spinal cord infarction. *Neurology* 2000 Jun 13; 54(11): 2195

G.Edward Morgan ,Maged S. Mikhail, Michael J. Muriay: clinical anesthesiology 2002;16; 253-282

Glynn G, Teddy P: Assessment and management of the patient with spinal cord injury and pain. In: Alderson JD, Frost IE, eds. *Spinal cord injuries. Anaesthetic and Associated Care.* Butterworth: London, 1990:139-166.

Gondim FA, Lopes AC Jr, Oliveira GR: Cardiovascular control after spinal cord injury. *Curr Vasc Pharmacol* 2004; 2: 71-79.

Goy J: Spinal injuries. In: Loach A, ed. *Orthopaedic Anesthesia.* Edward Arnold: London, 1994; 145-157.

Gregory D , Susan A: Basic and Clinical Anatomy Of The Spine, Spinal Cord, and ANS 2005.

Hall ED: Pharmacological treatment of acute spinal cord injury: how do we build on past success? *J Spinal Cord Med* 24: 142-146, 2001.

Hambly PR, Martin B: Anesthesia for chronic spinal cord lesions. *Anesthesia* 1998;53:273-289.

Hartley M: Cricoid pressure and potential spine injuries. *Anaesthesia* 48:1113, 1993.

Hastings RH et al., Head extension and laryngeal view during laryngoscopy with cervical spine stabilization maneuvers, *Anesthesiology*, 1994;80:825-831.

Hauswald M, McNally T: Confusing extrication with immobilization: the inappropriate use of hard spine boards for interhospital transfers. *Air Med J*. 2000 Oct-Dec;19(4):126-7

Heller J, Pedlow F. Anatomy of the cervical spine. In : Clark C, ed. The cervical spine. Philadelphia: Lippincott-Raven, 1998: 12-14

Hess D: Detection and monitoring of hypoxia and oxygen therapy. *Resp care*, 2000, Jan;45(1):65-80.

Hogan Q: Size of human lower thoracic and lumbosacral nerve roots-clinical investigation. *Anesthesiology* 1996;85:37-42.

Inufusa A, An HS, Lim TH, Hasegawa T, Haughton VM, Nowicki BH: Anatomic changes of the spinal canal and intervertebral foramen associated with flexion-extension movement. *Spine*, 1996, Nov 1;21(21): 2412-20.

Karen J. Heath, Richard E. Erskine : Textbook of neuroanesthesia and critical care 2000; 17: 241-252

Karim Brohi: Spinal Stabilization & Management
trauma.org 7:4, April 2002

Karlsson AK: Autonomic dysreflexia. *Spinal Cord* 1999 Jun; 37(6): 383-91.

Killian JT, Mayberry S, Wilkinson L: Current concepts in adolescent idiopathic. *Pediatr Ann.* 1999 Dec; 28(12) 755-61.

Kiran S, Gombar S, Chhabra B, K-Gombar: Another hazard of the prone position. *Anesth. analg.*, 1997; 85: 949

Kirshblum SC, Groah SL, McKinley WO: Spinal cord injury medicine. 1. Etiology, classification, and acute medical management. *Arch Phys Med Rehabil* 2002; 83(3 Suppl 1): S50-7, S90-8.

Kish DL: Prehospital management of spinal trauma: an evolution. *Crit Care Nurs Q* 1999; 22: 36-43.

Kwan I, Bunn F, Roberts I: Spinal immobilisation for trauma patients. 2001

Lali HS, Sekhon LHS, and Fehlings MG: Epidemiology, demographics, and pathophysiology of acute spinal cord injury. *Spine* 26: S2-S12, 2001.

Lam AM: acute spinal cord injury :Monitoring and anaesthetic implications. *Can J Anaesth.* 1991;38:60-73.

Levi L, Wolf A, Belzberg H: Hemodynamic parameters in patients with acute cervical cord trauma; description, intervention, and prediction of outcome, *Neurosurgery*. 1993;33:1007-1017.

Li S and Stys PK: Mechanisms of ionotropic glutamate receptor-mediated excitotoxicity in isolated spinal cord white matter. *J Neurosci* 20: 1190–1198, 2000

Maehama T, Izena H, Kanazawa K: Management of autonomic hyperreflexia with magnesium sulfate during labor in a woman with spinal cord injury. *Am J Obstet Gynecol* 2000; **183**: 492–3

Manning HL, Brown R, Scharf SM: Ventilatory response to hypercapnia in quadriplegia. *Respiration Physiokogy* 1992;89:97-112.

McDonald JW and Sadowsky C: Spinal-cord injury. *Lancet* 359: 417–425, 2002.

McKerracher L: Spinal cord repair: strategies to promote axon regeneration. *Neurobiol Dis* 8: 11–18, 2001.

McKinley WO, Gittler MS, Kirshblum SC: Spinal cord injury medicine. 2. Medical complications after spinal cord injury: Identification and management. *Arch Phys Med Rehabil* 2002; 83(3 Suppl 1): S58-64, S90-8.

Morgan G, Maged Mikhail: Clinical Anesthesiology, 3rd edition, 2002.

O'Connor M.I., Currier B.L. Metastatic disease of the spine. *Orthopaedics* May 1992;15(5):611-620.

O'Donnel DE, Sanii R, Dubo H, Loveridge B, Younes M: Steady-state ventilatory responses to expiratory loading in quadriplegics. *American Review of Respiratory Diseases* 1993;147:54-59.

Oren G. Blam, Douglas M. Ehrler, Wolfgang Rauschning, Alexander R. Vaccaro: Anatomy and pathophysiology of traumatic spinal cord injury. Fractures of cervical, thoracic, and lumbar spine 2003;2:9-21

Owen MD, Stiles MM, Oppen SE, McNitt JD, Fibuch EE. Autonomic hyperreflexia in a pregnant paraplegic patient. *Regional Anesthesia* 1994; 19 :415-417.

Palmon SC, JR Kirsch, JA Depper, TJ Toung: the effect of the prone position on pulmonary mechanics is frame-dependent *Anesth Analg.*, 1996 ;87:1175-1180.

Pelosi P, M Croci, E Calappi, M Gelsara, D Mulazzi, P Vicardi, L Gattinoni: The prone positioning during general anesthesia minimally affects respiratory mechanics while improving functional residual capacity and increasing oxygen tension. *Anesth Analg.*, 1995; 80: 955-960.

Penny L, Kimball-jones, Randall M Schell: The use of remifentanyl infusion to allow intraoperative awakening for intentional fracturing of the anterior cervical spine. *Anesth Analg.*, 1999; 89:1059.

Perkash I: Long-term urologic management of the patient with spinal cord injury. *Urologic Clinics of North America* 1993; 20: 423-434.

Peter L. Bailey, Theodore H. Stanley: Intravenous opioid anaesthesia . in: Ronald D. Miller. *Anaesthesia* 4th ed p291-389 New York, Churchill Livingstone, 1994.

Petrofisky JS: Thermoregulatory stress during rest and exercise in heat in patients with a spinal cord injury. *European Journal of Applied Phsiology and Occupational Physiology* 1992; 64: 503-507.

Petrozza PH: Anesthetic considerations for the patient with acute spinal cord injury. *Anesth Analg* 1998; 85-90.

P. Gibson, W. Lum Hee, B. Vadodaria, C. Goutcher, S. Jackson, D. Raw, and J. Beattie: Anaesthesia for spinal surgery in adults. *Br. J. Anaesth.*, May 1, 2004; 92(5):770-772.

Phillis JW and Goshgarian HG: Adenosine and neurotrauma: therapeutic perspectives. *Neurol Res* 2001;23: 183-189.

Ralph J. Marino: Spinal injury: Etiology, Demographics, and Outcomes. Fractures of cervical, thoracic, and lumbar spine 2003;1:1-8.

Robert K. Stoelting, Stephen E. Dierdorf: Spinal cord transaction. Disease of the nervous system: Anesthesia and Co-Existing Disease. 2002; 278-282

Rodts GE Jr, Haid RW Jr: Intensive care management of spinal cord injury. In Narayan RK, Wilberger JE Jr, Povlishock JT (eds): Neurotrauma. New York, McGraw-Hill, 1996; 1201-1212.

Rosen: Emergency Medicine: Concepts and Clinical Practice, 4th ed. Mosby-Year Book, 1998, 493-505.

Rosenblatt WH, PJ Wagner, A. Ovasapian, ZN Kain: Practice patterns in managing the difficult airway by anesthesiologists in the United States. *Anesth Analg.* 1998; 87: 153-157.

Roy F. Cucchiara, Susan Black, John D. Michenfelder: Vertebral column and spinal cord surgery. *Clinical Neuroanesthesia* 1998;13:403-448

Sara Palmer, Kay Harris Kriegsman, Jeffrey B. Palmer : Spinal Cord Injury: A Guide for Living. 2000

Savitsky E: Role of glucocorticoids in treatment of acute spinal cord injury. *WJM* 1996; 164:1.

Schwab ME: Repairing the injured spinal cord. *Science* 295: 1029–1031, 2002.

Segal JL, Milne N, Brunnemann SR: Gastric emptying is impaired in patients with spinal cord injury. *American Journal of Gastroenterology* 1995; 90: 466-470.

Sidhu VS, Whithead EM, Ainsworth OP, Smith M, Calder I: A technique of awake fiberoptic intubation. *Anaesthesia* 1993; 48:910-913.

Silver JR: Early autonomic dysreflexia. *Spinal Cord* 2000; 38: 229–33

Skellett S, Tibby SM, Durward A, Murdoch IA: Immobilisation of the cervical spine in children. *BMJ*. 2002 Mar 9; 324(7337):591-3

Snell RS: The back .Clinical Anatomy for Medical Students,5th edition .Little, Brown and Company ,Boston,1995;chpt12

St John RE,Thomson PD: Noninvasive respiratory monitoring .Crit. Care Nurs. Clin North Am., 1999 Dec 11(4)423-35

Stoelting RK. Dierdorf SF: Diseases of the central nervous system. Anesthesia and Coexisting Disease, 3rd ed. New York. Churchill Livingstone. 1996:226-230.

Takami T, Oudega M, Bethea JR, Wood PM, Kleitman N, and Bunge MB: Methylprednisolone and interleukin-10 reduce gray

matter damage in the contused Fisher rat thoracic spinal cord but do not improve functional outcome. *J Neurotrauma* 2002 ;19: 653–666.

Taneichi H., Kaneda K., et al: Risk factors and probability of vertebral body collapse in metastases of the thoracic and lumbar spine. *Spine* 1997; 22(3):239-245.

Tator CH: Management of Associated Spine Injuries in Head Injured Patients. In: Narayan RK, Wilberger JE, Povlishock JT. (eds). *Neurotrauma*. McGraw Hill; 1996.

T Brian S. King BS, Gupta R, Narayan RK: The early assessment and intensive care unit management of patients with severe traumatic brain and spinal cord injuries. *Surgical Clinics of North America*; 2000:80.

Teasell RW, Arnold JM, Krassioukov A, Delaney GA: Cardiovascular consequences of loss of supraspinal control of the sympathetic nervous system after spinal cord injury. *Arch Phys Med Rehabil* 2000 Apr; 81(4): 506–16.

Terregino CA, Ross SE, Lipinski MF, et al: Selective indications for thoracic and lumbar radiography in blunt trauma. *Ann Emerg Med* 1995; 26:2.

Tisherman SA, Rodriguez A, and Safar P: Therapeutic hypothermia in traumatology. *Surg Clin North Am* 1999; 79: 1269–1289.

Vaccaro A, Ahmad S, rausching W, Garfin S: Anatomy and pathophysiology of spinal cord injury with APSCI. In: Levine A, ed. Spine Trauma. Philadelphia: WB Saunders. 1998:75-86.

Van Elstraete AC, JC Mami, H mehdaoui: Nasotracheal intubation in patients with immobilized cervical spine: a comparison of tracheal tube cuff inflation and fiberoptic bronchoscopy. *Anesth Analg.*, 1998;87:400-402

Vera-Portocarrero LP, Mills CD, Ye Z, Fullwood SD, McAdoo DJ, Hulsebosch CE, and Westlund KN: Rapid changes in expression of glutamate transporters after spinal cord injury. *Brain Res* 2002; 927: 104–110.

V.K. Grover ,M.K. Tewari, . S.K. Gupta, K.V.M. Kumar: Anesthetic and intensive care aspects of spinal cord injury. *Neurol India*, 2001; 49:11-8

White D. C: The maintenance of anesthesia, in Aitkenhead A.R, Jones R.M, clinical anesthesia , Churchill Livingstone, 1996; 7:173-188

Williams PL: Grant's Anatomy, The anatomical basis of medicine and surgery ,38th edition .London, Churchill Livigstone ,1995.

Wilson JT, Rogers FB, Wald SL, et al: Pophylactic vena cava filter insertion in patients with traumatic spinal cord injury: Preliminary results. *Neurosurgery* 1994; 35:234-239.

Wood PR, Lawler PGP: Managing the airway in cervical spine trauma. *Anaesthesia* 1992; 47:792-797.

Young W: Spinal Cord Injury Pathophysiology and Therapy. In: Narayan RK, Wilberger J, Povlishock JT (eds). *Neurotrauma*. McGraw Hill; 1996.

Ziser A, RJ Friedhoff, SH Rose: Prone position visceral hypoperfusion and rhabdomyolysis. *Anesth Analg.*, 1996; 82:412-415.