

References

- Afridi I, Kleiman NS, Raizner AE and Zoghbi WA. Dobutamine echocardiography in myocardial hibernation. Circulation 91: 633-70, 1995.
- Armanious S, Wong DT, Etchells E, Higgins P and Chung F. Successful implementation of perioperative beta-blockade utilizing a multidisciplinary approach. Can J Anaesth 50(2): 131-6, 2003.
- Armstrong WF and Hibernating myocardium. Asleep or part dead? JACC 28: 530-536, 1996.
- Arnese M, Cornel JH and Salustri A, et al. Prediction of improvement of regional left ventricular function after surgical revascularization. Circulation 91: 2748-52, 1995.
- Arnett EN, Isner JM and Redwood DR, et al. coronary artery narrowing in coronary heart disease: comparison of cineangiographic and necropsy findings. Ann Intern Med 91: 350, 1979.
- Ashton CM, Petersen NJ and Wray NP, et al. The incidence of perioperative myocardial infarction in men undergoing non cardiac surgery. Ann Intern Med 118: 504-510, 1993.
- Baer FM, Voth E, Schneider CA, Theissen P, Schicha H and Sechtem U. Comparison of low dose dobutamine gradient echo magnetic resonance imaging and positron emission tomography with [18F] fluorodeoxyglucose in patients with chronic coronary artery disease. Circulation 91: 1006-15, 1995.
- Bander NH, Knill RI and Brown JE. Myocardial infarction after non cardiac surgery. Anaesthesiology 88: 572-578, 1998.
- Barash PG. Monitoring myocardial ischemia: a sequential clinical approach, ASA annual refresher course lectures. Park Ridge IL: American Society of Anesthesiologists 233, 2002.

- Barnes E, baker C and Dutka D, et al. Prolonged left ventricular dysfunction occurs in patients with coronary artery disease after both dobutamine and exercise induced myocardial ischemia. Heart 83: 283-289, 1999.
- Baron JF, Mundler O and Bertrand M, et al., Dipyridamole thallium scintigraphy and gated radionuclide angiography to assess cardiac risk before abdominalaortic surgery. N Engl J Med 330: 663-669, 1994.
- Bassenge E and Heusch G. Endothelial and neuorhumoral control of coronary blood flow in health and disease. Rev Physiol Biochem Pharmacol 116: 77, 1990.
- Bateman TM, Czer LSC and Gray RJ. Transient pathologic Q wave during acute ischemia events: an electrocardiographic correlate of stunned but viable myocardium. Am Heart J 106: 1421-1426, 1993.
- Bedford RF. Wrist circumference predicts the risk of radial artery occlusion after cannulation. Anesthesiology 75: 377, 1988.
- Bertha BG, Folts JD and Nugent M, et al. Halothane, but not isoflurane or enflurane, protects against spontaneous and epinephrine exacerbated acute thrombus formation in stenoses dog coronary arteries. Anesthesiology 71: 96, 1989.
- Bhavani-Shankar K, Moseley H and Kumar AY, et al. Capnometryand anesthesia Can J. anaesth 39: 617-622, 1999.
- Bigatello LM. Intraoperative monitoring of myocardial ischemia. Minerva Anesthesiol 67: 314-9, 2001.
- Blomberg SG. Long term home self treatment with high thoracic epidural anesthesia in patients with sever coronary artery disease. Anesthesia and Analgesia 79: 413-21, 1994.
- Bode RH Jr, Lewis KP and Zarich SW, et al. Cardiac outcome after peripheral vascular surgery: comparison of general and regional anesthesia. Anesthesiology 84: 3-13, 1996.

- Braunwald E and Kloner RA. The stunned myocardium: prolonged, postischemic ventricular dysfunction. Circulation 66: 1146-9, 1982.
- Braunwald E, Fauci AS and Kasper DL, et al. Harrison's principles of internal medicine, 15th ed. New York: McGraw-Hill, 2001.
- Braunwald. Heart disease. In: the heart, arteries, and veins, 8th edition. McGraw Hill, New York, Chapter 43, 1394-1405, 1997.
- Breslow MJ, Miller CG and Parker SD. Changes in T wave morphology following anesthesia and surgery: A common recovery room phenomenon, Anesthesiology 64: 398-402, 1996.
- Brown BG, Bolson EL and Dodge HT. Dynamic mechanisms in human coronary stenosis. Circulation 70: 917, 1984.
- **Brown DL.** Anesthesia for adult cardiac surgery. Anesthesia 4th edition, vol 3, section IV-53: 1757-1809 (ED)Miller RD (Rub) Churchill Livingstone, 1994.
- Brown KA and Rowen M. Extent of jeopardized viable myocardial determined by myocardial perfusion imaging best predicts perioperative cardiac events in patients undergoing non cardiac surgery. J Am Coll Cardiol 21: 325-330, 1993.
- **Buffington** CW. Hemodynamic determinants of ischemic myocardial dysfunction in the presence of coronary stenosis in dogs. Anesthesiology 63: 651-62, 1995.
- Buja LM, Hillis LD, Petty CS and Willerson JT. The role of coronary arterial spasm in ischemic heart disease. Arch Pathol Lab Med 105: 221, 1991.
- Cahlan MD. Modern anaesthetic strategies for the patient with HD, International Anesthetic Research Society (IARS) Review course lectures 12, 1988.
- Carliner NH, Fisher ML and Plotnick GD, et al. Routine preoperative exercise testing in patients undergoing major non cardiac surgery. Am J Cardiol 56: 51-58, 1985.

- Charlson ME, Mackenzie CR and Ales K, et al. Surveillance for postoperative infarction after non cardiac operation. Surg Gynecol Obstet 167: 407-14, 2003.
- Charney R, Schwinger ME and Chun J, et al. Dobutamine echocardiography and resting redistribution thallium 201 scintigraphy predicts recovery of hibernating myocardium after coronary revascularization. Am Heart J 128: 864-9, 1994.
- Chen C, Li L and Long Chen L, et al. Incremental doses of dobutamine induce a biphasic response in dysfunctional left ventricular regions subtending coronary stenosis. Circulation 92: 756-66, 1995.
- Comunale M, Body S and Ley C, et al. The concordance of intraoperative left ventricular wall motion abnormalities and electrocardiographic ST segment changes: association with outcome after coronary \revascularization: Multicenter Study of periopoerative Ischemia (McSPI) Research Gourp. Anesthesiology 88: 945-954, 1998.
- Could L, Gopalaswamy C and Chandy F, et al. ECG changes after left pneumoneotomy. N Engl J Med 308: 1481-1482, 1993.
- Cwajg JM, Cwajg E, Nagueh SF, He ZX, Qureshi U, Olmos LI, Quinones MA, Verani MS, Winters WL and Zoghbi WA.

 End diastolic wall thickness as a predictor of recovery of function in myocardial hibernation: relation to rest redistribution T1-201 tomography and dobutamine stress echocardiography. J Am Coll Cardiol 35: 1152-61, 2000.
- **Daneil MT.** Consequences of myocardial ischemia. In: Textbook of Cardiothoracic anesthesiology, 2nd edition, The McGraw Hill companies; Chapter 5, 534-36, 2001.
- Deboer FWV, Ingwall JS, Kloner RA and Braunwald E. prolonged derangements of canine myocardial purine metabolism after a brief coronary artery occlusion not associated with anatomic evidence of necrosis. Proc Nat Acad Sci 77: 5471, 1980.

- Dellborg M, Malmberg K and Ryden L, et al. Dynamic on line vectorcardiography improves and simplifies in hospital ischemia monitoring of patients with unstable angina. J Am Coll Cardiol 26: 1501-07, 1995.
- Delon-Cosa Sola OA and Lema MJ. Postoperative epidural opioid analgesia: what are the choices? Anesth Analg 83: 867-875, 1996.
- Detsky AS, Abrams HB, Forbath N, Scott JG and Hilliard JR. Cardiac assessment for patients after cardiac non cardiac surgery: a multifactorial clinical risk index. Arch Intern Med 146: 2131-34, 1986.
- Division of Epidemiological Surveillance and Health Situation and Trend Assessment. Global estimates for health situation assessment and projections, 1990. Geneva: World Health Organization, 1990.
- **Dole WP.** Autoregulation of the coronary circulation. Prog Cardiovasc Dis 29: 293, 1987.
- Dyke SH, Cohn PF, Gorlin R and Sonnenblick EH. Detection of residual myocardial function in coronary artery disease using post extra systolic potentiation. Circulation 49: 1063-71, 1974.
- Eagle KA, Berger PB and Calkin H, et al. ACC/AHA guideline update for perioperative cardiovascular evaluation for non cardiac surgery excutive summary. A report of the American college of cardiology / American Heart association task force on practice guidelines. Anesth Analg 94: 1052-1064, 2002.
- Eagle KA, Coley CM and Newell JB, et al. Combining clinical and thallium data optimizes preoperative assessment of cardiac risk before major vascular surgery. Ann Int Med 859-66, 1989.
- Ebert TJ, Kahrasch ED and Rooke A, et al. Myocardial ischemia and adverse cardiac outcome in cardiac patients ungoing noncardiac surgery with sevoflurane and isoflurane. Anesth Analg 85: 993, 1997.

- Ellis JE, Drijvers G and Pedlow S, et al. Premedication with oral and transdermal clonidine provides safe and efficacious postoperative sympatholysis. Anesth Analg 79L 113-40, 1994.
- Ellis JE, Shah MN and Briller JE, et al. A comparison of methods for the detection of myocardial ischemia during non cardiac surgery: automated ST-segment analysis systems, electrocardiography, and transesophageal echocardiography. Anesth Analg 75: 764-772, 1992.
- Ellis JE. Myocardial ischemia and postoperative management ASA Annual refresher course lectures. Park Ridge IL: American Society of Anesthesiologist 221, 2003.
- Ellis SG, Henschke CI, Sandor T, Wynne J, Braunwald E and Kloner RA. Biochemical and functional recovery of subepicardial border zone salvaged by reperfusion. Am J Cardiol 49: 1046, 1982.
- Feigl EO, Neat GW and Huang AH. Interrelations between coronary artery pressure, myocardial metabolism and coronary blood flow. J Mol Cell Cardiol 22: 375, 1990.
- Feigl EO. Coronary physiology. Physiol Rev 63:1, 1983.
- Feigl EO. EDRF a protective factor? Nature 331: 490, 1988.
- Feld LH, Negus JB and White PF. Intravenous midazolam preanesthetic medication in outpatients. Anesthesiology 73: 831, 1990.
- Fischler M, Bonnet F and Trang H, et al. The pharmacokinetics of droperidol in anestheized patients. Anesthesiology 64: 486, 1986.
- Flaishon RI, Windsor A and Sig IJ, et al. Recovery of consciousmess after thiopental or propofol: Bisopectral index and the isolated forearm technique. Anaesthesiology 86: 613-619, 1997.
- Fleisher LA and Barash PG. Preoperative cardiac evaluation for non cardiac surgery: a functional approach. Anesthesia and Analgesia 74: 586-98, 1992.

- Fleisher LA, Zielski MM and Schulman SP. Perioperative ST segment depression is rare and may not indicate myocardial ischemia in moderate risk patients undergoing non cardiac surgery. J Cardothorac Vas Anesth 11: 155-9, 2000.
- Forman MB, Oates JA and Robertson D, et al. Increased adventitial mast cells in a patient with coronary spasm. N Engl J med 313: 1138, 1985.
- Foster EDED, David KB, Carpenter JA, Abele S and Fray D. Risk of non cardiac operation in patients wih defined coronary disease: the Coronary Artery Surgery Study (CASS) registry experience. Ann Thorac Surg 41: 42-50, 1996.
- Frank SM, Fleisher LA, Breslow MJ, Higgins MS, Olson KF, Kelly S and Beattie C. Perioperative maintenance of normaothermia reduces the incidence of morbid cardiac events. A randomized clinical trial. JAMA 277: 1127-34, 1997.
- Fuchs-Buder T and Sparr HJ, et al. Thipental or etomidate for rapid sequence induction with rocurnium. Br J Anaesth 80: 504-506, 1998.
- Gannedahl PE, Edner M and Ljungqvist OH. Computerized vector cardiography for improved perioperative cardiac monitoring in vascular surgery. J Am Coll Surg 182: 530-536, 1996.
- Gerson MC, Hurst JM and Hertzberg VS, et al. Cardiac prognosis in non cardiac geriatric surgery. Ann Intern Med 103: 832-837, 1985.
- Gerson MC, Hurst JM, Hertzberg VS, Baughman R, Rouan GW and Ellis K. Prediction of cardiac and pulmonary complications related to elective abdominal and non cardiac thoracic surgery in geriatric patients. Am J Med 88: 101-107, 1990.
- Goldman L and Mangano DT. Preoperative assessment of patients with known or suspected coronary disease. The New England Journal of Medicine 333: 1750-56, 1995.
- Goldman L, Caldera DL and Nussbaum SR, et al. Multifactorial index of cardiac risk in non cardiac surgical procedures. N Engl J Med 297: 845-850, 1990.

- Goldman L. Mutifactorial index of cardiac risk in non cardiac surgery: ten year status report. J Cardiothorac Anesth 1: 237-244, 1987.
- Gorback MS, Quill TJ and Lavine ML. The relative accuracies of two automated non invasive arterial pressure measurement devices. Journal of Clinical Monitoring 7: L13, 2001.
- Gould KL, Lipscomb K and Hamilton GW. Physiologic basis for assessing critical coronary stenosis. Am J Cardiol 33: 87, 1974.
- Grant GJ, Zakowski M and Ramanathans, et al. Lumbar versus thoracic administration of epidural morphine for post thoracotomy analgesia. Anesthesia and Analgesia 70: 5134, 1990.
- Grayburn PA and Hillis LD. Cardiac events in patients undergoing non cardiac surgery: shifting the paradigm from noninvasive risk stratification to therapy. Ann Intern Med 138(6): 506-11, 2003.
- Grossman W. Cardiac catheterization and Angiography, 3rd ed. Philadelphia, Lea & Febiger, 1986.
- *Grundy SM*. Cholesterol and coronary heart disease. JAMA 256: 1849-58, 1986.
- Guyton AG. The circulation. In: Medical physiology 21: 200-237, 2000.
- Hale SL and Kloner RA. Experience from experimental models in the quest to protect myocardium from ischemic damage: update on preconditioning strategies, Curr Opin Cardiol 9: 411-416, 1994.
- Hall RI, Murphy JT and Moffitt EA, et al. A comparison of the myocardial metabolic and hemodynamic changes produced by propofol sufentanil and enflurane usfentanil anesthesia for patients having coronary artery bypass graft surgery. Can J Anaesth 38:996, 1991.
- Hardman JG, Limbird LE and Gilman AG, et al. Goodman and Gilman's the pharmacological basis of theraputics, 10th ed. New York: McGraw-Hill 853-860, 2001.

- Hess ML, Barnhart GR, Crute S, Komwatana P, Krause S and Green field LJ. Mechanical and biochemical effects of transient myocardial ischemia. J Surg Res 26: 175, 1979.
- Hillis LD and Braunwald E. coronary artery spasm. N Engl J Med 299: 695, 1978.
- Hoffman JIE and Buchberg GD. Transmural variations in myocardial perfusion. In Yu PN, Goodwin JF (eds): Progress in cardiology. Philadelphia, Lea & Febiger 37, 1976.
- Hollenberg M, Mangano DT, Browner WS, London MJ, Tubau JF and Tateo IM. Predictors of postoperative myocardial ischemia in patients undergoing non cardiac surgery. JAMA 268: 205-209, 1992.
- Hudson RJ and Thomson IR. The choice of muscle relaxants is important in cardiac surgery. J Cardiothorac Vas Anesth 9: 768-771, 1995.
- Jacobsohn E, Young GJ and Aronson S, et al. The role of ischemic preconditioning during minimally invasive coronary artery bypass surgery, J. Cardiothorac Vasc Anesth 11: 787-792, 1997.
- Jain U. Electrocardiographic determination of perioperative myocardial ischemia and stunning. J Card Surg 9: 413-416, 1994.
- Jennings RB, Hawkins HK, Low JE, Hill ML, Klotman S and Reimer KA. Relation between high energy phosphate and lethal injury in myocardial ischemia in the dog. Am J Pathol 92: 187, 1989.
- Johson PC. Autoregulation of blood flow. Circ Res 59: 483, 1986.
- Jones CE, Liang IYS and Gwirtz PA. Effects of alpha adrenergic blockade on coronary autoregulation in dogs. Am J Physiol 253: H 365, 1987.
- Kaplan J, Reich DL and Konstadt SN, et al. Cardiac anesthesia. 4th edition Philadelphia 95-123 / 387-400 / 702-726, 1999.

- Kazuyoshi, Inoue MD, Yokoyame, Masatka MD and Nakatuska MD. Spontaneous resolution of epidural hematoma after continuous epidural analgesia in patients without bleeding tendanly. Anesthesiology 97: 735-737, 2002.
- Kim LJ, Martinez EA, Faraday N, Dorman T, Fleisher LA, Peler BA, Williams GM, Chan D and Pronovost PJ. Cardiac tropoin I predicts short term mortality in vascular surgery patients. Circulation 106(18): 2366-71, 2002.
- Kloner RA. Inverted T wave, an electrocardiographic marker of stunned or hibernating myocardium in man? Circulation 82: 1060-1061, 1990.
- Kopman EA and Ferguson TB. Intraoperative monitoring of femoral artery pressure during replacement of aneurysm of descending thoracic aorta. Anesth Analg 77: 603, 1992.
- Kornreich F, Montague TJ and Rautaharju PM. Body surface potential mapping of ST segment changes in acute myocardial infarction:L implications for ECG enrollment oriteria for thrombolytic therapy. Circulation 87: 773-782, 1993.
- Krucoff MW and Croll MA, et al. Electrocardiographic monitoring and coronary occlusion. Fingerprint pattern analysis in dimensions of space, time and mind. J Electrocardiol 22: 232, 1989.
- Landesberg G. The pathophysiology of perioperative myocardial infarction: Facts and perspectives. J Cardiothorac Vasc Anesth 17(1): 90-100, 2003.
- Lee TH, Marcantonio ER, Mangione CM, Thomas EJ, Polanczyk CA, Cook EF, Sugarbaker DJ, Donaldson MC, Poss R, Ho KK, Ludwig LE, Pedan A and Goldman L. Derivation and prospective validation of a simple index for prediction of cardiac risk of major non cardiac surgery. Circulation 100: 1043-9, 1999. (Six independent predictors of complications were identified: high risk type of surgery, history of ischemic heart disease, history of congestive heart failure, history of cerebrovasculasr disease, preoperative treatment with insulin, and preoperative serum creatinine > 2.0mg/dL).

- Leiberman AN, Weiss JL and Jugdutt BI, et al. Relationship of regional wall motion and thickening to the extent of myocardial infarction in the dog. Circulation 1991 63: 739-46, 1991.
- Lette J, Waters D, Cerino M, Picard M, Champagne P and Lapointe J.

 Preoperative coronary artery disease risk stratification based on dipyridamole imaging and a simple three step, three segment model for patients undergoing non cardiac vascular surgery or major general surgery. Am J Cardiol 69: 1553-1558, 1992.
- Levin DC and Gardiner GA. Coronary arteriography. In: Braunwald E (ed): Heart Disease. Philadelphia WB Saunders Company 268-310, 1988.
- Lewis SJ, Sawada SG, Ryan T, Segar DS, Armstrong WF and Feigenaum H. Segmental wall motion abnormalities in the absence of clinically documented myocardial infarction: clinical significance and evidence of hibernating myocardium. Am Heart J 121: 1088-94, 1991.
- Licker M, Khatchatourian G, Schweizer A, Bednarkiewicz M, Tassaux D and Chevalley C. The impact of a cardioprotective protocol on the incidence of cardiac complications after aortic abdominal surgery. Anesth Analg 95(6): 1525-33, 2002. Retrospective database review demonstrating that a clinical pathway incorporating preoperative clonidine and postoperative beta blockade aimed at keeping HR <80 protects the heart).
- L'Italien GJ, Paul SD, Hendel RC, Leppo JA, Cohen MC, Fleisher LA, Brown KA, Zarich SW, Cambria RP, Cutler BS and Eagle KA. Development and validation of a Bayesian model for perioperative cardiac risk assessment in a cohort of 1.081 vascular surgical candidates. J Am Coll Cardiol 27: 779-86, 1996. (age, diabetes, CHF, previous MI, positive stress test increase risk; past CABG is protective).
- Lunn JK, Stanley TH and Eisele J, et al. High dose fentanyl anesthesia for coronary artery surgery. Anesth Analg 58:390, 1979.

- Mangano DT, Browner WS and Hollenberg M, et al. Association of perioperative myocardial ischemia with cardiac morbidity and mortality in men undergoing non cardiac surgery. N Engl J Med 323: 1781-1788, 1990.
- Mangano DT, Browner WS and Hollenberg M, et al. Long term cardiac prognosis following non cardiac surgery. The study of perioperative ischemia research group. JAMA 268: 233-9, 1992.
- Mangano DT, Lyug EL and Wallace A, et al. Effect of atenolol on mortality an cardiovascular morbidity after non cardiac surgery. N Engl J Med 335: 1713-1720, 1996.
- Mangano DT. Monitoring pulmonary arterial pressure in coroanry artery disease. Anesthesiology 53: 364, 1980.
- Marban E. Myocardial stunning and hibernation. The physiology behind the colloquialisms. Ciruculation 83: 681-8, 1991.
- Marcus ML. the physiology effects of a coronary stenosis. In Marcus ML (ed): The Coronary Circulation in Health and Disease. New York, McGraw-Hill 242-269, 1983.
- Marlow R, Reich DL, Neustein S and Silvay G. Hemodynamic response to induction of anestheis with ketamine/midazolam. Can J Anaesth 38:844, 1991.
- Martin DE, Rosenberg H and Aukburg SJ, et al. Low dose fentanyl blunts circulatory responses to tracheal intubation. Anesth Analg 61: 680, 1982.
- Maslow AD, Regan MM, Panzica P, Heindel S, Mashikian J and Comunale ME. Precardipulmonary bypass right ventricular function is associated with poor outcome after coronary artery bypass grafting in patients with severe left ventricular systolic dysfunction. Anesth Analg 95: 1507-18, 2002.
- Massie BM and Mangano DT. Risk stratification for non cardiac surgery: how (and why)? Circulation 87: 1752-1755, 1993.

- Mauritson DR, Peshock RM and Winniford et al. Prinzmetal's variant angina: Is it transmitted genetically? Am Heart J 51: 1589, 1983.
- McConachie I and McGeachchie J. Regional anesthetic technique. A practice of anesthesia, 6th edition, vol 2, section 2; 34: 708-715, 1995.
- McPhail N, Calvin Je, Shariatmadar A, Barber GG and Scobie TK. The use of preoperative exercise testing to predict cardiac complications after arterial reconstruction. Journal of Vascular Surgery 7: 60, 1988.
- Mercier JC, Lando U and Kanmatsuse K, et al. Divergent effects of inotropic stimulation on the ischemic and severely depressed reperfused myocardium. Circulation 66: 397-400, 1982.
- Michaelides AP, Triposkiadis FK and boudoulas H. New coronary artery disease index based on exercise induced QRS changes. Am Heart J 120: 292-302, 1996.
- Mikawa K and Nishina K, et al. Attenuation of cardiovascular responses to tracheal extubation: verapamil versus deltiazem. Anesth Analg 82: 1205-1210, 1996.
- Miller R, et al. Anaesthesia for adult cardiac surgery. Anaesthesia 4th edition London: Churchill-Livingstone 1603-1652, 1994.
- Moran GE, Mikhail MS and Murrary MJ. Cardiovascular physiology and anesthesia. In: clinical Anesthesiology 3rd edition 19: 359-385, 2002.
- Morgan GE, Mikhail MS Murry MJ, et al. Anesthesia for patients with cardiovascular disease. Clinical anesthesiology 3rd edition volume 1, section 20: 386-427, 2002.
- Morocutti G, Di Chiara A and Proclemer A, et al. Signal averaged electrocardiography and Doppler echocardiographic study in predicting acute rejection in heart transplanation. J Heart Lung Transplant 14: 1065-72, 1995.

- Mosher P, Ross J Jr, McFate PA and Shaw RF. Control of coronary blood flow by an autoregulatory mechanism. Circ Res 14: 250, 1964.
- Nabel EG, Ganz P and Gordon JB et al. Dilation of normal and constriction of athersclerotic coronary arteries caused by the cold pressor test. Circulation 77: 43-52, 1988.
- Nathan HJ. Coronary physiology. Cardiovascular Anesthesia 8: 235-255, 1994.
- Neely JR and Grotyohann LW. Role of glycolytic products in damage to ischemic myocardium. Dissociation of adenosine and triphosphate levels and recovery of function of reperfused ischemic hearts. Circ Res 55: 816-24, 1984.
- Nelson AH and Fleisher LA, et al. Relationship between postoperative anemia and cardiac morbidity in high risk vascular patients in ICV. Crit Care Med 21: 860, 1993.
- Nishina K and Mikawa K, et al. Attenuation of cardiovascular responses to tracheal extubation with deltiazem. Anesth Analg 80: 1217-1222, 1995.
- Norris EJ, Beattie C and Perler BA, et al. Double masked randomized trial comparing alternate combinations of intraoperative anesthesia and postoperative analgesia in abdominal aortic surgery. Anesthesiology 95(5): 1054-67, 2001. (well designed trial suggesting that anesthetic technique does not affect cardiac outcome after abdominal aortic surgery if heart rate is well controlled in the ICU).
- Odoom JA and Sih L. Epidural analgesia and anticoagulant therapy. Anesthesia 38: 254, 1983.
- Olenchock SA Jr, Lukaszczyk JJ, Reed J and Theman TE. Splenic injury after intraoperative trasesophageal echocardiography. Ann Thorac Surg 72: 2141-3, 2001.
- Omran AS, Woo A, David TE, Feindel CM, Rakowski H and Siu SC. Intraoperative transesophageal echocardiography accurately predicts mitral valve anatomy and suitability for repair. J Am soc Echocardiogr 15: 950-7, 2002.

- Panza JA, Dilsizian V, Lauienzo JM, Curiel RV and Katsiyiannis PT.
 Relation between thallium uptake and contractile response to dobutamine. Circulation 91: 990-8, 1995.
- Philbin DM, Rosow CE and Schneider RC, et al. Fentanyl and sufentanil anesthesia revisited: How much is enough? Anesthesiology 73: 5, 1990.
- Philip BK. Hazards of amnesia after midazolam in ambulatory surgical patients. Anesthesia and Analgesia 85: 97, 1997.
- **Pohl U and Busse R.** Hypoxia stimulates release of endothelium derived relaxant factor. Am J Physiol 256: 1595, 1989.
- Poldermans D, Arnese M and Fioretti PM, et al. Improved cardiac risk stratification in major vascular surgery with dobutamine atropine stress echocardiography. J Am Coll Cardiol 26: 648-653, 1995.
- Poldermans D, Boersma E and Bax J, et al. The effect of bisoprolol on perioperative mortality and myocardial infarction in high risk patients undergoing vascular surgery. N Engl J Med 341: 1789-1794, 1999.
- Rabkin SW and Horne JM. Preoperative electrocardiography: effect of new abnormalities on clinical decisions. Canadian Medical association Journal 128: 146-147, 1983.
- Raby KE and Brull SJ, et al. The effect of heart rate control on myocardial ischemia among high risk patients after vascular surgery. Anesth Analg 88: 477-482, 1999.
- Raby KE, Barry J, Creager MA, Cook EF, Weisberg MC and Goldman L. Detection and significance of intraoperative and postoperative myocardial ischemia in peripheral vascular surgery. JAMA 268: 222-227, 1992.
- Rahimtoola SH. The hibernating myocardium. Am Heart J 117: 211-21, 1989.
- Rao TK and Jacobs TH, et al. Reinfarction following in patients with myocardial infarction. Anesthesiology 59: 499-505, 1983.

- Rao TLK and El-Etr AA. Anticoagulation following placement of epidural and subarachnoid catheters: An evaluation of neurologic sequelae. Anesthesiology 55: 618, 1981.
- Reamer KA, Hill ML and Jennings RB. Prolonged depletion of ATP and of the adenine nucleotide pool due to delayed resynthesis of adenine nucleotides following reversible myocardial ischemic injury in dogs. J Molec Cell Cardiol 13: 229, 1991.
- Reibel DK and Rovetto JJ. Myocardial ATP synthesis and mechanical function following oxygen deficiency. Am J Physiol 234: 620, 1988.
- Reiz S, Balfors E and Sorenson MB, et al. Isoflurane is a powerful coronary vasodilator in patients with coronary artery disease. Anesthesiology 59:91, 1983.
- Ritchie JL. Chair ACC/AHA Task Force on Practice Guidelines. ACC/AHA: Guidelines for perioperative cardiovascular evaluation for non cardiac surgery. Circulation 93: 1280, 1996
- Rodgers A, Walker N, Schug S, McKee A, Kehlet H, van Zundert A, Sage D, Futter M, Saville G, Clark T and MacMahon S. Reduction of postoperative mortality and morbidity with epidural or spinal anaesthesia: results from overview of randomized trials. BMJ 321: 1493-7, 2000. (regional anesthesia, especially spinals and thoracic epidurals, may be associated with reduced perioperative death and myocardial infarction).
- Roizen MF. The usefulness of the preoperative electrocardiogram. Journal of Clinical Monitoring 9:11, 1993.
- Rolf N, Van de Velde M and Wouters PF, et al. Thoracic epidural anesthesia improves functional recovery from myocardial stunning in conscious dog. Anesthesia and Analgesia 83: 935-40, 1996.

- Rosenfeld BA, Beattie C and Christopherson R, et al. The effect of different anesthestic regimens on fibrinolysis and the development of postoperative arterial thrombosis. Perioperative ischemia randomized. Anesthesia Trial Study Group. Anesthesiology 79: 435-43, 1993.
- Ross A and Roberts L and Tinker JT. Monitoring in cardiac anesthesia, Blitt CD, ed: Monitoring in anesthesia and critical care medicine, ed 2, New York, Churchill-Livingstone, 1990.
- Ruiter JH, Spaan JAE and Laird JD. Transient oxygen uptake during myocardial reactive hyperemia in the dog. Am J Physiol 235: H87, 1987.
- Samuelson PN, Reves JG and Kouchoukos NT et al. Hemodynamic responses to anesthetic induction with midazolam or diazepam in patients with ischemic heart disease. Anesth Analg 60:802, 1981.
- Seeberger MD, Cahalan MK, Chu E, Balea MS, Ionescu P, Merrick S, Foster E and Schiller NB. Severe loading reductions may induce new segmental wall motion abnormalities in the absence of myocardial ischemia. Anesth Analg 85: 1252-7, 1997.
- Sestier FJ, Mildenberger RR and Klassen GA. Role of autoregulation in spatial and temporal perfusion heterogeneity of canine myocardial. Am J Physiol 235: H46, 1978.
- Simson MB. Signal averaged electrocardiography. J Am Coll Cardiol 27: 238-249, 1996.
- Slogoff S and Keats AS. Randomized trial of primary anesthetic agents on outcome of coronary artery bypass operations. Anesthesiology 70: 179, 1989.
- Slogoff S, Keats AS nad Dear WE, et al. Steal prone coronary anatomy and myocardial ischemia associated with four primary anesthetic agents in humans. Anesth Analg 72:22, 1991.
- Smith NT and Corbasico AN. Durg interactions in anesthesia 2nd Ed. Lea & Febiger, Philadelphi, 1986.

- Solomon A. Role of TEE in non cardiac surgery, ASA Annual refresher course lectures. Park Ridge IL; American society of Anesthesiologists 123, 2003.
- Spodick DH. Diagnostic electrocardiographic sequences in acute pericarditis. Significance of PR segment and PR vector changes. Circulation 48: 575-580, 1997.
- Sprigge JS, Wynands JE and Whalley DG, et al. Fentanyl infusion anesthesia for aortocoronary bypass surgery; plasma levels and hemodynamic response. Anesth Analg 61: 972, 1982.
- Sprung J, Ogletree-Hughes ML and Moravec CS, et al. The effects of etomidate on the contractility of failing and non failing human heart muscle. Anesth Analg 91: 68: 75, 2000.
- Stevenson JG. Adherence to physician training guidelines for pediatric transesophageal echocardiography affects the outcome of patients undergoing repair of congenital cardiac defects. J Am Soc Echocardiogr 12: 165-72, 1999.
- Suga H, et al. Mechanism of higher oxygen consumption rate: Pressure loaded vs. volume loaded heart. Am J Physiol 2421: H942, 1982.
- Thomson IR, Dalton BC and Lappas DG. Right bundle branch block and complete heart block caused by the Swan Ganz catheter. Anesthesiology 75(35): 1992.
- Tillisch JG, Brunken R and Marshall R, et al. Reversibility of cardiac wall motion abnormalities predicted by positron tomography. N Engl J Med 314: 884-8, 1986.
- Tomai F, Crea F and Gaspardone A, et al. Effect of A1 adenosine receptor blockade by bamiphylline on ischemic preconditioning during coronary angioplasty. Eur Heart J 17: 846-53, 1996.
- Tuman KJ, McCarthy RJ and Spiess BD, et al. Effect of pulmonary artery catheterization on outcome in patients undergoing coronary artery surgery. Anesthesiology 70: 199-205, 1989.

- Vanoverschelde JLJ, Wijns W and Depre C, et al. Mechanism of chronic regional post ischemic dysfunction in humans. Circulation 87: 1513-23, 1993.
- Veldkamp RF, Green CL and Wilkins ML, et al. Comparison of continuous ST segment recovery analysis withmethods using static electrocardiograms for non invasive patency assessment during acute myocardial infarction. Thrombolysis and Angioplasty in myocardial infarction (TAMI) 7 study group. Am J Cardiol 73: 1069-74, 1994.
- Warner MA, Calan RA and Epstein BS, et al. Practice guidelines for preoperative fasting and the use of pharmacological agents to reduce risk of pulmonary aspiration. Anesthesiology 90: 896, 1999.
- White PF and Chang T. Effect of narcotic premedication on the intravenous anesthetic requirement. Anesthesiology 61: A389, 1994.
- Winniford MD, Wheelan KR and Kremers MS, et al. Smoking induced coronary vasoconstriction in patients with atherosclerotic coronary artery disease; Evidence for adrenergically mediated alterations in coronary artery tone. Circulation 73: 662, 1986.
- Yaeger M and Glass DD, et al. Epidural anesthesia and analgesia in high risk surgical patients. Anesthesiology 66: 729-736, 1987.
- Yellon DM, Alkhulaifi AM and Pugsely WB. Preconditioning the human myocardium, Lance; 342: 276-277, 1993.