

References

References

- 1- **Akhtar M (1982):** Management of ventricular tachy arrhythmias. JAMA, 247: 671-4.
- 2- **Altamura G, Bianconi L, Toscano S et al (1990):** Transcutaneous pacing for termination of tachyarrhythmias. Pacing Clin Electrophysiol 13:2026.
- 3- **Andersen C, Madsen GM (1990):** Rate-responsive pacemakers and anaesthesia; a consideration of possible implications. Anaesthesia; 45:472-6.
- 4- **Armitage JM, Hardesty RL, Griffith BP (1987):** Prostaglandin E1: An effective treatment of right heart failure after orthotopic heart transplantation. J heart transplant 6:348.
- 5- **Aroesty, J.M. (2000):** Intraaortic balloon counterpulsation and other circulatory assist devices. In Baim, D.S. and Grossman, W. (editors): Grossman's cardiac catheterization, angiography, and intervention. 6th edition. Philadelphia, Lippincott Williams & Wilkins, 21: 463-487.
- 6- **Atlee J, Pattison C, Mathews E, Hedman A (1993):** Transesophageal Atrial pacing for intraoperative sinus bradycardia or AV junctional rhythm: feasibility as prophylaxis in 20 anesthetized adults and hemodynamic effects of treatment. J Cardiothorac vasc Anesth 7:436.
- 7- **Atlee JL (1996):** Arrhythmia causes and association. In atlee JL: Arrhythmias and pacemakers. Philadelphia, WB Saunders Company, PP 59-104.
- 8- **Atlee JL (1996):** Overview of mechanism for arrhythmias. In Atlee JL: Arrhythmias and pacemakers. Philadelphia, WB Saunders Company, PP 25-58.
- 9- **Atlee JL (1996):** Temporary pacing: practical aspects. In atlee JL: Arrhythmias and pacemakers. Philadelphia, WB Saunders company, PP 247-292.

- 10- **Atlee JL (1997):** Perioperative cardiac dysrhythmias: Diagnosis and management *anesthesiology* 86:1397.
- 11- **Atlee JL, Bernstein AD (2001):** Cardiac rhythm management devices (Part I). *Anesthesiology*; 95:1265-1280.
- 12- **Backman SB, Ralley FE, Fox GS (1993):** Neostigmine produces brady cardia in a heart transplant recipient. *Anesthesiology* 78:777.
- 13- **Bailey PL, Egan TD, Stanley TH (2000):** Intravenous opioid anesthetics. In Miller RD (ed): *Anesthesia*, 5th edition. Churchill livingstone, PP 273-6.
- 14- **Barold SS, Zipes DP (1997):** Cardiac pacemakers and antiarrhythmic devices. In Braunwald E (ed): *Clinical pacing*. Philadelphia, WB Saunders company, PP 705-741.
- 15- **Bassenge E, Heusch G (1990):** Endothelial and neurohumoral control of coronary blood flow in health and disease. *Rev Physiol Biochem Pharmacol* 116:77.
- 16- **Benson DJ (1987):** Transesophageal electrocardiography and cardiac pacing: state of the art. *Circulation* 75:86.
- 17- **Berberich JJ, Fabian JA (1987):** A retrospective analysis of fentanyl and sufentanil for cardiac transplantation. *J Cardiothorac Anesth* 1:200.
- 18- **Berde CB and Strichartz GR (2000):** Local anesthetic . In Miller RD (ed): *Anesthesia*, 5th edition. Churchill livingstone,; 491-521.
- 19- **Bernstein AD, Camm AJ, Fletcher RD, et al (1987):** The NASPE/BPEG generic pacemaker code for antibradycardia and adaptive rate pacing and antitachyarrhythmia devices. *Pacing clin Electrophysiol* 10:794.
- 20- **Birkui P, Trigano J, Zoll P (eds) (1993):** Noninvasive transcutaneous pacing. Mount Kisco, NY, Futura.

-
- 21- **Blommfield P, Bowler GM (1989):** Anaesthetic management of the patient with a permanent pacemaker anaesthesia; 4:42-46.
 - 22- **Borow KM, Neumann A, Arensman FW, et al (1989):** Cardiac and peripheral vascular responses to adrenergic stimulation and blockade after cardiac transplantation. J Am Coll Cardiol 14:1229.
 - 23- **Bosnjak ZJ, Kampine JP (1983):** Effects of halothane, enflurane, and isoflurane in the SA node. Anesthesiology; 58: 314-319.
 - 24- **Braunwald E (1977):** Determinants and assessment of cardiac function. N Engl J Med 296:86.
 - 25- **Braunwald E, Zipes DP, Libby P, eds (2001):** Heart disease, a textbook of cardiovascular medicine, 6th ed. Philadelphia: WB Saunders, P. 872-876.
 - 26- **Braunwald E, Zipes DP, Libby P, eds (2001):** Heart disease, a textbook of cardiovascular medicine, 6th ed. Philadelphia: WB Saunders; 776-778.
 - 27- **Braunwald E, Zipes DP, Libby P, eds (2001):** Heart disease, a textbook of cardiovascular medicine, 6th ed. Philadelphia: WB Saunders, 789-790.
 - 28- **Braunwald E, Zipes DP, Libby P, eds (2001):** Heart disease, of cardiovascular medicine, 6th ed. Philadelphia: W.B. Saunders, P 1189-1190.
 - 29- **Braunwald, E.; Zipes, D.P. and Libby, P. (2001):** Treatment of heart failure: Assisted circulation. In: Heart disease, 6th edition. Philadelphia, W.B. Saunders. 19: 600-614.
 - 30- **Braunwald, E.; Zipes, D.P. and Libby, P. (2001):** Treatment of heart failure: Assisted circulation. Heart diseases, 6th edition. Philadelphia, W.B. Saunders, 19: 600-614.
 - 31- **Bregman, D. (1978):** Cardiac assist devices. In Effler, D.B. (editor): Blum's surgical diseases of the chest. Saint Louis, Mosby Company, 26: 759-808.

-
- 32- **Bristow MR, Ginsburg R, Minobe W et al (1982)** : Decreased catecholamine sensitivity and beta-adrenergic receptor density in failing human hearts. *N Engl J Med* 307:205.
- 33- **Brode SE, Schwartzman D Callans DJ (1997)**: ICD-antiarrhythmic drug and ICD-pacemaker interactions. *J Cardiovasc Electrophysiol*; 8:830 – 842.
- 34- **Brown, D.L. (1998)**: Intraaortic balloon pump counterpulsation: Physiology, patient management, and clinical efficacy. In: *Cardiac intensive care*. Philadelphia, W.B. Saunders, 53: 647-656.
- 35- **Brutsaert DL, Housmans PR, Goethals MA (1980)**: Integral control of relaxation. Its role in ventricular function in the mammalian heart. *Circ Res*. 47:637.
- 36- **Brutsaert DL, Rademakers FE, Sys SU (1984)**: Triple control of relaxation. Its role in the ventricular function in the mammalian heart. *circulation* 69:190.
- 37- **Buchanan, S.A.; Langenburg, S.E.; Mauney, M.C. et al. (1994)**: Ambulatory intraaortic balloon counterpulsation. *Ann. Thorac. Surg.*, 58: 1547-1549.
- 38- **Burgos L, Ebert T, Asiddao C, Turner L (1987)**: Increased intraoperative cardiovascular morbidity on diabetics with autonomic neuropathy. *Anesthesiology*; 70:591-595.
- 39- **Calkins H, el-Atassi R, Kalbfleisch S, et al (1993)**: Comparison of fixed burst versus decremental burst pacing for termination of ventricular tachycardia. *Pacing clin electrophysiol* 16:26.
- 40- **Cannom DS (1995)**: Internal cardioverter-defibrillator: Newer Technology and new devices. In podrid PJ, Kowey PR (eds): *Cardiac arrhythmia*. Baltimore, Williams and Wilkins PP 708-725.
- 41- **Cheung, A.T.; Savino, J.S. and Weiss, S.J. (1996)** Beat-to beat augmentation of left ventricular function by intraaortic counterpulsation. *Anaesthesiology*, 84: 545-554.
-

- 42- **Chu, S.H. and Hsu, R.B. (2000):** Current statues of artificial hearts and ventricular assist devices. J. Formos. Med. Assoc., 99: 79-85.
- 43- **Civetta JM, Cagel JC, Laver MB (1971):** Disparat : ventricular function in surgical patients. Surg forum 22:136.
- 44- **Cohen AM, Hoxby EJ (1997):** Guidelines and cardiac anaesthetists. Anaesthesia; 52:916-917.
- 45- **Cruchley P, Kaplan J, Hug C (1983):** Non-cardiac surgery in patient's with prior myocardial revascularization. Can J anaesth; 30:629.
- 46- **Cummins RO, Graves JR, Larsen MP, et al (1993):** Cost of hospital transcutaneous pacing by emergence medical technicians in patients with asystolic cardiac arrest. N Engl J Med 328:1377.
- 47- **Curtis, J.J.; Walls, J.T.; Wagner-Mann, C.C. et al., (1999):** Centrifugal pumpus: Description of devices and surgical technique. Ann. Thorac. Surg., 68: 666-671.
- 48- **Deal BJ (1995):** Esophagela pacing: In Ellenbogen A, Kay GN, Wilkoff BL (eds): Clinical Cardiac pacing. Philadelphia, WB Saunders Company PP 687-700.
- 49- **DeBelder MA, Malik M, Ward DE, Camm AJ (1990):** Pacing modalities for tachycardia termination. Pacing clin electrophysiol 13:231.
- 50- **DiNardo, J.A. (1998):** Anesthesia for cardiac surgery , 2nd edition. Stamford, Appleton & Lange, 277: 384.
- 51- **DiNardo, J.A. (1998):** Mechanical circulatory assist devices. Anaesthesia for cardiac surgery, 2nd edition. Stamford, Appleton & Lange, 11: 321-348.
- 52- **DiNardo, J.A. (1998):** Mechanical circulatory assist devices. In: Anaesthesia for cardiac surgery. 2nd edition. Stamford. Appleton & Lange. 11: 321-348.

- 53- **Diver, D.J. (1993):** Sheathless balloon insertion. In Quaal, S.J. (editor); Comprehensive intraaortic balloon counterpulsation, 2nd edition. Saint Louis Mosby-Year Book, 13: 191-206.
- 54- **Drach GW, Weber C, Donovan JM (1990):** Treatment of pacemaker patients with extracorporeal shock wave lithotripsy (ESWL). J Urol; 143:895.
- 55- **Ebert TJ, Kotrly KJ, Vucins EJ et al (1985):** Halothane attenuates cardiopulmonary baroreflex control of peripheral resistance in humans. Anesthesiology; 63:668-674.
- 56- **Ebert TJ, Muzi M, Berens R (1992):** Sympathetic responses to induction of anesthesia in humans with propofol or etomidate. Anesthesiology; 76:725-729.
- 57- **Eckendrecht PD (1995):** Pacemaker and implantable cardioverter defibrillators. ASA refresher courses in anesthesiology. Park ridge, IL: American society of anesthesiology, ; 2: 55-67.
- 58- **Epstein AE, Wilkoff BL (1993):** Pacemaker-defibrillator interactions. In Furman S, Hayes D, Holmes D (eds): A practice of cardiac pacing, 3rd edition Mt Kisco, NY, Futura, 1993 PP 757-769.
- 59- **Farrar, D.J.; Hill, J.D.; Pennington, D.G. et al. (1997):** Preoperative and postoperative comparison of patients with univentricular and biventricular support with the Thoratec ventricular assist device as a bridge to cardiac transplantation. J. Thorac. Cardiac. Surg., 113: 202.
- 60- **Fearnott NE, Evans ME (1988):** Heart rate correlation, response time and effect of previous exercise using an advanced pacing rate algorithm for temperature based rate modulation. Pacing clin electrophysiol; 11:1846-1852.
- 61- **Feeley TW, Macario A (2000):** The postanesthesia care unit. In Miller RD (ed): Anesthesia, 5th edition. Churchill Livingstone, PP 2302-2322.

- 62- **Ferguson, J.J.; Cohen, M.; Freedman, R.J. et al. (2001):** The current practice of intraaortic balloon counterpulsation: Results from the Benchmark registry. *J. Am. Coll. Cardiol.*, 38: 1456-1462.
- 63- **Fleisher LA (2000):** Preoperative assessment in: Youngberg JA, Lake CL, Roizen MF and Wilson RS (ed), *Cardiac, Vascular and thoracic anesthesia*, Churchill living stone,; Pp 3-19.
- 64- **Fonger JD, Borkon AM, Baumgartner WA et al (1986):** Acute right ventricular failure following heart transplantation: improvement with PGE1 and right ventricular assist. *J Heart transplant* 5:317.
- 65- **Fragen RJ, Avriani MJ (2000):** Barbiturates. In Miller RD (ed): *Anesthesia*; 5th edition. Churchill Livingstone, PP 109-26.
- 66- **Franco, K.L. (1999):** Temporary mechanical support. In Franco, K.L. and Verrier, E.D. (editors): *Advanced therapy in cardiac surgery*. Hamilton, b. C. Decker. Inc., 44: 397-415.
- 67- **Frazier, O.H.; Myers, T.J. and Radovancevic, B. (1998):** The HeartMate left ventricular assist system: Overview and 12 year experience. *Tex. Heart. Inst. J.*, 25: 265.
- 68- **Furman S Gross J (1990):** Dual-chamber pacing and pacemakers. *Curr prob Cardiol* 15:121.
- 69- **Gaasch WH, Blaustein AS, Andrias CW, et al (1986):** Myocardial relaxation. II. Hemodynamic determinants of rate of left ventricular isovolumic pressure decline. *AM J Physiol* 239: H1.
- 70- **Galla, J.D.; McCullough, J.N. and Griep, L.B. (1999):** Techniques of circulatory assistance. In Kaplan J.A.; Reich, D.L. and Konstadt, S.N.: *Cardiac anesthesia* 4th edition. Philadelphia, W.B. Saunders Company, 33: 1193- 212.
- 71- **Ganz LI, Friedman PL (1995):** Supraventricular tachycardia. *N Engl J Med* 332:162.

- 72- **Goldsmith MF (1991):** Implanted defibrillators slash sudden death rate. In study, thousands more may get them in future. JAMA; 266:3400-2.
- 73- **Gollob MH, Seger JJ (2001):** Current status of the implantable cardioverter-Defibrillator. Chest; 119:1210-1221.
- 74- **Gomez-bordas LA, Nol MR, Kurbaan AS (1990):** Circadian pacemakers. Anaesthesia; 53:310.
- 75- **Grayzel J (1991):** The cardiac cycle. J Cardiothorac vasc anesth 5:649.
- 76- **Gregoratos G, Cheitlin MD, Conill A et al (1998):** ACC/AHA guideline for implantation of cardiac pacemakers and antiarrhythmia devices. J Am Coll Cardiol 31:117.
- 77- **Guyton AC, Coleman TG, Granger JH (1972):** Circulation: Overall regulation. Annu Rev Physiol 34:13,1972.
- 78- **Hahn, C.J.; Holman, W.L.; Clpeland, J.G. and Chamsaur, G. (1993):** External pulsatile circulatory support. Ann. Thorac. Surg., 55:257.
- 79- **Halligan, M.; Moore, P.; Richards, K. and Brodie, . (1997):** The effects of cardiopulmonary bypass. In: The manual of clinical perfusion. Georgia, Glendale Medical Corporation 9: 91-100.
- 80- **Hartnett, T.M. and Gaffney, T. (1993):** Intraaortic balloon size selection. In Quaal, S.J. (editor): Comprehensive intraaortic balloon counter pulsation, 2nd edition. Saint Louis Mosby-Year Book, 6: 207-214.
- 81- **Hayes DL, Wang PJ, Reynolds DW et al (1997):** Interference with cardiac pacemakers by cellular telephones. N Engl J Med 336:1473.
- 82- **Hensley FA, Martin DE, Larach DR, et al (1980):** Anesthetic management for cardiac transplantation in North America-1986 survey. J Cardiothorac Anesth 1:429.

-
- 83- **Hettrick DA, Pagel PS, Kersten JR, et al (1998):** Cardiovascular effects of xenon in isoflurane – anesthetized dog with dilated cardiomyopathy. *Anesthesiology*; 89:1166-1173.
- 84- **Hodgson JMB, Choen MD, Szentpetery S, et al (1989):** Effects of regional alpha-andbeta blockade on resting and hyperemic coronary blood flow in conscious, unstressed humans. *Circulation* 79:797.
- 85- **Holman, W.L.; Bourg, R.C.; McGiffin, D.C. and Kirklin, J.K. (1994):** Ventricular assist: Experience with a pulsatile heterotopic device. *Semin. Thorac. Cardiovasc. Surg.*, 6: 147.
- 86- **Horowicz LN (1994):** Polymorphic ventricular tachycardia, including torsades de points. In *Kantor J (ed): Arrhythmias* Philadelphia, WB Saunders Company, PP 376-394.
- 87- **Isono SS, Woolson ST, Schurman DJ (1987):** Total joint arthroplasty for steroid-induced osteonecrosis in cardiac transplant patient. *Clin Orthop* 217:201.
- 88- **Jacquet L, Ziady G, Stein K, et al (1990):** Cardiac rhythm disturbances early after orthotopic heart transplantation: prevalence and clinical importance of the observed abnormalities. *J Amer Coll Cardiol* 16:832.
- 89- **Janelle, G.M.; Botero, E.B. and Lobato, E.B. (2002):** Anesthesia for adult cardiovascular surgery. In Kirby, R.R.; Gravenstein, N.; Lobato, E.B. and Gravenstein, J.S. (editors): *Clinical anesthesia practice*, 2nd edition. Philadelphia, W.B. Saunders, 63: 1235-1288.
- 90- **Janosik DL, Labovitz AJ (1995):** Basic physiology of cardiac pacing. In *Ellenbogen KA, Kay GN, Wilkoff BL (eds): Clinical cardiac pacing*. Philadelphia, WB Saunders Company, PP 687-700.
- 91- **Jett, G.K. (1996):** Abiomed BVS 5000: experience and potential advantages. *Ann. Thorac. Surg.*, 61: 301-304.
- 92- **Jones RD (1996):** Drugs for cardiac arrhythmias. *Med Lett Drugs Ther*; 38:75.
-

- 93- **Kam PC (1997):** Anaesthetic management of a patient with an automatic implantable cardioverter defibrillator in situ. *Br J Anaesth*; 78:102-106.
- 94- **Kangralu A, Burgess RE, Ahu H (1999):** Cardiac and physiological safety studies in ultra high field magnetic resonance imaging. *Magn reson imaging*; 17:1407-1416.
- 95- **Kantrowitz, A. and Mikinon, W.M.P. (1959):** Experimental use of diaphragm as auxiliary myocardium. *Surg. Forum*. 9: 266.
- 96- **Kantrowitz, A.; Cardona, R.R. and Freed, P.S. (1983):** Weaning from the intraaortic balloon pump. In Ouaal, S.J. (editor): *Comprehensive intraaortic balloon counterpulsation*, 2nd edition. Saint Louis, Mosby-Year Book, 24: 398-407.
- 97- **Kaplan JA, Reich DL and Konstadt SN. (1989):** Cardiac anesthesia., Fourth edition chapter 27; Cardiac pacing and Electroversion; 959-990.
- 98- **Kaplan JA, Reich DL, and Konstadt SN, (1989):** Cardiac anesthesia fourth edition chapter 28; Anesthesia for. Heart, lung, and heart-lung Transplantation; 991-997.
- 99- **Kelly JS, Royster RL (1989):** Noninvasive transcutaneous cardiac pacing: *Anesth Analg*, 69: 229-38.
- 100- **Kelly JS, Royster RL, Angert KC, Case LD (1989):** Efficacy of noninvasive transcutaneous cardiac pacing in patients undergoing cardiac surgery. *Anesthesiology* 70:747.
- 101- **Klein LS, Miles WM, Heger JJ, et al (1988):** Transcutaneous pacing: Patient tolerance, Strength-interval relations, and feasibility of programmed electrical stimulation. *Am J Cardiol* 62:1126.
- 102- **Korfer, R.; El-Banayosy, A.; Arusogiu, L. et al. (2000):** Single-center experience with the Thoratec ventricular assist device. *J. Thorac. Cardiovasc. Surg.*, 119: 596.

-
- 103- **Kvilekval, K.H.V; Mason, R.A.; Newton, G.B. et al. (1991):** Complications of percutaneous intraaortic balloon pump use in patients with peripheral vascular disease. Arch. Surg., 126: 621-623.
- 104- **Lamas GA, Muller JE, Turi ZG (1986):** A simplified method to predict occurrence of complete heart block during acute myocardial infarction. Am J Cardiol; 57:1213-1214.
- 105- **LaMuraglia, G.M.; Vlahakes, G.J.; Moncure, A.C. et al. (1991):** The safety of intraaortic balloon pump catheter insertion through suprainguinal prosthetic vascular bypass grafts. J. Vasc. Surg., 13: 830-837.
- 106- **Lange, S.S. (1993):** Complications associated with IABC. In: Quall, S.J. (editor): Comprehensive intra-aortic balloon counterpulsation, 2nd edition. Saint Louis, Mosby, 1993: 146-164.
- 107- **Levy S, Ricard P, Gueunous M (1997):** Low energy cardioversion of spontaneous atrial fibrillation: Immediate and longterm results. Circulation; 96:253-259.
- 108- **Lick, S.; Copeland, J.G.; Smith, R.G. et al. (1993):** Use of the symbion biventricular assist device in bridging to transplantation. Ann. Thorac. Surg., 55: 283.
- 109- **Linder C, Heusch G (1990):** ACE-Inhibitors for the treatment of myocardial ischemia? Cardiovasc Drugs Ther 4:11-174.
- 110- **Luce JM (1984):** The cardiovascular effects of mechanical ventilation and positive end-expiratory pressure. JAMA 252:807.
- 111- **Lynch C (1986):** Depression of myocardial contractility in vitro by bupivacaine, etidocaine and lidocaine. Anesth analg; 65:551-557.
- 112- **Madsen GM, Andersen C (1989):** Pacemaker-induced tachycardia during general anaesthesia: a case report. Br. J anaesth; 63:360-361.
-

- 113- **Manager D, Atlas GM, Kane PG (1991):** Electroca tery-induced pacemaker malfunction during surgery. *Can J Anaesth* 1991; 38:616-8.
- 114- **McBride, L.R.; Naunheim, K.S.; Fiore, A.C. e al. (1999):** Clinical experience with 111 thoratec vent icular assist devices. *Ann. Thorac. Surg.*, 67: 1233.
- 115- **McCarthy, P.M and Golding, L.A.R. (1997)** Temporary mechanical circulatory support. In Edmunds, .H. (editor): *Cardiac surgery in the adult*. New York, McGraw- hill, 11: 319-338.
- 116- **Mckierman, T.L. and Wehrmacher, W.H (1997)** Mechanical cardiac assist devices. In Civetta J.M.; Taylor, R. V. and Kirby, R.R.: *Critical care 3rd edition*. Philadelphia, Lippincott-Raven; 40: 609-612.
- 117- **McKiernan, T.L. and Wehrmacher, W.H. (1997)** Mechanical cardiac assist devices. In Civetta, J.M.; Taylor, R. V. and Kirby, R.R. (editors): *Critical care, 3rd edition*. Philadelphia, Lippincott-Raven, 40: 609-612.
- 118- **McLaughlin PR, Kleinman JH, Martin RP et al (1978):** The effects of exercise and atrial pacing on left ventricular volume and contractility in patients with innervated and enervated hearts. *Circulation* 58:476.
- 119- **Mehaffey, K.W.; Kruse, K.R. and Ohman, E.M. (1990):** Intraaortic balloon pump counterpulsation: Physiology, patient management, and clinical efficacy. In Brown, D.L. (editor): *Cardiac intensive care*. Philadelphia, W.B. Saunders, 53; 647-656.
- 120- **Mehta SM, Autiero TX, Pae WE et al (1994):** Combined registry for the clinical use of mechanical ventricular assist pumps and the total artificial heart in conjunction with heart transplantation: Sixth official report. *J Heart lung transplant* 14:58 .
- 121- **Miller AS (1991):** Drugs for psychiatric disorders. *Med Lett Drugs Ther*; 33:43-51.

- 122- **Milnor WR (1982):** Hemodynamics. In Milnor WR (ed): Cardiac Dynamics. Baltimore, Williams & Wilkins.
- 123- **Milnor WR (1982):** Hemodynamics. In milnor WR (ed): Vascular impedance. Baltimore, Williams and wilkins.
- 124- **Moncada S, Higgs EA, Vane JR (1977):** Human arterial and venous tissues generate prostacyclin (Prostaglandin X), a potent inhibitor of platelet aggregation. Lancet 1:18.
- 125- **Monk TG, Weldon BC (1996):** The renal system and anesthesia for urologic surgery. In: Barash PG, Cullen BF, Stoelting RK (ed), clinical anesthesia, Lippincott-Raven, Philadelphia; 36, PP 945-973.
- 126- **Morgan GE, Mikhail MS (1996):** Clinical anesthesiology 2nd edition. Appleton and Lange; PP 172.
- 127- **Morgan, G.E.; Mikhail, M.S.; Murray, M.J and Larson, C.P. (2002):** Anesthesia for cardiovascular surgery. In: Clinical anesthesiology, 3rd edition. New York Land Medical Books/McGraw-Hill; 21: 433-474.
- 128- **Murat I, Lapeyre G, Saint-Maurice C (1989):** Isotlurane attenuates baroreflex control of heart rate in human neonates. Anesthesiology: 70:395-399.
- 129- **Myles PS, Weeks AM, Buckland MR, et al (1997):** anesthesia for bilateral sequential lung transplantation: Experience of 64 cases. J Cardiothorac Vascu Anesth 11:177.
- 130- **Noon, G.P.; Morley, D.L.; Irwin, S. et al. (2001):** Clinical experience with the Micromed DeBakey venous assist device. Ann. Thorac. Surg., 71: S133-138.
- 131- **Oberwalder, P.J. (1999):** Intraaortic balloon pump (IABP) counterpulsation. The internet journal of thoracic and cardiovascular surgery vol. 2 N2: [http : // WWW Ispub. Com/ journals/ IJTCVS/Vol. 2 N2/iabp. Htm](http://WWW.Ispub.Com/journals/IJTCVS/Vol.2N2/iabp.Htm).

-
- 132- **Oberwalder, P.J. (1999):** Intraaortic balloon pump counterpulsation; theory and clinical applications. The internet Journal of thoracic and cardiovascular surgery, Vol. 2, N. 2: <http://www.Isupb.Com/Journals/IJTCVS/Vol2N2/iabp.htm>.
- 133- **Pae, W.E.; Miller, C.A.; Mathews, Y. and Pierce, W.S. (1992):** Ventricular assist devices for postcardiotomy cardiogenic shock. J. Thorac. Cardiovasc. Surg., 104: 541-553.
- 134- **Pae, W.E.; Pierce, W.S. and Sapirstein, J.S. (1990):** Intraaortic balloon counterpulsation, ventricular assist pumping and the artificial heart. In Baue, A.E.; Geha, A.S.; Laks, H. et al. (editors): Glenn's thoracic and cardiovascular surgery, 6th edition. Stamford, Appleton & Lange, 111: 1825-1855.
- 135- **Pae, W.E.; Pierce, W.S. and Sapirstein, J.S. (1990):** Intraaortic balloon counterpulsation, ventricular assist pumping, and the artificial heart. In Baue, A.E.; Geha, A.S.; Laks, H. et al. (editors): Glenn's thoracic and cardiovascular surgery, 6th edition. Stamford, Appleton & Lange. 111: 1825-1855.
- 136- **Pagel PS, Farber NE, Warltier DC (2000):** Cardiovascular pharmacology. In Miller RD (ed): Anesthesia 5th edition. Churchill Livingstone: PP96 – 124.
- 137- **Paris PM, Stewart RD, Kaplan RM, et al (1985):** Transcutaneous pacing for bradysystolic cardiac arrests in prehospital care. Ann Emerg Med 14:320.
- 138- **Pennington, D.G. and Swartz, M.T. (1990):** Current status of temporary circulatory support. In Karp, R.B. (editor): Advances in cardiac surgery. Chicago, Year Book Medical, 77:198.
- 139- **Pierce, W.S.; Synder, A.J.; Rosenber, G. et al. (1993):** A long term ventricular assist system. J. Thorac. Cardiovasc. Surg., 105:520.
- 140- **Platz KP, Mueller AR, Blumhardt G, et al (1994):** Nephrotoxicity following orthotopic liver transplantation. A comparison between cyclosporine and FK506. Transplantation 58:170, 1994.
-

- 141- **Poirter, V.L. (1997):** The heart mate left ventricular assist system: worldwide clinical results. *Eur. J. Cardiothorac. Surg.*, 11 (Suppl.): S39-44.
- 142- **Propst JW, Siegel LC, Feeley TS (1994):** Effect of aprotinin on transfusion requirements during repeat sternotomy for cardiac transplantation surgery. *Transplant Proc* 26:3719.
- 143- **Quaal, S.J. (1993):** Comprehensive intraaortic balloon counterpulsation, 2nd edition. Saint Louis, Mosby-Year Book, 3-581.
- 144- **Ready LB (2000):** Acute perioperative pain. In Miller RD (ed), *Anesthesia*, 5th edition, Churchill livingstone, PP 2323-2350.
- 145- **Reid M; Appleton PJ (1999):** A case of ventricular fibrillation in prone position during back stabilization surgery in a boy with duchenne's muscular dystrophy. *Anaesthesia*; 54: 354-367.
- 146- **Reiz S, Nath S (1986):** Cardiotoxicity of local anaesthetics agents. *Br J Anaesth*; 58:736-742.
- 147- **Reves JG, Glass PSA, Lubarsky DA (2000):** Nonbarbiturate intravenous anesthetics. In Miller RD (ed) *anesthesia*, 5th edition. Churchill livingstone PP 228-272.
- 148- **Richenbacher, W.E. (1999):** Mechanical circulatory support. Texas, Landes Bioscience, 1-230.
- 149- **Richenbacher, W.E. and Pierce, W.S. (2001):** Treatment of heart failure: Assisted circulation. In Braunwald, E.; Zipes, D.P. and Libby, P. (editors): *Heart disease*, 6th edition. Philadelphia, W.B. Saunders, 19: 600-614.
- 150- **Richenbacher, W.E. and Pierce, W.S. (2001):** Treatment of heart failure: Assisted circulation. In Braunwald, E. Zipes, D.P. and Libby, P. (editors): *heart disease*, 6th edition. Philadelphia, W.B. Saunders, 19: 600-614.
- 151- **Robbins, R.C. and Oyer, P.E. (1999):** Bridge to transplant with the Novacor left ventricular assist system. *Ann. Thorac. Surg.*, 68: 695-697.

- 152- **Roizen MF (2000):** Anesthetic implications of concurrent diseases. In Miller RD (ed): Anesthesia, 5th edition. Churchill Livingstone: 903-1013.
- 153- **Rosado, L.J.; Arabia, F.A. and Copeland, J.G. (1996):** Cardiac surgery-cardiovascular assist devices. In Prys-Roberts, C. and Brown, B.R. (editors): International practice of anaesthesia. Oxford, Butterworth-Heinemann, 52: 1-9.
- 154- **Rose, D.M.; Laschineger, J.; Grossi, E. et al. (1985):** Experimental and clinical results with simplified left heart assist device for treatment of profound left ventricular dysfunction. World. J. Surg., 9: 11.
- 155- **Roth JV, Heyer BL, Krenis LJ, Bell-Thomson J (1991):** Transcutaneous pacing in patients undergoing coronary artery bypass grafting: Effect of previous surgery. J Cardiothorac Vasc anesth 5:51.
- 156- **Rowan RA, Billingham ME (1988):** Myocardial innervation in longterm heart transplant survivors: a quantitative ultrastructural survey. J Heart transplant 7:448.
- 157- **Royster RL, Keeler DK, Haisty WK (1983):** Cardiac electrophysiologic effects of fentanyl and combinations of fentanyl and neuromuscular relaxants in pentobarbital anesthetized dogs. Anesth analg, 67:15-21.
- 158- **Rubanyi GM (1990):** Endothelium, platelets, and coronary vasospasm, Coron artery dis 1:645.
- 159- **Sabiston, D.C. and Spencer, F.C. (1995):** Assisted circulation. In: Surgery of the chest, 6th edition. Philadelphia, W B. Saunders, 54: 1995-2017.
- 160- **Santini, F. and Mazzucco, A. (1997):** Transthoracic intraaortic counterpulsation. A simple method for balloon catheter positioning. Ann. Thorac. Surg., 64: 859.
- 161- **Sarnoff SJ, Berglund E (1954):** Ventricular function. I. Starling's law of the heart studied by means of simultaneous right and left ventricular function curves in the dog. Circulation 9:706.

-
- 162- **Sarnoff SJ, Brockmann SK, Gilmore JP, et al (1969)** : Regulation of ventricular contraction,, influence of cardiac sympathetic and vagal stimulation on atrial and ventricular dynamics. *Circ Res* 8:1100.
- 163- **Savarese JJ, Caldwell JE, Lien CA, Miller RD (2000)**: Pharmacology of muscle relaxants nad their antagonists. In Miller RD (ed): *Anesthesia*, 5th edition, Churchill Livingstone, pp 412-90.
- 164- **Scott CD, Omar I, McComb JM, et al (1991)**: Long-term pacing in heart transplant recipients is usually unnecessary. *Pacing Clin Electrophysiol* 14:1792.
- 165- **Seifert PC (1999)**: Surgery for conduction disturbances. In: Meeker MH, Rothrock JC (eds), *Care of the patient in surgery*. Mosby publisher; unit II: pp 1115-1186.
- 166- **Shah KB, Kleinman BS, Sami H (1990)**: Re valuation of perioperative myocardial infarction in patient with prior myocardial infarction undergoing noncardiac operations. *Anesth analg*; 71:231-236.
- 167- **Sharpe MD, Dobkowski WB, Murkin JM (1994)**: The electrophysiologic effects of volatile anesthetics and sufentanil on the normal atrioventricular conduction system and accessory pathways in Wolff-Parkinson-white syndrome. *Anesthesiology*; 80:63-70.
- 168- **Shinn, A.E. and Joseph, D. (1998)**: Concept of intra aortic balloon counterpulsation. *J. cardiovasc. Nurs.*, 8: 45-60.
- 169- **Shinn, A.E. and Joseph, D. (1998)**: Concepts of intraaortic balloon counterpulsation. *J. cardiovasc. Nurs.*, 8: 5-60.
- 170- **Sidhu VS (1991)**: Interference with pacemaker function (letter). *Br J anaesth*; 67:664.
- 171- **Sidi A, Gravensitien N (2000)**: Cardiac complications In: Youngberg JA, Lake CL, Roizen MF and Wilson RS (ed), *Cardiac, Vascular and thoracic anesthesia*, Churchill Livingstone: PP 817.
-

-
- 172- **Smith, M.S.; Kaemmer, D.D. and Sladen, R.N. (2000):** Low cardiac output states: drugs, intraaortic balloon, and ventricular assist devices. In youngberg, J.A.; Lake, C.L.; Roien, M.F. and Wilson, R.S. (editors): Cardiac, vascular and thoracic anesthesia. New York, Churchill Livingstone, 18: 36-465.
- 173- **Stack CG, Rogers P, Linter SP (1988):** Monoamine oxidase inhibitors and anaesthesia: A review. Br J Anaest; 60:222-227.
- 174- **Stein KL, Armitage JM, Martich GD, et al (1995):** Intensive care of the cardiac transplant recipient. In ayres SM Grenvik A, Holbrook PR, Shoemaker WC (eds): Textbook of Critical Care, 3rd edition. Philadelphia, WB Saunders, P 1649.
- 175- **Thomas JD, Newell JB, Choong CYP, Weyman AE (1991):** Physical and physiological determinants of transmittal velocity: Numerical analysis. Am J Physiol 260:H1718, 1991.
- 176- **Thomas, S.J. and Kramer, J.L. (1993):** Mechanical circulatory support. Manual of cardiac anesthesia, 2nd edition. New York, Churchill Livingstone, 16: 387-400.
- 177- **Thys DM, Kaplan JA (1990):** Cardiovascular physiology. In Miller R (ed): Anesthesia, 3rd edition. New York, Churchill Livingstone, PP 551-583.
- 178- **Topol EJ, Griffin BP, and Marso SP, (2004)** Manual of cardiovascular medicine second edition section XI anti-tachycardia Devices.; 612-613.
- 179- **Torcliana, D.F.; Hirsch, G.; Buckley, M.L. et al. (1997):** Intraaortic balloon pumping for cardiac support: Trends in practice and outcome 1968 to 1995. J. Thorac Cardiovasc. Surg., 113: 758-769.
- 180- **Tung RT, Bajaj AK (1995):** Safety of implantation of a cardioverter defibrillator without general anaesthesia in an electrophysiology laboratory. Am J Cardiol; 75:903-912.

-
- 181- **Turner LA, Bosnjak ZJ, Kampine, JP (1987):** Actions of halothane on the electrical activity of purkinje fibers derived from normal and infarcted canine heart. *Anesthesiology*; 67:619-624.
- 182- **Tuzcu EM, De Franco AC, Hobbs R, et al (1995):** Prevalence and distribution of transplant coronary artery disease: insights from intravascular ultrasound imaging. *J heart Lung Transplant* 14:S202.
- 183- **Verani MS, George SE, Leon CA et al (1988):** Systolic and diastolic ventricular performance at rest and during exercise in heart transplant recipients. *J Heart transplant* 7:14.
- 184- **Villanueva FS, Murali S, Uretsky BF, et al (1989):** Resolution of severe pulmonary hypertension after heterotopic cardiac transplantation. *J Am Coll Cardiol* 14:1239.
- 185- **Waldo AL, Wells JL JR, Cooper TB, Maclean WAH (1981):** Temporary cardiac pacing: Applications and techniques in the treatment of cardiac arrhythmias. *Prog Cardiovasc Dis* 23:451.
- 186- **Waterman PM, Bjerke R (1988):** Rapid-sequence induction technique in patients with severe ventricular dysfunction. *J cardiothorac anesthe* 2:602.
- 187- **Watson NA (1997):** Deaths on general wards following discharge from the intensive care units. *Anaesthesia*; 52:708-709.
- 188- **Weil R III, Clarke DR, Iwaki Y, et al (1981):** Hyperacute rejection of a transplanted human heart. *Transplantation* 32:1.
- 189- **Weiss, W.J.; Rosenberg, G.; Snyder, A.J. et al. (1989):** In vivo performance of a transcutaneous energy transmission system with the Penn State motor driven ventricular assist device. *Trans. Am. Soc. Artif. Intern. Organs*. 35: 284.
- 190- **Westaby, S. (1998):** Evolution of cardiopulmonary bypass and myocardial protection. *Landmarks in cardiac surgery*. Oxford, I S I S Medical Media 2: 49-72.
-

- 191- **Williams, J.P. (1993):** Mechanical circulatory support. In Williams, J.P. and Kramer, J.L. (editors): Manual of cardiac anesthesia, 2nd edition. New York, Churchill Livingstone, 16: 387-401.
- 192- **Wilson RF, Christensen BV, Olivari MT, et al (1991):** Evidence for structural sympathetic reinnervation after orthotopic cardiac transplantation in humans. Circulation 83:1210.
- 193- **Woehlck HJ, Vicenzi MN, Bajic J (1995):** Anesthetics and automaticity of dominant and latent pacemakers in chronically instrumented dogs. Dysrhythmias after sinoatrial node excision. Anesthesiology; 82:1447-1451.
- 194- **Wood MA (1995):** Temporary cardiac pacing. In Ellenbogen KA, Kay GN, Wilkoff BL (eds): Clinical cardiac pacing. Philadelphia, WB Saunders company, pp 687 – 701.
- 195- **Yao FSF (1998):** Pacemakers. In anesthesia, Problem oriented patient management, 4th edition, Lippincott Williams & Wilkins, 58-275.
- 196- **Zaidan JR (1984):** Pacemakers. Anesthesiology, 60: 19-34.
- 197- **Zaidan JR (1995):** Practical cardiac electrophysiology for advances in anesthesia, vol 12. St Louis Mosby publisher, 1995; PP 123-134.
- 198- **Zaidan JR (1999):** Implantable cardioverter-defibrillators. J Cardiothoracic Vasc Anesth, 13:475-483.
- 199- **Zaidan JR (2000):** Pacemakers. In: Youngberg JA, Lake CL, Roizen MF and Wilson RS (ed), Cardiac, Vascular and thoracic anesthesia, Churchill Livingstone. PP 754-777.
- 200- **Zipes DP (1997):** Management of cardiac arrhythmias: Pharmacological, electrical, and surgical techniques. In Braunwald E (ed): Heart Disease, 5th edition. Philadelphia, WB Saunders company, 1997, PP 593-639.