

References

REFERENCES

- 1) *Absten ST, and Joff SN (1989):* Lasers in medicine. An introductory guide. 2nd edition. Chapman and Hall, London.
- 2) *Amin HK, and Neuwrith RS (1983):* Operation hysteroscopy utilizing dextran as a distending medium. Clin. Obstet. Gynecol, 26:277.
- 3) *Ananthanarayan C, Peak W and Dhanidina K(1996) :* Hysteroscopy and anaesthesia. Canadian Journal of anaesthesia; 43:56-64.
- 4) *Arieff AL (1988) :* Osmotic failure: Physiology and strategies for treatment. Hosp. Pract.; 22:131-152.
- 5) *Ayus JC, Kronthapalli PK and Arieff AL (1985):* Changing concepts in treatment of severe symptomatic hyponatremia: rapid correction and possible relation to central pontine myelinolysis. Am. J. Med.; 78:897-902.
- 6) *Ayus JC, Kronthapalli PK, and Arieff AL(1987):* Treatment of symptomatic hyponatremia and its relation to brain damage. N: Engl J. Meed.; 5:1902-1195.
- 7) *Azar I (1989):* Transurethral prostatectomy syndrome. ASA refresher course lectures in anesthesiology. Vol. 17:1-5.
- 8) *Baggish M, Paraiso M, Berznock EM, (1995):* A computer – controlled, continuously circulating, not irrigating system for endometrial ablation. AM J Obstet Gynecol 173 (6) 1842-1848.
- 9) *Baggish MS (1989):* Distending media for panoramic hysteroscopy. In: Baggish MS, Bardot J, and Valle RF (eds): Diagnostic and Operative Hysteroscopy. Chicago: Yearbook Medical Publishers Inc., PP. 89:101.
- 10) *Baggish MS, Brill AIO, Rosenweing B, Barbot JE, and Indman PD (1993):* Fatal acute glycine and sorbitol toxicity during operative hysteroscopy J. Gynecol. Surg.. 9:137-143.
- 11) *Bendo AA, Kass IS, Hartung J, Cottrell JE (1992):* Neurophysiology and neuroanesthesia. In: Barash PG, Cullen BF, and

- Stoelting RK (eds): Clinical anesthesia, 2nd edition. J.B. Lippincott Company, Philadelphia, PP. 894-895.
- 12) *Bhatta, N, Anderson (1992)*: Endometrial ablation by means of photodynamic therapy with photofrin II. Am.J. Obstet. Gynaecol 467, 1856-63.
- 13) *Brooks PG (1992)*: Complications of operative hysteroscopy. How safe is it? Clin. Obstet. Gynecol., 35:256.
- 14) *Brooks PG (1997)*: The use of the FvaporTrode vaporization electrode in operative hysteroscopy. GyneTrends 1:1-3.
- 15) *Brundin J, and Thomasson K (1989)*: Eur. J. Obstet. Gynecol. Reprod. Bio; 33(3): 241-245.
- 16) *Burso M, and Partetecke G (1984)*: Choice of anesthesia. In: Hysteroscopy, principles and practice. Philadelphia, J.B. Lippincott, PP. 32, 36, 39, 44, 46, 100-131.
- 17) *Carson SA, Hubert GF, and Schriock ED (1989)*: Hyperglycemia and Hyponatremia during operative hysteroscopy with 5% dextrose in water distention medium. Fertil. Steril.; 51(2): 341.
- 18) *Coper JM (1999)*: 3-D radiofrequency endometrial ablation: preliminary results. Presented at the 8th Annual Meeting of the European society for gynecologic endoscopy. Stockholm, September 15, 1999.
- 19) *Crozier TA, Luge A, and Dravec M (1991)*: Carbon Dioxide embolism with cardiac arrest during hysteroscopy: report on three cases (German). Anaesthesiol. Intensive Med. Notfallmed. Schmerzther.; 26: 412-415.
- 20) *Danelli G, Berti M, Casati A, Albertin A, Deni F, Nobili F, Torri G (2002)*: EUR J Anaesthesiol Aug;19 (18):594-9.
- 21) *Darabi KF, and Richart RM (1977)*: Collaborative study on hysteroscopic sterilization procedures: preliminary report. Obstet. Gynecol.; 49:49.
- 22) *De Cherney AH, and Polan ML (1983)*: Hysteroscopic management of intrauterine adhesions and intractable uterine bleeding. Obstet. Gynecol.; 16:392.

- 23) **Dobak J, YuX, Ghaerzadeh K (1998):** A novel closed loop cryosurgical device. *Advances in Cryogenic Engineering* 43:897-902 .
- 24) **Duffy S, Cruise M, Reilly C, Reid PC, and Sharp F (1992):** Ethanol labeling: detection of early fluid absorption in endometrial resection. *Obstet. Gynecol.*; 79:300-304.
- 25) **EL-Hao MMF (1992):** Dextrose 25%, a safe and clear medium for uterine distension in operative hysteroscopy. Reprinted from: *Ain Shams Med. J.*; Vol. 43, No. 10 & 11, Oct., Nov. & Dec.
- 26) **Friberg B, Presson BRR, Willen R (1996):** Endometrial destruction by hyperthermia: A possible treatment of menorrhagia. *Acta Obstet Gynecol Scand* 75:330.
- 27) **Garry R (1995):** Endometrial laser ablation. In: Gordon AG (ed): *Bailliere's Clinical Obstetrics and gynaecology*. London: Bailliere Tindall. 9:317-328.
- 28) **Garry R, Hasham F, and Money P (1992):** The effects of pressure on fluid absorption during endometrial ablation. *J. Gynecol. Surg.*; 8 : 8-10.
- 29) **Garry R, Shutton C, and Diamond MP (1993):** Endoscopic surgery for gynecologists. Distention media and fluid systems. 36:282-290. W.B. Saunders Co. Ltd., Sydney, Tokyo.
- 30) **Golan A, Ronel R, and Siedner M (1990):** High output left ventricular failure after dextran use in an operative hysteroscopy. *Fertil. Steril.*; 54 (5): 939.
- 31) **Goldrath MH, Fuller T, and Segal S (1981):** Laser photovaporization of the endometrium for the treatment of menorrhagia. *American Journal of obstet. And Gynecol.*; 140:14-19.
- 32) **Goldrath, MH (1992):** Nd-YAG laser hysteroscopy: Total endometrial ablation in: *Lasers in Gynaecology*, ed, by Chris Sutton 1st edition (Chapman and Hall). P. 175 .
- 33) **Hahn RG (1991):** The transurethral resection syndrome. *Acta anaesthesiol. Scand.*; 35:557-567.

- 34) *Hamou JE, and Lewis U (1990):* Hysteroscopy and microhysteroscopy. In: recent advances in obstetrics and gynecology: 16.
- 35) *Hasham F, Garry F, and Kokri NS (1992):* Fluid absorption during laser ablation fo the endometrium in the treatment of menorrhagia. Br. J. Anaesth.; 68: 151-154.
- 36) *Hoekstra PT, Kahnoski R, McCamish MA, Bergen W, and Heetderks DR (1983):* Transporostatic resectin syndrome. A new perspective: encephalopathy with associated hyperammonemia. Journal of Urology; 130:704-707.
- 37) *Hulf JA, Knights KM, Corall IM, Strunin L, and Newton JR (1976):* Arterilized venous PCO₂ changes during hysteroscopy. British Journal anaesthesia; 48:273.
- 38) *Hulka JF, Peterson HB, Phillips JM, and Surrey MW (1993):* Operation hysteroscopy. American association of gynecologic laparoscopists. Membership Survey.J. Reprod. Med.; 38:572-573.
- 39) *Hulten J, Sarma VJ, Hjertherg H, and Palmquist B (1991):* Monitoring of irrigation fluid absorption during transurethral prostatectomy. A study in aneaesthetized patients using 1% ethanol tagged solution. Anaesthesia; 46:349-353.
- 40) *Jedeikin R, Olsfanger D, and Kessler I (1990):* Disseminated intravascular coagulopathy and adult respiratory distress syndrome. Life-threatening complication of hysteroscopy. Am. J. Obstet. Gynecol.; 162(1): 44-45.

- 41) **Kim AH, Keltz MD, Arici A, Rosenberg M, and Oive DL (1995):** Dilutional hyponatremia during hysteroscopic myomectomy with sorbitol-mannitol distension media. *J. Am. Assoc. Gynecol. Laparoscope*;1:237-242.
- 42) **Kokko JP, and Tannen RL (1986):** Fluids and Electrolytes Philadelphia: W. B. Saunders CO.
- 43) **Krohn Jonathan S (1993):** Anaesthesiology, 79: 1136-1138.
- 44) **Leake JF, Murphy AA, and Zacur HA (1987):** Non Cardiogenic pulmonary edema: a complication of operative hysteroscopy. *Fertil. Steril.*; 48:497.
- 45) **Lewis BV (1989):** Hysteroscopy. In: Progress in Obstetrics and Gynecology: 7:305 Longman Company.
- 46) **Lindemann HJ (1983):** The choice of distension medium in hysteroscopy. In: Van der Pas H, Van Herendael B, Van Lith D, and Keith L (eds): Hysteroscopy. P. 83.Lancaster: MTP press.
- 47) **Loffer FD (1988):** Laser ablation of the endometrium. *Obstet. Gynecol. Clin. North Am*; 15:77-89.
- 48) **MacDonald R, and Singer R (1989):** Endometrial resection and fluid absorption. *Lancet*; 1383.
- 49) **Magos AL, Baumann R, and Lockwood GM (1991):** Experience with the first 250 endometrial resectin for menorrhagia. *Lancet*; 337:1074-1078.
- 50) **Marino J, Kelly D, and Brull SJ (1994):** Dilutional hyponatremia during endoscopic curettage: the "female TURP syndrome"? *Anesth. Analg.* 78:1180-1181.
- 51) **Marino PL (1991)** Hypertonic and hypotonic syndromes. *The ICU Book*; 35:462-477.
- 52) **Meyer WR, Walsh BW, Grainger DA (1998):** Thermal balloon and rollerball ablation to treat menorrhagia. A multicenter comparison. *Obstet gynecol* 92:98-103,
- 53) **Morgan GE, and Mikhail MS (1996):** Clinical anesthesiology, 2nd edition. Appleton and Lange, Stamford, Connecticut. 28:517-543, 46:750-752, 47:757-759.

- 54) *Morgan GE, Mikhail MS and Murray MJ (2002)*: Clinical anesthesiology, 3rd edition. Appleton and Lange, Stamford, Connecticut. 28:608-624.
- 55) *Norlen H (1985)*: Isotonic solutions of mannitol, Sorbitol, and Glycine as irrigating fluids during transurethral resection of prostate and calculating the irrigating fluid index. Scand. J. Urol. Neprho., Suppl.; 96: 1-46.
- 56) *Norris HT, Asheim GM, and Tremann JA (1973)*: Symptomatology, pathophysiology and treatment of TURP syndrome. Br. J. Urol.; 45:420-427.
- 57) *Oester A, and Madsen PO (1969)*: Determination of absorption of irrigating fluid transurethral resection of the prostate by means of radio isotope J. Urol; 102:714-719.
- 58) *Olsson J, and Hahn RG (1995)*: Ethanol monitoring of irrigating fluid absorption in transcervical endometrial resection. Acta anaesthesiologica Scandinavica: 39:252-258.
- 59) *Ovassapian A, Joshi CW, and Brunner EA (1982)*: Visual disturbances: An unusual symptom of transurethral prostatic resection reaction. Anesthesiology; 57: 32-334.
- 60) *Peterson HB, Hulka JF, and Phillips JM (1990)*: American association of gynecologic Laparoscopists", 1988 membership survey on operative hysteroscopy. J. Reprod. Med.; 35:590-591.
- 61) *Ralf B, and Adam LM (1990)*: Absorption of glycine irrigating solution during transurethral cervical resection of endometrium. Br. Med. J.; 300:304-305.
- 62) *Randle SC, Michael PD, and Alan HD (1993)*: Complication from uterine distension during hysteroscopy: complications of laparoscopy and hysteroscopy. Loffer FD. 35:178.
- 63) *Rao PN*. Fluid absorption during urological endoscopy. Br. J. urol., 66: 93-99. 1987.
- 64) *Richard SP and Truniger B (1983)*: Distribution of Na⁺, K⁺, and water. In: Understanding water. Electrolyte, and Acid-Base Balance, 1st edition. P. 5. London: William Heinemann Medical Books (Pub).

- 65) *Roesch RP, Stoeltng RK, and Lingoman LE (1983):* Ammonia toxicity resulting from glycine absorption during transurethral resection of prostate. *Anesthesiology*; 58:577.
- 66) *Russel D (1990):* Painless loss of vision after transurethral resection
- 67) *Sacks SA (1985):* The transurethral resectin syndrome. In: AUA Updata series, lesson 40, Vol. II. American Urological association Inc. (Pub), Houston, Texas.
- 68) *Sharp N, Cronin N, Feldberg I, Evans M Hodgson D, Ellis S (1995):* Microwave for menorrhagia: a fast new technique for endometrial ablation *lancet* 346, 1003-4.
- 69) *Siegler AM (1984):* The quest for hysteroscopic methods of sterilization. In: Siegler AM, and Lindmann HS (eds): *Hysteroscopy, Principles and practice*. PP. 239-260. J.B. Lippincott, Philadelphia.
- 70) *Siegler AM, and Kemmann EK(1975):* Hysteroscopy. *Obstet. Gynecol. Surv*; 30:567.
- 71) *Siegler AM, and Valle RF (1988):* Therapeutic hysteroscopic procedure. *Fertility and Sterility*; 80:685.
- 72) *Siegler AM, Valle RF, Lindemann HJ, and Mencaglia L(1990):* Therapeutic hysteroscopy, indications and techniques. *Media*; 3:46.
- 73) *Sinnatamby CS, (1998):* Last's anatomy, 5:293-303.
- 74) *Sterns RH(1990):* The treatment of hyponatremia: first, do no harm. *Am. J. Med*: 88:557-560.
- 75) *Sterns RH, Rigys JE, and schochet SS(1986):* Osmotic demyelination syndrome following correction of hyponatremia. *N. Engl. J. Med.*; 314: 1535-1542.
- 76) *Sugimoto O, Ushiroyama T, and Fuhuda Y (1984):* Diagnostic hysteroscopy for endometrial carcinoma. In: Siegler AM, and Lindamann HS (eds): *Hysteroscopy, Principles and Practice*. P. 192. J.B. Lippincott, Philadelphia.
- 77) *Sutton EA and Ewar G (1994):* A review of 80 endometrial resections for menorrhagia. *Br. J Obst Gynecol* 98: 1049-54.

- 78) *Taylor PJ, nd Cumming DC (1983):* Hysteroscopy in 100 patients. Fertile. Sterl.; 31:301.
- 79) *Thompson CS, and Andreoi TE (1990):* Hyponatremia and hypernatremia. In: Callaham ML (ed): Decision making in emergency medicine. Philadelphia, BC Decker, A practical guide to the diagnosis and treatment of hyponatremia and hypernatremia. 172-175.
- 80) *Tolksdorf W, Ditterich M, Hartburg MJ, Klose R, and Lutz H (1979):* The effects of various anaesthetic techniques on the entral venous pressure during TURP (author's Translation). Prokt. Anaesthesia; 14(I): 35-41.
- 81) *Tonnesen AS (1990):* Crystalloids and colloids. Editors: Miller RD, Cucchiara RS, and Roizeu MS. 47:1439-1466.
- 82) *Trimbos Kemper TCM, and Veering BT (1989):* Anaphylactic shock form intracavitary 32% dextran 70 during hysteroscopy. Fertile. Sterl.; 51:1053.
- 83) *Valle RF (1983):* Operative hysteroscopy utilizing dextran as distendin medium. Clin. Obstet. Gynecol.; 26:253.
- 84) *Warner MA, Martin JT, Schroeder DR, Offord KP, and Chute CG (1994):* Lower extremity neuropathy associated with surgery performed on patients in the lithotomy position. Anesthesiology; 81:6-12.
- 85) *Weber F, and Wallace B (1990):* Embolism during inhtrauterine laser surgery (letter). can. Med. Assoc. J.: 143:709.
- 86) *Williamson KM, and Muschambi MC (1996):* Complication of hysteroscopic treatments of menorrhagia. Br. J. Anaesth.; 77:305-308 (editorial).
- 87) *Witz CA, Daylen MS, W8lliam NBm Robert SS, and David LO(1993):* Complication associated with the absorption of hysteroscopic fluid media. Fertil. Steril, 60:745.
- 88) *Zbella EA, Moies J, and Carson SA (1985):* Non-cardiogenic pulmonary edema secondary to intrauterine instillation of 32% dextran 70. Fertil. Sterili. 43:479.