

# References

## REFERENCES

- Allessie MA (2000):** Reentrant mechanisms underlying atrial fibrillation. In Zipes DP, Jalife J (eds): Cardiac electrophysiology: from cell to bedside. 2<sup>nd</sup> ed. Philadelphia, WB Saunders, P 379.
- Arias C (2003):** Effects of propafenone and its main metabolite, 5-Hydroxy propafenone, on HERG channels. Cardiovasc RES 57, 660.
- Atlee, J.L. (2001):** Preoperative cardiac dysrhythmias, 2<sup>nd</sup> edition. Chicago: Year Book Medical Publishers, PP. 930-932.
- Atlee J.L. and Bosnjak, Z.J. (2000):** Mechanisms of cardiac dysrhythmias during anaesthesia. Anesthesiology, 72: 347.
- Atlee, J.L. and Bosnjak, Z. (1999):** The origin of heart beat. In: Brown BJ and Prys-Roberts C (eds): General anesthesia, 6<sup>th</sup> edition. London: Butterworth-Heinemann; 110-130.
- Baig, M.W. and Perrins, E.S. (2001):** The hemodynamic of cardiac pacing: Clinical and Physiological aspects. Prog. Cardiovasc. Dis., 3: 283.
- Barash, P.; Cullen, B. and Stoelting, R. (1998):** Anesthesia for orthopedic surgery. Clinical Anesthesia, 2<sup>nd</sup> edition. Philadelphia JB Lippincott, P. 311-317.
- Barber, M. (1998):** Class I anti-arrhythmic agents. In: Lynch C (ed.): Clinical Cardiac Electrophysiology. Philadelphia JB Lippincott; 85-111.
- Benton RE (2000):** Greater quinidine-induced QTc interval prolongation in women. Clin pharmacol ther 67, 70.
- Bevan, D.R.; Donti, F. and Kopman, A.F. (2000):** Reversal of neuromuscular blockade. Anesthesiology, 77: 785-805.

- Borianig (2002):** Oral loading with propafenone for conversion of recent-onset atrial fibrillation: a review on in-hospital treatment. *Drugs* 62, 415.
- Braunwald (2005):** Pharmacological therapy for cardiac arrhythmias. In: heart disease 7<sup>th</sup> edition by Elsevier Inc. P 713.
- Brawnwald (2005):** Genesis of cardiac arrhythmias: electrophysiological considerations. In heart disease 7<sup>th</sup> edition by Elsevier Inc. P 662, 685.
- Brembilla Perot B (2001):** Predictors of atrial flutter with 1:1 conduction in patients treated with class I antiarrhythmic drugs for atrial tachyarrhythmias. *Int J Cardiol* 80, 708.
- Bryson, H.M.; Fulton, B.R. and Faulds, D. (1999):** Propofol: An update of its use in anesthesia and conscious sedation. *Drugs*; 50: 513-559.
- Cahalan, M.K. (1999):** Hemodynamic effects of inhaled anesthetics (review courses). Cleveland: International Anesthesia Research Society; 14-18.
- Carlsson L, Amos GJ, Andersson B, et al (2002):** Electrophysiological characterization of the prokinetic agents cisapride and mosapride in vivo and in vitro: Implications for proarrhythmic potential. *J Pharmacol Exp Ther* 282:220-227.
- Connolly SJ (2003):** Double blind, placebo-controlled. Randomized trial of prophylactic metoprolol for reduction of hospital length of stay after heart surgery: the  $\beta$ -Blocker length of stay (BLOS) study. *Am Heart J* 145, 147.
- Cranefield PF, Aronson RS (2000):** Cardiac arrhythmias: The role of triggered activity and other mechanisms. Mount Kisco, New York, Futura. P 243.

- Dangman KH, Hoffman BF (2000):** Studies on overdrive stimulation of canine cardiac purkinje fibers: Maximal diastolic potential as a determinant of the response. *J Am Coll Cardiol* 2:1183.
- Darbar, D. (2001):** Sympathetic activation enhances QT prolongation by guanidine. *J Cardiovasc Electrophysiol*; 12, 90.
- Davidenko (2001):** Spiral waves in the heart: Experimental demonstration of a theory. In ziepes DP, Jalife, J (eds): *Cardiac electrophysiology: from cell to bedside*. 2<sup>nd</sup> ed. Philadelphia, WB saunders, P 478.
- Davis, R. (2001):** Etiology and treatment of preoperative cardiac arrhythmias. In: Kaplan J. (ed.). *Cardiac Anesthesia*, 3<sup>rd</sup> edition. Philadelphia: W.B. Saunders; 170-205.
- DeSimone A (2003):** Verpamil plus antiarrhythmic drugs reduce atrial fibrillation recurrences after an electrical cardioversion (VEPARAF study) *Eur heart J* 24, 1425.
- Deutsch N, Hantler C and Tait A (2000):** Suppression of ventricular arrhythmias by volatile anesthetic in a canine model of chronic myocardial infarction. *Anesthesiology*; 72:1012.
- DiFrancesco D, Tromba (2001):** Muscarinic control of the hyperpolarizing-activated current if in rabbit sino-atrial node myocytes. *J Physiol (Lond)* 405:493.
- Dorian P (2002):** Amiodarone as compared with lidocaine for shock resistant ventricular fibrillation. *N Engl J Med* 346, 350.
- Dorian P (2003):** Role of amiodarone in the area of the implantable cardioverter defibrillator. *J Cardiovasc Electrophysiol* 14 (Suppl 9): S78.
- Ebenroth ES (2001):** Second line treatment of fetal supraventricular tachycardia using flecainide acetate. *Pediatr cardiol* 22, 483.

- Eisneroa, Lederer WJ (2001):** Na-CA exchange: Stoichiometry and electrogenicity. *Am J Physiol* 248:C189-C202.
- El Sherif N (2000):** Reentrant mechanism in ventricular arrhythmias. In Zipes DP, Jalife J (eds): *Cardiac Electrophysiology: from cell to Bedside*. 2<sup>nd</sup> ed. Philadelphia, WB Saunders, P567.
- Fozzard HA, Haber E, Jennings RB, et al (2001):** The Heart and cardiovascular system. New York, Raven.
- Gardenas GA (2003):** Amiodarone induced thyrotoxicosis: diagnostic and therapeutic strategies. *Cleve clin J Med* 70, 624.
- Geller M (2001):** Efficacy and safety of moicizine in the maintenance of sinus rhythm in patients with recurrent atrial fibrillation. *Am J Cardio* 87, 172.
- Goodman, A.; Rall, T.; Nies, A. and Taylor, P. (2000):** The pharmacological basis of therapeutics, 8<sup>th</sup> edition. New York: Pergammon Press, PP. 110-117.
- Gregoratos G (2004):** ACC/AHA/NASPE 2004 Guide-line update for implantation of ardiac pacemakers and arrhythmia devices-summary article: a report of the American college of cardiology American heart association task force on practice guidelines (ACC/AHA/NASPE committee to update the 1998 pacemaker guidelines) *J Am coll cardio* 140:1703.
- Hayashi, Y.; Sumikawa, K.; Tashiro, C. and Yoshiya, I. (1998):** Synergistic interaction of alpha-1 and beta-1 adrenoceptor agonists on induction of arrhythmias during halothane anesthesia in dogs. *Anesthesiology*; 68: 902-907.
- Hoffman, B. and Bigger, J. (2000):** Digitalis and the allied cardiac glycosides. In: Gilman; Rall T.; Nies A. and Taylor P. (eds.). *The Pharmacological Basis of Therapeutics*, 8<sup>th</sup> edition. Pergamon Press, 814-839.

- Hohnloser SH (2002):** Proarrhythmia with class III antiarrhythmic drugs; types, risks and management. Am J Cardiol 80 (Suppl. 8A): 82G-89G.
- Hurst, J.; Schlant, C.; Rackley, E. and Sonenblick, H. (1999):** Recognition of cardiac arrhythmias and conduction disturbances. The heart 7<sup>th</sup> ed., McGraw-Hill, Inc., 31: 489-530.
- Inove M, Bridge JHB (2003):** Ca<sup>+2</sup> sparks in rabbit ventricular myocytes evoked by action potentials. Involvements of clusters of L-type Ca<sup>+2</sup> channels. Cir Res P 532.
- January CT, Riddle JM (1999):** Early afterdepolarizations: Mechanism of induction and block. A role for L-type Ca<sup>2+</sup> current. Circ Res 64:977-980.
- Kamibayashi, T.; Hayashi, Y. and Sumikawa, K. (1999):** Enhancement by propofol of epinephrine-induced arrhythmias in dogs. Anesthesiology; 75: 1035-1040.
- Kastor, J.A. (2000):** Multifocal tachycardia. N. Engl. Med., 3: 1713.
- Kelly, J.S. and Royster, R.L. (2000):** Non invasive transcutaneous cardiac pacing. Anesth. Analg., 69: 229.
- Kent, R. (1999):** (Burroughs welcome communication). Revised product labeling for succinylcholine. Research Triangle Park, NC: Burroughs welcome.
- Khoor A (2003):** Pulmonary toxicity in patients receiving low-dose amioderone. Chest 123, 147.
- Kimman GJ (2003):** Transvenous cryothermal catheter ablation of a Right antroseptal accessory pathway. J Cardiovasc Electrophysiol 1415, 1470.
- Kowey, P.R; Marinchark, R.A (2000):** Classification and pharmacology of antiarrhythmic drugs. Am Heart J; 140, 212.

- Kroll, D. and Knight, P. (2000):** Anti-fibrillatory effects of volatile anesthetics in acute reperfusion arrhythmias. *Anesthesiology*; 61: 657-66.
- Lau, W.; Kovoov, P. and Ross, D. (2000):** Cardiac electro-physiologic effects of midazolam combined with fentanyl. *Am. J. Cardiol.*, 72: 177-182.
- Lavoie, J.; Walsh, E.P. and Burrows, F.A. (2000):** Effects of propofol or isoflurane anesthesia on cardiac conduction in children undergoing radiofrequency catheter ablation for tachycardias. *Anesthesiology*; 82: 884-887.
- Levine, P.A. (2003):** Effect of cardioversion and defibrillation on implanted cardiac pacemakers. In: Barold SS (ed.): *Modern cardiac pacing*. Future Publishing Mount Kisco, NY, P. 875.
- Luo CH, Rudy Y (1999):** A dynamic model of the cardiac ventricular action potential: afterdepolarizations, triggered activity and potentiation. *Circ Res* 74:1097-1113.
- Marriott, H.J.L. (2000):** *Practical electrocardiography*. 8<sup>th</sup> ed. Williams and Wilkins Baltimore, P. 78.
- McClure, J.H. (2000):** Ropivacaine. *Br. J. Anesth.*, 76: 300-307.
- Merck, S. (2004):** The merck manual of diagnosis and therapy. Section 16. Cardiovascular disorder, Chapter 205, Arrhythmias. P. 93.
- Metz, S. and Maze, M. (1999):** Halothane concentration does not alter the threshold for epinephrine-induced arrhythmias in dogs. *Anesthesiology*; 62: 740-744.
- Morady F (2004):** Radiofrequency ablation as treatment for cardiac arrhythmias. *N Engl J Med* 340, 342.

- Morishima, H.O.; Pederson, H. and Finster, M. (1999):** Bupovacine toxicity in pregnant and non-pregnant ewes. *Anesthesiology* 63: 134-139.
- Myerburg, R.J.; Kessler, K.M. and Castellano, A. (2000):** Recognition, clinical assessment and management of arrhythmia and conduction disturbance. Alexander A.; Schlant R. and Fuster V. (eds.): *The heart, arteries and veins*. McGraw-Hill; 873-941.
- Partridge, B.L.; Ward, C.F. (1997):** Pulmonary edema following low-dose naloxone administration. *Anesthesiology*; 65: 710-711.
- Peters NS, Wit AL (2002):** Myocardial architecture and ventricular arrhythmogenesis. *Circulation* 97:1746-1754.
- Quan W, Rudy Y (2004):** Unidirectional block and reentry of cardiac excitation: A model study. *Circ Res* 66:367-382.
- Rials SJ (2003):** Electropharmacologic effect of a standard dose of intravenous procainamide in patients with sustained ventricular tachycardia. *Clin cardiol* 171, 178.
- Roizen, M.; Plummer, G. and Lichtor, J. (2001):** Nitrous oxide and dysrhythmias. *Anesthesiology*; 66: 427-431.
- Rubart M, Pressler ML, Pride HP, Zipes DP (2000):** Electrophysiological mechanisms in a canine model of erythromycin-associated long QT syndrome. *Circulation* 88:1832.
- Rutledge, D.; Geheb, M.; Cronin, S. and Peppers, M. (2002):** Pharmacologic agents and poisoning. In Carlson R. and Geheb M. (eds.): *Medical Intensive Care*. Philadelphia, WB Saunders; 1039-1714.

- Sah (2003):** Regulation of cardiac excitation-contraction coupling by action potential repolarization: role of transient outward potassium current. *J. Physiol (Lond)* P.546.
- Sarkozy, A. (2003):** Advances in the acute pharmacologic management of cardiac arrhythmias. *Curr Cardiol Rep*; 5, 387.
- Severs NJ (2004):** The cardiac gap junction and intercalated disc. *Int J cardiol* 26:137.
- Shen JB, Vassalle M (2002):** Barium-induced diastolic depolarization and controlling mechanisms in guinea pig ventricular muscle. *J Cardiovasc pharm* 28:385-396.
- Singh BN (2000):** B-blockers and calcium channel blockers as antiarrhythmic drugs. In Zipes DP, Jalife J (eds): *Cardiac electrophysiology: from cell to bedside*. 3<sup>rd</sup> ed. Philadelphia. WB saunders, PP 903, 905.
- Song Y, Belardinelli L (2004):** ATP promotes development of afterdepolarizations and triggered activity in cardiac myocytes. *Am J Physiol Heart Circ Physiol* 267:H2005-H2011.
- Spack (2003):** Electrophysiological effects of remodeling cardiac gap junctions and cell size. *Cir Res* P 302.
- Stein, P.K. (2004):** Assessing heart rate variability from real-world Holter reports. *Card Electrophysiol Rev*; 6: 239-240.
- Strickberger SA (2002):** Adenosine-induced atrial arrhythmia: a prospective analysis. *Ann Intern Med* 127, 417.
- Tatro, D. (2000):** Drug interaction Facts, 4<sup>th</sup> edition. St. Louis: Facts and Comparisons, PP. 281-290.
- Thomas, S.J. and Kramer, J.L. (2002):** Diagnosis and management of intraoperative arrhythmias. In: *Manual of cardiac anesthesia*. 2<sup>nd</sup> edition Churchill Livingstone, 14: 337-368.

- Timour, Q.; Freysz, M. and Couzon, P. (1998):** Possible role of drug interaction in bupivacaine-induced problems related to intraventricular conduction disorders. *Reg. Anesth.*, 15: 180-185.
- Tomicheck, R.C.; Rosow, C.E. and Philbin, D.M. (1997):** Diazepam-fentanyl interaction: hemodynamic and hormonal effects in coronary artery surgery. *Anesth. Analg.*, 62: 881-884.
- Tramer, M.R.; Moee, R.A. and McQuay, H.J. (1997):** Propofol and bradycardia: Causation, frequency and severity. *Br. J. Anesth.*, 78: 642-651.
- Turner, L. and Bosnjak, Z. (1999):** Autonomic and anesthetic modulation of cardiac conduction and arrhythmias. In: Lynch C. (ed.): *Clinical Cardiac Electrophysiology*. Philadelphia: JB Lippincott; 53-84.
- Vassalle M (2001):** The pacemaker current (If) does not play an important role in regulating SA node pacemaker activity. *Cardiovasc Res* 30:309-310.
- Vassalle M, Mugelli A (2000):** AN oscillatory current in sheep cardiac purkinje fibers. *Circ Res* 48:618.
- Von Planta, M.; Chamberlain, D. (2002):** Drug treatment of arrhythmias during cardiopulmonary resuscitation. *Resuscitation*; 24: 227-32.
- Vos MA, Gorgels APM, Leunissen JDM, Wellens HJJ (2002):** Flunarizine allows differentiations between mechanisms of arrhythmias in the intact heart. *Circulation* 81:343-345.
- Watanabe EI, Honjo H, Boyett MR, et al (2003):** Inactivation of the calcium current is involved in overdrive suppression of rabbit sinoatrial node cells. *Am J Physiol* 271:H2097-2100.

- Weber (2003):** Cardiac submembrane  $[Na^+]$  transients sensed by  $Na^+ - Ca^{+2}$  exchange current. *Circ Res* P 950.
- Wellens, J.H.H. and Brugada, F. (2004):** Treatment of cardiac arrhythmia: When, how and where? *S. Am. Coll. Cardiol.*, 14: 1417.
- Winfree AT (2000):** Theory of spirals. In Zipes DP, Jalife J (eds): *Cardiac electrophysiology from cell to bedside*. 2<sup>nd</sup> ed. Philadelphia, WB Saunders, P 279.
- Wit AL, Janse MJ (2001):** The ventricular arrhythmias of Ischemia and infarction. *Electrophysiological mechanisms*. Mount Kisco, NY, Futura, P 375.
- Yonezawa E (2002):** Lack of interaction between amiodarone and mexiletine in cardiac arrhythmia patient. *J clin pharmacol* 42, 342.
- Zaidan, J.R. (2001):** Pacemakers. *Anesthesiology*, 60: 319.
- Zhou, J.; Zheng, L. and Liu, W. (1998):** Early after-depolarizations in the familial long QT syndrome. *J. Cardiovasc. Electrophysiol.*, 3: 431.
- Zipes, D. (2000):** Genesis of cardiac arrhythmia: Electrophysiologic consideration. In: Braunwald E. (ed.). *Heart Disease* 5<sup>th</sup> edition. Philadelphia: WB Saunders, PP. 548-577.
- Zipes, D. (2004):** Specific arrhythmias: Diagnosis and treatment. In: Braunwald E. (ed.). *Heart Disease* 6<sup>th</sup> edition. Philadelphia: WB Saunders; 667-725.
- Zipes, D.P. (2001):** Cardiac electrophysiology: Promises and contributions. *J. Am. Coll. Cardiol.*, 13: 1329.
- Zipes, D.P. (2003):** Genesis of cardiac arrhythmias: Electro-physiological considerations. In: Braunwald E. (ed.): *Heart Disease*, 5<sup>th</sup> edition, Philadelphia: WB Saunders; 588-594.