

References

- Altman RP, and Stylianos S (1993): Pediatric surgery. Pediatr. Clin. North. Am.; 40:1161-1175.
- Anderson PAW (1992): Physiology of the fetal, neonatal and adult heart. In: Pollin RA, and Fox WW (eds): Fetal and Neonatal Physiology. W.B. Saunders, Philadelphia, P. 736.
- Andropoulous DB, Heard MB, Johnson KL, Clarke JT, and Rowe RW (1994): Postanesthetic apnea in full-term infants after pyloromyotomy. Anesthesiology, 80:216-219.
- Avner ED, Ellis D, Ichikawa I, Yared A (1990): Normal neonates and the maturational development of homeostatic mechanisms. In Ichikawa I (ed): Pediatric textbook of fluids and electrolytes. Baltimore, Williams and Wilkins, pp107.
- Azarow K, Messinco A, Pearl R, et al (1997): Congenital diapharagmatic hernia. J Pediatric Surg; 32:395-400.
- Bancalari E, Gerhardt T (1990): Bronchopulmonary dysplasia. Pediatr Clin North Am; 33:1-23.
- Barash PG, Stoelting RK, eds (2001): Clinical anesthesia, 4th ed. Philadelphia: lippinoctt Williams & Wilkins.
- Behrman RE, Kliegman RM, Jensen HB (2000): Nelson textbook of pediatrics, 16th edition. Philadelphia, WB Saunders.
- Bell C, Kain ZN and Hughes (1997): The pediatric anesthesia Handbook, 2nd edition. Mosby ST. Louis.
- Berde CB, Lehn BM and Yee JD (1991): Patient controlled analgesia in children and adolescents: A randomized, prospective comparison with intramuscular administration of morphine for postoperative analgesia. Journal of Pediatircs; 118:460-466.
- Berry FA (1997): Neonatal anesthesia in: Barash PG, Cullen BF, and Stoelting RK (eds): Clinical Anesthesia, 3rd edition. Lippincott-Raven Publishers, Philadelphia, P. 1091.

- Bevan DR (1995): Succinyl choline. Can J Anesthesia; 41: 456-468.
- Bikhazi GB, and Davis PJ: Anesthesia for neonates and premature infants. In: Motoyama EK, and Davis PJ (eds): Smith's Anesthesia for Infants and Children, 6th edition. C.V. Mosby, St. Louis, P. 445, 1996.
- Birmingham PK, Tobin MJ, Henthorn TK, et al (1997): Twenty-four-hour pharmacokinetics of rectal acetaminophen in children: An old drug with new recommendations. Anesthesiology; 87:244-252.
- Bissonnette B (1993): Thermoregulation and pediatric anesthesia. Curr Opin Anesthesiol; 6:537-542.
- Blinn A, Woelfel SK, and Cook DR (1992): Pancuronium dose-response revisited. Pediatr. Anesth.; 2:153.
- Cameron J, eds (2001): Current surgical therapy 7th ed. ST. Louis: Mosby-year Book.
- Cherny NI (1996): Opioid analgesics: comparative features and prescribing guidelines. Drugs; 51(5):713-37.
- Choonara L, Laurence A and Miclialkiewicz A (1995): Morphine metabolism in neonates and infants. British Journal of Clinical Pharmacology; 34:434-437.
- Cohen MM, Cameron CB, Duncan PG (1990): Pediatric anesthesia morbidity and mortality in the perioperative period. Anesth Analg; 70:167-7.
- Cote CJ (1985): The anesthetic management of congenital lobar emphysema. Anesthesiology; 49:296-8.
- Cote CJ (1993): Strategies of blood product management and blood salvage. In: Cote CJ, Ryan JF, et al. (eds): A Practice of Anesthesia in Infants and children, 2nd edition. W. B. Saunders, Philadelphia.
- Cote CJ (1999): Preparation, pre-medication and induction of anesthesia in children. American Society of Anesthesiologists Annual Refresher Courses Lectures 331: 1-6.

- Cote CJ, and Todres ID (1986): The pediatric airway. In: Ryan JF, et al. (eds): A Practice of Anesthesia for Infants and Children. Grune and Stratton, Orlando.
- Dabbagh S, Ellis D, Gruskin AB (1996): Regulation of fluids in infants and children. In Motoyama EK, Davis PJ (eds), Smith's anesthesia for infants and children, 6th edition. Mosbey Year-Book.
- Daniel WG, and Mügge A (1995): Transesopahgeal echocardiograph. N. Engl. J. Med.; 332:1268-1279.
- Dierdorf SF, Kirshna Cr (1981): Anesthetic management of neonatal surgical emergencies. Anesth Analg; 60:204-15.
- Eger EI (1994): New inhaled anesthetics. Anesthesiology: 80(4):906-22. Hirota K, Lambert DG (1996): Ketamine: its mechanism(s) of action and unusual clinical uses. Br J Anaesth; 77(4):441-4.
- El Gamel A, Barrett P, Kopff G (1994): Pneumopericardium: A rare cause of cardiac tamponade in an infant on a positive pressure ventilation, Acta Pediatr; 83:1220-1221.
- Evers AS, Maze M eds., (2004). Anesthetic pharmacology: physiologic principles and clinical practice, Churchill Livingstone.
- Fisher BJ, Carlo WA, and Doershuk CF (1990): Pulmonary function from infancy through adolescence. In: Scarpelli EM (ed): Pulmonary Physiology: Fetus, Newborn, Child, Adolescent. Lea and Febiger, Philadelphia, p. 421.
- Fisher DM and Zwass MS (1992): MAC of desflurane in 60% nitrous oxide in infants and children. Anesthesiology; 76:354-6.
- Fixler DE, and Talner NS (1990): Epidemiology of congenital heart disease. In: Oski FA (ed): Principles and Practice of Pediatrics. J. B. Lippincott, Philadelphia, pp. 349-352.
- Fontana JL, Welborn L, and Mongan PD (1995): Oxygen consumption and cardiovascular function in children during profound intraoperative mormovolemic hemodilution. Anesth. Analg.; 80:219-225.

- Gelman S, Fowler KC, and Smith LR (1984): Liver circulation and function during isoflurane and halothane anesthesia. Anesthesiology; 61:726.
- Gregory GA, eds (2002): Pediatric anesthesia, 4th eds. New York: Churchill Livingstone.
- Gregory GA, Steward DDJ (1983): Life-threatening perioperative apnea in the expremie Anesthesiology; 59:495-8.
- Gronert GA, Theye RA (1990): Pathophysiology of hyperkalemia induced by succinylcholine. Anesthesiology; 43:89-99.
- Hammer GB (2001): Pediatric thoracic anesthesia. Anesth Analg.
- Hanning CD (1996): Cardiovascular Physiology. In Atikenhead AR, Smith G (eds): Textbook of Aesthesia, 3rd edition. Churchill Livingstone.
- Hickey PR, Hansen DD, Wessel DL et al (1987): Pulmonary & systemic hemodynamic responses to fentanyl in infants. Anesth Analg; 64:483.
- Hill LL (1990): Body composition, normal electrolyte concentrations and maintenance of normal volume, tonicity and acid-base metabolism. Pediatr Clin North Am; 37:241.
- Hillier SC, and McNiece WL (1993): Pediatric anesthesia systems and equipment. In: Ehrenwerth J, and Eisenkraft J (eds): Anesthesia Equipment: Principles and Applications. Mosby, St. Louis.
- Holmes SJK (1995): Emergencies in the newborn. In: Ellis BW, and Paterson-Brown S (eds): Hamilton Bailey's Emergency Surgery, 12th edition. Butterworth-Heinemann, Oxford, p. 530.
- Holms BA (1993): Surfactant replacement therapy. New levels of understanding. Am Rev Respir Dis; 148:834.
- Hopkins CS, Underhill S and Booker PD (1995): Pharmacokinetics of paracetamol after cardiac surgery. Arch Dis Child; 65:971-976.
- Hull CJ (1995): Pharmacokinetics for anesthesia. Butterworth Heinmann.

- Karamanoukian HL, Glick PL, Zayek M, et al. (1996): Inhaled nitric oxide in congenital hypoplasia of the lungs due to diaphragmatic hernia or oligohydramnios. Pediatrics; 94:715.
- Karsna IH (1995): Is early fascial closure necessary for omphalocele and gastroschisis. J. Pediatr. Surg.; 30:23-28.
- Kauffman RE and Nelson MV (1994): Effect of age on ibuprofen pharmacokinetics and antipyretic response. Journal of pediatrics; 21:969-973.
- Kharasch ED, Russell M, Mautz D, Thummel KE, Kunze KL, Bowdle A, Cox K (1997): The role of cytochrome P450 3A4 in alfentanil clearance. Implications for interindividual variability in disposition and perioperative drug interactions. Anesthesiology; 87(1):36-50.
- Kinsella JP, and Abman SH (1995): Recent developments in the pathophysiology and treatment of persistent pulmonary hypertension of the newborn. J. Pediatr.; 126:853-864.
- Kurth CD, LeBard SE (1991): Association of postoperative apnea, airway obstruction, and hypoxia in former premature infants. Anesthesiology; 75:22-6.
- Lake C (1998): Anomalies of the systemic and pulmonary venous returns. In Lake C (ed): Pediatric Anesthesia, ed 3. Stamford, CT, Appleton & Lange, pp 358-366.
- Lake CL (1993): Monitoring of the pediatric cardiac patient. In: Lake CL (ed): Pediatric Cardiac Anesthesia, 2nd edition. Appleton and Lange, Norwalk, Conn.
- Lake CL (1998): Pediatric Cardiac Anesthesia, 3rd edition. Stamford CT. Appleton & Lange.
- Larson CP (1999): Anesthesia in neonatal cardiac surgery. N Engl J Med; 327:124.
- Lerman J (1992): Pharmacology of inhalational anesthetics in infants and children. Pediatr Anesth; 2:191-203.

- Lévêque C, Hamza J, Berg AE, et al. (1994): Successful repair of a severe lest congenital diaphragmatic hernia during continuous inhalation of nitric oxide. Anesthesiology; 80:1171.
- Lieh-Lai MW, Sarnaik AP and Newton JF (1990): Metabolism and pharmacokinetics of acetaminophen in a severely poisoned young child. Journal of Pediatrics; 105:125-128.
- Lioyd-Thomas D (1996): Pain management in pediatric patients. British journal of Anesthesia; 64:85-104.
- Martin LD (1994): Anesthetic implications of an upper respiratory infection in children. Pediatr Clin North Am; 41:121-142.
- Mellor DJ, Lerman J (1998): Anesthesia for neonatal surgical emergencies. Semin Perinatol 22(5): 363-379.
- Miller RD, eds (2000): Anesthesia, 5th eds. New York: Churchill Livingstone.
- Motoyama EK (1996): Respiratory physiology in infants and Children.in: Motoyama EK, Davis PJ (eds), Smith's anesthesia for infants and children, 6th edition. Mosbey Year-Book.
- Nagourney RA and Aranda JV (1993): Physiologic differences of clinical significance. In: Polin RA, Fox WW, eds. Fetal and neonatal physiology. Philadelphia: WB Sounders, 169-77.
- Nakayama DK, Motoyama EK, and Tagge EM (1991): Effect of preoperative stabilization on respiratory system compliance and outcome in newborn infants with congenital diaphragmatic hernia. J. Pediatr.; 118:793.
- Nemechek AJ, and Amedee RG (1994): Choanal atresia. J. LA State Med. Soc.; 146:337-340.
- Northway WH, Moss RB, Carlisle KB, et al (1995): late pulmonary sequelae of bronchopulmonary dysplasia. N Engl J Med; 323:1793-9.
- O'Kally B, Frossard J, and Meistelman C (1991): Neuromuscular blockade following ORG 9426 in children during N₂O-halothane anesthesia. Anesthesiology; 76:A787.

- Pang LM and Mellins RB (1975): Neonatal cardiorespiratory physiology. Anesthesiology; 43:171-96.
- Papper TD, Busch T, Gerlach H, et al. (1995): Aerosolized prostacyclin versus inhaled nitric oxide in children with severe acute respiratory distress syndrome. Anesthesiology; 82:1507.
- Paris ST, Cafferkey M, Tarling M, et al. (1997): Comparison of sevoflurane and halothane for outpatient dental anesthesia in children. Brithish Journal of Anesthesia; 79:280-284.
- Patterson C, and Robert LC (1992): Initiating reuscitation and respiratory support in newborn and pediatric patients. In: Susan PP (ed): Mechanical Ventilation, Physiological and Clinical Applications, 2nd edition. Mosby Year Book, St. Louis, P. 545.
- Phleps DL (1992): Retinopathy of prematurity. N Engl J Med; 326:1078-80.
- Prescott CAJ (1995): Nasal obstruction in infancy. Arch. Dis. Child.; 72:287-289.
- Pullerits J, Holzman RS (1992): Anesthesia equipments for infants and children. Clinical Anesthesiology; 30(3):12-27.
- Puri P (1994): Congenital diaphragmatic hernia. Curr. Probl. Surg.; 10:787-846.
- Rasch DK, Webster DE (1994): Clinical manual of pediatric anesthesia. McGraw-Hill, a concise, up-to-date reference.
- **Rigatto** H (1992): Maturation of breathing control in the fetus and newborn infant. In Beckman RC, Broullette RT, Hunt CE editors, Respiratory control disorders in infants and children. Baltimore, Williams and Wilkins.
- Ronald B, Hirschl MD, Parnikoff T, Robert J, Gauger P, et al. (1996):
 Initial experience with partial liquid ventilation in adult patients with the acute respiratory distress syndrome. JAMA; 275:383-389.

- Rudolf AM (1995): Fetal circulation and cardiovascular adjustments after birth. In Rudolf AM, editor: Pediatrics, ed 1220. East Norwalk, CT. Appleton and Lange.
- Saidman LJ. (1991): The role of desflurane in the practice of anesthesia. Anesthesiology; 74(3):399-401.
- Scamman FL, and McCobe BF (1986): Supraglottic jet ventilation for laser surgery of the larynx in children. Ann. Otol. Rhinol. Laryngol.; 95(2ptl): 142.
- Schwartz SE (1999): Principles of surgery, 7th edition. New York, McGraw-Hill.
- Serwer GA (1992): Postnatal circulatory adjustments. In: Pollin RA, and Fox WW (eds): Fetal and Neonatal Physiology. W.B. Saunders, Philadelphia, P. 718.
- Sessler DI (1993): Peri-anesthetic thermoregulation and heat balance in humans. Faseb J; 7:638.
- Shah N, Jacob T, Exler T, et al. (1994): Inhaled nitric oxide in congenital diaphragmatic hernia. J. Pediatr. Surg.; 29:1010.
- Splinter WM, Schreiner MS (1999): Preoperative fasting in children. Anesth Analg; 89(1):80-9.
- Stein C. (1995): The control of pain in peripheral tissue by opioids. N Engl J Med; 332(25):1685-90.
- Steven JM, and Cohen DE (1996): Anesthesia equipment and monitoring. In: Motoyama EK, and Davis PJ (eds): Smith's Anesthesia for Infants and Children, 6th edition. C.V. Mosby, St. Louis.
- Steven JM, and Downess JJ (1995): Neonatal anesthesia. In: Healy TEJ, and Cohen PJ (eds): A Practice of Anesthesia, 6th edition. Edward Arnold, London, P. 621.
- Steven JM, Cohen DE, Sclabassi RJ (1996): Anesthesia Equipment and monitoring. In Moroyama EK, Davis PJ (editors): Smith's Anesthesia for infants and children, 6th edition, Mosbey Year-Book.

- Steven JM and Downes JJ (1995): Neonatal anesthesia. In Healy TEJ, Cohen PJ (editors): wylie. A Practice of Anesthesia. 6th edition, Edward Arnold.
- Steward DJ (1995): Manual of pediatric anesthesia, 4th edition. Churchill Livingstone.
- Stoelting RK, and Dierdorf SF (2002): Diseases common to the pediatric patient. In: Stoelting RK, and Dierdorf SF (eds): Anesthesia and Coexisting Disease. 4th eds. New York, Churchill Livingstone, New York.
- Stratford MA (1996): Cardiovascular Physiology. In Motoyama EK, Davis PJ (eds): In: Smith's anesthesia for infants and children, 6th ed. Mosby Year-Book.
- Tan CEL, Davenport M, Driver M, and Howard ER (1994): Does the morphology of the extrahepatic biliary remnants in biliary atresia inflluence survival? A review of 205 cases. J. Pediatr. Surg.; 29:1459.
- Thorsteinsson A, Larsson A, Jonmarker C, Werner O (1994): Pressure-Volume relations of the respiratory system in health children. Am J Respir Crit Care Med; 150:421.
- Tutuncu AS, Akpir K, Mulder P, and Erdman W (1993): Intratracheal perfluorocarbon administration as and aid in the ventilatory management of respiratory distress syndrome. Anesthesiology; 79(5):1083.
- Vane DW, Abajian JC, and Hong AR (1994): Spinal anesthesia for primary repair of gastroschisis: a new and safe technique for selected patients. J. Pediatr. Surg.; 29:1234-1235.
- Verghese ST (1992): neonatal surgical emergencies. In: progress in anesthesiology; 6: 138-52.
- Vinik HR, Kissin I (1998): Rapid development of tolerance to analgesia during remifentanil infusion in humans. Anesth Analg; 86(6):1307-11.

- Vompee M, Blennow M, Linne T, Herin P and Aperia A (1992): Renal function in very low birth weight infants normal maturity reached during early childhood. Journal of Pediatrics; 121:784.
- Ward CF (1987): Pediatric head and neck syndromes. In: Katz J, and Steward DJ (eds): Anesthesia and Uncommon Pediatric Diseases. W.B. Saunders, Philadelphia, P. 238.
- Ward CF (1990): Diseases of infants. In: Katz J, Benumof JL, and Kadis LB (eds): Anesthesia and Uncommon Diseases, 3rd edition. W.B. Saunders, Philadelphia, P. 172.
- Weinstein S, and Stolar CJH (1993): Newborn surgical emergencies: congenital diaphragmatic hernia and extracorpreal membrane oxygenation. Pediatr. Clin. North. Am.; 40:1315-1333.
- Welborn LG, Hannallah RS, et al. (1996): Comparison of emergence and recovery characteristics of sevoflurane, desflurane and halothane in pediatric ambulatory patients. Anesth. Analg.; 83:917-920.
- West JB (2000): Ventilation, blood flow and gas exchange. In Murray JF, Nadel JA (eds): Textbook of respiratory medicine, 3rd ed, Philadelphia, WB Saunders.
- Zwissler B, Rank N, Jaenicke U, et al. (1995): Selective pulmonary vasodilation by inhaled prostacyclin in a newborn with congenital heart disease and cardiopulmonary bypass. Anesthesiology; 82:1512.