

REFERENCES

Breinberg, S.L.L.V. Smirnova and V.P. Papatsenko (1968): Effect of the carbon source and phosphorus concentration in the medium on streptomycin biosynthesis. Antibiotiki 13 (2):107-112.

Burkholder, P.R., S.H. Sun; Sun; Ehrlich; and L.E. Anderson (1954): Criteria of speciation in the genus Streptomyces. Ann. N.Y. Acad. Sci., 60, 102.

Cholodny, N.G. (1930): Uber eine neue Method Zur Untersuchung der Boden mikroflora. Arch Mikrobiol. I. 620 652.

Cochrane. V.W. (1950): The metabolism of species of Streptomyces III. The nitrate metabolism of Streptomyces griseus. Bulletin of the Torrey botanical club. Vol. 77 (3): 176 - 180.

Cross. T. (1968) : Thermophilic actinomycetes. Journal of Applied Bact. 31, 36-53.

Delaney, R.A.M. and J.T. Worgan (1970): 3rd International Congress of Food Science and Technology, Washington, DC.

Dikson, D. (1974): " Wastes from food manufactring industries ". Applied science puplishers. U.S.A.

Elnomany, Afaf. M.M. (1984): Stdies on certain cellulose decomposing thermophilic actinomycetes. M.Sc. Thesis. Faculty of pharmacy. Cairo University.

- Fermi, C. (1906): Die saccharifizierende Wirkung des
Bac. tuberculosis Contr. Bakteriolog.
Parasitenk Abt., I, Orig. 40 : 167-188.
- Flaig, W.H., Beutedspacher; E. Muster and G. Segler
Holzweissing, (1952): Beitrage zur
physiologie and Morphology der strepto-
myceten. Plant. a soil, 4 , 118.
- Friedemann, T.E. and G.E. Haugen (1943): Pyruvic acid
II. The determination of keto acids in
blood and urine. J. Biol. Chem. 147,
415 - 442.
- Georgy, P.H., and M.E. Lacey, (1962): Isolation of
thermophilic actinomycetes. Nature,
195, N. 48, 36, 95.
- Gilbert, A. (1904): Uber Actinomyces thermophilus and
andere Actinomyceten. Z. Hyg. 3, 294.
- Globig, D. (1888): Uber Bakterien Wachstum bei 50-70
Ztschr. Hyg. 3, 294.
- Goodfellow, M. and T. Cross (1984): The biology of
actinomycetes. Academic press. London.
7 - 164.
- Gordon M.H. (1937): The classification of acid fast
Bacteria. J. Bacterial 34: 617-630.
-

- Growther, A.B. and R.S. Large, (1956): Improved conditions for the sodium phenoxide-sodium hypochlorite method for the determination of ammonia. Analyst. London, 84-65.
- Henssen, A. (1975 a): Beitrage Zur Morphologie and systematik der thermophilen Actinomyces. Arch.Mikroibol., 26, 373.
- Hesseltine, C.W. (1954): Useful criteria for species differentiation in the genus Streptomyces Ann. N.Y. Acad. Sci. 60, 136.
- Hussein, A.M.A.M. Allam and A.M. Ragab (1975): "Thermophilic actinomycetes of some soils of Egypt" Egypt J. Microbiol., 10 (12) : 1-8.
- Hussein, A.M. and A.M. Ragab (1976): " Production of Thermostable protease by a new thermophilic Streptomyces species " Conference of pharmaceutical sciences. Cairo Abstrats P. 76.
- Hussein, A.M., Allam, A.M. and Ragab, A.M. (1976): Thermal enrichment of soil as a method for the preferential isolation of thermophilic actinomycetes. Egypt. j. Bot. 15 (2-3). PP. 195-197.

Hussein, A.M. (1984): Actinomycetes of Egyptian Soils.
Ph. D. Thesis, Moscow, University.

Hussein, A.M; M.A. Toama and Afaf El-Nomany (1985):
Studies on cellulase production in
shaken cultures by Streptomyces
thermoviridis n.sp., as affected by
different nutritional requirements
proc. Egypt. Bot. Soc. 4, Ismillia
Conf. P. 50.

Hussein A.M. (1986): Bioconversion of Chicken feather
into soluble nitrogenous substances
products XIV. International Congress of
Microbiology Manchester England.

Hussein, A.M.; Q. Ghazy and M.A. Swelim (1986 a):
Biodegradation of chicken feather by
Micropolyspora keratinolytica as
effected by defferent sources of cabon
and nitrogen nutrition. Proc. VI Conf.
Microbiol. Cairo, 1986.

Hussein, A.A., A. Ghazy and M.A. Swelim (1986 b): Time
course biodegradation of chicken feather
by Micropolyspora keratinolytica as
effected by different phosphorus and
vitamin supplements. Proc. VI Conf.
Microbiol Cairo 1986 .

Imrie, F.K. and R.C. Righelato (1976): Production of microbial protein from carbohydrate wastes in developing countries. " In: Food from wastes. Applied science publishers Ltd, London .

Jackson. N. (1972): The use of feather and offal meal to replace mainly soyabean meal in a fish meal free basal diet for caged layers and the effect of addition of methionine to the basal diet J. Sc. Fd. Agric. 23: 629-636.

Jackson, N. and R.B. Fulton (1971): Composition of feather and offal meal and its value as a protein supplement in the diet of broilers. J. Sci. Fd. Agric. 22:38-42.

Kamel Zeinat (1976): Biochemical studies on the metabolic activities of Streptomyces antiboticus. ph.D. Thesis, Faculty of Science, Cairo University.

Kosmatchev, A.E. (1963): Thermophilic actinomycetes of milk and milk products. Mikrobiologiyz, 32, 136.

Kosmatchev, A.E. (1964): A new thermophilic actinomycete micropolyspora thermovirida, n, sp. Mikrobiologiya, 33, 267.

Mace, E. (1888): Sur le caracteres des cultures du Cladothrix dicholoma Cohn, Compt. rend. 106, 1622- 1623.

Mangold, F. and J. Dupski (1930): The digestion of keratin, especially the horny material of birds feather, by fowls an mamals . Wiss. Arch. and W. Abt. tierenahr. Tierzucht. 4 : 200-221.

Miehe, H. (1907 b): Thermoidium sulfureum n.g. n. sp., ein neuer Warmepilz. Ber deutsch. bot-Gesl., 25 :510-515.

Mohamed Z.K. (1976): Biological studies on the metabolic activities of Streptomyces antibiotics. ph. D. Thesis. Cairo University.

Moran, E.T., Jr. D. Summers and S.J., Slinger (1966): Keratins a sources of protein for the growing chick I.Amino acid imbalance as the cause for inferior performance of feather meal and the implication of disulfide bonding in raw feather as the reason for digestibilitiy. Poultry Sci. 45. 1257-1266.

Morris, W.C. and S.L. Balloum (1973): Effect of processing method on utilization of feather meal by broiler chicks. Poult. Sci., 52, 858-866.

- Naber, E.C., S.P. Touchburn, B.D. Barnett and C.L. Morgan, (1961): Effects of processing methods and amino acid supplementation on dietary utilization of feather meal protein by chicks poultry Sci. 40: 1234 - 1245.
- Nickerson. W.J., J.J. Noval and R. Robison, (1963): Keratinase I. Properties of the enzyme conjugate elaborated by Streptomyces fradiae Biochem. Biophys. Acta, 57,73.
- Noval, J.J. and W.J. Nickerson, (1959): Exocellular keratinase from a Streptomyces sp. J, Bacteriol. 77; 251-263.
- Orskov, J. (1923): Investigation into the morphology of the ray fungi. Jeven and Munks gaard. Kobenhaven.
- Othman, M.K. (1977): Microbiological and chemical studies on some species of streptomyces. M.Sc. thesis. Faculty of Agriculture. Ain Shams, Univ.
- Pridham, T.G.; P. Anderson; C. Foley; L.A. Lindenfelser; C.W. Hesseltine and R.G. Benedict, (1957): A selection of media for amaintenance and taxonomic study of Streptomyces. Antibiotics Ann., P. 947.

- Rao, M.G. (1929): Subrahmayan. V. Studies on soil actinomyces. Part III. Standardization of a plate method of counting soil actinomycetes. J. Indian Inst. Sci. 12A: 57-68. 253-273.
- Rolfe, E.J. (1976): Food from wastes in the present world situation. In food from wastes. London, Applied Science publishers Ltd.
- Schlegel, G.H.m, and H.W. Jannasch, (1967): Enrichment culture. Advanced. Microbiol, 49-70.
- Schor, R. and S. Krimm (1961): Studies on the structure of feather keratin II. A. B-helix model for the structure of feather keratin. Biophysical J. 1: 489-515.
- Seal, K.J. ; H.O.W. Eggins and G.G. Brick (1976): The upgrading of agricultural wastes by thermophilic fungi in food from wastes. London, Applied Science publishers Ltd.
- Shehata N.E. (1976): Biological activities of the flavus group of streptomycetes isolated from Egyptian soils. M.Sc. Thesis. Ain Shams University.
- Sohair, A.M. and A.M. Hussein (1974): Biological and Biochemic studies on a keratinolytic thermophilic actinomycetes isolated from Egyptian Soil. Zbl. Bakt. Abt. II. Bd. 129, S. 591-599.

- Sullivan, T.W. , and E.L. Stephenson (1957): Effect of processing methods of the utilization of hydrolyzed poultry feathers by chicks. Poultry Sci. 36: 361-365.
- Swelim, M. (1985): Studies on thermophilic Keratinolytic microorganisms. ph. D. Thesis Benha, Faculty of Science. Zagazig Univ.
- Tannenbaum S.R. and G.W. Pace (1976): Food from wastes An overview. In food from wastes. London, Applied Science publishers Ltd.
- Trenser, H.D.; M.C. Davis and E.J. Backus (1961): Electron microscope studies of spore morphology in the genus Streptomyces. Bacteriol. Proc. Abstr. 60th. Ann. Mtg. 1960. p. 53.
- Tsiklinski, P.W. (1903): Sur les microbes thermophile due canal intestinal de l'homme. Ann. inst. Pasteur. 17, 217.
- Uridil, I.E., and P.A. Tetrault (1959): Isolation of thermophilic streptomycetes. J. Bacteriol. 78, 234.
- Ushkrenas, A.P. (1968): Effect of cobalt, manganese, copper and Zinc, on the synthesis of chlorotetracycline and vitamin B₁₂ by Actinomyces aureofaciens. TR. Akad. Nauk Litov SSR. Ser B₃. 18: 173-186.

- Waksman. S.A. (1959): Strain specificity and production of antibiotic substances. X-characterization and classification of species within the Streptomyces griseus group. Proc. Natl. Acad. Sci. U.S. 45, 1043.
- Waksman, S.A. and R.A. (Diehm (1931): On the decomposition of hemicelluloses by microorganisms. Soil; Sci. 32: 73-139.
- Waksman, S.A. and R.L. Starkey (1932): The decomposition of proteins by microorganisms with particular reference to purified vegetable proteins. J. Bacteriol. 23: 405-428.
- Waksman, S.A. and H.A. Lechevalier (1961): The actinomycetes Vol II classification, identification and description of genera and species. Baltimore. The Williams and Wilkins company, U.S.A.
- Worgan J. T. (1968): Progress in industrial microbiology. Churchill, London. 8, P. 74.
- Wargan. J.T. (1972): The biological efficiency of protein production cambridge university press.

- Worgan, J.T. (1974): "Interaction: The environment and the food processor " Institute of food science and Technology Symposium. Cambridge, U, K, Abstracts P. 12.
- Worgan, J.T. (1976): Wastes from crops plants as raw materials for conversion by fungi to food or lines stock feed . Food from wastes-London, Applied science publishers Ltd. Ltd.
- Zygmunt, W.A. (1962): Factors involved in oxytetracycline formation by Streptomyces rimosus in synthetic media. VII the international Congress for microbiology 6.P. 66.
- Zygmunt, W.A. (1964): Influence of inorganic phosphorus on oxytetracycline . formation by Streptomyces rimosus. App. Microbiol. 12(30. 195-196.