

-
- Soria, S.P.C. & Theede, H. (1990):** Heavy metal concentrations in two species of shellfish from Manila Bay (Philippines). *Philipp. Scient.*, 27:238-251.
- Springsteen, F.J. & Leobrera, F.M. (1986):** Shells of the Philippines. Carfel Seashell Museum. *Cellana grata* and *Cellana rota*, Page 29.
- Sumikawa, S. & Funakoshi, C. (1984):** The fine structure of mature spermatozoa in two species of the Siphonariidae (Pulmonata: Basommatophora). *Venus*, 42:143-155.
- Tankersley, R.A. (1989):** The effect of trail-following on the locomotion of the marsh periwinkle *Littorina irrorata* (Mesogastropoda: Littorinidae). *Mar. Behav. & Phys.*, 15: 89-100.
- Thieltges, D.W.; Strasser, M. & Reise, K. (2003):** The American slipper limpet *Grepidula fornicata* (L.) in the northern Wadden Sea 70 years after its introduction. *Helgol. Mar. Res.*, 57:27:33.
- Thompson, G.B. (1980):** Distribution and population dynamics of the limpet *Patella vulgata* in Bantry Bay. *J. Exp. Mar. Biol. & Ecol.*, 45: 173-217.
- Thompson, T.E. (1973):** Euthyneuran and other molluscan spermatozoa. *Malacologia*, 14:167-206.
- Thors, C. & Linder, E. (1998):** Cross reacting antibodies against keyhole limpet haemocyanin may interfere with the diagnostics of acute schistosomiasis. *Parasite Immunology*, 20(10): 489-496.
- Tillier, L. & Bavay A. (1905):** Les mollusques testacés du Canal de Suez. *Bulletin de la Société Zoologique de France*, 30:170-181.
-

- Trueman, E.R. (1957):** Mucous gland cells of the outer epithelium of *Arca noae*. *Nature*, London, 180:p.1492.
- Underwood, A.J. (1980):** The effects of grazing by gastropods and physical factors on the upper limit of distribution of intertidal macroalgae. *Oecologia*, 46: 201-213.
- Underwood, A.J. (1984):** The vertical distribution and seasonal abundance of intertidal microalgae on a rocky shore in New South Wales. *J. of Exp. Mar. Biol. and Ecol.*, 78:199-220.
- Underwood, A.J.; Denley, E.J. & Moran, M.J. (1983):** Experimental analyses of the structure and dynamics of mid-shore rocky intertidal communities in New South Wales. *Oecologia*, 56:202-219.
- Van den Biggelaar, J.A.M. (1977):** Development of dorsoventral polarity and mesentoblast determination in *Patella vulgata*. *J. Morph.*, 154:157-186.
- Van den Biggelaar, J.A.M. & Guerrier, P. (1979):** Dorsoventral polarity and mesentoblast determination as concomitant results of cellular interactions in the mollusk *Patella vulgata*. *Dev. Biol.*, 68:462-471.
- van der Kooij, A.; Nederbragt, A.J.; Goedemans, H.J. & van Loon, A.E. (1996):** The stringlike genes of the limpet *Patella vulgata*. *Gene.*, 172(2): 261-265.
- van der Kooij, A.; Veraart, CP. & van Loon, A.E. (1998):** Cyclin A, cyclin B and stringlike are regulated separately in cell cycle arrested trochoblasts of *Patella vulgata* embryos. *Dev. Genes Evol.*, 207(8): 524-534.
- van Loon, A.E.; Colas, P.; Goedemans, H.J.; Néant, I.; Dalbon, P. & Guerrier, P. (1991):** The role of cyclins in the maturation of *Patella vulgata* oocytes. *The EMBO Journal*, 10(11): 3343-3349.

- Verweij, J.J. Polderman, A.M.; Visser, L.G. & Deelder, A.M. (1995):** Measurement of antibody response to keyhole limpet haemocyanin was not adequate for early diagnosis of schistosomiasis in a group of Dutch visitors to Mali. *Trans. Roy. Soc. Trop. Med. & Hyg.*, 89(1): 48-50.
- Viarengo, A. (1989):** Heavy metals in marine invertebrates; mechanisms of regulation and toxicity at the cellular level. *CRC Crit. Rev. Aquat. Sci.*, 1:295-317.
- Wahl, M. (1989):** Marine epibiosis. I. Fouling and antifouling: some basic aspects. *Marine Ecology Progress Series*, 58:175-189.
- Wanninger, A.; Ruthensteiner, B., Lobenwein, S.; Salvenmoser, W.; Dictus, W.J. & Haszprunar, G. (1999):** Development of the musculature in the limpet *Patella* (Mollusca, Patellogastropoda). *Dev. Genes. Evol.*, 209(4): 226-238.
- Wilham, J. (1972):** Graphic and mathematical analysis of biotic communities in polluted streams. *Annual Review of Entomology*, 17:223-252.
- Wilham, J. & Dorris, T.C. (1986):** Biological parameters of water quality. *Bioscience*, 18:477-481.
- Wingstrand, K.G. (1985):** On the anatomy and relationships of recent Monoplacophora. *Galathea Report*, 16:1-94.
- Wishahi, M.M.; Ismail, I.M.H.; Ruebben, H. & Otto, T. (1995):** Keyhole-limpet hemocyanin immunotherapy in the bilharzial bladder: a new treatment modality? Phase II trial: Superficial bladder cancer. *J. of Urology*, 153(3): 926-928.
- Wright, B.R. (1974):** Sensory structure of the tentacles of the slug, *Arion ater* (Plumonata, Mollusca). *Cell and Tissue research*, 151:245-257.

- Xu, S.T.; Shi, F.H.; Shen, W.; Lin, J.J.; Wang, Y.H.; Ye, P.; Tian, E.; Qian, C.G.; Lin, B.F.; Shi, Y.J. & Zhang, Z.D. (1995):** Vaccination of sheep against *Schistosoma japonicum* with either glutathione S-transferase, keyhole limpet haemocyanin or the freeze/thaw schistosomula/BCG vaccine. *Veterinary parasitology*, 58(4): 301-312.
- Xue, C.G.; Taylor, M.G.; Bickle, Q.D.; Savioli, L. & Renganathan, E.A. (1993):** Diagnosis of *Schistosoma haematobium* infection: evaluation of ELISA using keyhole limpet haemocyanin or soluble egg antigen in comparison with detection of eggs or haematuria. *Trans. Roy. Soc. Trop. Med. & Hyg.* 87(6): 654-658.
- Yonge, C.M. (1947):** The pallial organs in the aspidobranch gastropods and their evolution throughout the Mollusca. *Phil. Trans. Roy. Soc. Lond.*, B232:443-518.
- Zyadah, M. (1995):** Environmental impact assessment of pollution in Lake Manzalah and its effect on fishes, Ph.D Thesis, Fac. of Sci. El-Mansoura Univ.