

REFERENCES

Abd El-Rahman, M.S.; Waldron Lechner, D. and Klein, K.M.

(1985):

Combination effect of carbaryl and Malathion in rats.
Arch. Environ. Contam. Toxicol. 14 (4). 459-464.

Aldridge, H.S. (1971):

The mature of the reaction of organophosphorus
compounds and carbamates with estrases.

Bull. WHO 44, 25-30.

Al-Hussaini, A.H. and Riskalla, W. (1958):

The gonads of cichlid fish Tilapia nilotica, L.

Ain Shams Sci. Bull., 3: 191-214.

Allfrey, V.G.; V.C. Littau and A.E. Mirsky (1963):

On the role of histones in regulating ribonucleic
acid synthesis in the cell nucleus.

Proc. Nat. Acad. Sci., USA, 49: 414.

Alsen, C.; Herrlinger, A. and Ohnesorge, F.K. (1973):

Characterization of cholinesterases of the cod (*Gadus
cailarias*) and their vivo inhibition by paraoxon and
tabun.

Arch. Toxikol, 30, 263-275.

Amlacher, E. (1954):

Beitrag Zur Anatomic der karpfenleber (cyprinus
carpio, L.). Z. Fish, 3: 311-336.

Ammon, H.P. and Estier, C.J. (1967):

The effect of niotinic acid on glycolytic carbohyd-
rate breakdown in the liver. Life Sci., 6: 641-647.

Anderson, J.R. (1981):

Muir's Text book of pathology eleventh edition.

Edward Arnold (Publishers) London, P. 925-937.

Anonymous (1971):

U.S. Dep. Agric.: The pesticide review. Cited from
Coppage, D.L. and Matthews, E. (1974): Short-term Effect
of Organophosphate Pesticides on cholinesterase of
Estuarine fishes and pink shrimp.

Bull. of Environ. Contamin. and Toxicol., 11 (5):
483-489.

Anonymous (1972):

U.S. Environ. Prot. Agr. Tech. Studies Report: TS00-
72-04) cited from Coppage, D.L. and Matthews, E. (1974)
Short-term Effect of Organophosphate pesticides. on
cholinesterase of Estuarine fishes and pink shrimp
Bull. of Environ. Contamin. and Toxicol., 11 (5):
483-489.

Assal, G. and Hamel, S. (1964):

Histopathological changes in parathion (E₆₀₅)
poisoning. Alexandria Med. J., 10 (1): 53-61.

Awwad, M.H. (1991):

Effect of pollution on haemopoietic cells of fresh
water fishes in Qalyobia province.

M.Sc. Thesis Zoology, Zagazig University, Faculty of
Science Banha Branch, 129 PP.

Bcroft, J.D.; S.R.M.L.T., F.R.M.S. (1967):

An introduction to histological technique.

Third Edition, London Butterworths.

Banhawy, M.A. (1964):

Changes produced in the site of acid phosphatase activity in the liver cells of mice bearing transplanble hepatoma under the effect of x-ray irradiation. Proc. Egypt Acad. Sci., 19 : 27-33.

Banhawy, M.A. and Ganzuri, M.A. (1978):

Pathological effects of insecticides on acid phosphatase particles (Lysosomes) in mammalian liver cells. Proc. Egypt. Soc. Environ. Sci., 1: 55-70.

Bano, Yagama (1982):

Effects of aldrin on Serum and liver constituents of fresh water cat fish Clarias batrachus (L).

Proc. Indian Acad. Sci. Anim. Sci., 91 (1): 27-32.

Barnes, J.M. (1953):

Toxic hazards of certain pesticides to man, WHO. Palais des Nations. Geneva.

Barros, S.B. and Saliba, A.M. (1978):

Toxicity of hexachlorocyclohexane in rats. Toxicol., 10 : 271-279.

Began, J.D.; Setlow, R.B.; Francis, A.A. and Lijnsky, W. (1976):

Nitroscarbryl: its effect on human DNA. Mutat. Res., 38: 293-901.

Bhatia, S.C.; Sharmarma, S.C. and Venkita-subramanian, T.A. (1973):

Effect of dieldrin on hepatic carbohydrate metabolism and protein biosynthesis in vivo. Toxicol-Appl. Pharmacol., 24 (2): 216-229.

Bojan, F. (1976):

The effect of urethane (methyl carbamate) on the reproduction of Trypanosoma equiperdum.

Acta Vet. Acad. Sci. Hung., 26: 167-172.

Boseila, A.W.; El-Refaei, F.E.; Mattar and Farid, N.M. (1979):

Effect of the insecticide "carbaryl" on the ovarian structure of white rat. Egypt. J. Histol., 2:174-152.

Breitig (1966):

Zur. Notwendigkeit der standardisierung von.

Toxizitätstesten. Verh. Int. Ver. Limnol., 16:979-984.

Brown, A.W.A. (1978):

Ecology of pesticides. John Wiley and Sons. New York.

Brown, A.W.A.; Robinson, D.B.W.; Hurtig, H.; Wenner, B.J. and Park, F.E. (1984):

Toxicity of selected organic compounds to insects.

Pt. I. Tests for general toxicity on larvae of *Musca*,

Tribolium and *Ephestia* and adults of *Sitophilus*. Pt.

II. Tests for contact toxicity on nymphs of *Blattella* and *Oncopeltus* and adults of *Tribolium*.

Can. J. Research, 26 (D): 177-96.

Casida, J.E. (1963):

Mode of action of carbamates. Ann. Rev. Entomol.,

8 : 39-58.

Cambon, C.; Declume and Berache, R. (1978):

Inhibition of acetylcholinesterase from foetal and maternal tissues after oral intake of carbaryl (1-naphthyl-N-methyl carbamate) by pregnant rats.

Biochem. Pharmacol., 27: 2647-2648.

Carevic, O. and Fiser-Hermann, M. (1962):

Acta Pharm. Jugosl., 12: 17, and in Chem. Abstr., 58: 3712 d (1963). Quoted from Barros, S. and A.M. Saliba, (1978): Toxicity of hexachlorocyclohexane in rats. Toxicology, 10 : 271-279.

Chin, B.H.; Eldridge, J.M. and Sullivan, L.J. (1974):

Clin toxicol., 7, 37, Cited by Klaverkamp and Hobden (1980) : Brain acetylcholinesterase inhibition and hepatic activation of acephate and fenitrothion in rainbow trout (salama gairdneri).

Can. J. Fish. Aquat. Sci., 1450-1453.

Chin, B.H.; Eldridge, J.M.; Anderson, J. and Sullivan, L.J. (1979):

Carbaryl metabolism by the selected tissues of the dog via the in-vitro explant maintenance technique.

J. Agric. Food Chem., 27 (6): 1419-1420.

Collins, T.F.X.; Hansen, W.H. and Reeler, H.V. (1971):

The effect of carbaryl (sevin) on reproduction of the rat and the girbil. Toxicol. Appl. Pharmacol., 19 : 202-216.

Coppage, D.L. (1971):

Characterization of fish brain acetylcholinestrerase with an automated pH stat for inhibition studies.

Bull. Environ. Contain. Toxicol., 6: 304-310.

Coppage, D.L. (1972):

Organophosphate pesticides: Specific level of brain AchE inhibition related to death in sheepshead minnows. Trans. Amer. Fish. Soc., 101: 534-536.

Coppage, D.L. (1976):

River pollution by anticholinesterase agents.

Water Res., 10: 19-24.

Coppage, D.L. and Mathews, E. (1974):

Short-term effect of organophosphate pesticides on cholinesterases of estuarine fishes and pink shrimp.

Bull. of Environm. Contam. and Toxicol., 11(5): 384-389.

Coppage, D.L. and Matthews, E. (1975):

Brain acetylcholinestrerase inhibition in a marine teleost during lethal and sublethal exposures to 1,2-dibromo-2,2-dichloroethyl dimethylphosphate (Haled) in sea water.

Toxicol. Appl. Pharmacol., 13: 128-133.

Coppage, D.L.; Matthews, E.; Look, G.H. and Kinght, J. (1975):

Brain ACHE inhibition in fish as diagnosis of environmental poisoning by malathion 0,0-dimethyl S (1,2-dicarbethoxyethyl) phosphorodithioate.

Pestic. Biochem. Physiol., 5: 536-542.

Da browski, T. and Zawistowski, S. (1961):

Ann. Fals. Expert. Chim., 54: 429.

Quoted from Barros, S. and A.M. Saliba, 1978 : Toxicity of hexachlorocyclohexane in rats toxicol. 10 : 271-279.

Duangasawasdi, M. and Rlaverkamp, J.F. (1979):

Acephate and fenitrothion toxicity in rainbow trout.
Effect of temperature, stress and investigations on
the sites of action. In Aquatic toxicology. ASTM STP,
667, edited by L.L. Marking and R.A. Kimerle, Amm.
Soc. for Testing and Materials, 35-51.

Du bos, R.J. and Hirsh, J.G. (1965):

Bacterial and mycotic infections of man Lippincott,
Philadelphia, Montreal.

Duggan, R.E. and Weatherwax, J.R. (1967):

Dietary intake of pesticide chemicals.
Science, 157: 1006-1010.

Dukes, H.H. (1955):

The physiology of domestic animals, 7th ed. Ithaka,
New York, P. 238.

Du Praw, E.J. (1968):

Cell and molecular biology, Acad. Press, New York,
London.

Eisler, R. (1970):

Factors affecting pesticide induced toxicity in an
Estuarine fish. U.S. Depart. Interior, Bur. Sport.
Fish. Wildl. Tech., 45: 20-31.

El-Banhawy, M.A. and El-Ganzuri, M.A. (1983):

Nucleic acids, responses to treatment with
insecticides a histochemical study on the liver of
the white rats.

Ain Shams Sci. Bull., 24 (B): 293-311.

El-Desokay, M.E.M. (1991):

Studies on some biological aspects of common rats in Egypt.

Ph. D. Thesis. Submitted to the Faculty of Science, Zagazig University Banha Branch.

Elias, H. and Bengelsdorf, H. (1952):

The structure of the liver of vertebrates.

Acta. Anat., 14: 297-337.

El-Sebae, A.H. (1986):

Genetic toxicology problems and perspectives: A case study and overview of Egyptian environment. Genetic Toxicology of Environmental Chemicals. Part B: Genetic effects and Applied Mutagenesis, : 273-281.

El-Zawahry, S.A. (1984):

Effect of insecticide cyolane on cholinesterase in central nervous system of fishes.

M.Sc. Thesis, Faculty of Science, Zagazig University.

Escoubet, P. and Vicente, N. (1977):

Sublethal effects of lindane on the activity of hepatic glucose 6 phosphatase and on the glycogen rate of the tissue of the scorpion fish scornaena-porcus. Ann. Inst. Michel. Pacha., (8).

Fange, R. and Grove, D. (1979):

Digestion (162-241) in W.S. Hoar, D.J. Randall and J.R. Brett, editors. Fish Physiology, 8, Acad. Press, New York, U.S.A.

Fukuto, T.R.: Bull. W.H.O. 44, 31 (1971):

Cited from Coppage, D.L. and Matthews, E. (1974):
Short-term Effect of organophosphate pesticides on
cholinesterase of Estuarine fishes and pink shrimp.
Bull.of Environ.Contamin. and Toxicol., 11(5): 483-
489.

Gabr, M.E.; Shalaby, A.A. and Nahed, R.H. (1973):

Effect of the insecticides dieldrin on some body
constitunts of the white mouse "Mus musculus".
7th Arab Sc. Conger. Cairo. IV: 155-168.

Georgiev, G.P. (1969):

Histochemes and the control of gene action.
Ann. Rev. Genet., 3: 155.

Grant, B.F. and Mehrile, P.M. (1973):

Endrin toxicosis in rainbow trout (Salmo gairdneri).
J. Fish. Res. Bd. Can., 30: 31-40.

Grosch, D.S. (1975):

Reproduction performance of Bracon hebeter after
sublethal dose of carbaryl.
J. Econ. Entomol., 68: 659-662.

Gysin, H. (1954):

Ubereinige neue Insektizide.
Chimia, 8, 205-11, 221-28.

**Habib,A.M.M.; Ramal, Farid, M.; Nahed, Hashem, M.; Sherif,
Shawky, A.R. Nagwa and Gad, M. Soheir (1981):**

Effect of Diazinon insecticide on the ovarian
structure of rat.
Egypt. J. Histol. 4(1): 29-34.

Ham, A.W. (1969):

Histology, 6th edition, Philadelphia & Montreal J.B. Lippincott, P. 279-891.

Harder, W. (1975):

Anatomy of fishes. E. Schweizerbartsche. Vertagsbuchhandlung (Nagel V.Obermiller), Stuttgart, West Germany

Hayes, W.J. Jr. (1975):

Toxicology of pesticides. The Williams & Wilkins, Baltimore.

Haynes, H.I. (1957):

Carbaryl insecticide. Cited by Boy Ce Thomposon (1957) 18: 507-547.

Heath, D.F. (1961):

Organophosphorus poisons, Anticholinesterases and related compounds. Pergamon Press, New York.

Hickling, C.F. (1963):

Cultivation of Tilapia. Scientific American, 20 (5): 143-152.

Hinton, D.E.; 8xnipes, R.L. and Kendall, M.W. (1972):

Morphology and enzyme histochemistry in the liver of large mouth bass (*Micropterus salmoides*). J. Fish Res. Board, Con., 29: 531-534.

Holmes, 8.B.; Millikin, R.L. and Kingsburg, P.D. (1981):

Env. Can., Can. for. Serv., Inf. Rep. EPM-X-46, 58-69.

Humason, C.; Freeman, W.H. and Company (1978):

Animal tissue techniques.
Fourth edition San Francisco.
Printed in the U.S.A. (1978) September.

Hurwitz, J. and August, T.J. (1963):

The role of DNA in RNA synthesis.

In: Progress in nucleic acid research and molecular biology. Davidson, J.N. and W.E. Cohneds., 1: 59-92, Acd. Press, N.Y. London.

Ito, N.; Nagasaki, H.; Arai, M. et al. (1973):

Histologic and ultrasuctural studies on the hepato-carcinogenicity of benzene hexachloride in mice. J. Natl. Cancer. Inst., 51 : 817-826.

Ivanova-Chemishnska, L.; Milanov, G.; Chemishanski and Dasher, G. (1974):

Attempt of biological dosage of some hypophyseal hormones in white rats after experimental oral administration of Zineb. Environ. Res., 8: 160-165.

Joshi, U.M. and Desai, A.K. (1988):

Biochemical changes in the livers of fish Tilapia mossambica (Peters), during continuous exposure to Monocrotophs. Ecotoxicol. Environm. Saf, 15: 272-276.

Karczmar, A.G.; Nishi, 8. and Blaber, L.C. (1970):

Investigations, particularly by means of anticholinesterase agents, of the multiple peripheral and central cholinergic mechanisms and of their behavioral implications. Acta. Vitaminal. Enzymol., 24: 131-189.

Kendall, M.N. and Hawkins, W.E. (1975):

Hepatic morphology in the channel cat fish Ictalurus punctatus kidney. J. Fish. Res. Board, Can., 31: 436-437.

Rhattab, F.I. (1982):

Cytological and histochemical studies on the intestinal epithelium of irradiated rats.

M.Sc.Thesis, Faculty of Science Ain Shams University.

Rhattab, F.I. and Riad, N. (1980):

Effect of dieldrin and Sevin on the Golgi material and mitochondria of liver cells.

Ain Shams Sci. Bull., 22 (B): 101-120.

Kites, P.A.; Androsen, D.S.; Uyeki, E.M.; Misawa, M. and Wyttenbach, C.R. (1981):

Teratogenic effects of cholinergic insecticides in chick embryos. Biochem. Pharmacol. 30 (16): 2225-2236.

Klaverkamp, J.F. and Hobden, B.R; (1980):

Brain acetylcholinesterase inhibition and hepatic activation of acephate and fenitrothion in rainbow trout (*Salmo gairdneri*). Can. J. Fish. Aquat. Sci., 37: 1450-1453.

Klaverkamp, J.F.; Duangsawasdi, M.; Macdonald, W.A. and Majewski, H.S. (1977):

An evaluation of fenitrothion toxicity in four life stages of rainbow trout, *salmo gairdneri*. In Aquatic toxicology and hazard evaluation. ASTM STP 634, edited by F.L. Mayer and J.L. Hamelink, Am. Soc. for Testing and Materials: 231-240.

Knaak, J.H. (1971):

Bull. World Healthorg.44, Cited by Coppage & Matthews (1975).

Koelle, G.B. (1963):

Cholinesterase and anticholinesterase agents.

In Handbook of Experimental pharmacology.

Vol. 15. Springer Verlag, Berlin/Heidelberg/New York.

Kolaczkowski, 8. (1970):

Zagrozenie srodowiska wodnego pestycydami (Pesticides as a menace for aquatic milieu). Mater. Sesji "Wplyw" pestycydow na wody Powierzchniowe" Krakow 1970, 7-32, Warszawa, Pol. Akad. Nauk, Komitet Ekologiczny.

Kolbezen, M.J.; Metchaif, R.L. and Fukuto, T.R. (1954):

Insecticidal activity of carbamate cholinesterase inhibitions. J. Agri. food Chem., 2: 864-70.

Konig, D. (1964):

Gewasserkundlich biologische Bemerkung Zur Grabenentkrautung mit chemischen Mitteln Wass. Boden, 10: 345-349.

Krasnyuk, E.P.; Makovskaya, E.I.; Rappoport, M.B. and Paramonchik, V.M. (1968):

Changes occurring in the liver when affected by DDT. Gig. Tr. Prof. Zabol., 12 (18): 20-22.

Kristal, J. (1946):

The exocrin pancreatic tissue of seven teleosts.

South African Journal of Medical Sciences, 11: 79-87.

Lagler, F.; Karl, Bardach, E.; John, Miller, R.; Robert and May Passino, R. Dora (1977):

Ichthyology. Second Edition. John Wiley & Sons.

New York. Santa Barbara. London. Sydney. Toronto. P.73.

Lawley, P.D. (1966):

Effects of some chemical mutagens and carcinogens on nucleic acids. In: Progress in nucleic acid research and molecular biology, Davidson, J.N. and W.E. Cohn. eds. 5: 89-156. Academic. Press New York, London.

Lejczak, B. (1977):

Effect of insecticides: Chlorophenvinphos, Carbaryl and proxour on aquatic organisms Pol. Arch. Hydrobiol 24: 583-591.

Lin, T. and Dorough, H.W. (1974):

Influence of insecticide exposure on the in vivo and vitro metabolic activity of rats.

Arch. Environm. and Toxicol., 2: 364-377.

Littau, V.C.; Burdick, C.J.; Allfrey, V.G. and Mirsky, A.B. (1965):

The role of chromatin structure.

Proc. Nat. Acad. Sc., U.S.A., 45: 1204.

Long, K.R. (1971):

Pesticides an occupational hazard on farmers.

Amer. J. Nursing, 71: 740-743.

Lowe, J.I. (1967):

Effects of prolonged exposure to Sevin on an Estuarine fish. *Leiostomus xanthurus*. Lacepede. Bull. Environ. Contam. Toxicol., 2: 147.

Luk'yanchuk, V.D. (1980):

The state of sulfhydryl groups of proteins and low-molecular weight compounds in poisoning of rats by epichlorohydrin or dichlorohydrin and treatment with acetylcysteine.
Zh. Eksp. Klin. Med., 20: 147-151.

Maayani, S.; Egozi, Y.; Pinchasi, L. and Sokolovsky, M. (1978):

On the interaction of drugs with the cholinergic nervous system V. Characterization of some effects induced by physostigmine in mice: In vivo and vitro studies.

Biochem. Pharmacol., 27: 203-211.

Makovskaya, E.I. and Rappoport, M.B. (1966):

The importance of histochemical studies in the toxicological evaluation of insecticides.

Ref. Zh. Otd. Vypusk. Farmakol. Khimioterap. Scedstva Toksikol, 1: 54-915.

Mandal, P.K. and Rulshrestha, A.K. (1980):

Histo-pathological changes induced by the sublethal sumithion in C arias batrachus.

J. Exp. Biol., 18 (5): 547-552.

Manring, A.J. and Moreland, D.E. (1981):

Effects of chlordecone on isolated rat liver mitochondria.

Toxicol. Appl. Pharmacol., 59: 483-488.

Mattar, F.E. (1980):

A modified methyl green pyronin staining method for demonstration of nucleic acids.

Egypt. J. Histol., 3: 73-75.

Mattar, F.E.; Farid, N.M. and Ragab, A.F. (1981):

A histochemical study on the ovaries of rat treated with an insecticide "carbaryl".

Egypt. J. Histol., 4 (1): 87-92.

Mattar, F.E.; Farid, N.M.; El-tounsy, M.N. and Abdel-Wahab, S. (1987):

Histological and quantitative cytochemical study on the possible radioprotective effect of butylated hydroxytoluene on rat testis.

Egypt. J. Histol., 10 (2): 173-177.

Mattar, F.E.; El-Tounsy, M.M.; El-Nahas, S. and Shouman, T.M. (1990):

Cytophotometric and microscopic study of testicular cells of rat treated with 5-fluorouracil.

Egypt. J. Histol., 13 (1): 121-131.

Mattar, F.E.; Elserafy, S.; Zowail, M.E. and Awad, M.H. (1992):

Cytological and cytochemical changes in liver of the Grass carp (Ctenopharyngodon idella) in Sevin polluted water.

Egypt. J. Histol. (in press).

Metchalf, R.L.: Bull. W.H.O. 44, 43 (1971):

Cited by, Coppage, D.L. and Matthews, E. (1974) Short-term Effect of Organophosphate pesticides on cholinestrerase of Estuarine fishes and pink shrimp.

Bull. of Environ. Contamin. & Toxicol., 11(5): 483-489.

Milton, T.S. and Tsokos, J.O. (1983):

Statistical methods in the biological and health sciences. Chapter. 12, P. 381-405 McGraw-Will. International Book Company.

Miyamoto, J. (1971):

Organophosphorous insecticides and the environment.
Botyu-kagaku, 36 (3): 135-158, and in **the** Biological
Abstracts, 1 July: 1972-5658.

**Mizyukova, I.G.; Klimova, L.K.; Kurohatov, G.V. and Kulagin,
O.M. (1970):**

The effect of heptachlor on the function condition
of the liver under experimental conditions.
Sb. Tr Nauch-Issled Inst. Gig.Tr. Profzabol Gruz SSR.
12: 223-226.

**Molchanov, M.I.; Kuteev, F.S.; Moichanova, V.A. and Nikiforov,
V.V. (1980):**

Effect of organophosphate insecticides on hemolymph
proteins in Gypsy moth (Porthetria-Dispar caterpill-
ars). Prikl. Biokhim. Mikrobiol., 16 (5): 741-749.

Mollendroff (1937):

Quoted from Bourne, G.H. 1964.
Cytology and Cell physiology. 3rd edition.
Academic Press, New York.

Morton, C.; Lifrar, E. and Brow, C. (1977):

Studies on the mechanism of inhibition of adrenal
steroidogenesis by organophosphate and carbamate
compounds. Pestic. Biochem. Physiol., 7: 169-182.

**Nadzhimutdinov, K.N.; Kamilov, I.K. and Sh. M. and Sh. M.
Muzrabekov (1974):**

Farmakol Toksikol. 37:533, and in "Chemical Abstract"
82: 8142. Quoted from Barres, S. & A.M. Saliba, 1978.
Toxicity of hexachlorocyclohexane in rats.
Toxicology, 10: 271-279.

Nicolau, G.Y. (1983):

Circadian rhythms of RNA, DNA and protein in the rat thyroid, adrenal and testis in chronic pesticide exposure III. Effects of the insecticides (dichlorvos and trichlorophon).

Physiologie, 20 (2): 93-101.

O'Brien, R.D.: Insecticides. Academic Press. N.Y. (1967):

Cited from Coppage, D.L. and Matthews, E. (1974): Short-term Effect of Organophosphate pesticides on cholinesterase of Estuarine fishes and pink shrimp. Bull. of Environ. Contamin. and Toxicol., 11(5): 483-489.

O'Brien, R.D. and Fisher, R.W. (1958):

The relation between ionization and toxicity to insects for some neuropharmacological compounds.

J. Econ. Entomol., 51: 169-75.

Osman, M.A. and Belal, M.H. (1980):

Persistence of carbaryl in canal water.

J. Environ. Sci. Health, Part B, Pestic. Food Contam Agric. Wastes., 15: 307-311.

Ostroukhova, V.I. (1963):

The effect of inhaling oxygen on the oxidative processes in DDT poisoning. Ref. Zh Otd Vypusk. Farmakol. Toksikol. 7: 54-486.

Ozeranschi, G.G. (1973):

The effect of the carbamate pesticides zineb and thiram on the estrous cycle and reproductive capacity of white rats. Studcercet Endocrinol., 24: 491-501.

Patt, D.I. and Patt, G.R. (1969):

Comparative vertebrate histology.

Harper and Row, New York, New York, U.S.A.

Pearse, A.G. Everson (1968):

Histochemistry, theoretical and applied. Volume 1,
Third edition (1968).

Williams and Wilkins Company, Baltimore.

Penman, S.E.; Goldstein, M.; Reichman and Singer, R. (1973):

The relation of protein synthesis regulation and RNA
metabolism.

Karolinska Symp. Res. Methods Reprod. Endocrinol. 6th
sympos. Protein synthesis in reproductive tissue, E.
Diczfalusy ed. Karolinska Inst. Stockholm.

Pilat, M. (1935a):

Histological researches into the actions of insecti-
cides on the intestinal **tube** of insect. Bull. Ent.
Res., 26: 165-180.

Pilat, M. (1935b):

The effects of intestinal poisoning on the blood of
locusts Locusta migratoria.
Bull. Ent. Res., 26 : 283-292.

Puica, C. and Giurgea, R. (1987):

Histological changes induced by the methyl carbamate
dinitrooctyphenol treatment in the small intestine
and adrenal glands of white rats.

Rev. Roum. Morphol. Embryol. Physiol. Morphol. Embryol.
32 (3): 215-218.

- Quadles, J.M. and Raymond, W.T. (1975):
Effects of nitrosocarbaryl on BAL B3 T3 cells.
Cancer Res., 35: 2637-2645.
- Ramalingam, K. and Ramalingam, K. (1983):
Effects of sublethal levels of DDT, malathion and
mercury on tissue protein of Sarotherodon mossambicus.
Proc. Indian, Acad. Sci. Anim. Sci., 91 (6): 501-506.
- Rabeni, C.F.; **Gibbs, K.E. and Stanley, J.G. (1980):**
Monitoring the effects of spruce Budworm spraying on
aquatic organisms. Maine For Rev., 13: 39-45.
- Rao, K.S.P. and Rao, K.V.R. (1979):
Concentration of methyl .parathion on selected
oxidative enzymes and organic constituents in the
tissues of the fresh water fish, Tilapia mossambica
(peters). Current Science, 48 (12): 526-528.
- Rath, S. and Misra, B.N. (1980):**
Change in nucleic acid and protein content of Tilapia
mossambica exposed to dichlorovos. Indian. J. Fish.,
27 (1-2): 76-81.
- Ray, C.C. and Strother, A. (1974):**
Effects on **drug** metabolism of carbaryl and 1-naphthol
in the mouse. More Sc., 14: 861-872.
- Riad, N.H. (1971):
"Effect of some factors on some cell constituents".
Ph.D.Thesis, Faculty of Science, Ain Shams University.
- Robens, J.F. (1969):
Teratologic studies of carbaryl, diazinon, Norea,
disulfiram and thiram in small laboratory animals.
Toxical Appl. Pharmacol., 15: 152-163.

Rybakova, M.N. (1968):

Effect of some pesticides on the hypophysis and its gonadotrophic functions. Gin. Sanit., 33: 27-31.

Sahib, K.A.; Rao, K.S.P.; Rao, K.R.S.S. and Raok, V.R. (1984):

Sublethal toxicity of malathion on the proteases and free amino acid composition in the liver of the teleost, Tilapia mossambica (Peters). Toxicology Letters, 20: 59-62.

Said-Karimov, S.K. and Khalekov, T.R. (1976):

The state of carbohydrate phosphorous metabolism in myocardium in chronic intoxication with pesticide mixture. G.T.P.Z., 8: 53-55.

Sanchez, E. (1967):

DDT induced metabolic changes in rat liver. Can. J. Biochem., 45: P. 1809.

Sastry, K.V. and Sharma, S.K. (1979):

In vivo effect of endrin on three phosphatase in kidney and liver of the fish Ophiocephalus punctatus. Bull Environ. Contam. Toxicol., 21: 185-189.

Sastry, K.V. and Siddiqui, A.A. (1982):

Chronic toxic effects of the carbamate pesticide sevin on carbohydrate metabolism in a fresh water Snakehead fish Channa punctatus. Toxicol. Lett. (Amst)., 14 (1-2): 123-130.

Sastry, K.V. and Siddiqui, A.A. (1983):

Metabolic changes in the snake and head fish Channa punctatus chronically exposed to endosulfan. Water. Air. Soil pollut., 19 (2): 133-142.

Sastry, K.V. and Siddiqui, A.A. (1985):

Effect of the carbamate pesticide sevin on the intestinal absorption of some nutrients in the teleost fish Channa punctatus. Water. Air Soil Pollut., 24 (3): 247-252.

Saxena, P.A. and Maju, G. (1979):

Effect of insecticidal pollution on ovarian recrudescence in the fresh water teleost. Channa punctatus. Indian J. Exp. Biol., 16: 689-691.

Schlicht, I.W.; Roransky, S.; Magour and R. Schulte-Hermann (1968):

Naunyns chmiedeberg's Arch. Pharmakol. Exp. Pathol. 261: 26, Quoted from, Barros, S. and Saliba, A.M. (1978): Toxicity of hexachlorocyclohexane in rats. Toxicology, 10: 271-279.

Schmitt, D.M.; Grimble, D.G. and Searcy, J.L. (1984):

Eds. "Managing the spruce Budworm in Eastern North America", U.S.D. A. For. Serv. Coop. State Res. Serv. Agric. Hand book, 6: 20-192.

Schrader, G. (1947):

The development of new insecticides. Brit. Intelligence objective sub-comm. Final Rept. No. 714 (1947) (Her Majesty's Stationery Office, London).

Schrader, G. (1961):

Zur kenntnis neuer, wening toxischer Insektizide auf der Basis Von Phosphordureetern. Angew. Chem., 73: 331-34.

Serio, R.; Long, R.A.; Taylor, J.E.; Tolman, R.L.; Weppelman, R.M. and Olson, G. (1984):

The antifertility and antiadrenergic actions of thiocarbamate fungicides in laying hens.

Toxicology and applied Pharmacol., 72_,_ (2): 333-342

Sharaf, A.A.; Temtamy, S.A. and de Hondt, H.A. (1981):

Effect of Aldicarb (Temik) a carbamate insecticide, on chromosomes of the laboratory rat. Egypt. J. Genet. Cytolo., 11: 35-144.

Sheinman, R. and Yannai, S. (1974):

Toxicity of dieldrin to primary culture of rat fetal liver and human kidney cell line. Toxicology and applied pharmacol., 30: 266-274.

Shtenberg, A.I. and Rybakova, M.N. (1968):

Effect of carbaryl on the neuroendocrine system of rats. Food. Cosmet. Toxicol., 6: 461-467.

Simon, R.C.; Dollar, A.M. and Smuckler, E.A. (1967):

Descriptive classification on normal and altered histology of trout liver. J.E. Halver and I.A. Mitchell, eds, Trout hepatoma Res. Conc. Papers. U.S. Fish Wildl. Serv., Res., 70: 18-28.

Smalley, H.E.; Curtis, J.M. and Earl, F.L. (1968):

Teratogenic action of carbaryl in beagle dogs. Toxicol. Appl. Pharm., 13: 392-403.

Smirnova, E.S. and Blagodatin, V.M. (1977):

Mechanism of action of pesticide granosan, Sevin on the reproduction cycle of experimental animals. Soobshch. Akad. Nauk. Gruz. USSR., 48: 219-224.

Stempel, A. and Aeschlimann, J.A. (1956):

Synthetic analogs of physostigmine. In Medicinal Chemistry. 3, Chap. 4, 238-339 (Slick, F.F. and Cox, R.H., Eds., J. Wiley and Sons, Inc., New York, P.346.

Tobias, J.M.; Rollros, J.J. and Savit, J. (1946):

Acetylcholine and related substances in the cockroach, fly and erayfish, and the effect of DD.T. J. Cellular Comp. Physiol., 28: 159-82.

***Tostanovskaya, A.A.; Lapchenko, V.S.; Rodienko, V.E.;**

Svatkov, V.I. and Egorova, G.P. (1958):

Some data on the combined action of a mixture of DDT and chlorophos in acute experiments. Ref. Zh Otd Vypusk Farmakol Khimioterap. Stredstva Toksikol., 2: 54-864, and Gigiena Pitaniya, The hygiene of nutrition. Kiev.: 151-153 (1966).

Thorpe, E. and Walker, A.I. (1973):

The toxicology of dieldrin (HEOD): II-comparative long-term oral toxicity studies in mice with dieldrin, DDT, Phenobarbitone, B-BHC and γ -BHC. Food Cosmet Toxicol., 11 : P. 433.

Uchiyama, M.; Takeda, M.; Suzuki, T. and Yoshikawa, R. (1975):

Mutagenicity of nitroso-derivatives of N. Methyl carbamate insecticides in microbiological method. Bull. Environ. Contamin. Toxicol., 14: 389-400.

Vashakidze, V.I. (1967):

Mechanism of pesticides granosan, Sevin on the reproductive cycle of experimental animals. Soob Shch. Akad. Nauk. Gruz. USSR., 48: 291-224.

Vashakidze, V.I. (1970):

The action of granosan on oogenesis in the white rat. Sbtrnauch. Issbed. Inst. Gigter. Prof z. Abol. Grez. USSR., 12: 245-250.

Vergieva, P.T. and Tchemishanska, L.I. (1973):

Assessment of the teratogenic activity of dithiocarbamate fungicides. Food Cosmet. Toxicol., 11:239-244.

Verma, S.R.; Tyagi, A.K.; Shatnagar, M.C. and Dalela, R.C. (1979):

Organophosphate poisoning to fresh water teleosts channagachua: acetylcholinesterase inhibition. Bull. Envir. Contamn. Toxic., 21: 502-506.

Verma, S.R.; Rani, S.; Tonk, I.P. and Dalela, R.C. (1983):

Pesticide induced dys function in carbohydrate metabolism in 3 fresh water fishes. Environ. Res., 32 (1): 127-133.

Wakakura, M.; Ishikawa, S. and Uga, S. (1978):

Ultrastructural hepatic changes by carbamate pesticide (Sevin) in rats. Environ. Res., 16: 191-204.

Ware, G.W. and Good, E.E. (1969):

Effects of insecticides on reproduction in the laboratory mouse toxicol. Appl. Pharmacol., 14: 201-203.

Webb, F.E. (1978):

In "Proceedings of Canada us. Symps". On spruce Bud-Worm control with Sevin-4-oil, Dec., 6-8 1978, Montreal, Que. "Union Carbide Agric Products" Div., Jacksonville, Fl, 88.

Weil, C.S.; Woodside, M.D.; Carpenter, C.P. and Smyth, H.F. (1972):

Current status of tests of carbaryl for reproductive and teratogenic effect.

Toxicol. Appl. Pharmacol., 391-406.

Weil, C.S.; Woodside, M.D.; Bernard, J.B.; Condra, N.I.; King, J.M. and Carpenter, C.P. (1973):

Comparative effect of carbaryl on rat reproduction and guinea pig teratology when feed either in the diet or by stomach intubation.

Toxicol. Appl. Pharmacol., 26 : 621-638.

Wildish, D.J.; Carson, W.G.; Cunningham, T. and Lister, N.J. (1971):

Toxicological effects of some organophosphate insecticides to Atlantic salamon.

J. Fish. Res. Bd. Can., 1157: 1-22.

Woodhead, A.D. (1977):

Aging changes in the liver of two poecilid fish, the gupp poecilia (Lebistes) reliculata and the Amzon molly P. formasa. Experimental Gerontology, 13: 37-45.

Yahalomi, Z. and Perry, A.S. (1981):

Microsomal mixed function oxidases in fish in relation to environmental contamination chlorine insecticides. Comp. Biochem. Physiol. C. Comp. Pharmacol., 70 (1): 97-102.

Yasuda, M. (1972):

Teratologic evaluation of tsumacide (m-tolyl-N-methyl carbamate) in the rat. Botyu-Kagaku, 37: 161-165.

**Zufarouv, K.A.; Nadzhimutdinov, K.N. and Tashkhodzhaev,
P.I. (1975):**

Arkih. Patol., 37: 49 Quoted from Barros, S. and A.M.
Saliba, 1978: Toxicity of hexachlorocyclohexane in
rats. Toxicol., 10: 271-279.

* Not seen in origin.