

REFERENCES

REFERENCES

- Abdel Karim, A. M.; Soliman, M.M.; El Kazzaz, Y.A. and Abdel Gawad, G.M. (2001): Geological and geochemical characteristics of the mafic-ultramafic rocks of Gabal Garf area, South Eastern Desert, Egypt. 38th annual meeting of the Geological Society of Egypt.
- Abdel Khalek, M. L. and Hafez, A. M. A. (1986): Geology of Wadi Igla area. International Basement Tectonics Association. Publ.5, pp. 125-130.
- Abdel Khalek, M.L.; Takla, M.A.; Sehim, A., Abdel Wahed, M.; Hamimi, Z. and Sakran, Sh. (1999): Tectonic evolution of the shield rocks, east Wadi Beitan area, South Eastern Desert, Egypt. *J. Geol.*, v. 43 (1), pp. 1-15.
- Abdel Khalek, M.L.; Takla, M.A.; Sehim, A., Hamimi, Z. and El Mannawi, A.W. (1992): Geology and tectonic evolution of Wadi Beitan area, South Eastern Desert, Egypt. *Geology of the Arab World*, Cairo Univ., v. 1, pp. 369-394.
- Abdel Salam, M.G. (1994): The Oko Shear Zone : post-accretionary deformation in the Arabian-Nubian Shield. *J. Geol. Soc., London*, v. 151, pp. 767-776.
- Akaad, M.K. (1996): Rock succession of the basement : an autobiography and assessment. The Egyptian Geological Survey, Centennial Conference, Paper No. 71, 87p.

- Akaad, M.K. and El Ramly, M.F. (1961):** Geological history and classification of the basement rocks of the Central Eastern Desert of Egypt. Egypt. Geol. Surv., Cairo, Paper No. 9, 24p.
- Akaad, M. K. and Noweir, A. M. (1969):** Lithostratigraphy of the Hammamat-Um Seleimat District, Eastern Desert, Egypt. *Nature*, v. 233 (5203), pp. 284-285.
- Akaad, M.K. and Noweir, A.M. (1978):** Principal lithostratigraphic units of the Arabian Desert Orogenic Belt between Lat. 25° 35' and 26° 30' N. *Proc. Egypt. Acad. Sc.*, v. 31, pp. 293-309.
- Akaad, M. K. and Noweir, A. M. (1980):** Geology and lithostratigraphy of the Arabian Desert Orogenic Belt of Egypt between lat. 25° 35' and 26° 30'. *Inst. Appl. Geol. Jeddah, Bull.* 4, v. 3, pp. 127-134.
- Akaad, M.K.; Noweir, A.M. and Abu El Ela, A.M. (1995):** Re-emplacement of serpentinites by flowage into non-melange host rocks from the Eastern Desert, Egypt. *Proc. Inter. Confr. 30 years Cooper. Geol. Surv. Egypt*, Spec. Publ. No. 69, pp. 249-262.
- Akaad, M.K. and Abu El Ela, A.M. (2002):** Geology and classification of the basement rocks in the eastern half of the belt between latitudes 25° 30' and 26° 30' N, Central Eastern Desert, Egypt. *Ann. Geol. Surv., Egypt*.
- Alonso, J.L. and Teixell, A. (1992):** Forelimb deformation in some natural examples of fault-propagation folds. In : McClay K.R., (ed.), *Thrust Tectonics (Special Issue)*, Chapman & Hall, London, pp. 175-180.

- Aly, S.M.; Ghoneim, M.F. and Beniamin, N. (1994):** Geology and origin of the Gerf serpentinite, Egypt. Egypt. Mineral., v. 7, pp. 95-108.
- Aly, S.M.; Ghoneim, M.F. and Beniamin, N. (1995):** Petrology of granite at Gabal Um Rasein, South Eastern Desert, Egypt. Ann. Geol. Surv., Egypt, v. XX, pp. 91-105.
- Amin, M.S. (1955):** Some regional features of the Precambrian in the Central Eastern Desert, Egypt. Bull. Inst. Desert Egypt, v. 5, pp 193-208.
- Ball, J. (1912):** Geography and geology of South Eastern Desert of Egypt. Geol. Surv., Egypt, 394p.
- Basta, E.Z. and Takla, M.A. (1974):** Distribution of opaque minerals and the origin of the gabbroic rocks of Egypt. Bull. Fac. Sc., Cairo Univ., v. 47, pp. 347-364.
- Beniamin, N. (1991):** Geology of the district around Gabal Um Rasein, South Eastern Desert, Egypt. M. Sc. Thesis, Tanta Univ., 160 p.
- Berger, P. and Johnson, A.M. (1980):** First-order analysis of deformation of a thrust sheet moving over a ramp. Tectonophysics, v. 70, T9-T24.
- Blasband, B.; White, S.; Brooijmans, P.; De Boorder, H. and Visser, W. (2000):** Late proterozoic extensional collapse in the Arabian Nubian Shield. Jour. Geol. Soci., London, V. 157, pp. 1-14.
- Boyer, S.E. and Elliott, D. (1982):** Thrust systems. Am. Assoc. Petro. Geol. Bull., v. 66: pp. 1196-1230.
- Butler, R.W.H. (1992):** Structural evolution of the Western Chartreuse fold and thrust system, NW French

- Subalpine Chains. In : McClay, K.R. (ed.), Thrust Tectonics, Chapman and Hall, New York, pp. 287-297.
- Cadell, H.M. (1889):** Experimental researches in mountain building. Transactions of Royal Society of Edinburgh, v. 35, pp. 337-357.
- Chester, J.S. and Chester, F.M. (1990):** Fault-propagation folds above thrusts with constant dip. J. Str. Geol., v. 12, pp. 903-910.
- Chester, J.S.; Logan, J.M. and Spang, J.H. (1991):** Influence of layering and boundary conditions on fault-bend and fault-propagation folding. Bull. Geol. Soc., Am., v. 103, pp. 1059-1072.
- Contreras, J. and Suter, M. (1997):** A kinematic model for the formation of duplex systems with a perfectly roof thrust. In : Anastasio, D.J.; Erslev, E.A. and Fisher, D.M. (eds.), Fault-related folding (Special Issue), J. Str. Geol., v. 19, Nos. 3-4, pp. 269-278.
- Couzens, B.A. and Dunne, W.M. (1994):** Displacement transfer at thrust terminations : the Saltville thrust and Sinking Creek anticline, Virginia, U.S.A. J. Str. Geol., v. 16, pp. 781-793.
- Dahlen, F.A.; Suppe, J. and Davis, D.M. (1984):** Mechanics of fold and thrust belts and accretionary wedges; cohesive coulomb theory. J. Geophy. Res., v.89, pp.10087-1010.
- Davis, D.; Suppe, J. and Dahlen, F.A. (1983):** Mechanics of fold and thrust belts and accretionary wedges. J. Geoph. Res., v. 88, pp. 1153-1172.
- De Wall, H.; Greiling, R.O. and Sadek, M.F. (2001):** Post-collisional shortening in the Late Pan-African

Hamizana High Strain Zone, SE Egypt : Field and magnetic fabric evidence. *Precambr. Res.*, v. 107, pp. 179-194.

Dixon, T.H. (1981): Age and chemical characteristics of some pre-Pan-African rocks in the Egyptian Shield. *Precambr. Res.*, v. 14, pp. 119-133.

Dixon, J.M. and Liu, S. (1992): Centrifuge modelling of the propagation of thrust. In: McClay, K.R (ed.), *Thrust tectonics (Special Issue)*, Chapman & Hall, London, pp. 53-69.

EGSMA (1990): Berenice Quadrangle map, scale 1 : 250, 000.

EGSMA/BGS (1992a): Al-Qusayr map, scale 1 : 250, 000.

EGSMA/BGS (1992b): Barramiya map, scale 1 : 250, 000.

EGSMA (2002): Geologic map of Marsa Shaab Quadrangle, Egypt, scale 1 : 250, 000.

El Amawy, M.A. (1991): Structural and tectonic development of Wadi Beitan-Wadi Rahaba area, South Eastern Desert, Scientific Jour. Faculty of Science, Menoufia University, v.5, pp. 293-334.

El Amawy, M.A. (1999): Geology and structural evolution of Um Radam tectonic window and environs, South Eastern Desert, Egypt. *Egypt. Jour. Geol.*, v. 43 (1) , pp. 181-196.

El Amawy, M. A. (2001): Structural analysis and tectonic implication with some inferences on the metamorphism and deformation interrelationship in the basement rocks of the westernmost part of Wadi Allaqi, South Eastern Desert, Egypt. *Egypt. J. Geol.*, v. 45 (2):