

REFERENCES

- Abdel Khalek, M. L.; Takla, M. A.; Sehim, A., Abdel Wahed, M., Hamimi, Z. and Sakran, Sh., 1999, Tectonic evolution of the shield rocks, east Wadi Beitan area, south eastern Desert Egypt. *Egypt. J. Geol.*, V. 43 (1), pp. 1-15.
- Abdel Khalek, M. L.; Takla, M. A.; Sehim, A.; Hamimi, Z. and El Manawi, A. W. 1992, Geology and tectonic evolution of Wadi Beitan area, SE Desert, Egypt. In Sadek, A. (ed.) *The first International conference on geology of the Arab World Cairo*, pp. 369-394.
- Abu Zeid, M., 1995, Relation between surface and subsurface uranium mineralization and structural features, Gabal Qattar, north Eastern Desert, Egypt. M.Sc. Thesis, Faculty of Science, AM Shams Univ., 208p.
- Agar, R. A., 1986, Structural geology of felsic plutonic rocks in the Arabian Shield; styles, modes and levels of emplacement: *J. Afri. Earth Sci.* Vol. 4, pp 105 -121.
- Akaad, M. K., 1996, Rock succession of the basement: an autobiography and assessment. *Geol. Surv. Egypt.* 87 p.
- Akaad, M. K., and El Ramly, M. F., 1960, geological history and classification of the basement rocks of Central Eastern Deseit of Egypt. *Geol. Surv. Egypt*, Paper No. 9, 24 pp.
- Akaad, M. K. and Noweir, A. M., 1969, Lithostratigraphy of the Hammamat-Um Seleimat district. Eastern Desert. *Nature*, V. 223, pp. 284-285.

- Akaad, M. K. and Noweir, A. M., 1980, Geology and lithostratigraphy of the Arabian Desert orogenic belt of Egypt between Lat. 25° 35' and 26° 30' N — Bull.Inst.applied Geol., King Abdul Aziz Univ., Jeddah, V.3,4, pp. 127-135.
- Al Shanti, A. M. and Gass, I. G., 1983, The upper Proterozoic ophiolite melange zones of the eastern most Arabian Shield, J. Geol. Soc., London, vol. 140, pp 867-876..
- Al Shanti, A. M. and Mitchell, A. H., 1976, Late Precambrian subduction and collision in the Al Amer-Idsas region, Arabian Shield, Kingdom of Saudi Arabia, Tectonophysics, vol. 30, pp. T41-T47.
- Aswathanarayana, U., 1985, Principles of nuclear geology. Published by Oxonian Press, Pvt. Ltd., India, 397p.
- Attawiya, M. Y., 1987, Mineral identification in some U-occurrences. Internal report, NMA, Cairo, Egypt.
- Attawiya, M. Y., 1990, Petrochemical and chemical studies 1 on granitic focks from G. Gattar area, E. D. Egypt. Arab J., Nucl., Sci., and Appli., Cairo, Egypt, V. 22, pp. 13-30.
- Bakor, A. R.; Gass, I. G. and Neary, C. R., 1976, Jabal al Wask northwest Saudi Arabia: an Eocambrian back-arc ophiolite, Earth planet. Sci. Letters, V. 30, pp. 1-9.
- Balk, R., 1937, Structural behavior of •igneous rocks, Geol. Soc, Amer., Memoir 5, 177 pp.
- Bentor, Y. K., 1985, The crustal evolution of the Arabo-Nubian Massif, with special reference to Sinai Peninsula. Prcambr. Res., V. 28, pp, 1-74.

- Billings, M. P., 1975,** Structural geology, third edition: Englewood cliffs, Prentice-Hall of India Private Limited, New Delhi, 606 p.
- Blasband, B.; White, S.; Brooij mans, H.; De boorder, H. and Visser, W. 2000,** Late Proterozoic extensional collapse in the Arabian Nubian Shield: J. Geol. Soc., London, V. 157, pp. 615-628.
- Buddington, A. F. 1959,** Granite emplacement with special reference to North America. Bull. Geol. Soc. Amer. V. 70, pp 481-495.
- Camp, V. E., 1984,** Island arcs and their role in the evolution of the Western Arabian Shield. Bull, Geol. Soc., Amer., vol. 95, pp 913-921.
- Church, W. R., 1980,** Late Proterozoic ophiolites. Orogenic mafic and Ultramafic association. Colloques internationaux du centre national de la recherche Scientifique, V. 272, pp. 105-118.
- Dabbour, G. A., 1990,** Minerals identification in a U-occurrence in G. Gattar. Internal report, NMA, Cairo, Egypt, 1p.
- Dardir, A. A. and Abu-Zeid, K. M., 1972,** Geology of the beseinent rocks between Lat. 27o 00' and 27o 30' N. Eastern Desert: Ann. **Geol. Surv.** Egypt. VII. pp. 129-159.
- Darnely, A. G., 1982,** "Hot granite"; some general remarks; in uranium in Granites, ed. Y.T. Maurice; Geol. Surv. Canada, V. 81(23), pp. 1-10.
- Delfour, J. 1981,** Geologic, toctonic and metallogenic evolution of the Northern part of the Arabian Shield. Bull. Bureau des Recharches Geologiques et Minieres, vol. 11, pp. 1-19.
- De ROSIERE, 1813,** Description mineraligique de La Vallee de Qoceyr-Description de l' Egypt. Histoire Naturelle, II: pp. 83-98.

- De Wall, H., Greiling, R. O. and Sadek, M. F., 2001, Post-collisional shortening in Late Pan-African Hamisana high strain zone, SE Egypt: field and magnetic fabric evidence. *Precam. Res.*, V. 107, pp. 179-194.
- Donath, F. A. and Parker, R. B., 1964, folds and folding. *Geol. Soc. Am. Bull.*, V. 75, pp.45-62.
- Ehlers, E. G. and Blatt H., 1982, "Petrology"; Igneous, Sedimentary, and Metamorphic. By W. Freeman and Company, USA, 729p.
- El Gaby, S.; El Nady, O. M. and Khudeir, A. A., 1984, Tectonic evolution of the basement complex in the Central Eastern Desert of Egypt. *Geol. Rdsch*, V. 73, pp. 1019-1036.
- El Gaby, S.; List, F. K. and Taharani, R., 1988, Geology, evolution and metallogenesis of the Pan-African belt in Egypt, In El Gaby, S. and Greiling, R.O. (Eds.); *The Pan-African belt of Northeast Africa and adjacent areas. Tectonic evolution and economic aspects of the Late Proterozoic orogen*. Fried. Niewing and Sohn, Braunschweig, Viesbaden, pp. 17-68.
- El Gaby, S., List, F. K., Tehrani, R., and Salahchourian, M. H., 1996, Ancient fracture systems and Red Sea tectonics, Third International Conference Geology of the Arab World, Cairo University, pp. 143-160.
- El Kammar A. M., Salman A.E., Shalaby M. H. and Mandy A. I., 2001, Geochemical and genetical constraints on rare metals mineralization at the Central Eastern Desert of Egypt. *J. Geoch.*, V. 35, pp.
- El Kholy, D. M., 1996, Desilicification and radioactivity in the northern part of Gabal Qattar, Eastern Desert, Egypt. *Geol. Arab World*, Cairo Univ., Egypt, pp. 565-474.

- El Kholy, D. M.; Ammar, F. A. and El Galy, M. M. 1998,** Geology, geochemistry and radioactivity of some granitoid rocks, Northwest Hurghada area, Eastern Desert, Egypt. *Al-Azhar Bull. Sci.* V. 9, No. 2, pp. 289-313.
- El Rakaiby, M. L. and Shalaby, M. H., 1988,** Geology of G. Gattar batholith, Central Eastern Desert, Egypt. *Int. J. of remote Sensing*, V. 13 (12), pp. 2337-2347.
- El-Ramly, M. F., 1972,** A new geological map for the basement rocks in the Eastern Desert of Egypt; scale 1:1000,000. *Ann. Geol. Surv. Egypt*, V. 2, pp. 1-18.
- El-Ramly, M. F., and Akaad, M. K., 1960,** The basement complex in the Central Eastern Desert of Egypt. *Geol. Surv. Egypt*, Paper No. 8.
- El-Ramly, M. F., Bundanov, V. I. and Hassein A. A., 1971,** The alkaline rocks of south Eastern Desert, *Geol. Surv. Egypt*, Paper 53, Illp.
- El Shatoury, H. M., Mostafa, E. M. and Nasser, F. S., 1984,** Granites and granitoid rocks in Egypt, A statistical approach of classification. *Chem. Erde*, V. 43, pp. 229-246.
- El Shazly, E. M., 1964,** On the classification of the Precambrian and other rocks of magmatic affiliation in Egypt. 22nd Intern. Geol. Congr. India.
- El Shazly, E. M., 1970,** Evolution of granitic rocks in relation to major tectonic. *The West Commemoration Volume*, University of Sagar, India.
- El Shazly, E. M., 1977,** The geology of the Egyptian region. In: A. E. M. Nairn, W. H. Kanes & F. G. Stehli (eds), *The ocean basins and margins*. Plenum press, V. 4(A), pp. 379-444.

- El Sirafy, A. M. and Rabic, S. **1.**, **1989**, contribution of aeromagnetism to structural mapping of Cabal Qattar area, North Eastern Desert, Egypt. J. Afri. Ear. Sci., V.10 (3), pp.
- Engel, A. E. J.; Dixon, T. H. and Stern, R. J., 1980, Late Precambrian evolution of Afro-Arabia crust from ocean-arc to craton. Bull. Geol. Soc. Am., V. 91, pp, 699-706.
- Fowler, T., 2000**, Shear zones: Short course in structural mapping and interpretation. Egypt. Geol. Surv. (Unpublished).
- Frisch, W. and Al Shanti, A., 1977**, Ophiolite belts and the collision of island arcs in the Arabian Shield. Tectonophysics, V. 43, pp. 293-306.
- Garson, M. S. and Shalaby, I. NI., 1976**, Precambrian lower Paleozoic plate tectonics and metallogenesis in the Red Sea region. Spec. Pap. Geol. Ass. Can., V. 14, pp. 573-596.
- Gass, I. G., 1977**, The evolution of the Pan-African crystalline basement in NE Africa and Arabia. J. Geol. Soc. London, V. 134, pp. 129-138.
- Gass, I. G., 1979**, Evolutionary model for the Pan-African crystalline basement. Inst. Appl. Geol. Bull., King Abdulaziz Univ., Jaddah, V. 3(1), pp. 11-20.
- Gass, I. G., 1981**, Pan-African (Upper Proterozoic) plate tectonics of the Arabian-Nubian Shield. In Kroner, A. (Ed.). Precambrian plate tectonic, 387-405, Elsevier, Amsterdam. Oxford, New York, pp. 388-495.
- Ghanem, M., 1968**, The geology of Wadi Karim area, Eastern Desert, • Egypt, U.A.R. Ph.D., Thesis, Cairo Univ.

- Ghobrial, M. G., and Lotfi, M., 1967,** The geology of Gebel Gattar and Gebel Dokhan areas, Eastern Desert, Geol. Surv. Egypt, Paper No t 46, 26 p.
- Gilluly, I., 1963,** The tectonic evolution of the United States. Q.J. Geol. Soc. London, V. 119, pp.
- Greenberg, J. K., 1981,** Characteristics and origin of Egyptian younger granites. Geol. Soc, American Bull., part II, V. 92, pp 749-840.
- Greenwood, W. R.; Hadley, D. G.; Anderson, R. E.; Fleck, R. J. and Schmidt, D. L., 1976,** Late Proterozoic cratonization in SW Saudi Arabia. Transactions of the Royal Society of London, V. 280A, pp. 517-527.
- Greiling, R. O., 1987,** Directions of Pan-African thrusting in the Eastern Desert of Egypt derived from lineations and strain data. In: Matheis and Schandelmeier (eds.) Current Research in African Earth Sciences.
- Greiling R. O.; Abdeen, M. M.; Dardir, A. A.; El Akhal, H.; el Ramly, M. F.; Kamal El Din, G.; Osman, A. F.; Rashwan, A. A.; Rice, A. H. N. and Sadek, M. F., 1994,** A structural synthesis of the proterozoic Arabian-Nubian Shield in Egypt. Geologische Rundschau, V. 83, pp. 484-501.
- Greiling, R. O.; De Well, H., Warr, L. N.; Nain, G. M.; Hussein, A. A.; Sadek, M. F.; Abdeen, M. M; el Kady, M. E and Maldilouf F., 1996,** Basement structures in Eastern Desert Egypt: Quantitative perspectives for the second century. Proc. Geol. Surv. Egypt. Cenn. Conf., pp. 289-303.
- Grothaus, B., Eppler, D., and Ehrlich, R., 1979,** Depositional environment and structural implications of the Hammamat Formation, Egypt, Ann, Geol. Surv. Egypt, V.9 pp. 564-590.

- Habib, M .S., Ahmed, A. A. and El Nady, O. M., 1985, Two orogenies on the Meatiq area of Central Eastern Desert, Egypt. *Precam Res.*, V. 30, pp. 83-111.
- Hamimi, Z., 1999, Kinematics of some major shear zones in the Eastern Desert of Egypt. *Egypt, J. Geol.*, V. 43(1), pp. 53-71.
- Hamimi, Z., 2000a, Thrust duplex system in Urf Urn Araka area, South Eastern Desert, Egypt; Geometry, deformation and kinematics. *Egypt. J. Geol.*, V. 44(2), pp. 19-29.
- Hamimi, Z., 2000b, Quantitative strain analyses of some Late-tectonic Hammamat sediments, Eastern Desert, Egypt, *Egypt, J. Geol.*, V. 44(2), pp. 85-107.
- Hamimi, Z. and El Kazzaz, Y. A., 1999, Structure and metamorphism of Rowd El Bil area, South Eastern Desert, Egypt. *J. Geol.*, V. 43 (1), pp. 297-310.
- Hanthni, Z. and El Kazzaz, Y. A., 2000, Fold geometry and folding mechanism in Um ICrush IClippe, South Eastern Desert, Egypt. In: Youssef, S. A. (ed.), 5th Intern. Conf. Geol. Arab World, Cairo, pp. 604-618.
- Hamimi, Z. and El Kazzaz, Y. A., 2002, Geometry and mechanical relationship of thrust related folding: A physical model and an example form Um Shilman fold-thrust belt, south Eastern Desert. *Ann, Geol. Surv. Egypt* (in press).
- Hanafy, M. H. and Abdel-Kader, M. M., 1998, Provenance, tectonic setting and geochemistry of greywackes and siltstones of the Late Precambrian Hammamat group, *Egypt Sedim. Geol.*, V. 116, pp. 227-250.

- Haiidy, M. H., 1995, Physical and mechanical properties of Gabel Qattar granitic pluton and the relation to joint-type U-mineralization. M. Sc. Thesis, Cairo Univ., Egypt. 172p.
- Hashad, A. H., 1980, Present status of geochronological data on the Egyptian basement complex. Inst. App. Geol. (Jaddah), Bull. 4, pp. 31-46.
- Hatcher, R. D. 1990, Structural geology, principals, concepts and problems. Merrill Publishing Co., Toronto, London, 531p.
- Hepworth, J. V., 1979, Does the Mozambique orogenic belt continue into Saudia Arabia In: Al Shand, A. (ed.), Evolution and mineralization of the Arabian-Nubian Shield, volume. 1.: Bulletin of Institute of Applied Geology, Oxford, V. 3, pp. 39-52.
- Hills, E. S. 1972, Element of structural geology. Second edition, Published by Chaman and Hall, New York, London, 502p.
- Hobbs, B.E., Means, W. D. and Williams, P. F., 1979, An outline of structural geology, John Wiley & Sons, Inc. New York, London, Sydney, Toronto, 571p.
- Hume, W. F., 1934, Geology of Egypt. II, Part I, The metamorphic rocks. Survey of Egypt, Cairo.
- Hume, W. F., 1935, Geology of Egypt. II, Part II, The latter plutonic and minor intrusive rocks. Survey of Egypt, Cairo.
- Ibrahim, M. M., 1941, The igneous activities, Privately printed, al Etemad Press, Cairo, 30p.
- Jenkins, R. S., 1931, Mining report No. 13., Molybdenite mining syndicate, Wadi Qattar; Mines Dept. int, Report Cairo.

- Kemp, J.; Pedamn, C. and J. V., 1982, Cycles in the geologic evolution of Precambrian Shield in part of northwest Sandia Arabia-Saudi Arabian Deputy Ministry for mineral resources Professional paper, pp. 24-27.
- Kennedy, W.O., 1964, The structural differntiation of Africa in Pan-African (500 Ma) tectonic episode, 8th Ann. Rep. Res. Inst. Afr. Geol., Univ. Leeds, pp. 48-49.
- Khalaf, M. A., 1995, Petrological and mineralogical characteristics of some uranium bearing younger granites, North Eastern Desert, Egypt. M.Sc. Thesis, Cairo Univ., 78p.
- Kroner, A., 1980, Pan-African crystal evolution, Episodes, V. 2, pp. 3-8.
- Kroner, A., 1983, Evolution of tectonic boundaries in the Late Proterozoic Arabian-Nubian Shield of NE Africa and Arabia, Abstracts, International Symposium of Precambrian crustal evolution. Beijing, China, pp. 24-25.
- Kroner, A., 1984, Late Precambrian plate tectonic and orogeny: a need to redefine the term Pan-African. In: Kerlcx, J. and Michot, J. (Eds.). *Geologie Africaine — African geology* 23-28, Tervuren.
- Kroner, A. 1985, Ophiolites and the evolution of tectonic boundaries in the Late Proterozoic Arabian-Nubian Shield of NE Africa and Arabia,' *Precam. Res.*, V. 27, pp. 277-300.
- Mandy, M. A., 1998, Petrological and geochemical studies on the younger granites and Hammamat sedments at Gattar-5 uranium occurrence, Wadi Balih, North' Eastern Desert, Egypt. M. Sc. Thesis, AM Shams Univ., Egypt.

- Mandy, M. A., Salman, A. B. and Mahmoud, A. H., 1990, Leaching studies on the uraniferous Hammamat ediments, W. Bali, N.E.D., Egypt, 14th Conf. Mining and Metallurgy, Edinburgh, Scotland. pp. 229-235.
- Meshref, W. M., Abdel Baki, S. H., Abdel Flady, H. M. and Soliman, S. A., 1980, Magnetic trend analysis in northern part of the Arabian-Nubian Shield and its tectonic implications. Ann. Geol. Surv. Egypt, V. X, pp. 939-953.
- Moody, J. D. and Hill, M. J., 1964, Wrench-fault re6tonics, Geol. Soc. Am. Bull., V. 67, pp. 1207-1264.
- Mussa, M. A., and Abu El Leil, I. 1983, structural analysis as a guide to mineralization trends in the North Eastern Desert of Egypt, Ann Geol. Surv., Egypt, V. XIII, pp. 271-276.
- Park, R. G., 1989, Foundation of structural geology, Chapman&Hall, New York.
- Pettijohn, F. J., Potter, P. E. and Silver, R., 1973, Sand and sandstone. 2nd ed. Springer-Verlag, New Youk, 618p.
- Rasmy, A., 1969, Report of petrographic and mineralogic study of twenty samples from Gabal Gattar, Int. Rep. Geol. Surv, Egypt, 14p.
- Ries, A. C.; Shackleton, R. M.; Graham, R. H. and Fitches, W. R., 1983, Pan-African structures, ophiolites and melanges in E. D. of Egypt, a traverse at 26o N. J. Geol. Soc., London, V. 140, pp. 75-95.
- Roz, M. E., 1994, Geology and uranium mineralization of G. Gattar area, NED, Egypt. M.Sc Thesis, Al-Azhar Univ., 175p.

- Sabet, A. H., 1961, Geology and mineral deposits of Gebel El Sibai area, Red Sea hills, Egypt. U.A.R. Ph. D. thesis, Leiden State Univ., The Netherlands.
- Sabet, A. H., 1962, An example of photo interpretation of crystalline rocks. ITC Publ., B, 14/15: 34pp, Delft.
- Sabet A. It, 1972, On the stratigraphy of the basement rocks of Egypt. Ann. Geol. Surv. Egypt, 2, 79-101.
- Salman, A. B., 1994, Potential U-provinces in some Arabian countries. Arab Conf, IAEA, 2nd Conf. of Paciful Uses of Atomic Energy, Cairo, Egypt, 22p.
- Salman A. B., Ali, M. M. and Shalaby, M. H., and Nossair, L. M. 1990, Stream Sediments survey in G. Gattar — G. Umm Dissi granites, N.E.D., Egypt. Internal report, NMA, Cairo, Egypt, 16 p.
- Salman, A. B., El Aassy, I. E. and Shalaby, M. H., 1986, New occurrence of uranium mineralization in Gabal Qattar, Northern Eastern Desert, Egypt. Ann. Geol. Sur., Egypt, V. XVI, pp. 31-34.
- Salman, A. B., Shalaby, M. H., Nossair, L. M., 1994, G. Gattar U-prospect, an obvious model of intragranitic U-mineralization, Arab Conf., IAEA, 2nd conf. Of Peaceful Uses of Atomic Energy, Cairo, Egypt, 11p.
- Sayyah, T. A. and Attawiya, M. Y., 1989, Contribution to the mineralogy of U-occurrence of G. Gattar, E.D., Egypt. Arab J. Nucl. Sci., Appli., Cairo, Egypt, V. 23 (1), pp. 171-184.

- Schmidt, D. L.; Hadley, D. G. and Stoesser, D. B., 1979, Late Proterozoic crustal history of the Arabian Shield, Southern Najd province, Kingdom of Saudi Arabia. In: Al Shanti, A, (ed.), Evolution and mineralization of the Arabian Nubian Shield. Bull. Inst Appl. Geol., King Abdulazziz Univ, Jaddah, V. 3, pp. 41-58.
- Shacldeton, R. M.; Ries, A. C.; Graham, R. H. and Fitches, W. R., 1980, Late Precambrian ophiolitic melange in the E.D. of Egypt, Nature, London, V.. 285, pp. 472-474.
- Shalaby, M. H., 1990, Uranium mineralization in Northern Gabel Qattar • locality, Northern Eastern Desert, Egypt. 7th Conf. Phanerozoic and Develop., El Azhar Univ., Cairo (Abstract).
- Shalaby, M. H., 1995, New occurrence of uranium mineralization, G-VII, Gabal Gattar uranium prospect, north Eastern Desert, Egypt. Bull. Faculty of Science, Alex. Univ., V.35 (2), pp. 447-460.
- Shalaby, M. H., 1996, Structural controls of uranium mineralization at Gabal Qattar, north Eastern Desert, Egypt. Proc. Egypt. Acad. Sci., V. 46, pp 512-536.
- Shurmann, H. M., 1966, The Precambrian along the Gulf of Suze and the northern part of the Red Sea. E. J. Brill, Leiden, Netherlands, 404p.
- Stern, R. J., 1981, Petrogenesis and toctonic setting of Late Precambrian ensimatic volcanic rocks, Central Eastern Desert of Egypt. Precam. Res., V. 16, pp. 197-232.
- Stern,- R. J., 1993, Tectonic evolution of the Late Proterozoic East African Orogen: constraints from crustal evolution in the Arabian —Nubian Shield and the Mozambique Belt, In: U. Thorweihe and H. Schandelmeier (Eds.). geoscientific research in Northeast Africa, pp. 73-74.

- Stern, R. J. and Hedge, C. E., 1985, Geochronologic and isotopic constraints on Late Precambrian crustal evolution in the Eastern Desert of Egypt. *Ann J Sci.*, Vol. 285 pp. 97-127.
- Stern, R. J.; Sellers, G. and Gottfried, D. 1988, Bimodal dike swarms in the Eastern Desert of Egypt. In: *The Pan African belt of northeast Africa and adjacent areas*, S. El-Gaby and R. O. Greiling, (eds.) Braunschweig (Vieweg), p. 147-179.
- Stoeser, D. B. and Camp, V. E., 1985, Pan-African microplate accretion of the Arabian Shield: *Bull. Geol. Soc. Amr.*, V. 96, pp. 817-826.
- Stoeser, D. B.; Stacey, J. S.; Greenwood, W. R. and fischer, L. b., 1984, U/Pb zircon geochronology of the southern portion of the Nabitah mobile belt and Pan-African continental collision in the Saudia Arabia shield. *US Geol. Surv., Technical Record USGS-TR-04-05*.
- Streckeisnen, A. L., 1976, To each plutonic rocks its proper name, *Earth, Sci, Review*, 12, 1-33, Elsevier Scientific Publ., Amesterdarn.
- Tuttle, O.F., and Bown, N.L., 1958, Origin of granites in the light of experimental studies in the system $\text{NaAlSi}_3\text{O}_8\text{-SiO}_2\text{-H}_2\text{O}$. *Geol. Soc. Amer. Memoir* 47:135.
- Tucker M. E., 1984, *Sedimentary petrology, an introduction*. Whitefriars Press Ltd. London, pp. 21-45.
- Unger, M., 1998, Application of salt tectonics to the understanding of granite emplacement. Internet address: http://ten'a.rice.edu/department/students/munger/images/pdf/salty_granite.pdf.
- Unrug, R., 1997, Rodinia to gondwapa: the geodynamic map of Gondwana supercontinet assembly. *GSA Today.*, V. 7, pp. 1-6.

- Vail, J. R., 1983, Pan-African crustal accretion in NE Africa. *J. Afri. Earth Sci.*, V. 1, pp. 285-294.
- Wallbrecher, E.; Fritz, H.; Khudeir, A. A. and Abu El Ela, F. F., 1993, Kinematics of Pan-African thrusting and extension in Egypt: In: U. Throrweihe and H. Schandelmeier (eds.) *geoscientific research in Northeast Africa*, Balkema, Rotterdam, pp. 27-30.
- Willis, .K. M., Stern, R. J. and Clauer, N., 1988, Age and geochemistry of late Precambrian sediments of Hammamat series from the north of Eastern Desert of Egypt, *Precam. Res.*, V. 42, pp. 273-287.
- Youssef, M. I., 1968, Structural pattern of Egypt and its interpretation, *U.A.R. Amer. Assoc. Petro. Geol. Bull.*, V.52 No.4, pp.601-614.