

REFERENCES

- Adair, R. (2002):**
Vibrational resonances in biological systems at microwave frequencies. *Biophys. J.*, 82: 1147-1152.
- Agarwal, K.C. (1996):**
Therapeutic Action of Garlic Constituents. *Med. Res. Rev.*, 16: 111-124.
- Ahuja, Y.R.; Bhargava, A.; Sircar, S.; Rizwani, W.; Lima, S. and Devadas, A.H. (1997):**
Comet assay to evaluate DNA damage caused by magnetic fields. In: *Proceedings of the International Conference on Electromagnetic Interference and Compatibility*, 3-5 December 1997, Hyderabad, India. Washington, DC: Institute of Electrical and Electronics Engineers, 273-276.
- Ahuja, Y.R.; Vijayashree, B.; Saran, R.; Jayashri, E.L.; Manoranjani, J.K. and Bhargava, S.C. (1999):**
In vitro effects of low-level, low-frequency electromagnetic fields on DNA damage in human leucocytes by comet assay. *Indian J. Biochem. Biophys.*, 36: 318-322.
- Alam, M.T.; Barthakur, N.; Lambert, N.G. and Kastiya, S.S. (1978):**
Cytological effects of microwave radiation in Chinese hamster cells in vitro. *Can. J. Genet. Cyto.*, 20: 23-30.
- Alberts, B.; Bray, D.; Lewis, J.; Raff, M.; Roberts, k. and Watson, J.D. (1994):**
Molecular Biology of the cell. 3rd edition, New York, Garland Publishing.
- Ardito, G.; Lamberti, L.; Bigatti, P. and Prono, G. (1984):**
Influence of a constant magnetic field on human lymphocyte cultures. *Boll. Soc. It. Biol. Sper.*, 60: 1341-1346.
- Aves, C.J. (1980):**
Genetics. Chapter 11, pp. 417-418. Van Nostrand and Company, New York.

Ayala, F.J. and Kiger, J.A. (1984):

Modern Genetics. 2nd Edition, the Benjamin / Cummings, London.
Chapter 21, pp. 688-729.

Balasenthil, S.; Arivazhagan, S. and Nagini, S. (2000):

Garlic enhances circulatory antioxidant during 7, 12 Dimethylbenz [a] anthracene-induced Hamster buccal pouch carcinogenesis. J. Ethopharmacol, 72: 429-433.

Ballarini, F. and Ottolenghi, A. (2003):

Chromosome aberrations as biomarkers of radiation exposure: modelling basic mechanisms. Adv. Space Res., 31(6): 1557-1568.

Banerjee, R.; Goldfeder, A. and Mitra, J. (1983):

Sister chromatid exchanges and chromosome aberrations induced by radiosensitizing agents in bone marrow cells of treated tumor-bearing mice. J. Natl. Cancer Inst., 70(3): 517-521.

Baranski, S. and Czerski, P. (1976):

Biological effects of microwaves, Dowen, Hutchinson and Ross, New York.

Bauchinger, M.; Hauf, R.; Schmid, E. and Dresp, J. (1981):

Analysis of structural chromosome changes and SCE after occupational long-term exposure to electric and magnetic fields from KV- systems, Radiat. Environ. Biophys., 19: 235-238.

Blackman, C.F. (1990):

"ELF effects on calcium homeostasis". In "Extremely low frequency electromagnetic fields: The question of cancer", BW Wilson, RG Stevens, LE Anderson Eds, Publ. Battelle Press Columbus: 187-208.

Blank, M. and Goodman, R. (1997):

Do electromagnetic fields interact directly with DNA? Bioelectr., 18: 111-115.

Blettner, M. and Berg, G. (2000):

Are mobile phones harmful? Acta. Oncol., 39(8): 927-930.

Block, E. (1985):

The chemistry of Garlic and Onions. Sci. Amer., 252: 114-119.

Cohen, M.M.; Kunska, A.; Astemborski, J.A.; McCulloch, D. and Paskewitz, D.A. (1986b):

The effect of low level 60-Hz electromagnetic fields on human lymphoid cells: II. Sister-chromatid exchanges in peripheral lymphocytes and lymphblastoid cell lines. *Mutat. Res.*, 172: 177-184.

Cooke, P. and Morris, P.G. (1981):

The effects of NMR exposure on living organisms, II. A genetic study of human lymphocytes. *Br. J. Radiol.*, 45: 622- 625.

Creagh, E.M.; Sheehan, D. and Cotter, T.G. (2000):

Heat shock proteins -- modulators of apoptosis in tumor cells. *Leukemia*, 14: 1161-1173.

Creighton, T.E. (1997):

How important is the molten globule for correct protein folding? *Trends Biochem. Sci.*, 22: 6-10.

D'Ambrosio, G.; Massa, R.; Di Berardino, D.; Lioi, M.B.; Scaglione, A. and Scarfi, M.R. (1988):

Chromosomal aberrations in Bovine lymphocytes exposed to 50-Hz electric currents. *J. Bioelectr.*, 7(2): 239-245.

D'Ambrosio, G.; Scaglione, A.; Dibernardino, D.; Lioi, M.B.; Lannuzzi, L; Mostacciuolo, E. and Scarfi, M.R. (1985):

Chromosomal aberrations induced by ELF electric fields. *J. Bioelectr.*, 4: 279-284.

Daniells, C.; Duce, I.; Thomas, D.; Sewell, P.; Tattersall, J. and dePomerai, D. (1998):

Transgenic nematodes as biomonitors of microwave-induced stress. *Mutat. Res.*, 399: 55-64.

Das, S. (2002):

Garlic - A Natural Source of Cancer Preventive Compounds. *Asian Pac. J. Cancer Prev.*, 3(4): 305-311.

Das, T., Choudhury, A.R.; Sharma, A. and Talukder, G. (1996):

Effects of crude garlic extract on mouse chromosomes in vivo. *Food Chem. Toxicol.*, 34(1): 43-47.

- Das, T.; Roychoudhury, A.; Sharma, A. and Talukder, G. (1993):**
Modification of clastogenicity of three known clastogens by garlic extract in mice in vivo. *Environ. Mol. Mutagen*, 21(4): 383-388.
- De-Hondt, H.A.; El-Laithy, A.F. and Ali, S.M. (1981):**
Biochemical and chromosomal studies on rats injected with captan. *E.J. Genet. Cytol.*, 11: 245-253.
- De Pomerai, D.; Smith, B.; Dawe, A.; North, K.; Smith, T.; Archer, D.B.; Duce, I.R.; Jones, D. and Candido, E.P. (2003).**
Microwave radiation can alter protein conformation without bulk heating. *FEBS Lett.*, 543(1-3): 93-97.
- De Pomerai, D.; Daniells, C.; David, H.; Allan, J.; Duce, I.; Mutwakil, M.; Thomas, D.; Sewell, P.; Tattersall, J.; Jones, D. and Candido, P. (2000):**
Non-thermal heat-shock response to microwaves. *Nature*, 405: 417-418.
- Dobson, C.M. (1999):**
Protein misfolding, evolution, and disease. *Trends Biochem. Sci.*, 24: 329-332.
- Dyshlovoi, V.D.; Panchuk, A.S. and Kachura, V.S. (1981):**
Effect of electromagnetic field of industrial frequency on the growth pattern and mitotic activity of cultured human fibroblastoid cells. *Cyto. Genet.*, 15(3): 6-9.
- El Nahas, S. and Oraby, H.A. (1989):**
Micronuclei formation in somatic cells of mice exposed to 50-Hz electric fields. *Enviro. Mol. Mutagen*, 13(2): 107-111.
- Fedorenko, B.S.; Ershov, A.V.; Shcherbak, N.P.; Abrosimova, A.N.; Budennaia, N.N.; Vorozhtsova, S.V.; Druzhit'eva, R.A.; Muratova, M.Iu. and Shcherbak, S.N. (2002):**
Morphological and cytogenetic disorders in rats following chronic exposure to elevated radiation. *Aviakosm. Ekolog. Med.*, 36(1): 21-26.
- French, P.W.; Penny, R.; Laurence, J.A. and McKenzie, D.R. (2001):**
Mobile phones, heat shock proteins and cancer. *Differentiation*, 67(4-5): 93-97.

Fritze, K.; Wiessner, C.; Kuster, N.; Sommer, C.; Gass, P.; Hermann, D.M.; Kiessling, M. and Hossmann, K.A. (1997):

Effect of global system for mobile communication microwave exposure on the genomic response of the rat brain. *Neuroscience*, 81: 627-639.

Garaj-Vrhovac, V. (1999):

Micronucleus assay and lymphocyte mitotic activity in risk assessment of occupational exposure to microwave radiation. *Chemosphere*, 39 (13): 2301-2312.

Garaj-Vrhovac, V.; Horvat, D. and Koren, Z. (1990):

The effect of microwave radiation on the cell genome. *Mutat. Res.*, 243: 87-93.

Garaj-Vrhovac, V.; Horvat, D. and Koren, Z. (1991):

The relationship between colony forming ability, chromosome aberrations and incidence of micronuclei in V70 chinese hamster cells exposed to microwave radiation. *Mutat. Res.*, 263: 143-149.

Garaj-Vrhovac, V.; Fucic, A. and Horvat, D. (1992):

The correlation between the frequency of micronuclei and specific chromosome aberrations in human lymphocytes exposed to microwave radiation in vitro. *Mutat. Res.*, 281(3): 181-186.

Garcia-Sagredo, J.M. and Monteagudo, J.L. (1991):

Effect of low-level pulsed electromagnetic fields on human chromosomes in vitro: analysis of chromosomal aberrations. *Hereditas*, 115(1): 9-11.

Garrido, C.; Ottavi, P.; Fromentin, A.; Hammann, A.; Arrigo, A.P.; Chauffert, B and Mehlen, P. (1997):

HSP27 as a mediator of confluence-dependent resistance to cell death induced by anticancer drugs. *Cancer Res.* 57: 2661-2667.

Gey, K.F. (1993):

Prospects for the prevention of free radical disease, regarding cancer and cardiovascular disease. *British Medical Bulletin*, 49(3): 679-699.

Gillois, M.; Auge, C. and Chevalet, C. (1980):

Effect des ondes électromagnétiques non-ionisants sur la viabilité et l'hérédité des cellules de mammifères en culture établie, Symposium

International 30 July, Ondes Electromagnétiques et Biologie, Jouy-en-Joses, pp. 9-15.

Goldsmith, J.R. (1995):

Epidemiological evidence of radiofrequency radiation (microwave) effects on health in military, broadcasting and occupational studies. *Int. J. Occup. Environ. Health*, 1: 47-57.

Goldsmith, J.R. (1996):

Epidemiological studies of radio-frequency radiation: current status and areas of concern. *The Science of the Total Environment*, 180: 3-8.

Goldsmith, J.R. (1997a):

TV Broadcast Towers and Cancer: The end of innocence for radiofrequency exposures. *Am. J. Industrial Medicine*, 32: 689-692.

Goldsmith, J.R. (1997b):

Epidemiological evidence relevant to radar (microwave) effects. *Enviro. Health Perspectives*, 105: 1579-1587.

Greene, R.W. (1983):

60-Hz Ultra- high voltage electric field effect on onion root mitotic index: A lack of impact, *Environ. Exp. Botany*, 23(4): 355-360.

Haider, T.; knasmueller, S.; Kundi, M. and Haider, M. (1994):

Clastogenic effects of radiofrequency radiation on chromosomes of *Tradescantia*. *Mutat. Res.*, 324: 65-68.

Harvey, C. and French, P.W. (2000):

Effects on protein kinase C and gene expression in a human mast cell line, HMC-1, following microwave exposure. *Cell Biol. Int.*, 23(11): 739-748.

Heinze, B.; Arnold, R.; Rutzen-Loesevitz, L. and Fliedner, T.M. (1995):

The role of stable chromosome aberrations as biological indicators of radiation effect: studies in patients after total body irradiation and bone marrow transplantation. *Stem Cells*, 13 Suppl 1: 191-198.

Heller, J.H. (1970):

Cellular effects of microwave radiation, *Biological Effects and Health Implications of Microwave Radiation*, Symp. Proc., Cleary,

S.F., Ed., Public Health Service BRH/DBE 70-21, U.S. Dep. Of Health, Education, and Welfare, 116.

Heller, J.H. and Teixeira-Pinto, A.A. (1959):

A new physical method of creating chromosome aberrations. *Nature*, 183(4665): 905-906.

Holian, O.; Astumian, R.D.; Lee, R.C.; Reyes, H.M.; Attar, B.M. and Walter, R.J. (1996):

Protein kinase C activity is altered in HL60 cells exposed to 60 Hz AC electric fields. *Bioelectromagnetics*, 17(6): 504-509.

Hu, P.J. and Wargovich, M.J. (1989):

Effect of diallyl sulphide on MNNG-induced nuclear aberrations and ornithine decarboxylase activity in glandular stomach mucosa of Wistar rat, *Cancer Lett.*, 47: 153- 158.

Huber, W.W.; McDaniel, L.P.; Kaderlik, K.R.; Teitel, C.H.; Lang, N.P. and Kadlubar, F.F. (1997):

Chemoprotection against the formation of colon DNA adducts from the food-borne carcinogen 2-amino-1-methyl-6-[phenylimidazo] 4,5-b] pyridine (PhIP) in the rat. *Mutat. Res.*, 376: 115-122.

Huot, J.; Hout, F.; Spitz, D.R. and Landry, J. (1996):

HSP27 phosphorylation-mediated resistance against actin fragmentation and cell death induced by oxidative stress. *Cancer Res.* 56: 273-279.

Hyland, G.H. (2000):

Physics and biology of mobile telephony. *Lancet.*, 356: 1833-1836.

Ikken, Y.; Morales, P.; Martinez, A.; Marin, M.L.; Haza, A.I. and Cambero, M.I. (1999):

Antimutagenic effect of fruit and vegetable ethanolic extracts against N-nitrosamines evaluated by the Ames test, *J. Agri. Food Chem.*, 47: 3257- 3264.

Ishikawa, K.; Naganawa, R.; Yoshida, H.; Iwata, N.; Fukuda, H.; Fujino, T. and Suzuki, A. (1996):

Antimutagenic effects of ajoene, an organosulphur compound derived from garlic, *Biosci. Biotechnol. Biochem.*, 60: 2086- 2088.

- Ivancsits, S.; Diem, E.; Jahn, O. and Rudiger, H.W. (2003a):**
Intermittent extremely low frequency electromagnetic fields cause DNA damage in a dose-dependent way. *Int. Arch. Occup. Environ. Health*, 76: 431-436.
- Ivancsits, S.; Diem, E.; Jahn, O. and Rudiger, H.W. (2003b):**
Age-related effects on induction of DNA strand breaks by intermittent exposure to electromagnetic fields. *Mech. Ageing. Dev.*, 124: 847-850.
- Ivancsits, S.; Diem, E.; Pilger, A.; Rudiger, H.W. and Jahn, O. (2002):**
Induction of DNA strand breaks by intermittent exposure to extremely-low-frequency electromagnetic fields in human diploid fibroblasts. *Mutat. Res.*, 519: 1-13.
- Jaiswal, S.K. and Bordia, A. (1996):**
Radio-protective effect of garlic *Allium sativum* Linn. in albino rats. *Indian J. Med. Sci.*, 50(7): 231-233.
- Jakoby, W.B. (1978):**
The Glutathione-S-Transferase: A group of multifunctional detoxification proteins. *Adv. Enzymol*, 46: 383-414.
- Janes, D.D., leach, W.M., Mills, W.A., Moore, R.T. and Shore, M.L. (1969):**
Effects of 2450 MHz microwaves on protein synthesis and on chromosomes in Chinese hamsters, *Nonionize. Radiat.*, 1, 125.
- Jin, M.; Blank, M. and Goodman, R. (2000):**
ERK1/2 phosphorylation, induced by electromagnetic fields, diminishes during neoplastic transformation. *J. Cell Biochem.*, 78: 371-379.
- Jonkers, D.; Van-den-broek, E.; Van-dooren, I.; Thijs, C.; Dorant, E.; Hageman, G. and Stobberingh, E. (1999):**
Antibacterial effect of garlic and omeprazole on *Helicobacter pylori*. *J. Antimicrob. Chemother.*, 43: 837- 839.
- Khalil, A.M. and Qassem, W. (1991):**
Cytogenetic effects of pulsing electromagnetic field on human lymphocytes in vitro: chromosome aberrations, sister-chromatid exchanges and cell kinetics. *Mutat. Res.*, 247(1): 141- 146.

- Knasmuller, S.; De Martin, R.; Domjan, G. and Szakmary, A. (1989):**
Studies on the antimutagenic activities of garlic extract. *Environ. Mol. Mutagen*, 13: 357-365.
- Knave, B. (2001):**
Electromagnetic fields and health outcomes. *Ann. Acad. Med. Singapore*, 30(5): 489-493.
- Koshland, D.E. (1998):**
Conformational changes: how small is big enough? *Natl. Med.*, 4: 1110-1114.
- Kumar, M. and Berwal, J.S. (1998):**
Sensitivity of food pathogens to garlic (*Allium sativum*). *J. Appl. Microbiol.*, 84: 213-215.
- Kunjilwar, K.K. and Behari, J. (1992):**
Effects of amplitude modulated radio frequency radiation on cholinergic system of developing rats. *Brain Res.*, in press.
- Kwee, S.; Raskmark, P. and Velizarov, S. (2001):**
Changes in cellular proteins due to environmental non-ionizing radiation. I. Heat shock proteins. *Electro-Magnetobiology*, 20: 1061-1072.
- Laemmli, U.K. (1970):**
Cleavage of structured proteins during the assembly of the head of the bacteriophage T4. *Nature*, 227: 680-685
- Lagroye, I.; Anane, R.; Wettring, B.A.; Moros, E.G.; Straube, W.L.; Laregina, M.; Niehoff, M.; Pickard, W.F.; Baty, J. and Roti Roti, J.L. (2004):**
Measurement of DNA damage after acute exposure to pulsed-wave 2450 MHz microwaves in rat brain cells by two alkaline comet assay methods. *Int. J. Radiat. Biol.*, 80(1): 11-20.
- Lai, H. and Singh, N.P. (1995):**
Acute low - intensity microwave exposure increases DNA single-strand breaks in rat brain cells. *Bioelectr.*, 16: 207-210.
- Lai, H. and Singh, N.P. (1996):**
Single-and double-strand DNA breaks in rat brain cells after acute

exposure to radiofrequency electromagnetic radiation. *Int. J. Radiat. Biol.*, 69: 513-521.

Lai, H. and Singh, N.P. (1997a):

Acute exposure to a 60-Hz magnetic field increases DNA strand breaks in rat brain cells. *Bioelectr.*, 18:156-165.

Lai, H and Singh, N.P. (1997b):

Melatonin and *N-tert-butyl- α -phenylnitron* blocked 60-Hz magnetic field-induced DNA single and double strand breaks in rat brain cells. *J. Pineal Res.*, 22:152-162.

Lalic, H.; Lekic, A. and Radosevic-Stasic, B. (2001):

Comparison of chromosome aberrations in peripheral blood lymphocytes from people occupationally exposed to ionizing and radiofrequency radiation. *Acta. Med. Okayama*, 55(2): 117-127.

Leonard, A.; Berteaud, A.J. and Bruyere, A. (1983):

An evaluation of the mutagenic, carcinogenic and teratogenic potential of microwaves. *Mutat. Res.*, 123(1): 31- 46.

Leszczynski, D.; Joenva"ä"ra", S.; Reivinen, J. and Kuokka, R. (2002):

Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: Molecular mechanism for cancer- and blood-brain barrier-related effects. *Differentiation*, 70: 120-129.

Leszczynski, D.; Nylund, R.; Joenva"ä"ra", S. and Reivinen, J. (2004):

Applicability of discovery science approach to determine biological effects of mobile phone radiation. *Proteomics*, 4: 426-431.

Liboff, A.R.; Williams, T.; Strong, D.M. and Wistar, R. (1984):

Time-varying magnetic fields: effects on DNA synthesis. *Science*, 223: 818-820.

Lin, J.C. and Peterson, W.D. (1977):

Cytological effects of 2450 MHz microwave radiation. *J. Bioeng.*, 1: 471-478.

Livingston, G.K.; Witt, K.L.; Gandhi, O.P.; Chatterjee, I. and Roti, J.L. (1991):

Reproductive integrity of mammalian cells exposed to power frequency electromagnetic fields. *Enviro. Mol. Mutagen*, 17: 49-58.

- Lloyd, D.C.; Saunders, R.D.; Moquet, J.E. and Kowalczyk, C.I. (1986):**
Absence of chromosomal damage in human lymphocytes exposed to microwave radiation with hyperthermia. *Bioelectr.*, 7(2): 235-237.
- Lu, S.T.; Pettit, S.; Lu, S.J. and Michaelson, S.M. (1986):**
Effects on microwaves on the adrenal cortex. *Radiat. Res.*, 107:234-249.
- Lu, S.T.; Lebda, N.A.; Lu, S.J.; Petti, S. and Michaelson, S.M. (1987):**
Effects of microwave on three different strains of rats. *Radiat. Res.*, 110: 173-191.
- Maes, A.; Collier, M. and Verschaeve, L. (2000):**
Cytogenetic investigations on microwaves emitted by a 455.7 MHz car phone. *Folia. Biol. (Praha)*, 46(5): 175-180.
- Maes, A.; Collier, M. and Verschaeve, L. (2001):**
Cytogenetic effects of 900 MHz (GSM) microwaves on human lymphocytes. *Bioelectr.*, 22(2): 91-96.
- Maes, A.; Collier, M.; Slaets, D. and Verschaeve, L. (1995):**
Cytogenetic effects of microwaves from mobile communication frequencies (954 MHz). *Electro Magnetobiology*, 14: 91-98.
- Maes, A.; Verschaeve, L.; Arroyo, A.; De Wagter, D. and Vercruyssen, L. (1993):**
In vitro cytogenetic effects of 2450 MHz waves on human peripheral blood lymphocytes. *Bioelectr.*, 14: 495-501.
- Malyapa, R.S.; Ahern, E. W.; Straube, W. L.; Moros, E.G.; Pickard, W.F. and Roti Roti, J.L. (1997a):**
Measurement of DNA damage following exposure to 2450 MHz electromagnetic radiation. *Radiat. Res.*, 148: 608.
- Malyapa, R.S.; Ahern, E.W.; Straube, W.L.; Moros, E.G.; Pickard, W.F. and Roti Roti, J.L. (1997b):**
Measurement of DNA damage following exposure to electromagnetic radiation in the cellular communications frequency band (835.62 and 847.74 MHz). *Radiat. Res.*, 148: 618.

- Mancinelli, F.; Caraglia, M.; Abbruzzese, A.; d'Ambrosio, G.; Massa, R. and Bismuto, E. (2004):**
Non-thermal effects of electromagnetic fields at mobile phone frequency on the refolding of an intracellular protein: myoglobin. *J. Cell Biochem.*, 93(1):188-96.
- Manikowska, E.; Czerski, P. and Leach, W.M. (1983):**
Effects of 0.915 and 9.4 GHz cw microwaves on meiosis in male mice, The Bioelectromagnetics Society 5th Annual Meeting, Abstract, H-3 Boulder, CO, June 12-17.
- Manikowska, E.; Luciani, J.M.; Servantie, B.; Czerski, P.; Obrenovitch, J. and Stahl, A. (1979):**
Effects of 9.4 GHz microwave exposure on meiosis in mice. *Experientia*, 35: 388.
- Manson, M.M.; Ball, H.W.; Barrett, M.C.; Clark, H.L.; Judah, D.J.; Williamson, G. and Neal, G.E. (1997):**
Mechanism of action of dietary chemoprotective agents in rat liver: Induction of phase I and II drug metabolizing enzymes and Aflatoxin B1 metabolism. *Carcinogenesis*, 18: 1729-1738.
- Mashevich, M.; Folkman, D.; Kesar, A.; Barbul, A.; Korenstein, R.; Jerby, E. and Avivi, L. (2003):**
Exposure of human peripheral blood lymphocytes to electromagnetic fields associated with cellular phones leads to chromosomal instability. *Bioelectr.*, 24(2): 82-90.
- McNamee, J.P.; Beller, P.V.; McLean, J.R.N.; Marro, L.; Gajda, G.B. and Thansandote, A. (2002):**
DNA damage and apoptosis in the immature mouse cerebellum after acute exposure to a 1 mT, 60 Hz magnetic field. *Mutat. Res.*, 513:121-133.
- Mehlen, P.; Schultze-Osthoff, K. and Arrigo, A.P. (1996):**
Small stress proteins as novel regulators of apoptosis. Heat shock protein 27 blocks Fas/APO-1- and staurosporine-induced cell death. *J. Biol. Chem.*, 271: 16510-16514.
- Meltz, M.L. (1995):**
Biological effects versus health effects: an investigation of the genotoxicity of microwave radiation. In: *Radiofrequency Radiation*

Standards, NATO ASI Series (B.J.Klaueberg Ed). New York, Plenum Press, 235-241

Mitchell, J.T.; Marino, A.A.; Berger, T.J. and Becker, R.O. (1978):
Effect of electrostatic fields on the chromosomes of Ehrlich ascites tumor cells exposed in vivo. *Physio. Chem. Phys.*, 10: 79-85.

Miyakoshi, J.; Yoshida, M.; Shibuya, K. and Hiraoka, M. (2000):
Exposure to strong magnetic fields at power frequency potentiates X-ray-induced DNA strand breaks. *J. Radiat. Res.*, 41: 293-302.

Morehouse, C.A. and Owen, R.D. (2000):
Exposure to low-frequency electromagnetic fields does not alter HSP70 expression or HSF-1 binding in HL60 cells. *Radiat. Res.*, 153: 658-662.

Munday, R. and Munday, C.M. (1999):
Low doses of diallyl disulfide, a compound derived from garlic, increase tissue activities of quinone reductase and glutathione transferase in the gastrointestinal tract of the rat. *Natr. Cancer*, 34: 42-48.

Murphy, J.C.; Kaden, D.A.; Warren, J. and Sivak, A. (1993):
Power frequency electric and magnetic fields: A review of genetic toxicology. *Mutat. Res.*, 296: 221-240.

Nagourney, R.A. (1998):
Garlic: medicinal or nutritious medicine. *J. Med. Food*, 1: 13-28.

Neshev, N.N. and Kirilova, E.I. (1996):
Environmental-health aspects of pulse-modulated microwaves. *Rev. Environ. Health*, 11: 85-88.

Nordenson, I.; Mild, K.H. and Nordstrom, S. (1984):
Clstogenic effects in human lymphocytes of power frequency electric fields: in vivo and in vitro studies. *Radiat. Environ. Biophys.*, 23: 191-201.

Nordenson, I.; Mild, K.H.; Ostman, U. and Ljungberg, H. (1988):
Chromosomal effects in lymphocytes of 400 Kv-Subststion workers. *Radiat. Environ. Biophys.*, 27: 39-47.

- Nordenson, I.; Mild, K.H.; Andersson, G. and Sandstrom, M. (1994):**
Chromosomal aberrations in human amniotic cells after intermittent exposure to fifty hertz magnetic fields. *Bioelectr.*, 15(4): 293-301.
- Nordstrom, S.; Birke, E. and Gustavsson, L. (1983):**
Reproductive hazards among workers at high voltage substations. *Bioelectr.*, 4: 91-101.
- Nylund, R. and Leszczynski, D. (2004):**
Proteomics analysis of human endothelial cell line EA.hy926 after exposure to GSM 900 radiation. *Poteomics*, 4: 1359-1365.
- Ono, K. and Han, J. (2000):**
The p38 signal transduction pathway: activation and function. *Cell Signalling*, 12: 1-13.
- Pai, A.C. (1985):**
Foundations of genetice. A science for society 2nd Edition. Chapter 6. Mcgrow Hill Book Company, New York.
- Pandey, P.; Farber, R.; Nakazawa, A.; Kumar, S.; Bharti, A.; Nalin, C.; Weichselbau, R.; Kufe, D. and Kharabanda, S. (2000):**
Hsp27 functions as a negative regulator of cytochrome c-dependent activation of procaspase-3. *Oncogene*, 19: 1975-1981.
- Pfeil, W. (1998):**
Is the molten globule a third thermodynamic state of protein? The example of α -lactalbumin. *Proteins: Structure, Function, and Genetics*, 30: 43-48.
- Phillips, J.L.; Campbell-Beachler, M.; Ivaschuk, O.; Ishida-Jones, T. and Haggren, W. (1997):**
Exposure of molt-4 lymphoblastoid cells to a 1 G sinusoidal magnetic field at 60-Hz: effects on cellular events related to apoptosis. In: 1997 Annual Review of Research on Biological Effects of Electric and Magnetic Fields from the Generation, Delivery, and Use of Electricity. Frederick, MD:W/L Associates, Ltd.
- Phillips, J.; Ivaschuk Ishida-Jones, T.; Jones, R.; Campbell-Beachler, M. and Haggren, W. (1998):**
DNA damage in molt-4 T lymphoblastoid cells exposed to cellular telephone radiofrequency fields in vitro. *Bioelectrochemistry and*

Bioenergetics, 45: 103-110.

Pipkin, J.L.; Hinson, W.G.; Young, J.F.; Rowland, K.L.; Shaddock, J.G.; Tolleson, W.H.; Duffy, P.H. and Casciano, D.A. (1999):
Induction of stress proteins by electromagnetic fields in cultured HL-60 cells. *Bioelectr.*, 20(6): 347-357.

Porcelli, M.; Cacciapuoti, G.; Fusco, S.; Massa, R.; D'ambrosio, G.; Beroldo, C.; De Roas, M. and Zappia, V. (1997):
Non-thermal effects of microwaves on proteins: thermophilic enzymes as model system. *FEBS Lett.*, 402: 102-106.

Prasad, N.; Bushong, S.C.; Thornby, J.I.; Bryan, R.N.; Hazlewood, C.F. and Harrell, J.E. (1984):
Effect of nuclear magnetic resonance on chromosomes of mouse bone marrow cells. *Magn. Reson. Imaging*, 2(1): 37-39.

Prusiner, S.B. (1998):
Prions. *Proc. Natl. Acad. Sci. USA.* 95: 13363-13383.

Ray, S. and Behari, J. (1990):
Physiological changes in rats after exposure to low levels of microwave. *Radiat. Res.*, 123: 199-202.

Reese, J.A.; Jostes, R.F. and Frazier, M.E. (1988):
Exposure of mammalian cells to 60-Hz magnetic or electric fields: analysis for DNA single-strand breaks. *Bioelectr.*, 9: 237-247.

Reiter, R.J. (1994):
Melatonin suppression by static and extremely low frequency electromagnetic fields: relationship to the reported increased incidence of cancer. *Reviews on Environmental Health.* 10(3-4): 171-186.

Renner, H.W. (1990):
In vivo effect of single or combined dietary antimutagens on mutagen induced chromosomal aberrations. *Mutat. Res.*, 244: 185-188.

Repacholi, M.H. (2001):
Health risks from the use of mobile phones. *Toxicol Lett. Mar.*, 31; 120(1-3): 323-331.

- Rodan, G.A.; Bourret, L.A. and Norton, L.A. (1978):**
DNA synthesis in cartilage cells is stimulated by oscillating electric fields. *Science*, 199: 690-692.
- Rodemann, H.P.; Bayreuther, K. and Schumacher, E. (1987):**
Abnormal protein metabolism in skin fibroblasts in vitro from patients with Duchenne muscular dystrophy. *Biochem. Biophys. Res. Commun.*, 145(1):1-9.
- Rosenthal, M. and Obe, G. (1989):**
Effects of 50 Hz electromagnetic fields on proliferation and on chromosomal alterations in human peripheral lymphocytes untreated and pretreated with chemical mutagens. *Mutat. Res.*, 210(2): 329-335.
- Sarkar, S.; Ali, S. and Behari, J. (1994):**
Effect of low power microwave on the mouse genome: a direct DNA analysis. *Mutat. Res.*, 320: 141.
- Savage, J.R.K. (1977):**
Use and abuse of chromosomal aberrations as an indicator of genetic damage. *Int. J. Environ. Stud.*, 1: 233.
- Scarfi, M.R.; Bersani, F.; Cossarizza, A.; Monti, D.; Castellani, G.; Cadossi, .R; Franceschetti, G. and Franceschi, C. (1994):**
Spontaneous and mitomycin-C-induced micronuclei in human lymphocytes exposed to extremely low frequency pulsed electromagnetic fields. *Biochem. Biophys. Res. Commun.*, 176: 194-200.
- Shi, B.; Rivkah, I.R. and Richard, N. (2003):**
Power line frequency electromagnetic fields do not increase the rate of protein synthesis in human skin fibroblasts as previously reported. *Bioelectr.*, 24: 465-472.
- Shukla, Y. and Taneja, P. (2002):**
Antimutagenic effects of garlic extract on chromosomal aberrations. *Cancer Lett.*, 8; 176(1): 31- 36.
- Siegers, C.P.; Steffen, B.; Robke, A. and Pentz, R. (1999):**
The effects of garlic preparations against human tumor cell proliferation. *Phytomedicine*, 6: 7-11.

Singh, A. and Shukla, Y. (1998):

Antitumour activity of diallyl sulphide in two-stage mouse skin model of carcinogenesis, *Biomed. Environ. Sci.*, 11: 258-263.

Singh, N.; Rudra, N.; Bansal, P.; Mathur, R.; Behari, J. and Nayar, U. (1994):

Poly ADP ribosylation as a possible mechanism of microwave-biointeraction. *Indian J. Physiol. Pharmacol.*, 38(3): 181-184.

Singh, S.P.; Abraham, S.K. and Kesavan, P.C. (1995):

In vivo radioprotection with garlic extract. *Mutat. Res.*, 345(3-4): 147-153.

Singh, S.P.; Abraham, S.K. and Kesavan, P.C. (1996):

Radioprotection of mice following garlic pretreatment. *Br. J. Cancer Suppl.*, 27: S102-104.

Skyberg, K.; Hansteen, I.L. and Vistnes, A.I. (1993):

Chromosomal aberrations in lymphocytes of high-voltage laboratory cable splicers exposed to electromagnetic fields. *Scandinavian J. of Work, Environment & Health*, 19(1): 29-34.

Snedecor, G.W. and Cochran, W.G. (1969):

Statistical Methods 6th Edition. Iowa state Univ. Press, Ames, Iowa, 161-166.

Soni, K.B.; Lahiri, M.; Chackradeo, P.; Bhide S.V. and Kuttan, R. (1997):

Protective effect of food additives on aflatoxin-induced mutagenicity and hepatocarcinogenicity, *Cancer Lett.*, 115: 129-133.

Spornins, V.L.; Mott, A.W. and Wattenberg, L.W. (1986):

Effects of allyl methyl trisulfide on glutathion s-transferase activity and BP-induced neoplasia in the mouse. *Nutr. Cancer*, 9: 171-176.

Spornins, V.L.; Barany, G. and Wattenberg, L.W. (1988):

Effects of organo-sulphur compounds from garlic and onions on benzo(a)pyrene induced neoplasia and glutathione-S-transferase activity in the mouse. *Carcinogenesis*, 9:131-134.

- Stankevich, K.I.; Badaeva, L.N.; Samosh, L.V. and Shumova, L.Z. (1981):**
Cytogenetic and Gonadotoxic effect of static electric field. (English Translation) Gig. Sanit., 10: 9-11.
- Stevenson, A.C.; Bedford, J.; Hill, A.G.S. and Hill, B.F.A. (1971):**
Chromosomal studies in patients taking phenylbutazone. Ann. Rheum. Dis., 30: 487-500.
- Stewart, W., (2000):**
Mobile phones and health. Report of independent expert group on mobile phones. National Radiation Protection Board NRPB, London, UK (<http://www.iegmp.org.uk>).
- Stodolnik-Baranska, W. (1967):**
Lymphoblastoid transformation of lymphocytes in vitro after microwave irradiation. Nature, 214: 102.
- Stodolnik-Baranska, W. and Ostrowski, K. (1974):**
The effects of microwaves on human lymphocyte cultures. In: Czerski P, Shore ML, Silverman C, Suess MJ, Waldeskog B, editors. Biologic effects and health hazards of microwave radiation. Warsaw: Polish Medical Publishers. pp. 189-195.
- Stoian, V. and Raicu, P. (1975):**
Morphological characteristics and the nature of gaps (achromatic lesions) induced by 4-Aminouracil in chromosomes of *Vicia faba*. Mutat. Res., 217-220.
- Svedenstal, B.M.; Johanson, K.L. and Mild, K.H. (1999b):**
DNA damage induced in brain cells of CBA mice exposed to magnetic fields. In Vivo, 13: 551-552.
- Svedenstal, B.M.; Johanson, K.L.; Mattsson, M.O. and Paulson, L.E. (1999a):**
DNA damage, cell kinetics and ODC activities studied in CBA mice exposed to electromagnetic fields generated by transmission lines. In Vivo, 13: 507-514.
- Swicord, M.L. and Czerski, P. (1984):**
Strong interactions of radiofrequency fields with nucleic acids. In Nonlinear Electrodynamics in Biological Systems (Adey W.R., and Lawrence A.F., Eds), pp. 35-37. Plenum Press, New York.

- Sykes, P.J.; McCallum, B.D.; Bangay, M.J.; Hooker, A.M. and Morley, A.A. (2001):**
Effect of exposure to 900 MHz radiofrequency radiation on intrachromosomal recombination in pKZ1 mice. *Radiat. Res.*, 156(5 Pt 1): 495-502.
- Szmigielski, S. (1991):**
International Science Meeting, Beograd, p34.
- Szmigielski, S. (1996):**
Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation. *Sci. Total Environ.*, 180: 9-17.
- Tadi, P.P.; Teel, B.W. and Lau, B.H. (1991):**
Organosulphur compounds of garlic modulate mutagenesis, metabolism and DNA binding of aflatoxin B1. *Nutr. Cancer*, 15: 87-95.
- Takahashi, K.; Kaneko, I.; Date, M. and Fukada, E. (1986):**
Effects of pulsing electromagnetic fields on DNA synthesis in mammalian cells in culture. *Experientia*, 42: 185-186.
- Takahashi, S.; Inaguma, S.; Cho, Y.M.; Imaida, K.; Wang, J.; Fujiwara, O. and Shirai, T. (2002):**
Lack of mutation induction with exposure to 1.5 GHz electromagnetic near fields used for cellular phones in brains of Big Blue mice. *Cancer Res.*, 1;62(7):1956-1960.
- Taylor, L. S. (1981):**
The mechanisms of athermal microwave biological effects. *Bioelectr.*, 2: 259-267.
- Thumm, S.; Loschinger, M.; Glock, S.; Hammerle, H. and Rodemann, H.P. (1999):**
Induction of cAMP-dependent protein kinase A activity in human skin fibroblasts and rat osteoblasts by extremely low-frequency electromagnetic fields. *Radiat. Environ. Biophys.*, 38(3): 195-199.
- Tibbles, L.A. and Woodgett, J.R. (1999):**
The stress-activated protein kinase pathways. *Cell Mol. Life Sci.*, 55: 1230-1254.

Tice, R.R.; Hook, G.G.; Donner, M.; McRee, D.I. and Guy, A.W. (2002):

Genotoxicity of radiofrequency signals. I. Investigation of DNA damage and micronuclei induction in cultured human blood cells. *Bioelectr.*, 23(2): 113-126.

Timchenko, O.I. and Lanchevskaia, N.V. (1995):

The cytogenetic action of electromagnetic fields in the short-wave range. *Psychopharmacology Series*, 7-8: 37-39.

Tsuyama, S.; Terayama, Y. and Matsuyama, S. (1987):

Numerous phosphates of microtubule-associated protein 2 in living rat brain. *Biol. Chem.*, 5; 262(22): 10886-10892.

Valjus, J.; Norppa, H.; Jarventaus, H.; Sorsa, M.; Nykyri, E.; Salomaa, S.; Jarvinen, P. and Kajander, J. (1993):

Analysis of chromosomal aberrations, sister chromatid exchanges and micronuclei among power linesmen with long-term exposure to 50-Hz electromagnetic fields. *Radiation & Environmental Biophysics*, 32(4): 325-36.

Varma, M.M. and Traboulay, E.A. (1997):

Comparison of native and microwave irradiated DNA. *Experientia*, 33: 1649-1650.

Vasil'eva, I.M. and Zasukhina, G.D. (2002):

Comparison of the protective effect of garlic extract and cell defense during adaptive response. *Genetika*, 38(3): 422-425. Russian.

Verschaeve, L.; Slaets, D.; Van Gorp, U.; Maes, A. and Vankerkom, J. (1994):

In vitro and in vivo genetic effects of microwaves from mobile telephone frequencies in human and rat peripheral blood lymphocytes in: D. Simunic (Ed.) Cost 244 Position Papers. Cost 244: Biomedical Effects of Electromagnetic Fields, CEC-XIII-PP01/96, European Union.

Vijayalaxmi, B.Z.; Fried, M.R.; Dusch, S.J.; Guel, V.; Meltz, M.L. and Jauchem, J.R. (1997):

Frequency of micronuclei in the peripheral blood and bone marrow of cancer-prone mice chronically exposed to 2350 MHz radiofrequency radiation. *Radiation Res.*, 147 (4) 495-500.

Vijayalaxmi, B.Z.; Pickard, W.F.; Bisht, K.S.; Prihoda, T.J.; Meltz, M.L.; LaRegina, M.C.; Roti Roti, J.L.; Straube, W.L. and Moros, E.G. (2001):

Micronuclei in the peripheral blood and bone marrow cells of rats exposed to 2450 MHz radiofrequency radiation. *Int. J. Radiat. Biol.*, 77(11): 1109-1115.

Wargovich, M.J.; Imada, O. and Stephens, L.C. (1992):

Initiation and post-initiation chemopreventive effects of diallyl sulphide in oesophageal carcinogenesis, *Cancer Lett.*, 64: 39-42.

Wetzel, B.J.; Nindl, G.; Vesper, D.N.; Swez, J.A.; Jasti, A.C. and Johnson, M.T. (2001):

Electromagnetic field effects: changes in protein phosphorylation in the Jurkat E6.1 cell line. *Biomed. Sci. Instrum.*, 37: 203-8.

WHO, (1981):

Environmental Health Criteria 16, Radiofrequency and Microwaves, WHO, Geneva.

Wolff, S.; Crooks, I.E.; Brown, P.; Howard, R. and Painter, R.B. (1980):

Tests for DNA and chromosomal damage induced by nuclear magnetic resonance imaging. *Radiology*, 136: 707- 710.

Woods, M.; Bobanovic, F.; Brown, D. and Alexander, D.R. (2000):

Lyn and syk tyrosine kinases are not activated in B-lineage lymphoid cells exposed to low-energy electromagnetic fields. *FA-SEB J.* 14: 2284-2290.

Yao, K.T., (1976):

Cytogenetic consequences of microwave incubation of mammalian cells in culture, *Genetics*, 83(Suppl.), 584(Abstr.).

Yao, K.T., (1978):

Microwave induced chromosomal aberrations in cornea epithelium of Chinese hamsters. *J. Hered.*, 69: 409-412.

Yao, K.T. (1982):

Cytogenetic consequences of microwave irradiation on mammalian cells incubated in vitro. *J. Hered.*, 73(2): 133-138.

Yao, K.T. and Jiles, M.M. (1970):

Effects of 2450 MHz microwave radiation on cultivated Kangaroo cells, in: S.F. Cleary (Ed.), Biological Effects and Health Implications of Microwave Radiation, U.S. Dept. of Health, Education and Welfare, Washington, DC, pp. 123-132.

Yen-Patton G.P.A.; Patton W.F.; Beer D.H., and Jacobson B.S., (1988):

Endothelial response to electromagnetic fields stimulation of growth rate and angiogenesis in vitro. J. Cell Physio., 134: 37- 46.

Yosida, T.M. and Amano, K. (1965):

Autosomal polymorphism in laboratory bred and wild Norway rats *Rattus norvegicus* found in Misima. Chromosoma, 16: 658-667.

Zaied, F.A. (2002):

Effect of extremely low frequency electric field (ELFEF) on the cytogenetic picture and isozyme electrophoresis of mice. J. Egypt Ger. Soc. Zool., 38C: 95-116.

Zhang, Y.S.; Chen, X.R. and Yu, Y.N. (1989):

Antimutagenic effect of garlic (*Allium sativum* L.) on 4-NQO-induced mutagenesis in *Escherichia coli* WP-2. Mutat. Res., 227: 215-219.

Zhang, M.B.; He, J.L.; Jin, L.F. and Lu, D.Q. (2002):

Study of low-intensity 2450-MHz microwave exposure enhancing the genotoxic effects of mitomycin C using micronucleus test and comet assay in vitro. Biomed. Environ. Sci., 15(4): 283-290.

Zmyslony, M.; Palus, J.; Jajte, J.; Dziubaltowska, E. and Rajkowska, E. (2000):

DNA damage in rat lymphocytes treated *in vitro* with iron cations and exposed to 7 mT magnetic fields (static or 50 Hz). Mutat. Res., 453: 89-96.

Zubay, G. (1987):

Genetics. The Benjamin / Cummings, Menlo Park, California. Chapter 9, pp. 308-375.