

REFERENCES

- Abdallah, W.A. (1993):** Developmental studies on the bony fish skull. M. Sc. Thesis, Fac. Sci., Zagazig Univ., Benha, Egypt, 156, pp. & 52 Figs.
- Abdallah, W.A. (1997):** Developmental studies on the splanchnocranium of *Xiphophorus variatus* (the platy) (Poeciliidae, Teleostei) 1. The mandibular and hyoid arches. Al-Azhar Bull. Sci., 8 (2): 719-734.
- Abo-Taira, A.M.; Riad, A.M.; El-Serafy, S.S.; Zaher, M.M. and Abdallah, W.A. (1992):** Studies on the ontogeny of the viscerocranium of *Poecilia reticulata* (Poeciliidae, Osteichthyes). J. Egypt. Ger. Soc. Zool. 8 (B): 493-521.
- Abo-Taira, A.M.; Riad, A.M.; Abdel-Kader, I.Y.; Zaher, M.M. and Abdallah, W.A. (1994):** Studies on the ontogeny of the neurocranium of *Poecilia reticulata* (Poeciliidae, Osteichthyes). 2. Intermediate stages. J. Egypt Ger. Soc. Zool. 15 (B) : 75-107.
- Agar, W.E. (1908):** Development of the skull and visceral arches in *Lepidosiren paradoxa* and *Protopterus annectens*. Trans. Roy. Soc. Edinburgh, 45 : 49-64.
- Amer, F.I.; Ismail, M.H. and El-Balshy, R.M. (1987) :** The development of the skull of *Gambusia affinis affinis* (Baird and Girard). I. The development of the chondral neurocranium. J. Kuwait Univ. Kuwait, 14 (1): 137-160.
- Badenhorst, A. (1989):** Development of the chondrocranium of the shallow water cape hake *Merluccius capensis* Cat. Part I., Neurocranium. South Afr. J. Zool., 24 (I) : 23-38.
- Berrill, N.J. (1925):** The development of the skull in *Solea variegata* and Plaice. Quarterly, J. Micr. Sci., 69 : 217-244.
- Bertmar, C. (1959):** On the ontogeny of the chondral skull in characidae, with a discussion on the chondrocranial base and visceral chondrocranium in fishes. Acta. Zool., (Stock), 40 : 203-364.

- Bhargava, H. (1958):** The development of the chondrocranium of *Mastacembelus armatus* (Cuv. & Val.). J. Morph., 102 : 401-426.
- Daget, J. (1964):** Le crane des teleosteens. Mem. Mus. Natn. Paris, Ser. Zool., 31 (2) : 163-341.
- De Beer, G. (1937):** The development of the vertebrate skull. Clarendon Press, (Oxford) 552 pp + 143 Pls.
- Edgeworth, F.H. (1935):** The cranial muscles of vertebrates. University Press, Cambridge (Quoted from De Beer, 1937).
- El-Balshy, R.M. (1986):** Studies on the developmental anatomy of the skull in *Gambusia*. M. Sc. Thesis, Fac. Sci. Zagazig Univ., Zagazig, Egypt.
- El-Balshy, R.M. (1994a):** Morphology of the chondrocranium of the 26 mm larva of *Clarias lazera* (Teleostei, Clariidae). 1- The neurocranium., Egypt, J. Appl. Sci., 9 (12) : 425-442.
- El-Balshy, R.M. (1994b):** Developmental studies on the splanchnocranium of *Clarias lazera* (Teleostei, Clariidae). II- The hyoid arch. Bull. Fac. Sci., Zagzig Univ., 16 (2) C : 663-693.
- El-Balshy, R.M. (1994c):** Developmental studies on the splanchnocranium of *Clarias lazera* (Teleostei, Clariidae). III- The branchial arches. Bull. Fac. Sci., Zagazig Univ., 16 (2) C : 694-716.
- El-Balshy, R.M. (1995a):** The postembryonic development of the chondral neurocranium in *Clarias lazera* Cuv & Val. (Teleostei, Clariidae). J. Egypt Ger. Soc. Zool. 16 (B) : 267-305.
- El-Balshy, R.M. (1995b):** The development of the chondral neurocranium of *Hypophthalmichthys molitrix* (Teleostei, Cyprinidae). The early stages. J. Union. Arab Biol., Cairo, 4 (A) Zool., 367-413.
- El-Balshy, R.M. (1997):** The ontogeny of the mandibular and hyoid arches of the teleost fish *Hypophthalmichthys molitrix*. J. Egypt Ger. Soc. Zool., 22 (B), 123-153.

- El-Balshy, R.M. (1999):** Development of the chondral neurocranium of the prenatal stages of *Xiphophorus maculatus* (Poeciliidae, Teleostei). J. Union Arab Biol, Cairo, (11A): 459-487.
- El-Balshy, R.M. (2000a):** Studies on the ontogeny of the viscerocranium of the prenatal stages of *Xiphophorus maculatus* (Poeciliidae, Osteichthyes). J. Egypt. Ger. Soc. Zool., 32 (B): 25-55.
- El-Balshy, R.M. (2000b):** Description of the chondrocranium of two postnatal stages of *Xiphophorus maculatus* (Poeciliidae, Osteichthyes). Bull. Fac. Sci. Zagazig Univ., 22 (2): 147-192.
- El-Balshy, R.M. and El-Hady, M. (1996):** The postembryonic development of the branchial arches of the fresh water teleost. *Hypophthalmichthys molitrix*. (Linnaeus, Cyprinidae). Proc. Zool. Soc. A.R. Egypt (27): 103-115.
- El-Balshy, R.M.; Madkour, G.M.; El-Hady, M.; Abdel Halem, M. and Tag, A.F. (2000):** The postembryonic development of the chondral neurocranium of some buccal stages of *Oreochromis aureus* (Steindachner, 1864), (Teleostei, Cichlidae). Bull, Fac. Sci., Zagazig Univ., 22 (1): 167-302.
- El-Toubi, M.R. (1949):** The development of the chondrocranium of the spiny dog fish, *Acanthias vulgaris* (*Squalus acanthias*). I : Neurocranium, mandibular and hyoid arches. J. Morph., 84 : 227-280.
- Goodrich, E.S. (1918):** On the development of the segments of the head in *Scyllium*. Quart J. Micr. Sci., 63 : 1-30.
- Holmgren, N. (1943):** Studies on the head of fishes : general morphology of the head in fish. Acta. Zoologica, 24 : 1-88.
- Huxley, T.H. (1874):** Necturus morphology of skull. Proc. Zool. Soc. London (Quoted from Kassem, 1957).
- Ismail, M.H. (1979):** The ontogeny of the head parts in *Haplochromis elegans* Trewavas, 1933 (Teleostei, Cichlidae). Ph. D.Thesis, Rijksuniversiteit Gent,Belgium, 228 pp & 121 Pls.

- Ismail, M.H. (1984):** The postembryonic development of the chondrocranium in the Nile Fish *Sarotherodon galilaeus*. Linnaeus (Teleostei : Cichlidae). II. The postbuccal stage. Arab Gulf J. Sci. Res., 2 (1) : 221-238.
- Ismail, M.H. and Elshabka, H.A. (1982):** The postembryonic development of the chondrocranium of the Nile fish *Tilapia galilaea* Linnaeus. I. The buccal stages. Bull. Fac. Sci. Zagazig Univ. Egypt, 4 : 291-323.
- Ismail, M.H. and Salama, A.H. (1983):** The postembryonic development of the chondral neurocranium in *Cyprinus carpio* Linnaeus (Teleostei, Cyprinidae). Bull. Fac. Sci. Zagazig Univ., 5 : 419-444.
- Ismail, M.H. and Salama, A.H. (1991):** Developmental studies on the splanchnocranium of the common carp "*Cyprinus carpio*" (Teleostei, Cyprinidae) II. The branchial arches. J. Egypt Ger. Soc. Zool., 6 (B): 1-12.
- Ismail, M.H.; Amer, F.I. and El-Balshy, R.M. (1988-1989):** The development of the skull of *Gambusia affinis affinis* (Baird & Girard). IV-The development of the branchial arches. Ain Shams Univ. Sci. Bull., 27 (B) : 81-102.
- Ismail, M.H.; Amer, F.I. and El-Balshy, R.M. (1989):** The development of the skull of *Gambusia affinis affinis* (Baird & Girard). II-The development of the mandibular arch. Dirasat. Jord. Univ., 16 (8) : 77-95.
- Ismail, M.H.; El-Zahaby, A.S. and El-Balshy, R.M. (1990):** A morphological study of the chondrocranium of the 19 mm larval stage of *Gambusia affinis affinis* (Teleostei, Cyprinodontidae). Bull. Fac. Sci., Zagazig Univ., 12 (2) : 1109-1126.
- Ismail, M.H.; El-Agamy, A.E. and Salama, A.H. (1991a):** Morphology of the chondral neurocranium of the mirror carp. *Cyprinus carpio* Linnaeus, 1958 (Teleostei, Cyprinidae). J. Egypt Ger. Soc. Zool., 16 (B) : 113-134.
- Ismail, M.H.; El-Zahaby, A.S. and Salama, A.H. (1991b):** Developmental studies on the splanchnocranium of the common carp "*Cyprinus carpio*" (Teleostei, Cyprinidae). I. The Mandibular and hyoid arches. J. Egypt Ger. Soc. Zool., 16 (B) : 47-68.

- Ismail, M.H.; Amer, F.I. and El-Balshy, R.M. (1992):** The development of the skull of *Gambusia affinis affinis* (Baird & Girard). III- The development of the hyoid arch. J. Kuwait Univ. (Science) 19 : 249-264.
- Jollie, M. (1975):** Development of the head skeleton and pectoral girdle in Esocx. J. Morph., 147 : 61-88.
- Kassem, I.A. (1957):** The development of the chondrocranium of the Nile fish, *Tilapia zillii*. Ph. D. Th  sis, Fac. Sci., Cairo Univ., Egypt, 116 pp.
- Kassem, I.A. (1959):** The chondrocranium of *Tilapia nilotica* larva (7 mm). Bull. Zool. Soc. Egypt, 14 : 33-44.
- Kassem, I.A. (1960):** The chondrocranium of *Hydrocyon forskalii* larva (9 mm). I. The neurocranium, mandibular and hyoid arches. Bull. Zool. Soc. Egypt, 15 : 1-16.
- Kassem, I. (1965):** Absorption of some parts of the chondrocranium among teleostean fishes during later stages of development. Bull. Fac. Sci., Cairo Univ., 39 : 135-142.
- Kassem, I.A. (1970):** The development of the chondrocranium of the Nile Fish *Tilapia zillii*. The procartilaginous stage. Proc. Egypt Acad. Sci., 23 : 77-86.
- Kindred, J.E. (1919):** The skull of *Amiurus neublosus*. Illinois Biol. Monogr., 5 (1) : 7-121.
- Kindred, J.E. (1921):** The chondrocranium of *Syngnathus fuscus*. J. Morph., 35 : 425-456.
- Mackintosh, N.A. (1923):** The chondrocranium of the teleostean fish *Sebastes marinus*. Proc. Zool. Soc. London, 2 : 501-513.
- Marathe, V.B. and Bal, D.B. (1957):** The development of the chondrocranium in *Trichopodus trichopterus* (PALL). Proc. Ind. Acad. Sci., 46 (6): 347-375.
- Marathe, V.B. and Suterwalas, S.K. (1963):** The chondrocranium of *Tylosurus crocodilus* (Leseuer). Proc. Ind. Acad. Sci., 57 (B) : 356-367.
- Moy Thomas, J.A. (1933):** Development of the chondrocranium of *Polypeterus senegalus*. Quart. J. Micr. Sci., 76 : 209-229.

- Norman, J.R. (1926):** The development of the chondrocranium of the eel, *Anguilla vulgaris*, with observations on the comparative morphology and development of the chondrocranium in bony fishes. Phil. Trans. Roy. Soc. London, 214 : 369-464.
- Omarkhan, M. (1950):** The development of the chondrocranium of *Notopterus*. J. Linn. Soc. London, 41 : 608-624.
- Pashine, R.G. and Marathe, V.B. (1977):** The development of the chondrocranium of *Cyprinus carpio* Linnaeus. Proc. Ind. Acad. Sci., 85 : 351-363.
- Pehrson, T. (1922):** Some points in the cranial development of teleostomian fishes. Acta Zool., 3 : 1-63.
- Ramaswami, L.S. (1945):** The chondrocranium of *Gambusia* (Cyprinodonts) with an accounts of the osteocranium of the adult. J. Mys. Univ., 6 : 273-299.
- Ramaswami, L.S. (1947):** The Homalopteid skull. Proc. Zool. Soc. Lond., 118 : 515-539.
- Reidwood, W.G. (1904):** On the Cranial osteology of the Clupeoid fishes. Proc. Zool. Soc. Lond., 2: 448 – 493.
- Riad, A.M. (1978):** The development of the chondrocranium of the bony fish *Clarias lazera*. M. Sc. Thesis, Fac. Sci. Cairo Univ., Egypt, 97 pp & 25 Figs.
- Riad, A.M. (1996):** Development of the chondral neurocranium of *Xiphophorus helleri* (Poeciliidae, teleostei). 1. The development of the early stages. J. Egypt Ger. Soc. Zool., 21 (B) : 89-111.
- Riad, A.M.; Abo-Taira, A.M.; El-Serafy, S.S.; Zaher, M.M. and Abdallah, W.A. (1992):** Studies on the ontogeny of the neurocranium of *Poecilia reticulata* (Poeciliidae, Osteichthyes). 1. The development of the early stages. J. Egypt Ger. Soc. Zool., 8 (B) : 559-587.
- Romanov, N.S. (1978):** Development characteristics of chum *Salmon* chondrocranium in post embryogenesis Biol. Moya (Valdivost) I : 47-52.
- Ryder, J.A. (1957):** A contribution to the development of the lophobranchiata (*Hippocampus antiquorum*) the sea-horse. Bull. U.S., Fish, Comm., I (Quoted from Kassem 1957).

- Sagemehl, M. (1891):** Beitrage zur Vergleichenden Anatomie der Fische. IV-Das Cranium der Cyprinoiden. Morph. Jahrb. Vol., 17.
- Sewertzoff, A.N. (1899):** Die Entwicklung des selachierschadels. Festschr. Kupffer, p. 281 (Quoted from Norman, 1926).
- Sewertzoff, A.N. (1928):** The development of the chondrocranium in *Acipenser*. Acta. Zool., 9 : 193-200.
- Soni, D.D. and Shrivastava, B.R. (1985):** The paraphyseal – epiphyseal bar in *Mollinisia sphenops*. Folia Morph. (Prague) 33 (3): 230-235.
- Srinivasachar, H.R. (1953):** Development of the chondrocranium in *Ophiocephalus*. J. Linn. Soc. London, 62 : 238-259.
- Srinivasachar, H.R. (1957):** Development of the skull in cat fishes. I. Development of the chondrocranium in *Silonia Panagsius* and *Ailia* (Schilbeidae). J. Morph., (22) : 335-365.
- Stöhr, P. (1882):** Zur Entwicklungsgeschichte des Kopfskeletes der Teleostier. Festschr. 3 Sekul. D.A.J. Maximilian Wurzburg, 2 : 73-93.
- Swinnerton, H. (1902):** A contribution to the morphology of the teleostean head skeleton based upon a study of the developing skull of the spined stickleback (*Gasteroseus aculeatus*). Quart. J. Micr. Sci., 45 (4) : 503-597.
- Tag, A.F., (1999):** The development of the chondrocranium in the telost fish *Oreochromis aureus*. M.Sc. Thesis, Fac. Sci. Zagazig Univ., Benha Branch, 146 PP., 40 Figs.
- Tewari, S. (1971):** The development of the chondrocranium of *Rasbora daniconius* (Ham. Buch.). Gegenbaur's Morph., Jb., 116 (4) : 491-502.
- Tichomiroff, A. (1885):** The chondrocranium of *Salmo*. Zool. Anz., 8 : p. 533 (Quoted from De Beer, 1937).
- Tyler J.C.; Jerzmanska, A. and Bannikov, A.F. (1993):** Two new genera and species of *Oligocene spiekfishes* (Tetradontiform: Triacanthodidae), the first fossils of the Hollardiinae and Triacanthodinae. Smith. Can. Paleo. Biol., 75: 1-27.

- Tyler J.C.; Johnson, G.D. and Nakamura, I. (1989):** Morphology of *Luvarus imperialis* (Luvaridae), with a phylogenetic analysis of the acanthuroide (Pisces). *Smith Cont. Zool.*, 485: 1-78.
- Van Wijhe, J.W. (1922):** Frühe Entwicklungstadien des Kopf und Skelettes von *Acanthias vulgaris*. *Bijdr. tot. de Dierk.*, 22 : 271-398.
- Veit, O. (1911):** Entwicklung des primordial Cranium von *Lepidosteus osseus*. *Anat., Hefte Abt.*, 44 : 193-225. (Quoted from De-Bear)
- Verraes, W. (1973):** Contribution to the functional morphology of the constituting elements of the head of *Salmo gairdneri* Richardson, 1836 (Pisces, Teleostei), during postembryonic ontogeny with special attention to the cranium and muscles of the head (in Dutch). Thesis Rijksuniversiteit Ghent. Belgium. 242 pp.
- Verraes, W. (1974):** Notes on the graphical reconstruction technique, *Biol. Jaarb. Dodonea* 42 : 182-191.
- Wells, F. (1922):** On the morphology of the chondrocranium of the larval herring, *Clupea harengus*. *Proc. Zool. Soc. Lond.*, 2 : 1213-1229.
-