

REFERENCES

REFERENCES

- Achar, M.V.S.; Solanki, K.B. and Agarwala, I.P. (1977): Biochemical changes in blood of pigeons in experimental hyperthermia. Ind. J. Physiol., Allied Sci., 31:1-5.
- Allain, C.C.; Poon, L.S.; Chan, C.S.; Richmond, W. (1974): Enzymatic determination of total serum cholesterol. Clin. Chem, 20: 470-475.
- Altland, P.D. and Highman, B. (1961): Effects of exercise on serum enzyme values and tissues of rats. Am. J. physiol., 201 : 393 – 395 .
- Arad, Z. and Marder, J. (1983): Acid-base regulation during thermal panting in the fowl (*Gallus domesticus*): Comparison between birds. Comp. Biochem. Physiol., 74 A (1) : 125 – 130.
- Balasch, J.; Musquera, S.; Palacios, L.; Jimenes, M and Palomeque, J. (1976): Comparative hematology of some falconiforms, Condor., 78: 258-259.
- Balasch, J.; Palomeque, J.; Palacios, L.; Musquera S. and Jimnez, J. (1974): Hematological values of some great flying and aquatic diving birds. Com. Biochem. Physiol., 49 (A): 137-145.

- Beenackers, A.M. JR. (1969): Carbohydrate and fat as a fuel for insect flight. A comparative study. *J. Insect. Physiol.*, 15: 353-361.
- Beljan, J.R.; Madley, T.I.; Hellewell, A.B. and Hein, L.J. (1971): Determination of selected Avian blood plasma chemistry values using the Technician Auto Analyzer. *Poult. Sci.*, 50(1): 229-232
- Bell, D.J. (1957): Tissue components of the domestic fowl I. The D-glucose content of whole blood. *Biochem. J.*, 66: 137-141.
- Bell, D. J and Sturkie, P.K (1965) : Chemical constituents of blood, in : P.D Sturkie (Ed) , *Avian pathology*, PP: 921 -931
- Belo, P.S.; Romsos, D.R. and Leveille, G.A. (1976): Blood metabolites and glucose metabolism in the fed and fasted chicken. *J. Nutr.*, 106:1135-1143.
- Berger, M. and Hart, J.S. (1974): *Avian Biology*, Vol. IV. (Edited by Farner, D.S. and King, J.R.), Academic Press. New York. pp: 419-420
- Bernstein, M.H.; Thomas, S.P. and Schmidt-Nielsen, K. (1973): Power input during flight of the fish crow *Corvus ossifragus*. *J. Exp. Biol.*, 58: 401-410.
- Besch, E.L. and Kadono, H. (1978): Cardiopulmonary responses to acute hypoxia in domestic fowl in: *Respiratory Function in*

- birds, adult and embryonic (Ed. by J. Piiper,) Springer-Verlage, Berlin.,PP: 71-78.
- Black, C.P.; Tenny, S.M. and Van Kroonenburg, M. (1978): Oxygen transport during progressive hypoxia in bar-headed geese (*Anser indicus*) acclimatized to sea level and 5600 m. In: respiratory function in birds, adult and embryonic Ed. by J. Piliper, Springer – Verlage, Berlin., pp: 79-83.
- Blem. C.R. (1990): Avian energy storage.In: Power, D.M. (ed.), Current Ornithology. 7. Plenum Press, New York., PP: 59-113.
- Brackenbury, J. (1984): Physiological responses of birds to flight and running. Biol. Rev., 59: 559-575.
- Brackenbury, J.H. and EL-Sayed, M.S. (1984): Changes in plasma glucose and lipid concentrations during treadmill Exercise in domestic fowl. Comp. Biochem. Physiol., 79 A, 3: 447-450.
- Brake, J.; Garlich, J.D.; Parkhurst , C.R.; Thaxton, P. and Morgan, G.W. (1981) : physiological profile of caged layers during one production season, molt, and postmolt: organ weights and blood constituents. Poult. Sci., 60: 2157 – 2160.
- Butler, P.J. and Woakes, A.J. (1980): Heart rate, respiratory frequency and wing beat frequency of free flying barnacle geese (*Branta leucopsis*). J. Exp. Biol., 85, 213-226.

- Butler, P.J.; West, N.H. and Jones, D.R. (1977): Respiratory and cardiovascular responses of pigeon to sustained level flight in a wind-tunnel. J. Exp. Biol., 71: 7-26.
- Canalis E. (1983): The hormonal and local regulation of bone formation Endocr., 4:62-77
- Carey, C. and Morton, M.L. (1976): Aspects of circulatory physiology of mountain and lowland birds. Comp. Biochem. Physiol., 54 (A): 61-74.
- Carey, C.; Dunin-Borkowski, O.; Leon-Velarde, F, Espinoza, D. and Monge, C. (1993): Blood gases, pH. and hematology of mountain and lowland coot embryos. Respir. Physiol., 93: 151-163.
- Carey, C.; Dunin Borkowski, O.; Leon Velarde, F.; Espinoza, D. and Monge, C. (1994): Gas exchange and blood gases of puna teal (*Anas versicolor puna*) embryos in the Peruvian andes. J. Comp. Physiol., 163: 649-656.
- Carey, C.; Leon-Velarde, F.; Dunin-Borkowski, O.; Bucher, TL.; Torre, G de la.; Espinosa, D. and Monge, C. (1989): Variation in eggshell characteristics and gas exchange of mountain and lowland coot eggs. J. Comp. Physiol., 159(B): 389-400.
- Carpenter, F.L. (1975): Bird hematocrits: Effects of high altitude and strength of flight. Comp. Biochem. Physiol., 50 (A): 415-417.

- Chaplin, S.B.; Diesel, D.A. and Kasparie, J.A. (1984): Body temperature regulation in red-tailed hawks and great horned owls: responses to air temperature and food deprivation. *Condor.*, 86: 175-181.
- Clark, J.H. and Conlee, R.K. (1979): Muscle and liver glycogen content: diurnal variation and endurance. *J. Appl. Physiol.*, 47 (2): 425-428.
- Cueva, S.; Hillau, S.; Valenzuela, A. and Ploog, H. (1974): High altitude induced pulmonary hypertension. and right heart failure in broiler chickens. *Res. Vet. Sci.*, 16: 370-374.
- Dacie, J.V. and Lewis, S.M. (1993): *Practical Haematology; Thesis ELBS and Churchill livingstone, London, Ch. 5: 37-61. Ch. 16: 117-125.*
- Davies, K.J.A.; Sevanian, A.; Mulkassah-Kelly, S.F. and Hochstein, P. (1986): Uric acid-iron ion complexes a new aspect of the antioxidant Functions of uric acid. *J. Biochem.*, 235: 747-754.
- Dawes, C.M. and Simkiss, K. (1969): The acid-base status of the blood of the developing chick embryo. *J. Exp. Biol.*, 50: 79-89.
- Dial, K.P.; Kplan, S. R.; Goslow, J.E. Jr. and Jenkins F.A. Jr (1987): Structure and neural control of the pectoralis in pigeons: Implications for flight mechanics. *Anat. Rec.*, 218: 284-287.

- Didier, R.; Remesy, C. and Demigne, C. (1983): Changes in glucose and lipid metabolism in starved or starved- refeed japanese quail (*Coturnix coturnix japonica*) in relation to fine structure of liver cells. *Comp. Biochem. Physiol.*, 74 A (4): 839-848.
- Drabkin, D.L. and Austin, J.H. (1932): Spectrophotometric constants for common hemoglobin derivatives in human, dog and rabbit blood. *J. Biol. Chem.*, 98: 719-733.
- Eaton, T.H. JR. (1960): *Comparative Anatomy of The Vertebrates*. 2nd ed. Harper and Brothers, Publishers, New York.
- Edwards, M.J. and Marthin, R. (1966): Mixing technique for the oxygen hemoglobin equilibrium and Bohr effect. *J. Appl. Physiol.*, 21 (6): 1898-1902.
- Eissa, S.M.; Marie, M.S.; Abdel-Salam, A.W and Mohamed. H.A.; (1990 a). Acid-base status of blood of two wild crows. *Proc. Zool. Soc. A.R Egypt.*, 18: 439-449.
- Eissa, S.M.; Mohamed, H.A.; Abdel-salam, A.W. and . Marie, M.S. (1990b): Oxygen equilibrium curves of two wild crows. B-Effect of body weight, temperature and pH (Bohr effect). *Proc. Zool. Soc. A.R. Egypt.*, 18: 425-437.
- Eissa, S.M.; Ziada, G.A.; Mohamed, H.A.; EL-Shafey, A.A. and Hasheesh, W.S. (1988): Factors affecting oxygen loading of blood of two Egyptian rodents inhabiting different habitats.

- A-Temperature and pH (Bohr effect). Proc. Zool. Soc. A.R.Egypt., 16: 301-312.
- El-Shafey, A.A.M (1994): Effect of praziquantel on the blood gases and oxygen equilibrium curve of the rat. J. Egypt. Ger. Soc. Zool., 13 (A): 223-236.
- EL-Shafey, A.A.M. (1997): Respiratory functions of blood of domestic and migratory ducks. Egypt. J.Zool., 29: 245-254.
- El-Shafey, A.A.M. (1998): Effect of ammonia on respiratory functions of blood of (*Tilapia zilli*) Comp. Biochem. Physiol., 121 (A): 305-313.
- El-Shafey, A.A.M. (2000): Effect of bromadiolone on some blood parameters and respiratory functions in the albino rat. Egypt. J. Zool., 35:385-400.
- El-Shafey, A.A.M and Selim, M.M. (1996): Respiratory functions of blood of the domestic fowl (*Gallus domesticus*) and the European coot, (*Fulica atra*). Proc. Zool. Soc. A.R. Egypt., 27: 11-19.
- Feurie, F.L.E.R. and Hattingh, J. (1980): Variability in birds haematology. Comp. Biochem. Physiol., 65 (A): 147-150.
- Fossati, P. and Prencipe, L. (1982): Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide. Clin. Chem., 28 (10): 2077-2080

- Fossati, P.; Prencipe, L. and Berti, G. (1980): Use of 3,5-dichloro-2-hydroxy benzene sulfonic acid/4-aminophenazone chromogenic system in direct enzymic assay of uric acid in serum and urine. Clin. Chem., 26: 227-231.
- Frankel, H.M.; Yousef, M.K.; Bayer, R. and Dill, D.B. (1972): Blood composition in normothermic and hyperthermic kangaroo rats (*Dipodomys merriami*) and laboratory rats (*Rattus norvegicus*) Comp. Biochem. Physiol., 43 (A): 733-738.
- Freeman, B.M. (1978): Metabolic responses of the neonatal fowl, (*Gallus domesticus*) to short-term heat stress. J. thermal Biol., 3 (P): 49-5.
- Garbus, J.; Highman, B. and Altland, P.D. (1964): Serum enzymes and lactic dehydrogenase isoenzymes after exercise and training in rats. Am. J. Physiol., 207 (2): 467-472.
- Garcia-Rodriguez, T.; Ferrer, M and Castroviejo J. (1987): Circadian rhythms of determined blood chemistry values in buzzards and eagle owls. Comp. Biochem. Physiol., 88 (A): 663-669.
- Gee, G.F.; Carpenter, J.W. and Heusler, G.L. (1981): Species differences in hematological values of captive cranes, raptors and quail. J. Wildl. Manage., 54: 463-483.
- George, J.C (1999): Physiological significance of flight induced changes in certain hormonal, metabolite and other blood

- values in homing pigeons. Comp. Endocrin. Reprod. K.P. Joy, A. Krishna and C. Haldar (Eds). Narosa publishing House, New Delhi, India., 600-612
- George, J.C. and Berger A. J. (1966): Avian Myology. Academic Press, New York.
- George, J.C. and John, T.M. (1992): Flight behaviour and thyroid hormone regulation in homing pigeons. Zool. Sci., 9: 675-677.
- George, J.C. and John., T.M. (1993): Flight effects on certain blood parameters in homing pigeons (*columba livia*). Comp. Biochem. Physiol., 106 A (4): 707-712.
- George, J.C.; John, T.M. and Mitchell, M.A. (1989): Flight effects on plasma levels of lipid, glucagon and thyroid hormones in homing pigeons. Horm. Metabol. Res., 21: 542-545.
- Giffor, L. and Gambino, S.R. (1974): A composition of serum venus heparinized plasma for routine chemistry tests. Am. J. Clin. Path., 61: 108.
- Girard, H. (1971): Respiratory acidosis with partial metabolic compensation in chick embryo blood during normal development. Respir. Physiol., 13: 343-350.
- Gleeson, M. and Brackenbury, J.H. (1984): Effect of body temperature on ventilation, blood gases and acid-base balance in exercising fowl. Quart. J. Exp. Physiol., 69: 61-72.

- Goldstein, R.A.; Becker, K.L. and Morre, C.F. (1972): Serum urate in healthy men-intermittent elevations and seasonal effect. N. Engl. J. Med., 287: 649-650.
- Goodridge, A.G. and Ball, E.G. (1967): Lipogenesis in the pigeon : *in vivo* studies. Am.J. physiol., 213:245-249.
- Graber, G.; Leveille, G.A. and Netke, S.P. (1972): Effect of fasting on glycogen body stability in the mature chicken. Poult. Sci., 51: 704-705.
- Grande, F. (1968) : Effect of glucagon on plasma free fatty acids and blood sugar in birds. Proc. Soc. Exp. Biol. Med., 128 : 532 – 536.
- Gray, L.H. and Steadman, J.M. (1964): Determination of the oxyhemoglobin dissociation curves for mouse and rat blood. J. Physiol., 175: 161-171.
- Gruhn, J.G.; Borsano, C.P. and Kumar, Y. (1987): The development of tests of thyroid function. Arch. Pathol. Lab. Med., 111: 84-100.
- Gupta, P.K. (1977): Hematological Techniques. 4th edition Syndicate, India, P.231.
- Harper, H.A.; Rod well, v.w and Mayes, P.A. (1979): Review of Physiological Chemistry. 17th ed by Librairie Duliban, Beirut – Lebanon.
- Hazelwood R.L (1973): The avian endocrine pancreas. Am. Zool., 13: 699-709.

- Hazelwood, R.L. and Lorenz, F.W. (1959): Effects of fasting and insulin on carbohydrate metabolism of the domestic fowl . Am.J. physiol., 197(1): 47-51.
- Henry, R. (1964): Chim. Chem. Principles and techniques. Harper-Row, New York, P. 182.
- Huchzermeyer, F.W. and Deruyck, A.M.C. (1986): Pulmonary hypertension syndrome associated with ascites in broilers. Vet . Rec., 119: 93-94
- Isaacks, R.; Goldman, P. and Kim, C. (1986): Studies on avian erythrocyte metabolism. XIV Effect of CO₂ and pH on P₅₀ in the chicken. Am. J. Physiol., 250 (19): 260-266.
- John, T.M (1984): Physiological responses of birds to flight and running Biol. Rev., 59: 559-575.
- John, T.M.; Viswanathan, M.; George, J.C. and Scances, C. G. (1988): Flight effects on plasma levels of free fatty acids, growth hormone and thyroid hormones in homing pigeons. Horn . Metabol . Res., 20 : 271-273.
- Jordan, E.L. and Verma, P.S. (1986): Chordate Zoology and Animal Physiology. 6th ed S. Chad and Company LTD. Ram Nagar, New Delhi, 110055.
- Julaian , R.J ;Summers, J and Wilson, J.B. (1986): Right ventricular failure and a scites in broiler chickens caused by phosphorus deficient diets. Avian Disease., 30: 453-459.

- Jurgens, K.D.; Bartels, H. and Bartels, R. (1981): Blood oxygen transport and organ weights of small bats and small non-flying mammals. *Resp. Physiol.*, 45: 243-260.
- Kampa, I.S. and Frascella, D.W. (1977): Blood uric acid levels during hyperthermic stress. *Life Sci.*, 20: 1373-1376.
- Kent, G.C. (1973): *Comparative Anatomy of The Vertebrates*. 3rd (ed.). The C.V. Mosby Company, Saint Louis.
- Khalifa, M.H. (1986): Concentrations of carbohydrates and lipid of guinea pigs after five days starvation. *Comp. Biochem. Physiol.*, 85A (2):225-227.
- Khalsa, N.; Maitrya, B.B.; Hurkat, P.C. and Sharma, P.K. (1977): A study of hypo and hyperthermia induced changes in carbohydrate and lipid metabolism in dogs. *Ind. J. Med. Res.*, 65 (5): 729-733.
- Kiley, J.P.; Kulmann, W.D. and Fedde, M.R. (1982): Ventilatory and blood gas adjustments in exercising isothermic ducks. *J. Comp. Physiol.*, 147: 107-112.
- Kleiber, M. (1961): *The fire of life, an introduction to animal energetic*, John Wiley and Sons, Inc.
- Kluger, M.J.; Turnbull, A.J.; Cranston, W.I., Wing, A.J.; gross, M.P. and Rosenberg, B.A. (1981): Endogenous cryogen excreted by the kidneys. *Am. J. Physiol.*, 241: 271-276.

- Koelkebeck, K.W. and Odom, T.W. (1994): Laying hen responses to acute heat stress and carbon dioxide supplementation: Blood gas changes and plasma lactate accumulation. *Comp. Biochem. Physiol.*, 107 A (4): 603-606.
- Korhonen, K. (1987): The effect of short-term fasting on certain blood parameters and on glycogen storage in pectoral muscles of willow grouse (*Lagopus L. lagopus L.*). *Comp. Biochem. Physiol.*, 88 A (4): 677-682.
- Korte, S.M.; Rueisnk, W.; Kwakernaak, C.; Vanvoorst, S; Scheele, C.W. and. Blokhuis, H. J. (1999): High carbon dioxide tension (PCO₂) and the incidence of cardiac arrhythmias in rapidly growing broiler chickens. *Vet. Rec.*, 145: 40-43.
- Kowalski, A and Paul, W (1979): A simple extraction procedure for the determination of free (unconjugated) cortisol in urine by radioimmunoassay. *clin. chem.*, 25: 1152.
- Langslow, D.R.; Butler, E.J.; Hales, C.N. and Pearson, A.W. (1970): The response of plasma insulin, glucose and non-esterified fatty acids to various hormones, nutrients and drugs in the domestic fowl. *J. Endocr.*, 46: 243-260.
- Lasiewski, R.C (1972): Respiratory function in birds. In *Avian Biology* (Ed by Farner, D.S. and King, J.R.) Academic Press, New York., (11) pp: 288-342.
- Leveille, G.A. (1969): In vitro hepatic lipogenesis in the hen and chick. *Comp. Biochem. Physiol.*, 28 (A): 431-435.

- Lewandowski, A.H.; Campbell, T.W. and Harrison, G.J. (1986). Clinical chemistries. in. Clinical avian medicine and surgery. G.J.Harrison and K.R.; Harrison and L.R.Harrison, eds. W.B.; Saunders, Philadelphia. 192-200.
- Lindstrom, A.; Avist, A.; Piersma, T.; Dekinga, A. and Dietz, M.W. (2000): Avian pectoral muscle size rapidly tracks body mass changes during flight, fasting and fuelling. *Exp Biol. J.*, 203 (5): 913-919.
- Lutz, P.L. and Schmidt-Nielsen, K. (1977): Effect of stimulated altitude on blood gas transport in the pigeon. *Resp. Physiol.*, 30: 383-388.
- Lutz, P.L.; Longmuir, I.S. and Schmidt-Nielsen, K. (1974): Oxygen affinity of bird blood, *Resp. Physiol.*, 20: 325-330.
- Lutz, P.L.; Longmuir, I.S.; Tuttle, J.V. and Schmidt-Nielsen, K. (1973): Dissociation curve of bird blood and effect of red cell oxygen consumption, *Resp. Physiol.*, 17: 269-275.
- Marsh, R.L. and Dawson, W.R. (1982): Substrate metabolism in seasonally acclimatized American goldfinches. *Am. J. Physiol.*, 242 Regulatory Integrative. Comp. Physiol. (11): 563-569.
- Marzouk., M. (1991): Interrelationship of organ weight, Blood parameters, and flight in birds. *J.Egypt. Ger. Soc. Zool.*, 5: 59-66.

- McFarland, W.N.; Pough, F.H.; Cade, T.J. and Heiser, J.B. (1985): Vertebrate life. 2nd (ed). Macmillan Publishing Company, Macmillan, Inc. U.S.A.
- Meyers, R.A. (1993): Gliding flight in the American kestrel (*Falco sparverius*): An electromyographic study. J. Morphol., 215: 213-224.
- Mill, G.K. and Baldwin, J. (1983): Biochemical correlates of swimming and diving behavior in the little penguin (*Eudyptula minor*). Physiol. Zool., 56 (2): 242-254.
- Mosaad., M.N. (1999): Some biochemical parameters in serum and muscles of two birds of different flight. Egypte. J. Zool., 33: 321-329.
- Nair, G.; Baggott, G.K. and Dawes, C.M. (1984): The effect of temperature on the acid-base status of the blood of the hatching quail (*Coturnix C. japonica*). Comp. Biochem. Physiol., 79 A (1): 81-86.
- Nakazawa, S. and Tazawa, H. (1988): Blood gases and hematological variables of chick embryos with widely altered shell conductance. Comp. Biochem. Physiol., 89 A(2): 271-277.
- Natt, M.P. and Herrick, C.A. (1952): A new blood diluent for counting the erythrocytes and leukocytes of the chicken, glucose-insulin in the chicken J. Nutr., 109: 631-641.

- Nirmalan, G.P. and Robinson, G.A. (1971): Haematology of the Japanese quail (*Coturnix coturnix japonica*). Br. Poult. Sci., 12: 475-481.
- Norberg, U.M. (1995): How a long tail and changes in mass and wing shape affect the cost for flight in animals. Functional Eco., 9: 48-54.
- Odom, T.W. and Ono, Y. (1991): The time course in development of hypocalcemic and plasma lactate accumulation in mature and immature hyperthermic domestic fowl. (*Gallus domesticus*). Comp. Biochem. Physiol., 98 A (2): 207-210.
- Okumura, J. and Tasaki, I. (1969): Effect of fasting, refeeding and dietary protein levels on uric acid and ammonia content of blood, liver and kidney in chickens. J. Nutr., 97: 316-320.
- Oser, B.L. (1979): Hawk's Physiological Chemistry. blakisten division, Mc Graw-Hill, New York. P.P: 783-784.
- Pages, T. and Planas, J. (1983): Muscle myoglobin and flying habits in birds. Comp. Biochem. Physiol., 74(A): 289-294.
- Palacios, L.; Palomeque, J. Riera, M.; Pages, T.; Viscor, G. and Planas, J. (1984): Oxygen transport properties in the starling, (*Sturnus vulgaris*), Comp. Biochem. Physiol., 77 (2): 255-260.
- Palamieri, G.M.A.; Hawrylko, J. and Hinton, A. (1979): Hypercalcemic effect of insulin in the chick. Endocr., 104: 1774-1777.

- Palomeque, J. and Planas, J. (1977): Blood volume in domestic pigeons. *Comp. Biochem. Physiol.*, 59 (A): 413-417.
- Palomeque, J.; Palacios, L. and Anceplanas, J. (1980):
Comparative respiratory functions of blood in some
passeriform birds. *Comp. Biochem. Physiol.*, 66 (A): 619-629.
- Palomeque, J.; Pinto, D. and Viscor, G. (1991): Hematologic and blood chemistry values of the Masai ostrich (*Struthio camelus*). *J. Wildl. Dis.*, 27: 34-40.
- Parker, G.H. and George, J.C. (1975): Effects of short and long-term exercise on intracellular glycogen and fat in pigeons pectoralis. *Jap.J. physiol.*, 25: 175-184.
- Peinado, V.I.; Polo, F.J.; Celdran, J.F.; Viscor, G. and Palomeque, J. (1992): Hematology and plasma chemistry in exotic pigeons. *J. Zool. Wild. Med.*, 23: 65-71.
- Pennycuik, C.J. (1975): Mechanics of flight. In: King, J.R. and Farner, D.S., eds. *Avian Biology* (5). Academic Press, London. P.P. 1-75.
- Perry, M.C.; Obrecht, H.H. Williams, B.K and Kuenzel, W.J. (1986): Blood chemistry and hematocrit of captive and wild canvasbacks. *J. Wildl. Manage.*, 50: 435-441.
- Pilo, B. and George, J.C. (1983): Diurnal and Seasonal variation in liver glycogen and fat in relation to metabolic status of liver

- and M-pectoralis in the migratory starling, *Sturnus*, Wintering in India. *Comp. Biochem. Physiol.*, 74A (3): 601-604.
- Pilo, B.; John, T.M.; George, J.C. and Etches, R.J. (1984): Effects of electrical stimulation in vivo of muscle. Pectoralis on carbohydrate metabolism with reference to certain liver and blood values in the pigeon. *Arch. Internal. Physiol. Biochim.*, 92: 131-138.
- Pipkin, F.B. (1984): *Medical Statistics Made Easy* Churchill Livingstone Co., Edinburgh, London, Melbourne and New York.
- Polo, F.J.; Celdran, J.F.; Peinado, V.I.; Viscor, G. and Palomeque, J. (1992): Hematological values for four species of birds of prey. *Condor*, 94: 1007-1013.
- Polo, F.J.; Penado, V.I.; Viscor, G. and Palomeque, J. (1998). Hematologic and plasma chemistry values in captive psittacine birds. *Avian. diseases.*, 42:523 -535.
- Raveling, D.G. and Lefebvre, E.A. (1967): Energy metabolism and theoretical flight range of birds. *Bird-banding*, 38: 97-113.
- Reitman, S. and Frankel, S. (1957): A colorimetric method for the determination of serum glutamic oxalo-acetic and glutamic pyruvic transaminases. *Am. J. Clin. Path.*, 28: 56-60. *Rev.*, 35: 664-700.

- Romer, A.S. (1962): Vertebrate Paleontology 9th Impression. The University of Chicago press, Chicago I Illinois , U.S. A.
- Sarkar, N.K. (1977): Implication of alanine and aspartate aminotransferases, glutamic dehydrogenase and phosphoenolpyruvate carboxykinase in glucose production in rats, chicken and pigs. *Int. J. Biochem.*, 8: 427-432.
- Scheele ,C.W. (1996): Ascites in chickens. Thesis, University of Wageningen , The Netherlands .
- Scrutton, M.c. and Utter, M.F (1968) : Regulation of glycolysis and gluconeogenesis in animal tissue *Arev . Biochem .*, 37 : 294 – 302.
- Sinet, M.; Muffat-Joly, M.; Henzel, D.; Renault, G. and Pocidalo, J.J. (1984): Performance of hypothermic isolated rat heart at various levels of blood acid-base status. *J. Appl. Physiol.*, 56 (6): 1526-1532.
- Steel, R.G.D. and Toorie, J.H. (1980): Principles and procedures of statistics. 5th E.D. Mc Graw-Hill Book Inc., New York
- Sturkie, P.D. (1976): *Avian Physiology* 3rd (ed). Springer-Verlag, New York.
- Tapper, D.N. and Kare , M.R. (1960): Blood glucose distribution in the domestic fowl. *Proc. Soc. Exp. Biol Med.*, Vol. 103,789-790.

- Tazawa, H.; Mikami, T. and Yoshimoto, C. (1971): Respiratory properties of chicken embryonic blood during development. *Respir. Physiol.*, 13 : 160 – 167 .
- Torrella, J.R.; Fouces, V.; Palomeque, J. and Viscor, G. (1998): Capillarity and fibre types in locomotory muscles of wild yellow-legged gulls (*Larus cachinnans*). *Physiol. Zool.*, 71 (4): 425-434.
- Trinder, P. (1969): Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor. *Biochem.*, 6: 24-25.
- Tucker, V.A. (1972a): Metabolism during flight in the laughing gull *Larus atricilla*. *Am. J. Physiol.*, 222 : 237-245.
- Tucker, V. (1972b): Respiration during flight in birds. *Respir. Physiol.*, 14: 75-82.
- Twiest, G. and Smith, C.J. (1970): Circadian rhythms in blood glucose levels of chickens. *Comp. Biochem. Physiol.*, 32: 371-375.
- Umminger, B.L. (1975): Body size and whole blood sugar concentrations in mammals. *Comp. Biochem. Physiol.*, 52A: 455-458.
- Utter, J.M. and Lefebvre, E.A. (1970): Energy expenditure for free flight by the purple martin (*Progne subis*). *Comp. Biochem. Physiol.*, 35: 713-729.

- Vallyathan, N.V.; Grinyer, I. and George, J.C. (1970): Effect of fasting and exercise on lipid levels in muscle: a cytological and biochemical study. *Can J. Zool.*, 48: 377-383.
- Victor, I.; Peinado, M.S.; Prancisco, J.; Polo, M.S.; Jose, F.; Celdran, M.S.; Viscor, G. and Palomeque, J. (1992): Hematology and plasma chemistry in endangered pigeons. *J. Zool and wild. Med.*, 23 (1): 65-71.
- Viscor, G.; Fuentes, J. and Palomeque, J. (1984): Blood rheology in the pigeon (*Columba livia*), hen (*Gallus gallus domesticus*) and black-headed gull (*Larus ridibundus*). *Can. J. Zool.*, 62: 2150-2156.
- Viscor, G.; Marques, M.S. and Palomeque, J. (1985): Cardiovascular and organ weight adaptations as related to flight activity in birds. *Comp. Biochem. Physiol.*, 82A (3): 597-599.
- Wahren, J.; Felig, P.; Ahlborg, G. and Jorfeldt, L. (1971): Glucose metabolism during leg exercise in man. *J. Clin. Invest.*, 50: 2715-2725.
- Winder, W.W.; Boullier, J. and Fell, R.D. (1979): Liver glycogenolysis during exercise without a significant increase in CAMP. *Am. J. Physiol.*, 237 (3): R 147-R 152.
- Woodhead, J.S.; Addison, J.M. and Hales, C.N. (1974): Radioimmunoassay technique for insulin determination *Br. Med. Bull.*, 30: 44.

- Yersin, A.G.; Huff, W.E; Kubena, L.F.; Elissalde, M.H.; Harveyg, R.B; Witzel, D.A. and Giroir, L.E. (1992): Changes in hematological, blood gases, and serum biochemical variables in broilers during exposure to stimulated high altitude. *Avian. Dis.*, 36:189-196.
- Young, J.Z. (1962): *The Life of Vertebrates*. 2nd ed., Univ. Press, Oxford.
- Zollner, N. and Kirsch, K.(1962): Determination of lipids (micromethod) by means of the sulfophosp'hovanillin reaction common to many natural lipids (all known plasma lipids) *Z.Ges . Exp. Med.*, 135:545-561.