

REFERENCES

REFERENCES

1- Cited references:

Adler, Yu. P.; Markova, E. V.; and Granovsky, Yu. V., (1975). " The design of experiments to find optimal conditions " Mir Publishers Moscow.

Afifi, S. E., (1999) " Recycling of lead from scraplead acid batteries and its impact on the environment." Review Article CMRDI.

Andrews, D.; and Frias, C.A.R. , May, (2000), " Environmentally sound technologies for recycling secondary lead." Eighth Battery Conf., [Proc. Conf.], Bangkok, Thailand, 8-10 Sept. 1999, J. Power Sources, 88,(1), 124-129.

Aria, K.; and Toguri, J. I., (1984), " Leaching of lead sulfate in sodium carbonate solution." Hydrometallurgy, 12 (1), 49- 59.

Ashar, N. G. (1982) "Process modifications and inplant changes for pollution control inchemical industries" Chemical Engineering World,17,(4): 49-54.

Baasel, W.D., Ball, J.G., and Meling, J.L.,(1982), " Pollution control practices: cost for emissions" Chem. Engng. Prog., 78(6) : 47-63.

Bates, C.; and DiMartini, C., (1986), "Sodium treatment of copper dross", J. Met., 38(8). 43-45.

Begum , D.A.; Islam , M.F.; and Biswas, R.K. , (1989)," A study on the dissolution of lead sulfate from waste batteries with ethanol-amine ", Bangladesh Hydrometallurgy ,22, 259-266.

Beisembaev, B. B.; Tynybekov, M. I.; Katkov, Yu. A.; and et. al, (1984), "Determination of the optimum concentration of sodium chloride in solution in percolation leaching of lead." Kompleks Ispol'z. Miner. Syr'ya. (10), 15-17.

Bergsoe, S., July 20, (1982), "Method of recovering lead from lead acid batteries." Patent No. US4340421, Appl. No. US1980000195435.

Bergsoe, S., Mar. 22, (1977), "Method for treating flue dust containing lead." Patent No. US4013456, Appl. No. US1975000583473.

Bied, B., Charreton, May (1990), "Lead recycling: improving on our nature." Metal europ. Matér. Tech. (Special Issue, Lead), 21-23, ISSN 0032-6895.

Bitler, J.A.; Baranski, J. P.; and Larson, H. R., Aug. 24, (1999), " Process for recovering metals from arc furnace (EAF)." Patent No. US5942023, Appl. No. US1997000946583.

Bricmont, F. H., June 16, (1987), "Furnace dust recovery process." Patent No. US4673431, Appl. No. US1986000817063.

Buren, Kurt J. A.; Hedlund, M.L.; and Lundstrom, M.S., Feb. 18, (1996), "Method for recovering lead from waste lead products." Patent No. US4571261, Appl. No. US198400062419.

Charreton, B. B.; Chabry, P.; Lecadet, J.; and et al., 27 Apr. (1994), "Process of lead recovery from active material in used batteries and electric oven to implement the process.", N. P., Patent No. EP0594470 (Europe), Convention date 10 Sept. 1993.

Cheremisnoff ,N and Young, R. A.,(1977), " Air pollution control and design handbook",Marcel Dekker, New York .

Chouzad, J.; Kevork, A.; and et. al., (1991), "Development of a process to produce lead oxide from Imperial smelting furnace copper / lead dross", Hydrometallurgy, 26(3), 347-59.

Correia, M. J. N.; Carvalho, J. R., "Technical note: chloride leaching of Portuguese lead concentrates." Minerals Engineering, 1992, Vol. 5, No. 2, p. 245-53.

Crowder J. w.; Nall, K.E.; and Davis, W.T., (1982) " Modeling Venturi scrubber efficiency" Atmospheric Environment, 16 (8):2009-2013.

De Souza, C.C.B.M.; and Tenorio, J.A.S., (2000), " Hydrometallurgical routs for recycling of used alkaline batteries." EPD Congress 2000 as

held at the 2000 TMS annual Meeting [Proc. Conf.], Nashville, TN, USA, 12-16 Mar. 2000, EPD Congress 2000 as held at the 2000, Minerals, Metals & Materials Soc. /AIME, USA, 271-279.

Devchich, I. I.; Kershansky, I. I.; Kokorin, V. A.; and et al, (1992), "Preparation of a granulated charge from secondary lead raw material for electric smelting of Leninogorsk lead." Tsvetn. Met., (10), 25-7.

Efim, M. , Aug.4, (1998), " Process for recovering metallic lead from exhausted batteries." Patent No. US5788739, Appl. No. US1996000597748.

Fischer, H.; and Kammel ,R., (1980), " Hydrometallurgical working - up of starting materials containing lead sulfate", Metall . 34 ,(8), 716-722..

Forrest, H., and Wilson, J.D., (1990), "Lead recycling utilizing short rotary furnaces" Lead-Zinc'90, T.S. Mackey and R.D. Prengaman, (Eds) The Minerals, Metals & Materials Society TMS, A publication of TMS, Pennsylvania, USA, 971-78.

Fowes, F.M., (1968), "Calculation of work of adhesion by pair potential summation" J. Colloid Interface Sci., 28 (3-4), 493.

Furuya, K., Jul. 07, (1978), " Oxygen-smelting of lead dross in a short rotating furnace" Jpn. Kokai, Tokyo, Koho, 7876, 920, 3 pp.

Gaballah, I.; Ferreira, S.; and Djona, M., (1995), "Recovery of metals contained in spent catalysts using a thermal treatment followed by selective chlorination", Rev. Metall., 31(4), 215-221.

Gizicki, S.; Czemecki, J.; Krawiec, Z.; and et. al, (2000), "Modernisation of the lead acid battery scrap Smelting technology" Fourth International Symposium on Recycling of Metals and Engineered. Materials [Proc. Conf.], Pittsburgh, PA, USA. 22- 25 Oct. 2000 Fourth International Symposium on Recycling of Metals and Engineered. Materials, Minerals, Metals & Materials Soc./AIME, USA 123-131.

Gordon, G.; and Peisakhov, I.; (1972), " Dust collection and gas cleaning." Mir Publishers, Moscow.

Gordon, G.; and Peisakhov, I.; (1972), "Dust collection and gas cleaning." *Sec. 3, Dust collection and gas cleaning techniques*, Ch. 17, pp.229-266 Mir Publishers, Moscow.

Grawford, M., (1976), "Air pollution control" Tata McGraw-Hill, New Delhi.

Graham, H.R., Nov. 26 ,(1987), "Treatment of lead-containing dross". *Pat. specif. (Aust.) Au 567, 612*, 13 pp.

Gupta, S. K., (1979) "Momentum Transfer Operations" Tata McGraw-Hill, New Delhi.

Habashi, F. (1996), "pollution problems in the mineral and metallurgical industries." *Métallurgie Extractive Québec*, Canada.

Haberman, J.H.; and Rao, Y.K. , (1988), "Chemical dissolution of lead blast furnace accretions with potassium carbonate in the presence of carbon" *Can. Metall. Q.*, 27(3),247-51.

Hollis, R.G., Mar.20, (1990), "Secondary lead production." *Mount Isa Mines, Off. Gaz., Patent No. US4909839*, USA.

Humphris, M.J.; Liu, J.; and Javor, F., (1997), "Gas cleaning and acid plant operations at Inco. Cliff. smelter", *Pyrometallurgical Operations, the Environment and Vessel Integrity in Nonferrous Smelting and Converting*, C. Diaz, I. Holubec, and C.G. Tan, (Eds). *Nickel Cobalt 97 CIM Conference*, , vol. III, 321-335.

Inoe, T. ; Tomii ,K. and Katoh, K., Sept.(1981), "A study on the treatment of metallurgical wastes containing heavy metals. 111. Flotation of lead sulfate in the red residue of a hydrometallurgical zinc smelter." *Annual report Eng.Res.Inst.TokyoUniv.*40, 159-164.

Kammer, U.; and Muller, H., (2000), "Reduction of lead in the separator fraction." *Fourth International Symposium on Recycling of Metals and Engineered. Materials [Proc. Conf.]*, Pittsburgh, PA, USA. 22- 25 Oct.2000 *Fourth International Symposium on Recycling of Metals and Engineered. Materials, Minerals, Metals & Materials Soc./AIME*, USA 133-140.

Kammer, U.; Schenker, G.; and Wieden, H. D., (1993), "Secondary lead smelting using a silica slag." *EPD Congr. 1993, Proc. Symp. TMS Annu. Meet.*, 917-26.

Kleinwort, J., June, (1978), "Dust Collection from Short-cylinder rotary furnaces in lead-smelting plants." *Erzmetall*, 31,(6), 262-267.

Koch, M.; and Niklas, H., (1989), "Process of lead acid battery scrap: the VARTA process." *Productivity and Technology in the Metallurgical Industries [Proc. Conf.]*, Cologne, FRG, 17-22 Sept. 1989, The Minerals, Metals & Materials Society, 420 Commonwealth Dr., Warrendale, Pennsylvania 15086, USA, (Met. A., 9010-72-0410) 495-500.

Krebs, A., (1999), "Recycling of household batteries and heavy metal containing wastes." *REWAS. 99: Global Symposium on Recycling, Waste Treatment & Clean Tech. [Proc. Conf.]*, San Sebastain, Spain, 5-9 Sept. 1999, *REWAS. 99: Global Symposium on Recycling, Waste Treatment & Clean Tech.*; Vol. II, Minerals, Metals & Materials Soc. /AIME, USA, 1109-1116.

Lamm, K. F., (1989), " Use of oxy- fuel burners in smelting lead battery scrap in sort rotary furnaces." *Productivity and Technology in the Metallurgical Industries [Proc. Conf.]*, Cologne, FRG, 17-22 Sept. 1989, The Minerals, Metals & Materials Society, 420 Commonwealth Dr., Warrendale, Pennsylvania 15086, USA, (Met. A., 9010-72-0410) 473-481.

Lamm, K. F.; and Melin, A. E., (1989), "Low waste technology for reprocessing battery scrap." *Stolberg Ingenieurberatung. Productivity and Technology in the Metallurgical Industries [Proc. Conf.]*, Cologne, FRG, 17-22 Sept. 1989, The Minerals, Metals & Materials Society, 420 Commonwealth Dr., Warrendale, Pennsylvania 15086, USA, (Met. A., 9010-72-0410) 483-493.

Leiby, Richard A., Jr., (1993), "Secondary lead smelting at East Penn Manufacturing." *EPD Congr. 1993, Proc. Symp. TMS Annu. Meet.* 943-58.

Lopukhov, G.A., Oct. (1999), " new technology for processing the dust formed during steel making in electric arc furnace." *Elektrometall*, 10,45.

Lyamina, M. A.; Ospanov, N. M.; Polyakov, I. P.; and et. al, (2000), "Analysis of dust formation in the oxygen flash smelting of lead bearing feeds in the Kivcat smelter." Lead- Zinc 2000 Symposium as held at the TMS Fall Extraction & Process Metallurgy Meeting [Proc. Conf.], Pittsburgh. PA. USA, 22-25 Oct.2000, Lead- Zinc 2000, Minerals, Metals Soc. /ALME, 148Thorn Hill Road. Warrendale, PA15086-7528,USA, p.361-370.

Mahajan, S. P., (1985), "Pollution control in process industries " Tata McGraw-Hill Publishing Company Limited, New Delhi.

Matsenko, Y.A.; and Shustrov, A.Y., Aug.(1999), " Low temperature process of lead extraction in accumulator battery scrap separation." Tsvetn. Met., 8,22-25.

Menad, N.; Comejo, N.; Ferreira, S.; and et. al, May-June (2000), "Thermal treatment of dusts from nonferrous metallurgical industries." Rev. Metal., ,36, (3),159-164.

Meng, F., (1991), "Dross handling and Comprehensive", Kuangchan, Zonghe Liyong,(2),7-10.

Milner, E.F.; and VanBeek, W. A., Aug. 18-21, (1985), "Reduction of lead dressing fume for recovery of tin and indium". Symposium on quality control in non-ferrous pyrom. processes, Vancouver, B.C., Canada.

Monhenius, A.J., (1981), Chem & Ind., June, 410-419.

Moriya, K., (1990), "Lead smelting and refining, Its current status and future" Lead-Zinc'90, T.S. Mackey, and R.D. Prengaman, (Eds) The Minerals, Metals & Materials Society TMS, A publication of TMS, Pennsylvania, USA, 23-38.

Moser, W.S.; Mahler, G.T.; Knepper, T. R.; and et. al, (1992), "Metals recycling from steel-making and foundry wastes by Horesehead resource development", Electric Furnace Conference Proceedings, ISS, 145.

Mounsey, E.N.; and Piret,N.L.:(2000), "Review of ausmelt technology for lead smelting." Lead- Zinc 2000 Symposium as held at the TMS Fall Extraction & Process Metallurgy Meeting [Proc. Conf.], Pittsburgh. PA.

USA, 22-25 Oct.2000, Lead- Zinc 2000,Minerals, Metals Soc. /ALME, 148Thorn Hill Road. Warrendale, PA15086-7528,USA, , p.149-169.

Moure, W., B. Jr.; Etsell, T., H., Apr. 09, (1991), "Method and apparatus for recovery of lead from batteries." U. S., US 5,211,818 (Cl. 204-114; C25Cl/18), 18 May 1993, Appl. 682,330, 7 pp.

Nishimura, T., Aug 12, (1976), "Recovery of valuable metals in lead dross and similar materials" Japan, Kokai, 7691, 803, 5 pp.

Okuda ,M.; and Tomisaki , k., Jan. 6, (1978), " Process of regenerating and recovering lead sulfate containing wastes.", Diamond Engineering Co Ltd. US Patent 4222769 USA.

Parkar A., (1978), " Industrial air pollution handbook." McGraw-Hill U.K.

Perillo, A., (1988), "The Kivcet Lead Smelter at Portovesme-Commissioning and Operating Results." Paper presented at the 111th AIME Annual Meeting, Pheonix.

Perry, P. H.,(1973), " Chemical engineers handbook." McGraw-Hill, New York.

Pickles, C.A.; Smith, D. ; Tomlinson, V.; and et. al, Aug. (1989), "Sulfur dioxide emission from soda ash smelting of scrap lead acid battery residue", Primary and secondary lead processing [Proc. Conf.] Halifax, Nova Scotia, Canada, 20-24.

Pietrelli, L., (1999), " Metal recycling for exhausted batteries." REWAS. 99: Global Symposium on Recycling, Waste Treatment & Clean Tech. [Proc. Conf.], San Sebastain, Spain,5-9 Sept. 1999, REWAS. 99: Global Symposium on Recycling, Waste Treatment & Clean Tech.; Vol. I, Minerals, Metals & Materials Soc. /AIME, USA, 675-680.

Pinard, D.; and Guimont,J., Oct.5, (1999), "recovery of lead and other materials from smelting flue dust." Patent No. US5961691, Appl. No. US1997000942546.

Player, R. L.; and Matthew, S. P., Oct.26, (1993), "Method for the treatment of dusts and concentrates." Patent No. US5256186, Appl. No. US1991000773320.

Potoniec, A.; Czernecki, J.; Zaczkowski, S.; and et al, Oct. (1987), "Recovery of lead from wastes and slag in rotating furnace." Pol. PL 156,564 (Cl. C22B13 / 02), 31 Mar. 1992, Appl. 268,531, 29; 4pp.

Prengaman, R. David, Feb. 24-28, (1980), "Reverberatory furnace-blast furnace smelting of battery scrap at RSR." Lead-Zinc-Tin'80 Proceedings of World Symposium on Metallurgy and Environmental Control, Sponsored by the TMS-AIME, J. M. Cigan and et al, p. 985-1002.

Prengaman, R. David, (1995) " Recovering lead from batteries" J. Jom, pp.31-33

Queneau, P.B.; Douglas, E.C., and Douglas, K.M., Aug. 20-24, (1989), "Optimizing matte and slag composition in rotary furnace smelting of lead residues", Int. Symp. on primary & secondary lead processing, Halifax, Nova Scotia, USA, , 145.

Rabah, M.A., (1999), "Cost effectiveness of abatement options for emissions control in Egyptian iron foundries", Waste Management J. 19, 283-292.

Rappas, A. S.; and Waterman, B. T., Jan. 2, (1990), "Processes for the treatment of smelter flue dust." Patent No. US4891067, Appl. No. US1988000193873.

Reynolds, R.M.; Hudson, E.K.; and Olper, M., (1990), "Advances in lead-acid battery recycling: Engitec's automated CX breaker system" Lead-Zinc'90 , T.S. Mackey, and R.D. Prengaman, (Eds) The Minerals, Metals & Materials Society TMS, A publication of TMS, Pennsylvania, USA, 1001-22.

Riesenkanipf, W.; Bednarek, A.; Beltowska, E.; and et. al, (2000), "Characterization of slag from smelting of secondary lead" RudyMet. Niezelaz., 45(12), p.613-617.

Roland, and S. Young (1971), "Chemical analysis in extractive metallurgy" Charles Griffin and Company Limited, pp. 376-377.

Rusin, A. I.; Lata, V. A.; Khagai, L. D.; and et al., (1993), "Processing of wastes from lead battery manufacture." Ogneupory (3), 65-9.

Ryan, P.; Corsi, C.; Smith, N.; and et. al, (1999), " Agglomeration of ESP dusts for recycling to plant smelting furnaces." Copper 99- Cobre 99; Fourth International Conference [Proc. Conf.], Phoenix, AZ, USA, 10-13 Oct.1999, Smelting Operations and advances. Vol. V. Minerals, Metals Soc. /ALME, 148Thorn Hill Road. Warrendale, PA15086-7528,USA, p.561-571.

Sato ,H.; and Toguri J. M.,(1986), Chem. Abstract 104:153095.

Saudersanan ,M. , (1980),Ind. J. Chem. 19(A) : 929.

Schenker, G., (1990), "Lead recycling from battery scrap and other raw materials in Metal Europe's lead smelting plan in Oker", Lead-Zinc'90 , T.S. Mackey and R.D. Prengaman (Eds) The Minerals, Metals & Materials Society (TMS), A publication of TMS, Pennsylvania, USA, 979-1000 .

Schneider, W.D.; and Schwab, B., (1999), "production of zinc and lead from metal containing dust." REWAS. 99: Global Symposium on Recycling, Waste Treatment & Clean Tech. [Proc. Conf.], San Sebastain, Spain,5-9 Sept. 1999, REWAS. 99: Global Symposium on Recycling, Waste Treatment & Clean Tech.; Vol. II, Minerals, Metals & Materials Soc. /AIME, USA, 1147-1151.

Sorokina, V. S.; and Smirnov, M. P., (1988), " leaching of lead sulfate by acetate solutions." Tsvetn. Met., (8), 45-46.

Sosin, J.; Orzechowski, H.; and et. al, Jun.30, (1987), "Remelting of dross containing tin and lead" Pol. PI, 137. 369, 3 pp.

Strauss, W. (Ed.), (1971), " Air pollution control." Parts I&II, Wiley Interscience, New York.

Vaysgant, Z.; Demidov, A.; Klebanov, E.; and et al., Feb. (1995), "A low temperature technique for recycling lead-acid battery scrap without wastes and with improved environmental control." Fourth European Lead Battery Conference [Proc. Conf.], Geneva, Switzerland, 21-23 Sept. 1994, J. Power Sources, 53, (2), (Met. A., 199505-72-0152) 303-306, ISSN 0378-7753.

2- Uncited references:

Ainley, J. R., (1995), "Environmental regulations: their impact on the battery and lead industries." *Fourth European Lead Battery Conference (Proc. Conf.), Geneva, Switzerland, 21-23 Sept. 1994, J. Power Sources, Feb. 53, (2), (Met. A., 199505-72-0152) 309-314, ISSN 0378-7753.*

Almeida, M. F., Jan.- Feb. (1993), "Recycling metals: steel, zinc, and lead." *Tecnometal, 15, (84), 5-13, ISSN 0870-8444.*

Barve, A. D.; Shinde, V. M., (1993), "Determination of lead in environmental and alloy samples." *Indian J. Chem., Sect. A: Inorg., Bio-inorg., Phys., Theor. Anal. Chem. 32A (5), 460-2*

Bednarek, Piotr; Smieszek, Zbigniew; Kapias, Ryszard; and et al., Apr.9(1988); "Fire refining of crude lead with simultaneous antimony recovery." *Pol. PL 154,781 (Cl. C22B13 / 06), 31 Dec. 1991, Appl. 271,734, 08 5pp.*

Bergsoe, S.;and Gram, N.; (1980), "Lead smelting, refining and pollution" *Lead-Zinc-Tin'80 Proceedings of World Symposium on Metallurgy and Environmental Control, Sponsored by the TMS-AIME,J. M. Cigan and et al Feb. 24-28, p. 1023-1030.*

Chakravarty, Sumon; Mishra, R. K., (1992), " Extraction-spectrophotometric determination of lead in environmental samples." *J. Indian Chem. Soc. 69 (10) 701-2.*

Cole, E. R., Jr.; Lee, A. Y.; and Paulson, D. L., (1985), "Update on recovering lead from scrap batteries." *J. Metals, Feb. 79-83.*

Dazzi, G.; Colombo, R., 1, 6 Feb. (1991), "Process for recovery pure lead and waterproofing slags from worn-out batteries." *Ausz. Eur. Patentanmeld. 7, (6), 606, Patent no. EP0412048 (European Patent), Convention date 21 June 1990.*

Delprato, Uberto; Lombrdi, Valerio; and Remetti, romolo, (1991), " Feasibility study of x-ray fluorescence monitoring of lead contained in atmospheric particulates." *Inquinamento 33 (2), 82-6.*

Demarthe, J. M.; Georgeaux, A., (1980), "Hydrometallurgical treatment of lead concentrates." *Lead-Zinc-Tin'80 Proceedings of World Symposium on Metallurgy and Environmental Control, Sponsored by the TMS-AIME, J. M. Cigan and et al, Feb. 24-28, p. 426-444.*

Ewing, G. W.; (1985), " *Instrumental methods of chemical analysis* " Fifth edition, New York.

Fischer, R., (1989), "Contibat process for treatment of scrap lead batteries." *Productivity and Technology in the Metallurgical Industries (Proc. Conf.) Cologne, FRG, 17-22 Sept. 1989, The Minerals, Metals & Materials Society, 420 Commonwealth Dr., Warrendale, Pennsylvania 15086, USA, (Met. A., 9010-72-0410) 501-510.*

George, L. C.; Schluter, R. B., (1992), "Waste battery acid: use or disposal." (*Rolla Res. Cent., Bur. Mines, Rolla, MO USA*). Report 1992, Order No. PB92-176155, 20 pp. Avail. NTIS. From Gov. Announce. Index (U. S.) 92(14), Abstr. No. 237,818.

Haver, F. P.; Elges, C. H.; Bixby, D. L.; and et al; (1976), "Recovery of lead from lead chloride by fused-salt electrolysis." *BuMinea RI 8166, 18 pp.*

Holdich, R. G.; Lawson, G. J., (1986), "The solvent extraction of lead using commercially available extractants" *ISEC' 86 International Solvent Extraction Conference, München, Fed. Rep. Of Germany, 11-16 Sep. Vol.2, 19-27.*

Hu, J. G.; Lei, S. Q.; Wu, T.; and et al., (1993), "Determination of arsenic, antimony, tin, lead, and bismuth in iron and steel with hydride generation non-dispersion atomic fluorometry." *Metall. Anal. 13, (1), 51-52*

James, S.; Bounds, C., (1985), "High purity lead from the ferric chloride leaching of complex sulphides, in complex sulphides." Ed. by A. Zunkel, AIME p. 441.

Kircher, J., (1989), "Lead recycling technology." *J. Power Sources, 28, 85-91.*

Lee, Agnes Y.; Wethington, Ann M.; and Gorman, Michael G., (1993), "Treatment of lead wastes from lead acid battery recycling plants." *EPD Congr. 1993, Proc. Symp. TMS Annu. Meet. 927-42.*

Morabito, R., Feb.-Mar. (1995), "Extraction techniques in speciation analysis of environmental samples." Trends in Speciation Analysis (Proc. Conf.), Rome, Italy, 20-22 Feb. 1994, Fresenius' J. Anal. Chem., 351, (4-5), (Met. A. , 199505-72-0161) 378-385

Qiu, Keqiang; Zhang, Ruzhi; and Dai, Yongnian, (1992), "Vacuum refining of antimony to remove lead." Youse Jinshu 44 (3), 63-8.
Ramachandran, V.; Gilbert, S. R., Feb. (1995), "Recovering metals from wastes." JOM, 47, (2), 64, ISSN 1047-4838.

Shamsusuddin, M., (1986), "Metal recovery from scrap and wastes." J. Metals Feb. 24-31.

Shelley M. A., (1990), "Design of secondary lead plant for the 1990s." H. J. Enthoven & Sons, Darley Smelter, South Darley, Derbyshire, Eng., 259-73.

Stout, M., (1993), "Secondary lead recovery from spent SLI batteries." EPD Congr, Proc. Symp. TMS Annu. Meet. 967-79.

Tokalioglu, S.; Kartal, S., (1994), "Determination of copper, cadmium, lead and bismuth in high purity zinc metal samples by atomic absorption spectrometry after preconcentration using Amberlite XAD-1180 resin." Anal. Sci., 10 (5), 779-782.

Wilson, D. N., (1990), "Recycling of lead." Lead Development Association, London, England.

Wilson, David N., (1993), "New approaches to the collection of scrap batteries." J. Power Sources, 42(1-2), 319-29.

Zhang, F. A.; Zhang, H., (1993), "Simultaneous determination of lead, bismuth, tin, antimony, arsenic, and copper in ferro-nickel based alloys by atomic emission spectrometry." Metall. Anal. 13,(2), 58-59.

Zunkel, A. D.; Taylor, J. C., Jan. (1988), "The integrated primary / secondary lead smelting." J. Metals, 32-35.