

Contents

Topic	Page
Aim of the study	
English summary	
Abbreviations and acronyms	
List of tables	
List of figures	
 Chapter 1: Introduction	
1.1 Literature survey	1
1.2 Color-center lasers	12
1.2.1 The structure of color centers in the alkali halides	16
1.2.1.1 Defect production mechanisms	18
1.2.2 Laser-active <i>F</i> aggregate centers	19
1.3 Photographic sensitization	30
1.3.1 Essentials of the process	30
1.3.2 Sensitive materials	31
1.3.3 The latent image and photographic development	32
1.3.3.1 Lake of development of unexposed crystals	33
1.4 Computational techniques	38
1.4.1 Crystal simulation	38
1.4.2 Calculations	42

Topic	Page
1.5 Theoretical models	53
1.5.1 Density functional theory (DFT)	53
1.5.2 Configuration interaction (CI-singles)	61
1.5.2.1 Determining the analytical first derivative of the CI-singles energy	64
1.5.2.2 Correlated treatment for excited state.	70
1.5.2.3 Computational considerations	72
 Chapter 2: Type I F_A (Rb^+, Cs^+) and II F_A (Li^+, Na^+) tunable laser activities and donor-acceptor properties of O and O^- at KCl (001) surface.	
 Summary	75
2.1 Introduction	75
2.2 Results and discussion	77
2.2.1 F_A tunable laser activities	77
2.2.2 RES orientational bleaching	79
2.2.3 F and F_A relaxation energies	80
2.2.4 F and F_A defect formation energies	81
2.2.5 F and F_A band energies and exciton bands	81
2.2.6 The donor-acceptor properties of O and O^- adsorbates	82
Conclusions	85

Topic	Page
Chapter 3: F_A (Ga^+, In^+, Tl^+) tunable laser activity and interaction of halogen atoms (F,Cl,Br,I,At) at (001) surface of KCl crystal.	
Summary	97
3.1 Introduction	97
3.2 Results and discussion	98
3.2.1 F_A (Ga^+ , In^+ , Tl^+) tunable laser activities	98
3.2.1.1 RES orientational bleaching	100
3.2.1.2 Relaxation and defect formation energies	101
3.2.1.3 The Glasner-Tompkins relation	102
3.2.2 The adsorptivity of halogen atoms	103
3.2.2.1 Electrostatic potentials	103
3.2.2.2 The adsorbate-substrate interactions	104
3.2.2.3 Mulliken charges and adsorbate-substrate interactions	105
3.2.2.4 The relative roles of energy gaps and spin pairing	105
3.2.2.5 Band gaps and electrical conductivity	106
Conclusions	107

Topic	Page
Chapter 4: F_2^+ laser activity and photographic sensitization at the low coordinated surfaces of AgBr.	
	117
Summary	117
4.1 introduction	122
4.2 Results and discussion	122
4.2.1 F_2^+ laser activity and related properties	122
4.2.1.1 F_2^+ laser activity	123
4.2.1.2 F_2^+ orientational destruction	125
4.2.1.3 Exciton (energy) transfer	125
4.2.1.4 F_2^+ defect formation energies	126
4.2.1.5 The Glasner-Tompkins relation	127
4.2.2 Photographic sensitization	128
4.2.2.1 Electron transfer from the developer	131
4.2.2.2 Reduction of silver ions	132
Conclusions	

Topic	Page
Chapter 5: F_2^+ defect based model for tunable laser activity and interaction of atomic halogens (F, Cl and Br) at the low coordinated surfaces of LiH.	
Summary	144
5.1 Introduction	144
5.2 Results and discussion	147
5.2.1 F_2^+ laser activity and related properties	147
5.2.1.1 F_2^+ laser activity	147
5.2.1.2 F_2^+ orientational destruction	149
5.2.1.3 Exciton (energy) transfer	150
5.2.1.4 F_2^+ relaxation and defect formation energies	151
5.2.1.5 The Glasner-Tompkins relation	152
5.2.2 Adsorbate-substrate interactions	154
5.2.2.1 Electrostatic potentials	154
5.2.2.2 Atomic halogen-surface interactions	154
5.2.2.3 Mulliken charges and adsorbate-substrate interactions	155
5.2.2.4 The relative roles of energy gaps and spin pairing	156
Conclusions	157

Topic	Page
Conclusions	170
published papers	176
References	177
Arabic summary	