

CONTENTS

Title	Page
Acknowledgement	
List of Tables	vi
List of Figures	viii
List of Symbols and abbreviations	x
Numbering of chelating resins	xi
Abstract	xii

CHAPTER I

I.A General Introduction	1
I.A.1 Health effect of heavy metals	3
I.A.2 Chelating resins	3
I.A.3 Properties of chelating resins	4
I.A.4 Advantages of extraction by chelating resins	5
I.A.5 Synthesis of chelating resins	6
I.A.6 Some general applications of chelating resins	6
I.A.7 Classification of chelating resins according to donor atom	8
I.A.8 Functional groups of chelating resins	9
I.B Literature Survey	
I.B.1 Survey of available chelating ion-exchange resins	10
I.B.1.a Chelating ion-exchange resins containing nitrogen as the only donor atom	10
I.B.1.b Chelating ion-exchange resins containing nitrogen and oxygen as donor atoms	13

I.B.1.c Chelating ion-exchange resins containing oxygen as the only donor atom	30
I.B.1.d Chelating ion-exchange resins containing nitrogen and sulfur or oxygen and sulfur as donor atoms	32
I.B.1.e Chelating ion-exchange resins containing oxygen , nitrogen and sulfur as the donor atoms	35
I.B.1.f Chelating ion-exchange resins containing π -electrons as donor.	39
I.B.2 Survey of glycidyl methacrylate resins	40
I.C Aim of work	44
 CHAPTER II : EXPERIMENTAL	
II.1 Materials	45
II.2 Work plan	45
II.3 Methods and equipment	47
II.3.1 Synthesis of chelating resins	47
II.3.1.a Synthesis of (GMA- DVB) copolymer	47
II.3.1.b Synthesis of aminated chelating resin (XXXII)	49
II.3.1.c Synthesis of aminated chelating resin (XXXIII)	50
II.3.1.d Synthesis of aminated chelating resin (XXXIV)	51
II.3.2 Uptake measurements	52
II.3.2.1 Preparation of solutions.....	52
II.3.2.2 Metal ions uptake experiments using batch method	52
II.3.2.2.1 Effect of pH on the uptake of metal ions	52
II.3.2.2.2 Effect of concentration on the uptake of metal ions.	52
II.3.2.2.3 Equilibrium time and rate constant studies	52

II.3.2.2.4 Uptake of mixture from metal ions	53
II.3.2.3 Metal ion uptake experiments using column method	53
II.3.2.3.1 Uptake of metal ion	53
II.3.2.3.2 Elution and regeneration	54
II.3.3 Determination of the metal ion	54
II.3.4 Infrared spectroscopy (IR).....	54
II.3.5 Elemental analysis	54

CAPTER III: RESULTS AND DISCUSSION

III.1 Composition of prepared chelating resins	55
III.1.a Elemental analysis studies	55
III.1.b IR spectral studies	55
III.2 Selective Uptake of metal ions using batch technique	61
III.2.1 Selective Uptake of metal ions (Hg^{2+} , Cd^{2+} , Pb^{2+} , Cu^{2+} , Zn^{2+} , Mn^{2+} , Co^{2+} and Ni^{2+}) by chelating resin containing o.phenylene diamine ligand (XXXII)	61
III.2.1.1 Optimum pH of metal ions uptake	61
III.2.1.2 Optimum concentration of metal ions uptake	65
III.2.1.3 Effect of shaking time and rate constant studies on metal ions uptake	68
III.2.2 Selective Uptake of metal ions (Hg^{2+} , Cd^{2+} , Pb^{2+} , Cu^{2+} , Zn^{2+} , Mn^{2+} , Co^{2+} and Ni^{2+}) by chelating resin containing o.amino phenol ligand (XXXIII)	75
III.2.2.1 Optimum pH of metal ions uptake	75
III.2.2.2 Optimum concentration of metal ions uptake	79
III.2.2.3 Effect of shaking time and rate constant studies on metal ions uptake	82

III.2.3 Selective Uptake of metal ions (Hg^{2+} , Cd^{2+} , Pb^{2+} , Cu^{2+} , Zn^{2+} , Mn^{2+} , Co^{2+} and Ni^{2+}) by chelating resin containing 4-amino antipyrine ligand (XXXIV)	88
III.2.3.1 Optimum pH of metal ions uptake	88
III.2.3.2 Optimum concentration of metal ions uptake	92
III.2.3.3 Effect of shaking time and rate constant studies on metal ions uptake	95
III.3 Uptake of metal ions using column technique	101
III.3.1 Uptake of metal ions by chelating resin containing o.phenylene diamine ligand (XXXII)	101
III.3.1.1 Uptake of Hg^{2+} ion	101
III.3.1.2 Uptake of Cu^{2+} ion.....	104
III.3.1.3 Uptake of Pb^{2+} ion	106
III.3.1.4 Uptake of Zn^{2+} ion	108
III.3.1.5 Uptake of Cd^{2+} ion	110
III.3.1.6 Uptake of Ni^{2+} ion	112
III.3.1.7 Uptake of Mn^{2+} ion	114
III.3.1.8 Uptake of Co^{2+} ion	116
III.3.2 Uptake of metal ions by chelating resin containing o.amino phenol ligand (XXXIII)	118
III.3.2.1 Uptake of Hg^{2+} ion	118
III.3.2.2 Uptake of Cu^{2+} ion	121
III.3.2.3 Uptake of Pb^{2+} ion	123
III.3.2.4 Uptake of Zn^{2+} ion	125
III.3.2.5 Uptake of Cd^{2+} ion	127

III.3.2.6 Uptake of Ni^{2+} ion	129
III.3.2.7 Uptake of Mn^{2+} ion	131
III.3.2.8 Uptake of Co^{2+} ion	133
III.3.3 Uptake of metal ions by chelating resin containing 4-amino antipyrine ligand (XXXIV)	135
III.3.3.1 Uptake of Hg^{2+} ion	135
III.3.3.2 Uptake of Cu^{2+} ion	138
III.3.3.3 Uptake of Pb^{2+} ion	140
III.3.3.4 Uptake of Zn^{2+} ion	142
III.3.3.5 Uptake of Cd^{2+} ion	144
III.3.3.6 Uptake of Ni^{2+} ion	146
III.3.3.7 Uptake of Mn^{2+} ion	148
III.3.3.8 Uptake of Co^{2+} ion	150
III.4 The effect of ionic radius and type of chelating resin on the uptake of mixture of metal ions	152
III.5 Proposed flow-sheet for waste water treatment	155
CONCLUSION	158
REFERENCES	159